



Nothing but **HEAVY DUTY**.™

NEWS

TRANSPORT EDITION



MAINTENANCE



SEE PAGES 2-8

ENGINE WORK



SEE PAGES 9-11

REPAIRS



SEE PAGES 12-18

BODY WORK



SEE PAGES 19-21

MAINTENANCE

M18 ONEFHIWF1D-121C | ART.# 4933471757

M18 FUEL ONE-KEY™ 1" HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL

FEATURES:

- The M18 FUEL™ D-Handle high torque impact wrench with a 150 mm extended anvil delivers 2576 Nm of fastening torque replacing AC, petrol or pneumatic solutions
- Delivers up to 2711 Nm of nut-busting torque that enables bolts up to M42 to be unfastened
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility
- The integrated blow counting sensor enhances the consistent repeatability of the chosen torque setting
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality. Customisation function allows for precise tool adjustment to application
- Lug nut mode when enabled through ONE-KEY™ will automatically shut the tool off when it comes into the range of 475 Nm - 610 Nm to prevent over-tightening of lug nuts
- Tri-LEDs deliver high definition lighting to increase workspace visibility

STAY SAFE. STAY PRODUCTIVE.

BANDED HEARING PROTECTION SEE PAGE 31



KIT INCLUDES:



REDLITHIUM™

SHOCKWAVE™ 1" SQUARE SOCKETS

STANDARD SOCKETS

| Size (mm) | ART.# |
|-----------|------------|
| 27 | 4932480408 |
| 30 | 4932480409 |
| 32 | 4932480410 |
| 33 | 4932480411 |
| 33 | 4932480412 |
| 34 | 4932480413 |
| 38 | 4932480414 |
| 39 | 4932480415 |
| 41 | 4932480416 |
| 42 | 4932480417 |
| 44 | 4932480950 |
| 46 | 4932480418 |
| 50 | 4932480419 |
| 55 | 4932480420 |
| 60 | 4932480421 |
| 65 | 4932480422 |
| 70 | 4932480423 |

DEEP SOCKETS

| Size (mm) | ART.# |
|-----------|------------|
| 27 | 4932480424 |
| 30 | 4932480425 |
| 32 | 4932480426 |
| 33 | 4932480427 |
| 34 | 4932480428 |
| 36 | 4932480429 |
| 38 | 4932480430 |
| 39 | 4932480431 |
| 41 | 4932480432 |
| 44 | 4932480433 |
| 46 | 4932480434 |
| 50 | 4932480435 |
| 55 | 4932480436 |
| 60 | 4932480437 |
| 65 | 4932480438 |

1" EXTENSIONS

| Description | ART.# |
|--------------------------------------|------------|
| Extension 1" - 175 mm | 4932480440 |
| Extension 1" - 250 mm | 4932480441 |
| Universal swivel joint | 4932480443 |
| Reducer 1" - 3/4" | 4932480442 |
| Security retaining ring for 27-44 mm | 4932480451 |
| Security retaining ring for 46-70 mm | 4932480452 |



GET THE RIGHT IMPACT WRENCH FOR THE JOB



MILWAUKEE®
IMPACT SOCKETS

SEE PAGE 6

COMPACT

MID TORQUE

HIGH PERFORMANCE

| M12 FUEL | M18 | M18 FUEL | | ONE-KEY | ONE-KEY | ONE-KEY | ONE-KEY |
|-------------------------------------|------------------------------------|--------------------------------------|--|--|---|--|---|
| | | ONE-KEY | ONE-KEY | RED LITHIUM™ BATTERY TECHNOLOGY | RED LITHIUM™ BATTERY TECHNOLOGY | RED LITHIUM™ BATTERY TECHNOLOGY | RED LITHIUM™ BATTERY TECHNOLOGY |
| | | | | | | | |
| 339 Nm | 240 Nm | 339 Nm | 745 Nm | 1356 Nm | 1627 Nm | 2033 Nm | 2576 Nm |
| M16* | M16* | M18* | M20* | M33* | M33* | M42* | M42* |
| M12 FIWF12-422X ART.# 4933464617 | M18 BIW12-202C ART.# 4933443583 | M18 FIW2F12-502X ART.# 4933478445 | M18 FMTIW2F12-502X ART.# 4933478451 | M18 ONEFHIWF12-502X / M18 FHIWF12-502X ART.# 4933459728 ART.# 4933459697 | M18 ONEFHIWF34-502X ART.# 4933459731 | M18 ONEFHIWF1-802X ART.# 4933459734 | M18 ONEFHIWF1D-121C ART.# 4933471757 |

SMALL METRIC BOLTS

Engine works, small cars

SMALL TO MEDIUM METRIC BOLTS

Tyre change on cars

MEDIUM TO LARGE METRIC BOLTS

Designed for soft joint applications, better for lug nut applications

LARGE METRIC BOLTS

EXTRA LARGE METRIC BOLTS

Tyre change on heavy trucks, under the truck



| | | | |
|--|---|---|---|
| | | | |
| RUBBER SLEEVE FOR M12 FIWF ART.# 4932478758 | RUBBER SLEEVE FOR M18 FIW2F ART.# 4932478770 | RUBBER SLEEVE FOR M18 FMTIW2F ART.# 4932478771 | RUBBER SLEEVE FOR M18 FHIWF12 ART.# 49162767 |

For the full range of MILWAUKEE® impact wrenches and sockets visit milwaukeetool.co.uk

REDLITHIUM™ RED LITHIUM™ BATTERY TECHNOLOGY

*Recommended max bolt size



M12 FIR38LR-0 | ART.# 4933471500 (Available as 0-version only)

M12 FUEL 3/8" EXTENDED REACH RATCHET

WITH UP TO **75 NM OF MAX TORQUE** AND **200 RPM'S**, THIS TOOL IS THE IDEAL FASTENING SOLUTION FOR AUTOMOTIVE MECHANICS, MAINTENANCE AND REPAIR PROFESSIONALS.



Also available with 1/4" reception

M12 FIR14LR-0
ART.# 4933471499

KIT INCLUDES:



M12 FIR38LR

3/8" EXTENDED REACH RATCHET COMMON APPLICATIONS

- Suspension
- Brake replacements
- Lug nuts in wheel well
- Under carriage
- Body work

1/4" EXTENDED REACH RATCHET COMMON APPLICATIONS

- Engine work
- Thermostat replacement
- Dashboard
- Transmission
- Radiator

M12 FHIR14-0 | ART.# 4933478171 (Available as 0-version only)

M12 FUEL 1/4" HIGH SPEED RATCHET



KIT INCLUDES:



M12 FHIR14

Also available with 3/8" square reception:

M12 FHIR38-0 | ART.# 4933478172

M12 FUEL 3/8" HIGH SPEED RATCHET



KIT INCLUDES:



M12 FHIR38

M12 ONEFTR38-201C | ART.# 4933464968 (Also available as 0-version)

M12 FUEL ONE-KEY™ 3/8" DIGITAL TORQUE WRENCH

ONE-KEY



ACCURACY WITHIN +-2%

16.9 - 203.3 Nm OF TORQUE RANGE

KIT INCLUDES:



M12 ONEFTR38


M12 B2

C12 C

KITBOX

Also available with 1/2" reception

ONE-KEY



M12 ONEFTR12-201C
ART.# 4933464971

M12 FRAIWF12-0 | ART.# 4933471699

M12 FUEL 1/2" RIGHT ANGLE IMPACT WRENCH




KIT INCLUDES:



M12 FRAIWF12

270 Nm FASTENING TORQUE

PERFECT MATCH IMPACT RATED SOCKETS & IMPACT TOOLS



STAY SAFE. STAY PRODUCTIVE.

CUT SLEEVES & KNEE PADS SEE PAGE 31



For the range of new SHOCKWAVE™ Impact Duty sockets see page 6

REDLITHIUM™

REDLITHIUM™ BATTERY TECHNOLOGY



THE EXTENSIVE
SHOCKWAVE™
IMPACT DUTY
SOCKET RANGE
JUST GOT BIGGER

SHOCKWAVE
IMPACT DUTY



NEW 1/4" IMPACT SOCKETS



Hex socket rail + clips 1/4" 350 mm-1 pc

Hex socket rail extra clips 1/4"-10 pc

Hex socket ShW 1/4" deep set-12 pc

| ART.# | 4932480444 | 4932480445 | 4932480453 |
|-------|------------|------------|------------|
|-------|------------|------------|------------|

1/4" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP

| SIZE (mm) | ART.# |
|-----------|------------|
| 4 | 4932480251 |
| 4.5 | 4932480252 |
| 5 | 4932480253 |
| 5.5 | 4932480254 |
| 6 | 4932480255 |
| 7 | 4932480256 |
| 8 | 4932480257 |
| 9 | 4932480258 |
| 10 | 4932480259 |
| 11 | 4932480260 |
| 12 | 4932480261 |
| 13 | 4932480262 |



NEW 1/4" IMPACT SOCKETS



3/8" SHOCKWAVE™ IMPACT DUTY socket set (9 pc) - standard

3/8" SHOCKWAVE™ IMPACT DUTY socket set (9 pc) - deep

| ART.# | 4932480454 | 4932480455 |
|-------|------------|------------|
|-------|------------|------------|

| ART.# | 4932480455 |
|-------|------------|
|-------|------------|

INCLUDES 8 x STD sockets: 8,10,12,13,14,15,17,19 mm, 1 x adaptor 1/4" Hex - 3/8" square

INCLUDES 8 x deep sockets: 8,10,12,13,14,15,17,19 mm, 1 x adaptor 1/4" Hex - 3/8" square

3/8" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - STANDARD

| SIZE (mm) | ART.# |
|-----------|------------|
| 8 | 4932480265 |
| 10 | 4932480267 |
| 11 | 4932480268 |
| 12 | 4932480269 |
| 13 | 4932480270 |
| 14 | 4932480271 |
| 15 | 4932480272 |
| 16 | 4932480273 |
| 17 | 4932480274 |
| 18 | 4932480275 |
| 19 | 4932480276 |
| 21 | 4932480278 |
| 22 | 4932480279 |

3/8" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP

| SIZE (mm) | ART.# |
|-----------|------------|
| 8 | 4932480282 |
| 10 | 4932480284 |
| 11 | 4932480285 |
| 12 | 4932480286 |
| 13 | 4932480287 |
| 14 | 4932480288 |
| 15 | 4932480289 |
| 16 | 4932480290 |
| 17 | 4932480291 |
| 18 | 4932480292 |
| 19 | 4932480293 |
| 21 | 4932480295 |
| 22 | 4932480296 |

1/2" IMPACT SOCKETS



ART.# 4932451568

INCLUDES 1/2" impact sockets: 17 / 19 / 21 mm

1/2" SHOCKWAVE™ IMPACT DUTY automotive impact socket set (3 pc)

1/2" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - STANDARD

| SIZE (mm) | ART.# |
|-----------|------------|
| 8 | 4932480302 |
| 10 | 4932480304 |
| 11 | 4932480305 |
| 12 | 4932480306 |
| 13 | 4932480307 |
| 14 | 4932480308 |
| 15 | 4932480309 |
| 16 | 4932480310 |
| 17 | 4932480311 |
| 18 | 4932480312 |
| 19 | 4932480313 |
| 21 | 4932480315 |
| 22 | 4932480316 |
| 24 | 4932480318 |
| 27 | 4932480321 |
| 30 | 4932480324 |
| 32 | 4932480325 |

1/2" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP

| SIZE (mm) | ART.# |
|-----------|------------|
| 8 | 4932480326 |
| 10 | 4932480328 |
| 11 | 4932480329 |
| 12 | 4932480330 |
| 13 | 4932480331 |
| 14 | 4932480332 |
| 15 | 4932480333 |
| 16 | 4932480334 |
| 17 | 4932480335 |
| 18 | 4932480336 |
| 19 | 4932480337 |
| 21 | 4932480339 |
| 22 | 4932480340 |
| 24 | 4932480342 |
| 27 | 4932480345 |
| 30 | 4932480348 |
| 32 | 4932480349 |

NEW 3/4" IMPACT SOCKETS

| SIZE (mm) | ART.# |
|-----------|------------|
| 17 | 4932480361 |
| 19 | 4932480362 |
| 21 | 4932480363 |
| 22 | 4932480364 |
| 23 | 4932480365 |
| 24 | 4932480366 |
| 27 | 4932480367 |
| 30 | 4932480368 |
| 32 | 4932480369 |
| 33 | 4932480370 |
| 34 | 4932480371 |
| 36 | 4932480372 |
| 38 | 4932480373 |
| 39 | 4932480374 |
| 41 | 4932480375 |
| 46 | 4932480376 |
| 50 | 4932480377 |

| SIZE (mm) | ART.# |
|-----------|------------|
| 17 | 4932480378 |
| 19 | 4932480379 |
| 21 | 4932480380 |
| 22 | 4932480381 |
| 23 | 4932480382 |
| 24 | 4932480383 |
| 25 | 4932480384 |
| 26 | 4932480385 |
| 27 | 4932480386 |
| 28 | 4932480387 |
| 29 | 4932480388 |
| 30 | 4932480389 |
| 31 | 4932480390 |
| 32 | 4932480391 |
| 33 | 4932480392 |
| 34 | 4932480393 |
| 35 | 4932480394 |
| 36 | 4932480395 |
| 37 | 4932480396 |
| 38 | 4932480397 |
| 39 | 4932480398 |
| 40 | 4932480399 |
| 41 | 4932480400 |
| 46 | 4932480401 |
| 50 | 4932480402 |

ADAPTORS & EXTENSIONS

| DRIVE SIZE | DESCRIPTION | ART.# |
|------------|------------------------------|------------|
| 3/8" | Extension 3/8" - 150 mm | 4932480297 |
| 3/8" | Extension 3/8" - 250 mm | 4932480298 |
| 1/2" | Extension 1/2" - 150 mm | 4932480352 |
| 1/2" | Extension 1/2" - 250 mm | 4932480353 |
| 3/4" | Extension 3/4" - 175 mm | 4932480403 |
| 3/4" | Extension 3/4" - 250 mm | 4932480404 |
| 3/4" | Universal joint | 4932480301 |
| 3/4" | Adaptor 3/4" - 1" | 4932480406 |
| 3/4" | Reducer 3/4" - 1/2" | 4932480405 |
| 3/4" | 3/4" Security retaining ring | 4932480450 |

VERSATILE SOCKETS.
ANTI-ROLL WRENCH READY.

1/4", 3/8" & 1/2" DRIVE SOCKETS



NEW



FOUR FLAT™ SIDES
Anti-roll, wrench-ready, Improved grip for hand tightening

STAMPED SIZES
Quick, easy size identification

CHROME-PLATED
Rust protection; professional look; easy cleaning

1/4" DRIVE SOCKETS, METRIC

| SIZE (mm) | ART.# |
|-----------|------------|
| 4 | 4932479992 |
| 4.5 | 4932479993 |

1/4" DEEP DRIVE SOCKETS, METRIC

| SIZE (mm) | ART.# |
|-----------|------------|
| 4 | 4932479994 |
| 4.5 | 4932479995 |

1/2" DRIVE SOCKETS, METRIC

| SIZE (mm) | ART.# |
|-----------|------------|
| 8 | 4932480006 |
| 9 | 4932480007 |
| 10 | 4932480008 |
| 11 | 4932480009 |
| 12 | 4932480010 |
| 13 | 4932480011 |
| 14 | 4932480012 |
| 15 | 4932480013 |
| 16 | 4932480014 |
| 17 | 4932480015 |
| 18 | 4932480016 |
| 19 | 4932480017 |
| 20 | 4932480018 |
| 21 | 4932480019 |
| 22 | 4932480020 |
| 23 | 4932480021 |
| 24 | 4932480022 |
| 25 | 4932480023 |
| 26 | 4932480024 |
| 27 | 4932480025 |
| 28 | 4932480026 |
| 30 | 4932480027 |
| 32 | 4932480028 |
| 36 | 4932480029 |

1/2" DEEP DRIVE SOCKETS, METRIC

| SIZE (mm) | ART.# |
|-----------|------------|
| 10 | 4932480030 |
| 11 | 4932480031 |
| 12 | 4932480032 |
| 13 | 4932480033 |
| 14 | 4932480034 |
| 15 | 4932480035 |
| 16 | 4932480036 |
| 17 | 4932480037 |
| 18 | 4932480038 |
| 19 | 4932480039 |
| 20 | 4932480040 |
| 21 | 4932480041 |
| 22 | 4932480042 |
| 23 | 4932480043 |
| 24 | 4932480044 |
| 27 | 4932480045 |
| 30 | 4932480046 |
| 32 | 4932480047 |
| 36 | 4932480048 |

3/8" DRIVE SOCKETS, METRIC


| SIZE (mm) | ART.# |
|-----------|------------|
| 20 | 4932479996 |
| 21 | 4932479997 |
| 22 | 4932479998 |
| 23 | 4932479999 |
| 24 | 4932480000 |

3/8" DEEP DRIVE SOCKETS, METRIC

| SIZE (mm) | ART.# |
|-----------|------------|
| 20 | 4932480001 |
| 21 | 4932480002 |
| 22 | 4932480003 |
| 23 | 4932480004 |
| 24 | 4932480005 |

RATCHETS

| | ART.# |
|------------------------------|------------|
| ① 1/4" Drive compact ratchet | 4932479646 |
| ② 1/4" Drive long ratchet | 4932479647 |
| ③ 3/8" Drive compact ratchet | 4932479650 |
| ④ 3/8" Drive long ratchet | 4932479651 |
| ⑤ 1/2" Drive long ratchet | 4932479654 |



SCAN TO VIEW
THE SOCKETS & RATCHET RANGE



M12 UCL-0 | ART.# 4933478868 (Available as 0-version only)

M12 UNDERCARRIAGE LIGHT



3 light output modes with a 30 cm magnetic storage tray

Dual joints swivel 300° horizontally and 180° vertically for full under carriage illumination

Magnetic base for mounting applications

FEATURES:

- TRUEVIEW™ high definition lighting with up to 1200 lumens
- Up to 15 hours of run time on M12™ 4.0 Ah battery pack
- Designed for the on-the-go needs of automotive maintenance and service trades
- Dual joints swivel 300° horizontally and 180° vertically to ensure full undercarriage illumination coverage
- Magnetic base for mounting applications & 30 cm magnetic storage tray to hold nuts & bolts

KIT INCLUDES:



1200 LUMENS

| | | |
|--------|-------------|-------|
| High | 1200 Lumens | 5 hr |
| Medium | 800 Lumens | 8 hr |
| Low | 600 Lumens | 15 hr |

REDLITHIUM™

NEW L4 SL550-301 | ART.# 4933478869

USB RECHARGEABLE STICK LIGHT 550 LUMENS



4 light output modes with impact and chemical resistant lens

Versatile attachment with magnet or hang hook

220° vertical light head rotations

550 LUMENS

IP54

KIT INCLUDES:



| INSPECTION | | |
|--------------|------------|------|
| High | 250 Lumens | 2 hr |
| Low | 100 Lumens | 5 hr |
| DUAL PANEL | | |
| High | 550 Lumens | 2 hr |
| Low | 250 Lumens | 5 hr |
| SINGLE PANEL | | |
| High | 550 Lumens | 2 hr |
| Low | 250 Lumens | 5 hr |

REDLITHIUM™ USB

ENGINE WORK

M12 UHL-0 | ART.# 4933459432 (Available as 0-version only)

M12 LED UNDERHOOD LIGHT



UNDER HOOD

UNDER CARRIAGE

ANYWHERE ELSE

Perfect for work in the engine thanks to downward light and hands free use

Ability to be mounted or rested on the ground

A detachable light bar is useful inside the cabin for fleet modifications to new vehicles, wiring work, or for the exterior for finding scratches or dents in the body and many other applications

MOUNTING HOOKS EXTEND

119 CM - 196 CM (47" - 77")

COVERING WIDE CARS AND TRUCKS.

KIT INCLUDES:



| | | |
|------|-------------|------|
| High | 1350 Lumens | 4 hr |
| Low | 600 Lumens | 6 hr |

HANG ANYWHERE WITH **STAINLESS STEEL HOOK**

FISHGUARD™ HOOKS FOR LASTING PROTECTION

2X THE GRIPPING SURFACE


2000 LUMENS

IP54

REDLITHIUM™

HL-SF | ART.# 4933471388

ALKALINE SPOT FLOOD HEADLAMP



Safety helmet clips for comfortable use

5 light output modes

Sweat absorbing, microfibre strap and forehead pad

7 position head tilt

Flood light

Spot light with 100 m beam distance

KIT INCLUDES:



450 LUMENS

IP54

| | | |
|--------|-------------------|------------|
| Hybrid | 450 Lumens | 2 hr |
| Spot | 350 Lumens | 4 hr |
| Flood | 350/150/25 Lumens | 4/10/26 hr |

REDLITHIUM™

M12 IC-201C (S) | ART.# 4933451024

**M12 SUB COMPACT M-SPECTOR™
360° CAMERA**

FEATURES:

- 270 degrees rotating screen providing the user fluid image control
- Optimised 68.6 mm LCD: digital image and large screen delivers crisp, clear picture
- 9 mm 640 x 480 digital image sensor: outstanding image quality in nearly half the size
- 4 surround LED lights: best in class brightness without shadow or glare
- Enhanced cable: aluminium head and improved flexibility delivers outstanding durability and pipe manoeuvrability
- Accessories: hook, magnet, and mirror attachments help to inspect and solve

KIT INCLUDES:



CABLE EXTENSION
ART.# 48530110
Up to a maximum of 3 extensions can be fixed together.
0.9 m cable length
17 mm cable diameter



**FOR
ENGINE
CHECKS**

REDLITHIUM™

2267-40 | ART.# 4933451906

10:1 INFRARED TEMP-GUN™

FEATURES:

- 10:1 distance to spot ratio, a 1 m spot from 10 m away
- Up to -30°C to 400°C temperature range
- Premium LCD display for high readability
- Simplified buttons and setup for faster scanning
- Raised over-moulding protects lens and screen from direct impact

KIT INCLUDES:



**FOR MOTOR
HEALTH
CHECKS**

2212-20 | ART.# 4933447776

**AUTO VOLTAGE /
CONTINUITY TESTER**

KIT INCLUDES:



2200-40 | ART.# 4932352561

VOLTAGE DETECTOR

KIT INCLUDES:



**COMBINATION
SPANNERS**

SCAN TO VIEW
**THE FULL COMBINATION
SPANNER RANGE & SETS**



MAXBITE™ COMBINATION SPANNERS

| Description | Art.# |
|---|------------|
| MAXBITE™ metric combination spanner - 6 mm | 4932480197 |
| MAXBITE™ metric combination spanner - 7 mm | 4932480198 |
| MAXBITE™ metric combination spanner - 23 mm | 4932480199 |
| MAXBITE™ metric combination spanner - 24 mm | 4932480200 |
| MAXBITE™ metric combination spanner - 25 mm | 4932480201 |
| MAXBITE™ metric combination spanner - 26 mm | 4932480202 |
| MAXBITE™ metric combination spanner - 27 mm | 4932480203 |
| MAXBITE™ metric combination spanner - 28 mm | 4932480204 |
| MAXBITE™ metric combination spanner - 29 mm | 4932480205 |
| MAXBITE™ metric combination spanner - 30 mm | 4932480206 |
| MAXBITE™ metric combination spanner - 32 mm | 4932480207 |
| MAXBITE™ metric combination spanner - 36 mm | 4932480208 |

ROUNDED I-BEAM HANDLE

Comfortable in high torque applications

15° OFFSET BOX & 12 POINT BOX END

Improved accessibility in tight spaces

MAXBITE™ OPEN END

Up to 25% more torque

INK FILLED SIZE LABELS

Quick and easy size identification



CHROME FINISH
Professional look, easy cleaning

MAXBITE™ COMBINATION RATCHETING SPANNERS

| Description | Art.# |
|--|------------|
| MAXBITE™ ratcheting metric combination spanner - 6 mm | 4932480209 |
| MAXBITE™ ratcheting metric combination spanner - 7 mm | 4932480210 |
| MAXBITE™ ratcheting metric combination spanner - 24 mm | 4932480211 |
| MAXBITE™ ratcheting metric combination spanner - 25 mm | 4932480212 |
| MAXBITE™ ratcheting metric combination spanner - 27 mm | 4932480213 |
| MAXBITE™ ratcheting metric combination spanner - 30 mm | 4932480214 |
| MAXBITE™ ratcheting metric combination spanner - 32 mm | 4932480215 |

ROUNDED I-BEAM HANDLE

Comfortable in high torque applications

DOUBLE STACKED PAWLS

Durable mechanism for longest ratchet life

MAXBITE™ OPEN END

Up to 25% more torque

144 TOOTH COUNT - 2.5° OF ARC SWING

More rotation, higher productivity



CHROME FINISH
Professional look, easy cleaning

INK FILLED SIZE LABELS
Quick and easy size identification

MAXBITE™ FLEXHEAD RATCHETING SPANNERS

| Description | Art.# |
|---|------------|
| MAXBITE™ flexhead ratcheting metric spanner - 8 mm | 4932480181 |
| MAXBITE™ flexhead ratcheting metric spanner - 9 mm | 4932480182 |
| MAXBITE™ flexhead ratcheting metric spanner - 10 mm | 4932480183 |
| MAXBITE™ flexhead ratcheting metric spanner - 11 mm | 4932480184 |
| MAXBITE™ flexhead ratcheting metric spanner - 12 mm | 4932480185 |
| MAXBITE™ flexhead ratcheting metric spanner - 13 mm | 4932480186 |
| MAXBITE™ flexhead ratcheting metric spanner - 14 mm | 4932480187 |
| MAXBITE™ flexhead ratcheting metric spanner - 15 mm | 4932480188 |
| MAXBITE™ flexhead ratcheting metric spanner - 16 mm | 4932480189 |
| MAXBITE™ flexhead ratcheting metric spanner - 17 mm | 4932480190 |
| MAXBITE™ flexhead ratcheting metric spanner - 18 mm | 4932480191 |
| MAXBITE™ flexhead ratcheting metric spanner - 19 mm | 4932480192 |
| MAXBITE™ flexhead ratcheting metric spanner - 20 mm | 4932480193 |
| MAXBITE™ flexhead ratcheting metric spanner - 21 mm | 4932480194 |
| MAXBITE™ flexhead ratcheting metric spanner - 22 mm | 4932480195 |

ROUNDED I-BEAM HANDLE

Comfortable in high torque applications

DOUBLE STACKED PAWLS

Durable mechanism for longest ratchet life

MAXBITE™ OPEN END


Up to 25% more torque

ADJUSTABLE SET SCREW

For preferred flex head tension

144 TOOTH COUNT - 2.5° OF ARC SWING

More rotation, higher productivity



CHROME FINISH
Professional look, easy cleaning

INK FILLED SIZE LABELS
Quick and easy size identification

NEW ART.# 48229215

HOOK & PICK SET

FEATURES:

- All-metal core for long-lasting durability and rust protection
- Chrome-plated shanks reduce corrosion and provide rust protection

ALSO AVAILABLE

| Description | ART.# |
|-----------------------------------|------------|
| Heavy Duty Hook & Pick Set (4 pc) | 4932480568 |
| 8pc pick set | 4932480569 |
| Hose pick - flat tip | 4932480570 |
| Hose pick - hook | 4932480571 |
| Hose pick - bent 90 degrees | 4932480572 |
| Hose pick - bent 45 degrees | 4932480573 |



ART.# 48229214

PRY BAR SET

FEATURES:

- Curved claw design reduces damage when pulling nails
- I-Beam design for added durability
- Hammer-ready strike cap improves leverage when working in tight and tricky spaces
- Comfortable Tri-Lobe handles for better grip
- All-chrome shafts for increased durability
- All-metal core for improved durability
- Includes: 200 mm - 300 mm - 450 mm - 600 mm



REPAIRS

M12 FCOT-622X | ART.# 4933464620 (Also available as 0-version)

M12 FUEL SUB COMPACT MULTI-MATERIAL CUT-OFF TOOL

IDEAL FOR METAL CUTTING

FEATURES:

- Fast accurate cutting with up to 20,000 RPM
- Optimised ergonomic design for easy control and one-handed use. Only 1.1 kg and 226 mm in length
- Multi-material cutting capability with variety of blades available (metal cut-off wheel, carbide abrasive blade and diamond tile blade included)



PERFECT FOR
SHEET METAL (0.5 - 1.5 MM)
THREADED ROD (10 - 13 MM)
METAL CONDUIT / EMT
MISC. METAL CUT OFF
COPPER

KIT INCLUDES:



76 X 1 MM THIN METAL CUTTING DISC (5 PCS)
 ART.# 4932464717
 For cutting steel and stainless steel

REDLITHIUM™

M18 BMS12-0 | ART.# 4933447925 (Available as 0-version only)

M18 METAL SHEAR

FEATURES:

- Accurate cuts with maximum cutting depth of 1.2 mm in steel
- Unique 360° tool-free rotating head with 12 locking positions to access tight spaces and increasing user comfort
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability

360°
 ROTATING HEAD



REDLITHIUM™

KIT INCLUDES:



M12 C12 RT-0 | ART.# 4933427183 (Available as 0-version only)

M12 SUB COMPACT ROTARY TOOL

FEATURES:

- Versatile cordless solution for cutting and removal applications
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Variable speed (5000 - 32,000 rpm)
- 3.2 mm collet fits most current accessories in the market
- Spindle lock mechanism for easy accessory changes

SUPERIOR
ERGONOMICS
AND ONLY
0.44KG



REDLITHIUM™

KIT INCLUDES:



M12 FDGA-422B | ART.# 4933471440 (Also available as 0-version)

M12 FUEL ANGLED DIE GRINDER

FEATURES:

- Compact size (only 119 mm long) to help fit in tight places, and offers great mobility and access
- Performance to remove rust, sealant and prepare welding, surface & to cut metal off
- Features a 4-mode speed control and responsive variable speed trigger enabling outstanding control
- To be used with discs up to Ø 50 mm
- Supplied with 6 and 8 mm collets

OPTIMISED FOR MOST COMMON ACCESSORIES



KIT INCLUDES:



STAY SAFE. STAY PRODUCTIVE.
HIGH DEXTERITY GLOVES
 SEE PAGE 29



REDLITHIUM™

NEW M12 FDGS-422B | ART.# 4933471437 (Also available as 0-version)

M12 FUEL STRAIGHT DIE GRINDER

FEATURES:

- Best-in-class size (262 mm long) to help reach in tight places, and offers great mobility and access
- Features a 3-mode speed control and responsive variable speed trigger enabling outstanding control
- To be used with discs up to ø50 mm
- Supplied with 6 and 8 mm collets

3-MODE
SPEED
CONTROL

KIT INCLUDES:



REDLITHIUM™

M18 ONEPD2-502X | ART.# 4933464528

M18 FUEL ONE-KEY™ PERCUSSION DRILL

FEATURES:

- ONE-KEY™ enabled
- Extremely compact design of 175 mm length for access into tight spaces
- Advanced heavy duty chuck providing increased bit grip
- All metal reversible belt clip to hang your tool quickly and easily



OUTSTANDING TORQUE OF **135 Nm**

KIT INCLUDES:



REDLITHIUM™

M18 FQID-502X | ART.# 4933451791 (Also available as 0-version)

M18 FUEL SURGE™ 1/4" HEX HYDRAULIC IMPACT DRIVER

FEATURES:

- FLUID-DRIVE™ hydraulic powertrain reduces metal on metal contact within the tool, delivering quieter operation, smoother performance and increased durability over a standard impact
- Delivers up to 0–3,000 rpm with constant power output to drive screws faster
- 4-Mode DRIVE CONTROL
- Self-tapping screw mode



4-MODE DRIVE CONTROL

KIT INCLUDES:



REDLITHIUM™

STEP DRILLS

| Description | Shank diameter (mm) | Overall length (mm) | No. of steps | ART.# |
|--|---------------------|---------------------|--------------|----------|
| 4–12 mm/1 | 6 | 65 | 9 | 48899302 |
| 4–20 mm | 8 | 65 | 9 | 48899320 |
| 6–35 mm | 10 | 90 | 14 | 48899335 |
| 6–40.5 mm | 10 | 90 | 17 | 48899340 |
| ① Step drill set (3pc) | | | | 48899399 |
| Includes 3 step drill bits: 4 - 12 mm/1, 4 - 20 mm, 6 - 35 mm | | | | |
| ② Step & drill bit combo set (10pc) | | | | 48899350 |
| Includes 2 x step drill bits: 4 - 12 mm/1, 4 - 20 mm. THUNDERWEB™ metal drill bits: 2 x 2 mm, 2 x 3 mm, 2 x 4 mm, 1 x 5 mm, 1 x 6 mm | | | | |

THUNDERWEB™ SETS

| Description | ART.# |
|--|------------|
| ① THUNDERWEB™ HSS-G set (19 pc) Ø 1/1.5/2/2.5/3/3.5/4/4.5/5/5.5/6/6.5/7/7.5/8/8.5/9/9.5/10 mm | 4932352374 |
| ② THUNDERWEB™ HSS-G set (25 pc) Ø 1/1.5/2/2.5/3/3.5/4/4.5/5/5.5/6/6.5/7/7.5/8/8.5/9/9.5/10/10.5/11/11.5/12/12.5/13 mm | 4932352376 |

SHOCKWAVE™ STEP DRILLS

FEATURES:

- Designed to deliver best-in-class performance in impact drivers and also the versatility to be used in drill drivers
- The 1/4" Hex shank with an optimised SHOCKZONE™ ensures maximum durability by preventing early shank breaks
- New Titanium Aluminium Nitride coating helps to reduce heat generation
- RAPID STRIKE TIP™: Accurate start without walking and fast drilling without the need to pre-drill the material



| Description | Shank diameter (mm) | Overall length (mm) | No. of steps | ART.# |
|--|---------------------|---------------------|--------------|----------|
| 4–12 mm/1" | 1/4" Hex | 83 | 9 | 48899261 |
| 4–12 mm/2" | | 83 | 5 | 48899262 |
| 4–20 mm | | 95 | 9 | 48899263 |
| 4–30 mm | | 95 | 12 | 48899265 |
| SHOCKWAVE™ Impact Duty step drill set (3 pc) Includes 3 SHOCKWAVE™ step drill bits: 4–12 mm/1, 4–20 mm, 4–30 mm | | | | 48899266 |

SHOCKWAVE™ IMPACT DUTY SETS

| Description | Contents | ART.# |
|--|--|------------|
| SHOCKWAVE™ IMPACT DUTY drill/drive set (48 pc) | SHOCKWAVE™ screwdriving bits: 32 x 25 mm length 2 x PH1/2 x PH2/1 x PH3/2 x PZ1/3 x PZ2/1 x PZ3/3 x TX10/3 x TX15/3 x TX20/3 x TX25/3 x TX30/1 x TX40/1 x Hex 4 mm/1 x Hex 5 mm/1 x SL 0.6 x 4.5/1 x SL 0.8 x 5.5/1 x SL 1.2 x 6.5/8 x 50 mm length 1 x PH1/1 x PH2/1 x PH3/1 x TX10/1 x TX15/1 x TX20/1 x TX25/1 x TX30/1 x TX40/1 x PZ2/1 x TX20/1 x TX25/1 x SHOCKWAVE™ magnetic bit holder 60 mm length, 4 x Shockwave 1/4" Hex drill bits: Ø 3/4/5/6 mm | 4932472057 |
| SHOCKWAVE™ IMPACT DUTY bit set (32 pc) | SHOCKWAVE™ screwdriving bits: 31 x 25 mm length: 1 x PH1/2 x PH2/1 x PH3/1 x PZ1/2 x PZ2/1 x PZ3/2 x TX10/2 x TX15/3 x TX20/2 x TX25/2 x TX30/1 x TX40/1 x TX B07/1 x TX B08/1 x TX B09/1 x TX B10/1 x TX B15/1 x TX B20/1 x TX B25/1 x Hex 3 mm/1 x Hex 4 mm/1 x Hex 5 mm/1 x Hex 6 mm/1 x SHOCKWAVE™ locking bit holder 73 mm long | 4932464240 |
| SHOCKWAVE™ IMPACT DUTY bit set (40 pc) | SHOCKWAVE™ screwdriving bits: 25 x 25 mm length 1 x PH1/2 x PH2/1 x PH3/1 x PZ1/3 x PZ2/2 x TX10/2 x TX15/3 x TX20/2 x TX25/2 x TX30/1 x TX40/1 x Hex 4 mm/1 x Hex 5 mm/1 x SL 0.6 x 4.5/1 x SL 0.8 x 5.5/1 x SL 1.2 x 6.5/8 x 50 mm length 1 x PH2/1 x PZ2/1 x TX10/1 x TX15/1 x TX20/1 x TX25/1 x TX30/1 SHOCKWAVE™ magnetic bit holder: 1 x 60 mm length, 1 x 152 mm length, 3 x SHOCKWAVE™ 1/4" Hex drill bits: Ø 3/4/5 mm, 2 x SHOCKWAVE™ magnetic nut drivers: 48 mm length 1 x Hex 8 mm/1 x Hex 10 mm | 4932430908 |

NEW

M12FDD2-602X | ART.# 4933479970

M12 FUEL SUB COMPACT DRILL DRIVER

FEATURES:

- Most compact 12V hammer drill on the market
- Lightweight weighing less than 950g
- Shortest OAL with only 151mm (17mm shorter than the current generation)
- 45Nm of torque
- 13 settings for covering a range from 1.1Nm to 6.8Nm



KIT INCLUDES:



REDLITHIUM™

M18 FMDP-502C | ART.# 4933451013

M18 FUEL MAGNETIC DRILLING PRESS WITH PERMANENT MAGNET

FEATURES:

- AUTOSTOP™ lift-off detection: Detects excess rotation and automatically cuts power to the drill for best user protection
- Self-powered permanent magnet with 8,890 N of holding force
- Maximum drilling capacity of 38 mm with use of annual cutters and 13 mm straight shank twist drill bits
- Keyless 19 mm Weldon reception



KIT INCLUDES:



REDLITHIUM™

ART.# 4932471274

SHOCKWAVE™ RIGHT ANGLE ATTACHMENT

FEATURES:

- Very compact design: only 36 mm in height and a true 90° angle to allow access into confined spaces
- Impact rated: suitable to use with latest 18 V impact drivers as well as cordless drill drivers
- For all 1/4" Hex driving and drilling accessories



Includes
10 x screwdriving bits: PH2/ PZ1/ PZ2 x 2/ PZ3/ TX10/ TX15/ TX20/ TX25/ TX30.
1 x Right Angle Attachment

ART.# 4932459781

SHOCKWAVE™ KNUCKLE™ OFFSET ATTACHMENT

FEATURES:

- Offset attachment for heavy duty impact applications
- Impact rated: Can be used with both cordless and impact drills
- Very compact offset attachment
- Ideally suited to working in confined and limited spaces
- Solid metal construction to absorb impact action



Includes
10 x screwdriving bits: PH1/ PH2 x 2/ PZ1/ PZ2 x 2/ PZ3/ TX15/ TX20/ TX25.
1 x Knuckle™

M18 FSZ-501X | ART.# 4933478292

M18 FUEL SAWZALL™

FEATURES:

- Brushless POWERSTATE™ motor for up to 5x longer motor life and up to 30% faster cutting comparing to previous brushed model
- Patented gear protecting clutch - extends gear and motor life by absorbing high impact forces caused by sudden blade lock-ups
- Wear resistant lever actuated FIXTEC™ blade clamp provides fast and easy blade changes
- Metal reinforced battery connection provides improved durability and battery retention over life
- Durable metal rafter hang hook for work space management and safety
- Built-in LED light illuminates the work surface while cutting
- Adjustable shoe for optimised use of saw blades

KIT INCLUDES:



THE EXTREMELY DURABLE SAWZALL™

REDLITHIUM™

M18 FHZ-502X | ART.# 4933459886
(Also available as 0-version)

M18 FUEL HACKZALL™



- 22 mm stroke length
- No load stroke rate of 3000 spm

KIT INCLUDES:



M12 CHZ-602X | ART.# 4933451908
(Also available as 0-version)

M12 FUEL SUB COMPACT HACKZALL™



- 15.9 mm stroke length
- No load stroke rate of 3000 spm

KIT INCLUDES:



C12 HZ-202C | ART.# 4933441198
(Also available as 0-version)

M12 SUB COMPACT HACKZALL™



- 13 mm stroke length
- No load stroke rate of 3000 spm

KIT INCLUDES:



REDLITHIUM™

METAL: HEAVY DUTY TORCH™ CARBIDE TEETH



THE TORCH™ CARBIDE TEETH

- Carbide teeth provide for long life in thick metals.
- Up to 50x more life compared to Bi-Metal blades

| LENGTH | PACK QTY | ART.# |
|--------|----------|----------|
| 150 mm | 1 | 48005201 |
| 230 mm | 1 | 48005202 |
| 300 mm | 1 | 48005203 |

METAL: HEAVY DUTY TORCH™ DEMOLITION BLADES

- Bi Metal, shatter resistant 1.06 mm thick blade for precise cuts in sheet metal and pipes



| LENGTH | TPI | PACK QTY | ART.# |
|-----------------|-----|----------|----------|
| 150 mm | 18 | 5 | 48005784 |
| Ice Edge 150 mm | 18 | 5 | 48004784 |
| 230 mm | 18 | 5 | 48005788 |
| Ice Edge 230 mm | 18 | 5 | 48004788 |
| 150 mm | 14 | 5 | 48005782 |
| Ice Edge 150 mm | 14 | 5 | 48004782 |
| 230 mm | 14 | 5 | 48005787 |
| Ice Edge 230 mm | 14 | 5 | 48004787 |

HACKZALL™ BLADES



HACKZALL™

- Especially engineered blades for exclusive use on 12 V HACKZALL™

10PC HACKZALL™ SET
ART.# 49220220



CHECK OUT THE **MULTI-TOOL RANGE**



| | M18 FMT-522X | M18 BMT-421C | M12 FMT-422X | C12 MT-402B |
|----------------------------------|---|--|---|--|
| Motor technology | FUEL™ | Brushed | FUEL™ | Brushed |
| Oscillation angle left/right (°) | 2.1 | 1.7 | 1.8 | 1.5 |
| No load speed (rpm) | 10,000-20,000 | 12,000-18,000 | 10,000-20,000 | 5,000-20,000 |
| Weight with battery pack (kg) | 1.9 | 1.7 | 1.2 | 1.2 |
| Kit included | 1 x M18 B5, 1 X M18 B2 Battery packs, M12-18 FC Charger, HD Box | 1 x M18 B4, 1 x M18 B2 Battery packs, M12-18 C Charger, Kitbox | 1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box | 2 x M12 B4 Battery packs, C12 C Charger, Bag |
| ART.# | 4933478493 | 4933446272 | 4933472240 | 4933441708 |

REDLITHIUM™

MILWAUKEE® OMT RANGE



FULLY-STACKED COMPREHENSIVE RANGE

LONG LIFETIME & DURABILTY

ALL-TRADE FOCUSED SOLUTIONS

OMT BLADES



ONE UNIVERSAL SYSTEM

- No components or adaptors required
- Fast blade changes
- 100% power transmission from tool to accessory

WOOD WITH NAILS 20 MM NARROW PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906000



MULTI MATERIAL 28 MM PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906031



MULTI MATERIAL 35 MM PLUNGE CUT CARBIDE TOOTHED BLADE FOR EXTRA LONG-LIFE
ART.# 48906040



MULTI MATERIAL 85 MM DIAMETER SEGMENTED FLUSH CUT BLADE
ART.# 48906038



WOOD WITH NAILS 65 MM PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906027



WOOD WITH NAILS 35 MM PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906021



MULTI MATERIAL 43 MM PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906035



MULTI MATERIAL 100 MM DIAMETER SEGMENTED FLUSH CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906039





AUTO GLASS INSTALLATION



REMOTE SPEED DIAL AND VARIABLE SPEED TRIGGER
6 speed settings

QUICK CHANGE COLLAR, INTERCHANGEABLE TUBE HOLDERS

End-users selection between 4 different versions

HIGH POWER
Up to 4500 N of force

C18 PCG/600T-201B | ART.# 4933441810

M18 CAULK GUN WITH 600 ML TUBE



4500 N

KIT INCLUDES:



Also available with aluminium tube:

C18 PCG/600A-201B | ART.# 4933448758



4500 N

KIT INCLUDES:



C18 PCG/400T-201B | ART.# 4933441814

M18 CAULK GUN WITH 400 ML TUBE



4500 N

KIT INCLUDES:



M12 PCG/600A-201B | ART.# 4933448764

M12 SUB COMPACT CAULK GUN WITH 600 ML TUBE



1780 N

KIT INCLUDES:



M12 PCG/400A-201B | ART.# 4933451225

M12 SUB COMPACT CAULK GUN WITH 400 ML TUBE



1780 N

KIT INCLUDES:



REDLITHIUM™

M12 FTB-0 | ART.# 4933472215 (Available as 0-version only)

M12 FUEL TYRE BUFFER

FEATURES:

- Two speed mode selector for reaming (1200 RPM) & buffing applications (2500 RPM)
- Ability to complete around 10 tyre patch repairs with one M12 B2 battery charge
- Optimal speed settings in order to avoid burning or damaging the tyre
- Variable speed trigger provides outstanding control of the tool
- Trigger lock-off extends the life of the tool and battery
- Pneumatic performance with cordless convenience for better accessibility and manoeuvrability in tight spaces

KIT INCLUDES:



M12 FTB



SUSTAINED POWER WITHOUT BOGGING DOWN

REDLITHIUM™

BODYWORK

NEW M18 FROP15-502X | ART.# 4933479823 (Also available as 0-version)

M18 FUEL RANDOM ORBITAL POLISHER WITH 15 MM STROKE

IDEAL FOR REMOVING SWIRLS AND LIGHT SCRATCHES

IMPROVED BATTERY POSITIONING

Battery 90° rotated to prevent the battery touching the paint during polishing

LARGE ERGONOMIC FRONT GRIP AREA WITH OVERMOLD



125 MM BACKING PAD

REMOVABLE DUST SCREEN

VARIABLE SPEED 2 FINGER TRIGGER
with locking function

KIT INCLUDES:



M18 FROP15

M18 B5

M12-18 FC

HD BOX

STAY SAFE. STAY PRODUCTIVE.

RESPIRATORY PROTECTION SEE PAGE 29



AVAILABLE WITH 21 MM STROKE

FROP21-0X
ART.# 4933478836



REDLITHIUM™

M18 FAP180-502X | ART.# 4933451551

M18 FUEL POLISHER

EFFECTIVE AT TAKING OUT HEAVY SCRATCHES AND RESTORING A GREAT FINISH

RUBBER OVER MOLD

SIDE AND 3 POSITION BAIL HANDLE

KIT INCLUDES:



M18 FAP180

M18 B5

M12-18 FC

HD BOX

8 POSITION VARIABLE SPEED DIAL

360 - 2200 rpm

REMOVABLE DUST SCREEN

VARIABLE SPEED 2 FINGER TRIGGER
with locking function

POLISHING PADS

Supplied with M18 FAP180-502X

LAMBSWOOL POLISHING DISC



ART.# 4932430395

POLISHING SPONGE HARD



ART.# 4932430396

POLISHING SPONGE SOFT



ART.# 4932430397



REDLITHIUM™

M12 BPS-421X | ART.# 4933447802 (Also available as 0-version)

M12 SUB COMPACT POLISHER / SANDER

FOR ACCESSING SMALL AREAS WHERE A LARGER PAD WILL NOT FIT WELL

FEATURES:

- Compact design with only 130 mm allows access to hard areas
- Variable 2 speed selection (0-2800 / 0-8300 RPM)
- Large capacity of 76 mm polishing sponge and 50 mm sanding pad size

KIT INCLUDES:



SUPPLIED WITH M12 BPS-421X

POLISHING / SANDING BACKING PAD

Thread: M9 x 0.75. Hook and loop fixation. For use with polishing sponges and abrasive paper
ART.# 4932430488

FIBRE DISC BACKING PAD

Thread: M9 x 0.75 to affix to tool. Knurled thread to fix coated abrasives and surface finishing products for coarse sanding applications, such as rust removal
ART.# 4932430492

POLISHING SPONGE HARD (YELLOW)

Hard sponge for use with aggressive polish for removal of deep scratches. Hook and loop fixation. For use with polishing / sanding backing pad
ART.# 4932430489

POLISHING SPONGE SOFT (WHITE)

Soft sponge for use with light polish for removal of small scratches. Hook and loop fixation. For use with polishing / sanding backing pad
ART.# 4932430490

LAMBSWOOL POLISHING PAD

Hook and loop fixation. For use with polishing / sanding backing pad
ART.# 4932430838



REDLITHIUM™

MICROFIBRE CLOTH

ART.# 4932430398

M-CUT 1500

Cutting coarse
ART.# 4932430475

M-WAX 6000

Polishing / Finishing
ART.# 4932430476

SUITABLE FOR ALL POLISHERS

CLOTH / POLISHING COMPOUNDS

NEW M12 CML-401 | ART.# 4933479367

M12 LED COLOUR MATCHING LIGHT

FEATURES:

- High definition lighting with up to 1000 lumens
- 98+ colour rendering index for use to identify accurate and reliable colour recognition
- Featuring 5 different colour temperatures, for end users to replicate real sunlight requirements
- Up to 14 hours of run time on M12™ 4.0 Ah battery pack
- IP54 rated for water and dust resistant and 2 m impact resistant
- Magnetic attachment for hands-free use


1000 LUMENS

IP54

KIT INCLUDES:



| | | | | |
|---------------|-------------|-------|----|----|
| 27 | 35 | 45 | 55 | 65 |
| COLOUR | | | | |
| High | 1000 Lumens | 4 hr | | |
| Medium | 600 Lumens | 6 hr | | |
| Low | 300 Lumens | 12 hr | | |



REDLITHIUM™

M18 BHG-502C | ART.# 4933459773 (Also available as 0-version)

M18 HEAT GUN

REACHES OPERATIONAL TEMPERATURE OF 470° IN LESS THAN 7 SECONDS

- Supplied with 2x nozzles: 1x reduction nozzle for heat intensity on a specific area, 1x reflector nozzle to apply heat around an object, such as pipes



KIT INCLUDES:



SMALL THIN WALL HEAT SHRINK



Damaged wire repair, bundling wires

Common Sizes: 6 mm, 9 mm, 12 mm

HEAT SHRINK CONNECTORS



Damaged wire repair

Common sizes: 16GA – 14GA (Blue)

REMOVING DECALS



Remove existing decals from vehicles

REDLITHIUM™

M18 ONEFPRT-202X | ART.# 4933478603

M18 FUEL RIVET TOOL WITH ONE-KEY™

ONE-KEY™

UNLOCKING THE DIGITAL JOBSITE.

PREMIUM STEEL ALLOY JAWS

ALL METAL GEARCASE

LANYARD RING

SEMI-CLEAR MANDREL COLLECTOR

RETENTION NOSE PIECES

Holds blind rivet in tool, in any orientation, after insertion

LED LIGHT

ON-BOARD NOSE PIECE & WRENCH STORAGE

PREMIUM RUBBER OVERMOLD

Protection against corrosive materials

BELT CLIP

KIT INCLUDES:



RETENTION NOSE PIECES SET FOR M18 FUEL™ RIVET TOOL WITH ONE-KEY™
ART.# 4932478961



ALSO AVAILABLE:

M12 BPRT-201X
ART.# 4933464406



REDLITHIUM™

OTHER VACUUM CLEANERS

Available as 0-version only

M18 FPOVCL-0 | ART.# 4933478187
M18 FUEL PACKOUT™ WET/ DRY VACUUM



FEATURES:

- Max. air flow of 1416 l/min & 117 mbar
- Usable on and off the PACKOUT™ stack
- The DEK 26 power tool connector allows for efficient dust extraction from power tools
- HEPA filter

Available as 0-version only

M18 FCVL-0 | ART.# 4933478185
M18 FUEL COMPACT VACUUM L-CLASS



FEATURES:

- Max. air flow of 764 l/min & 184 mbar
- Dual cyclonic debris separation for larger jobsite debris
- HEPA filter

Available as 0-version only

M12 FVCL-0 | ART.# 4933478186
M12 FUEL WET/ DRY VACUUM



FEATURES:

- Max. air flow of 1275 l/min & 105 mbar
- The DEK 26 power tool connector allows for efficient dust extraction from power tools
- HEPA filter

Available as 0-version only

M12 AUN-0 | ART.# 4932479461
M12 AIR-TIP™ UTILITY NOZZLE



FEATURES:

- The universal reception fits to all MILWAUKEE® M12™ and M18™ cordless vacs and covers most common hose sizes (Ø 31.8 mm, 47.6 mm and 63.5 mm)

REDLITHIUM™

GREASE GUNS

FEATURES:

- Extreme long run time - dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics - only 355 mm long and 3.2 kg
- Air bleeder valve - priming mechanism for quick flow
- Integrated hose storage and shoulder strap loop - added user convenience and reducing down time
- Three way loading - bulk, cartridge and suction capable
- Grease capacity 400 ml cartridge, 473 ml bulk



M12 GG-0 | ART.# 4933440435

M12 SUB COMPACT GREASE GUN



- Supplied with 914 mm x 14.4 mm high pressure flex hose with spring guard and grease coupler



M18 GG-0 | ART.# 4933440493

M18 GREASE GUN



- Supplied with 1219 mm high pressure flex hose with spring guard



REDLITHIUM™

M12 SI-201C | ART.# 4933459762

M12 SUB COMPACT SOLDERING IRON

OUTSTANDING ACCESS, 3-STOP PIVOTING HEAD

TOOL FREE TIP CHANGE

HEATS QUICKLY & MAINTAINS OPTIMISED TEMPERATURE
Ready to use in 20-30 seconds



KIT INCLUDES:



PEN STYLE - 0°

INNOVATIVE 45° SETTING

GUN STYLE - 90°



Delivers user ability to choose the orientation of the tool depending on the application without the hassle of cords or butane exhaust.

REDLITHIUM™

NEW M18 BI-0 | ART.# 4933478706

M18 INFLATOR

OPTIMISED FOR PASSENGER, LIGHT TRUCK, AND OTHER MEDIUM-DUTY TYRES

FEATURES:

- Rated to deliver max 10.34 bar pressure, the high efficiency motor top off 285/75R16 light truck tyres in under 1 minute
- TRUEFILL™ technology: auto pressure check feature activates to ensure bar target is achieved, automatic shut-off at selected bar prevents overinflation
- Features 4 bar memory slots, anti-vibration feet, a 920 mm hose with an all-brass schrader chuck, and an on-board hose and nozzle storage



KIT INCLUDES:



ALSO AVAILABLE:

M12 BI-0
ART.# 4933464124
For car, truck and off-road



REDLITHIUM™

STEEL STORAGE

NEW ART.# 4932478851

78 CM (30") STEEL ROLLING CABINET

RECESSED, SMOOTH ABS WORKTOP

with screwdriver holes and additional storage compartments

PEG BOARD

with hooks and tool holders

30 KG RATED, SOFT-CLOSE DRAWERS

45 kg/90 kg on the bottom

SHOCK-ABSORBING CORNER BUMPERS

POWER TOOL ORGANISER



DEDICATED SPACE FOR MOUNTING ANY MILWAUKEE® M18™/M12™ CHARGER

compatible with all MILWAUKEE® chargers

MAGNETIC POWER CENTRE

ANTI-TILT PROTECTION

only 1 drawer can be open at a time

125 MM INDUSTRIAL CASTERS

2 x fixed, 2 x swivelling



ALSO AVAILABLE:

ART.# 4932478850

30" STEEL TOP CHEST

FEATURES:

- Integrated bottle storage
- Additional storage capacity



FOAM INSERTS

ART.# 4932479825

3/8" RATCHET AND SOCKET FOAM INSERT

CONTENTS:

- Standard & deep well sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- Accessories: 76 and 152 mm extension, 3/8" universal joint



| | Pack quantity | ART.# |
|--|---------------|------------|
| Trilobe Screwdriver Foam Insert | 23 | 4932479830 |
| 1/4" Ratchet and Socket Set Foam Insert | 28 | 4932479824 |
| 1/2" Ratchet and Socket Set Foam Insert | 28 | 4932479826 |
| MAX BITE™ Combination Spanner Set Foam Insert | 15 | 4932479827 |
| MAX BITE™ Ratcheting Combination Spanner Set Foam Insert | 15 | 4932479828 |
| MAX BITE™ Flex Head Ratcheting Spanner Set Foam Insert | 15 | 4932479829 |

NEW

ART.# 4932478853 + 4932478855

117 CM (46") HIGH CAPACITY STEEL CABINET & TOP CHEST

GLOSSY FINISH

easy to clean

WORK TOP DRAWER

for using a laptop or making notes

45 KG RATED, SOFT-CLOSE DRAWERS

(90 kg for the bottom drawer)

DURABLE ANGLE FRAME

1360 kg total load capacity

150 MM INDUSTRIAL CASTERS

2 x fixed, 2 x swivelling



PEG BOARD ON THE BACK WALL

allows for an easy access to the most used tools

SAFETY DRAWER

locked separately for storing personal items, keys, wallet, documents, etc.

2X IN-BUILT POWER CENTRE

for charging batteries directly on the cabinet

POWER TOOL & BATTERY ORGANISER

in bottom two drawers



ART.# 4932478853

46" HIGH CAPACITY STEEL CABINET

ART.# 4932478855

46" HIGH CAPACITY STEEL TOP CHEST

NEW

ART.# 4932478857

102 CM (40") STEEL WORK CART

BUILT-IN STORAGE COMPARTMENTS, SCREWDRIVER HOLDERS, STORAGE CUPS

ensure a good organisation and easy access to most used tools and parts

MAGNETIC POWER CENTRE

for charging batteries directly on the work cart

ADJUSTABLE STORAGE BAR

for paper towels, spool wires

CORNER BUMPERS

90 KG RATED SLIDING BOTTOM SHELF

for easier access to bulky items like air compressors or tool boxes



FOLDABLE REAR SHELF

22 kg weight capacity

V-GROOVES

to hold material when cutting or measuring

45 KG RATED SOFT CLOSE DRAWER

2X MOVEABLE SHELVES

for storing bottles, sprays and other equipment

125 MM INDUSTRIAL CASTERS

2 x fixed, 2 x swivelling

DURABLE ANGLE FRAME

315 kg total load capacity

STEEL STORAGE

TRANSPORT EDITION

STEEL STORAGE

CORDLESS ESSENTIALS

AUTOMOTIVE & TRANSPORTATION

M18 HOSALC-0 | ART.# 4933478117
M18 HIGH OUTPUT STAND AREA LIGHT CHARGER

MAX RUN TIME:
10 h with M18 HB8



6000 LUMENS
IP34

M18 HOAL-0 | ART.# 4933478119
M18 HIGH PERFORMANCE AREA LIGHT



MAX RUN TIME:
12 h with M18 B5
4000 LUMENS

M12 AL-0 | ART.# 4933451394
M12 LED AREA LIGHT

Integrated magnets, clamping mechanism, and key hole for screws provide multiple mounting options.



MAX RUN TIME:
15 h with M12 B4
1000 LUMENS
IP54

M12 SL-0 | ART.# 4932430178
M12 LED STICK LIGHT

Adjustable metal hook allows for light to be hung in multiple orientations when being used.



MAX RUN TIME:
11 h with M12 B4
220 LUMENS
IP24

M18 PRCDAB+-0 | ART.# 4933472113
M18 PACKOUT RADIO-CHARGER

- DAB+ and AM/FM tuner
- BLUETOOTH® connectivity
- Built in charger



M18 RC-0 | ART.# 4933446647
M18 JOBSITE RADIO/CHARGER WITH BLUETOOTH®

- AC/DC versatility
- Built in charger function



M18 JSR DAB+-0 | ART.# 4933451252
M18 JOBSITE RADIO DAB+



DAB+/FM tuner

M18 JSR-0 | ART.# 4933451473
M18 JOBSITE RADIO



AM/FM tuner

M12 RCDAB+-0 | ART.# 4933472115
M12 RADIO CHARGER

- DAB+ and AM/FM tuner
- BLUETOOTH® connectivity
- Built in charger



M12 JSSP-0 | ART.# 4933448380
M12 JOBSITE BLUETOOTH® SPEAKER

Bluetooth® wireless range of up to 10 m



M12-18 JSSP-0 | ART.# 4933459275
M12 - M18 BLUETOOTH® SPEAKER

Bluetooth® wireless range of up to 30 m



REDLITHIUM™

M18 HB12 | ART.# 4932464260
M18 HIGH OUTPUT™ 12.0 Ah BATTERY



M18 HB8 | ART.# 4932471070
M18 HIGH OUTPUT™ 8.0 Ah BATTERY



M18 HB5.5 | ART.# 4932464712
M18 HIGH OUTPUT™ 5.5 Ah BATTERY



M18 HB3 | ART.# 4932471069
M18 HIGH OUTPUT™ 3.0 Ah BATTERY



M18 B5 | ART.# 4932430483
M18 5.0 Ah BATTERY



M18 B4 | ART.# 4932430063
M18 4.0 Ah BATTERY



M18 B2 | ART.# 4932430062
M18 2.0 Ah BATTERY



M12 B6 | ART.# 4932451395
M12 6.0 Ah BATTERY



M12 B4 | ART.# 4932430065
M12 4.0 Ah BATTERY



M12 B3 | ART.# 4932451388
M12 3.0 Ah BATTERY



M12 B2 | ART.# 4932430064
M12 2.0 Ah BATTERY



L4 B3 | ART.# 4933478311
REDLITHIUM™ USB BATTERY



NEW
M12 HB5.0 | ART.# 4932480165
M12 HIGH OUTPUT™ 5.0AH BATTERY



NEW
M12 HB2.5 | ART.# 4932480164
M12 HIGH OUTPUT™ 2.5AH BATTERY



M12-18 SC | ART.# 4932471735
M12 - M18 SUPER CHARGER



M12-18 FC | ART.# 4932451080
M12 - M18 FAST CHARGER



M1418C6 | ART.# 4932430087
M14 - M18 MULTIBAY CHARGER



M18 DFC | ART.# 4932472074
M18 DUAL BAY RAPID CHARGER



M12 C4 | ART.# 4932430555
M12 4 BAY CHARGER



C12 C | ART.# 4932352069
M12 CHARGER






INKZALL™ LIQUID PAINT MARKERS

| Description | ART.# |
|---------------------------------------|------------|
| INKZALL™ liquid paint marker - white | 48223711 |
| INKZALL™ liquid paint marker - yellow | 48223721 |
| INKZALL™ liquid paint marker - black | 48223731 |
| INKZALL™ liquid paint marker - red | 4932492143 |
| INKZALL™ liquid paint marker - blue | 4932492144 |



SCAN TO EXPLORE THE
**INKZALL™
RANGE**



ART.# 4932471359 SLIDING UTILITY KNIFE



ART.# 4932471357 FASTBACK™ FLIP UTILITY KNIFE



- One handed blade opening - flip open the blade with one hand for easy activation
- Integrated gut hook - make cuts without exposing the blade
- Tool free blade change - less down time in the field for blade changes
- Wire stripper - eliminates the need to look for another tool

SCAN TO EXPLORE THE
**KNIFE
RANGE**



QUICK ADJUST WATER PUMP PLIERS



| Description | ART.# |
|---|----------|
| Quick adjust water pump pliers - 250 mm | 48226210 |
| Quick adjust water pump pliers - 300 mm | 48226212 |

DIAGONAL PLIERS



| Total length (mm) | 160 | 180 |
|---------------------------------|----------|----------|
| Cut cap. in hard wire (mm) | 2.5 | 3 |
| Cutting capacity soft wire (mm) | 4.0 | 4.0 |
| Jaw length (mm) | 22 | 26 |
| Article Number | 48226106 | 48226107 |

SCAN TO VIEW OUR PLIER RANGE




ART.# 4932478554 7 IN 1 COMBINATION PLIER




TRILOBE SETS

ART.# 4932471806 TRI-LOBE SCREWDRIVER SET 1 (6 PC)



Content: PZ1 / PZ2 / SL3 / SL4 / SL5.5 / SL6.5

ART.# 4932471807 TRI-LOBE SCREWDRIVER SET 2 (6 PC)




Content: PH1 / PH2 / SL3 / SL4 / SL5.5 / SL6.5

ART.# 4932471808 TRI-LOBE SCREWDRIVER SET 3 (10 PC)



Content: PZ1 / PZ2 / PH1 / PH2 / SL3 / SL5.5 / SL6.5 / SL8

ART.# 4932471809 TRI-LOBE SCREWDRIVER TORX SET (6 PC)



Content: T10 / T15 / T20 / T25 / T30 / T40

ART.# 4932472003 TRI-LOBE SCREWDRIVER SET 4 (12 PC)



Content: PZ0 / PZ1 / PZ2 / PH0 / PH1 / PH2 / SL2.5 / SL4 / SL5.5 / SL6.5 / SL6.5 / SL8

NEW HICKORY ENGINEERS HAMMERS



| Description | ART.# |
|--------------------------------|------------|
| Hickory Engineers Hammer 200g | 4932478666 |
| Hickory Engineers Hammer 300g | 4932478667 |
| Hickory Engineers Hammer 500g | 4932478668 |
| Hickory Engineers Hammer 800g | 4932478669 |
| Hickory Engineers Hammer 1000g | 4932478670 |

- Hickory handle providing low vibrations
- Reinforced head connection for added durability
- Precise balance for better handling
- DIN 1041

ADJUSTABLE WRENCHES



| Total length (mm) | Jaw opening capacity for pipe (mm) | Jaw thickness (mm) | Tip thickness (mm) | Weight (g) | ART.# |
|---------------------------------------|------------------------------------|--------------------|--------------------|------------|----------|
| 150 | 24.5 | 11.5 | 7.7 | 186 | 48227406 |
| 200 | 30 | 14 | 8.7 | 353 | 48227408 |
| 200 | 40 | 14 | 8.1 | 385 | 48227508 |
| 250 | 36.5 | 16 | 9.9 | 535 | 48227410 |
| 150 mm (48227406) + 250 mm (48227410) | | | | | 48227400 |

ART.# 4932478621 HEX KEY 9PC SET

- Twist and lock case for easy access to keys
- Ball end for up to 30° access to screw
- Size identification to easily identify the key
- Lanyard hole for easy attachment to the Milwaukee lanyard range allowing use at height

Content: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



WWLSG WARM WEATHER LONG SLEEVE SHIRT (GREY)



SIZES:
from S to XXL

WTLSG WORK T-SHIRT LONG SLEEVE (GREY)



SIZES:
from S to XXL

WHB WORK HOODIE (BLACK)



SIZES:
from S to XXL

WWSSG WARM WEATHER SHORT SLEEVE SHIRT (GREY)



SIZES:
from S to XXL

WTSSG WORK T-SHIRT SHORT SLEEVE (GREY)



SIZES:
from S to XXL

KNEE PADS



| Description | Internal Padding | Straps | ART.# |
|--|------------------|--------|------------|
| ① Premium non-marking knee pads - 1 pair | Gel | 2 | 4932478584 |
| ② Hard knee pads - 1 pair | Gel | 2 | 4932478585 |
| ③ Flexible knee pads - 1 pair | Foam | 1 | 4932479936 |

L4 HBLB-301 HEATED BASE LAYER



SIZES:
from S to XXL

SCAN TO VIEW OUR HEATED WORKGEAR RANGE



CUT LEVEL 4/D GLOVES



SIZES:
from S to XXL



CUT LEVEL 5/E GLOVES



SIZES:
from S to XXL



NEW HIGH DEXTERITY GLOVES



CUT B GLOVES


CUT C GLOVES

CUT D GLOVES

SIZES:
from S to XXL

BANDED EAR PLUGS

32dB SNR
ALL-DAY COMFORT
3 WEARING POSITIONS



| Description | ART.# |
|----------------------------------|------------|
| Banded ear protection - 1pc | 4932478135 |
| 5 pairs TPR replacement | 4932478549 |
| 5 pairs foam replacement | 4932478550 |
| Reusable corded ear plugs - 3pcs | 4932471904 |
| Foam ear plugs 10 pairs | 4932480464 |
| Foam ear plugs 200 pairs | 4932480465 |

NEW CUT RESISTANT SLEEVES



| Description | ART.# |
|-----------------------|------------|
| Cut C sleeves - 40 cm | 4932478584 |
| Cut C sleeves - 45 cm | 4932478585 |
| Cut E sleeves - 40 cm | 4932479936 |
| Cut E sleeves - 45 cm | 4932479937 |

L4 PWL-301 | ART.# 4933479765

USB RECHARGEABLE PIVOTING WORK LIGHT



REDLITHIUM USB

MAX RUN TIME: 11.75 h with L4 B3

500 LUMENS

IR FL500 | ART.# 4933478586

INTERNAL USB RECHARGEABLE FLASHLIGHT



RECHARGEABLE

500 LUMENS

IR HL450 | ART.# 4933478587

INTERNAL USB RECHARGEABLE HEADLAMP



RECHARGEABLE

450 LUMENS

ART.# 4932471883

CLEAR SAFETY GLASSES



Also available with gasket




ART.# 4932471885



NEW TRANSPORTATION PPE KIT

CONTENTS:

- Enhanced Safety Glasses Clear - 1pc
- Banded Ear Plugs - 1pc
- Hi-vis cut B gloves



| Description | ART.# |
|----------------------------------|------------|
| Transportation PPE Kit - G.9/L | 4932492064 |
| Transportation PPE Kit - G.10/XL | 4932492065 |

L4 HLRP-301 | ART.# 4933479767

USB RECHARGEABLE HARD HAT HEADLAMP



REDLITHIUM USB

MAX RUN TIME: 28h with L4 B3

600 LUMENS

IP54

L4 FL-301 | ART.# 4933479763

USB RECHARGEABLE POCKET FLOOD LIGHT



REDLITHIUM USB

MAX RUN TIME: 12.5 h with L4 B3

445 LUMENS

IP54

L4 FFL-301 | ART.# 4933479766

USB RECHARGEABLE FOLDING FLOOD LIGHT



REDLITHIUM USB

MAX RUN TIME: 13.5 with L4 B3

550 LUMENS

IP54

IPL-LED | ART.# 4933459440

ALKALINE PEN LIGHT




MAX RUN TIME: 3 h

100 LUMENS


IP67

ART.# 4932471906

FFP3 RESPIRATOR WITH VALVE (10 PC)




99% FILTERING EFFICIENCY




ART.# 4932478548

FFP2 RESPIRATOR WITH VALVE (10 PC)




94% FILTERING EFFICIENCY




ART.# 4932478801

FFP2 RESPIRATOR FOLDABLE WITH VALVE (15 PC)



94% FILTERING EFFICIENCY



FIND THE RIGHT TOOLS FOR YOUR TRADE

www.milwaukeetool.co.uk



WITH OUR NEW AUTOMOTIVE TRADE ZONE

We work directly with our core trades every day to produce the tools you need to improve the way you work.



TRANSPORT

 **YouTube** WATCH OUR TRANSPORT TRADE VIDEOS AT
youtube.com/milwaukeetooluk



MILWAUKEE® Tool UK,
Suite A, Second Floor, Marlow International, Parkway, Marlow, SL7 1YL

Tel: +44(0) 1628 894400

Fax: +44(0) 1628 894401

www.milwaukeetool.co.uk

