

Milwaukee[®]

Nothing but **HEAVY DUTY.**[™]



2025

PERSONAL PROTECTIVE EQUIPMENT



STAY SAFE.
STAY PRODUCTIVE.

SAFETY. TAKEN SERIOUSLY.

By designing cordless tools without compromise, and creating a range of PPE designed around user needs, at MILWAUKEE®, we're making the jobsite safer and more productive every day.

Today, we're proud to boast over 215 Cordless Tools on our M18™ platform and over 95 Cordless Tools on our M12™ platform, eliminating trip hazards from the jobsite. We've redefined the light equipment market with the launch of our MX Fuel™ range, preventing the need for petrol on the jobsite with the launch of key tools including the 350mm Cut Off Saw, and Cordless Breaker.

Personal Protective Equipment has seen little innovation over the years, driving users to modify their gear to better meet their needs. By taking time to understand our users' needs, we have developed PPE from the ground up, enabling users to adapt to each job. This has paved the way for innovative solutions such as our new safety glasses that can be worn all day with lasting, fog-free lenses.

MILWAUKEE® is committed to creating innovative solutions that help users stay safe and stay productive on the jobsite.

SAFETY GLASSES
USING THE CORRECT
EYE PROTECTION
COULD REDUCE THE SEVERITY OR PREVENT
90%
OF JOBSITE EYE INJURIES

(preventblindness.org, 2019)

GLOVES
70%
OF WORKERS
WHO EXPERIENCED
HAND INJURIES
WERE NOT WEARING
THE CORRECT GLOVES

(Manufacturing.net, 2019)

LANYARDS
A FALLING OBJECT
IS THE **3RD**
HIGHEST CAUSE OF
FATALITY
ON A JOBSITE

(Peoplesafe.co.uk, 2019)

UNDERSTANDING THE GUIDANCE



STAY SAFE.
STAY PRODUCTIVE.

HEAD PROTECTION STANDARDS

EN397: EN12492 HEAD PROTECTION

EN397 is a European standard that sets out the requirements for industrial safety helmets. The standard applies to helmets intended to provide protection against falling objects and other types of head impact in industrial settings.

The EN397 standard specifies a number of requirements that a helmet must meet to be considered suitable for industrial use. These requirements include:

1. Resistance to impact: The helmet must be able to withstand a specified level of impact energy without breaking or deforming.
2. Penetration resistance: The helmet must be able to resist the penetration of objects that may strike the head, such as nails, screws or sharp objects.
3. Shock absorption: The helmet must be designed to absorb the force of an impact and distribute it evenly across the head.
4. Retention system: The helmet must have a chin strap or other retention system to keep it securely on the head.
5. Field of vision: The helmet must provide an adequate field of vision for the wearer.
6. Resistance to flame: The helmet must not ignite or continue to burn after exposure to a flame.
7. Electrical insulation: The helmet must provide protection against electric shocks.

EN397 is one of the most widely recognized standards for industrial safety helmets in Europe and is often used as a basis for certification and testing by third-party organizations.



EN12492

EN12492 is a European standard that sets out the requirements for mountaineering helmets. The standard applies to helmets intended to provide protection against impacts, penetration, and lateral deformation for mountaineers, rock climbers, and other vertical activities.

The EN12492 standard specifies a number of requirements that a helmet must meet to be considered suitable for mountaineering use. These requirements include:

1. Resistance to impact: The helmet must be able to withstand a specified level of impact energy without breaking or deforming.
2. Penetration resistance: The helmet must be able to resist the penetration of objects that may strike the head, such as rocks or ice.
3. Retention system: The helmet must have a chin strap or other retention system to keep it securely on the head during an impact.
4. Lateral deformation: The helmet must be designed to prevent excessive lateral deformation during an impact, which can cause injury to the neck or brain.
5. Field of vision: The helmet must provide an adequate field of vision for the wearer.
6. Ventilation: The helmet must have sufficient ventilation to prevent overheating during physical activity.
7. Compatibility with other equipment: The helmet must be compatible with other equipment, such as goggles or headlamps.
8. Durability: The helmet must be designed to withstand normal wear and tear associated with mountaineering activities.

STANDARDS	FORCE TRANSMISSION (TOP)	PENETRATION (TOP)	FORCE TRANSMISSION (SIDE, FRONT, REAR)
EN397	<p>49J</p>  <p>5KG 1M</p> <p>MAX FORCE: 5.000N</p>	<p>29J</p>  <p>3KG 1M</p>	-
EN12492	<p>100J</p>  <p>5KG 2M</p> <p>MAX FORCE: 10.000N</p>	<p>29J</p>  <p>3KG 1M</p>	<p>25J</p>  <p>5KG 0.5M</p> <p>MAX FORCE: 10.000N</p>

To meet the EN12492 standard, a helmet must undergo a series of tests, including an impact test, a penetration test, and a retention system test. The helmet is also tested for lateral deformation, field of vision, and ventilation. EN12492 is one of the most widely recognized standards for mountaineering helmets in Europe and is often used as a basis for certification and testing by third-party organizations.

EN 50365

EN 50365 is the European standard for electrically insulating helmets used for electrical work up to 1,000 volts AC or 1,500 volts DC. It dictates the necessary design, material, and testing requirements to ensure the wearers safety. Compliance with this standard is crucial for protecting individuals working in electrical environments.

MILWAUKEE®'s BOLT 100 hard hat and BOLT 200 helmet fully comply with EN 50365, and is certified for use up to 1000V A.C. and 1500V D.C. in both vented and unvented versions.

DISPOSABLE RESPIRATORS

EN 149:2001+A1:2009 - RESPIRATORY PROTECTIVE DEVICES - HALF MASK

APPLICATIONS	MATERIALS	FFP LEVEL
Cutting, Drilling, Grinding, Sanding	Asbestos	FFP3
	Brick Dust (Can contains Silica)	FFP3
	Cement (Can contains Silica)	FFP3
	Concrete (Can contains Silica)	FFP3
	Glass Dust	FFP3
	Hard Wood (Oak, Tropical Wood, Teak, MDF)	FFP3
	Metal	FFP2
	Mild Steel	FFP2
	Mineral Dust (Can contains Silica/Asbestos)	FFP3
	Paint Chrome Free	FFP2
	Paint with Chrome, Arsenic, Copper	FFP3
	Plastic	FFP2
	Silica	FFP3
	Soft Wood (Pine, Lumber)	FFP2
	Soldering	FFP2
	Stainless Steel	FFP3
Steel	FFP2	
Varnish	FFP2	
-	Waste Sorting	FFP2
-	Sweeping Floors	FFP1
-	Pollen	FFP1

FILTERING LEVEL		
FFP1	FFP2	FFP3
80%	94%	99%

EN 149 provides requirements, and testing method for respiratory protective devices to protect against particles.

3 classes of protection:
FFP1 / FFP2 / FFP3
FFP = Filtering Facepieces

NR = Not Reusable

D = Dolomite
(protection included when D mentioned)




SAFETY GLASSES

EN 166:2001 PERSONAL EYE-PROTECTION

The EN 166 standard specifies requirement for personal eye-protectors, used to combat various hazards as encountered across numerous industries which are likely to damage the eye or impair vision. The EN 170 standard specifies requirements for ultraviolet filters, while EN 172 refers to the sun glare filtration for industrial use.

All MILWAUKEE® safety glasses are certified according to EN 166, to guarantee the eye protection and the resistance to impact. The clear safety glasses are EN 170 certified, to offer an UV protection, even with clear lenses, while the tinted and polarised safety glasses are EN 172 certified to offer a solar protection, ideal for the jobsite and also during leisure time.



- 2C-1.2 MT 1FT CE
- 2 = EN 170 (UV filters standard)
- C = Unimpaired color (clear lenses)
- 1.2 = Protection level (1.2 is the lightest)
- MT = MILWAUKEE® Tool
- 1 = Optical class (avoid dizziness)
- F = Impact resistance
(only F can apply to safety glasses, A & B are for safety goggles)
- T = Extreme temperatures resistance (-5° / +55°)
- K = Anti-scratch
- N = Anti-Fog
- CE = European Certification

Same frame marking for all 6 SKUs

- **MT 166 FT CE**
- MT = MILWAUKEE® Tool
- 166 = Name of the EN standard
- F = Impact resistance
(only F can apply to safety glasses, A & B are for safety goggles)
- T = Extreme temperatures resistance (-5° / +55°)
- CE = European Certification

HEARING PROTECTION

Hearing protection is crucial on the jobsite to prevent hearing damage from excessive noise exposure. It maintains worker safety, concentration, and productivity. Prioritizing hearing protection safeguards workers' long-term hearing health from permanent damage that may occur and creates a safer work environment.


The EN 352 standard that all MILWAUKEE® hearing protection products meet, provides workers with the protection they need to Stay Safe and Stay Productive on the jobsite.

EN 352-2:2020 HEARING PROTECTORS: EARPLUGS

The EN 352-2 standard regulates earplugs that are inserted directly into the ear canal. The standard ensures the earplugs are made with appropriate materials, designed for comfort and effectiveness, meet performance benchmarks, carry necessary markings, and provide clear instructions for users. Adhering to this standard promotes the safety and reliability of earplugs for protecting hearing in noisy environments.

When noise exceeds 85 dB on the jobsite, it is mandatory for employers to provide hearing protection that meets these requirements. All MILWAUKEE® earplugs that are inserted into the ear canal fully meet the EN 352-2 standards and protect workers from long term damage.

Hearing protection is mandatory when noise exceeds 85 dB (upper action level).



SNR (Single Number Rating) = attenuation in dB
H/M/L = High- / Medium- / Low-frequency attenuation value

Noise - SNR = residual noise level
Higher SNR or H/M/L value = higher noise attenuation




The REDLITHIUM USB™ Jobsite Earbuds feature advanced technology that not only meets the EN 352-2 standards but also provides additional functionalities for the modern jobsite. Jobsite Awareness Mode ensures that users can safely hear necessary environmental sounds while being protected from harmful noise levels. When fully charged, the earbuds provide up to 10 hours of continuous use, with an additional 70 hour's run time from the case. The earbuds are designed to limit entertainment audio signals to a safe level of 82 dB(A), particularly for Bluetooth A2DP, HFP, and HSP inputs, thereby preventing overexposure to high volume levels that can damage hearing.

To maintain their effectiveness, the foam inserts should be regularly inspected for any signs of wear and tear, such as deterioration or cracking, and cleaned with a damp cloth. It is recommended to replace the inserts periodically to ensure optimal performance and hygiene.

JOBSITE AWARE MODE

Provides controllable situational awareness, while reducing the intensity of loud external noises



EN 352-2:2020 HEARING PROTECTORS: EAR MUFFS

EN 352-3 is a standard for earmuffs designed to be mounted on protective helmets or head/face protection devices. The standard ensures compatibility, effectiveness, and safety by specifying materials, secure fit, noise reduction, compliance markings, and user instructions. Adhering to EN 352-3 guarantees reliable hearing and head/face protection in hazardous environments.

All MILWAUKEE® ear muffs that are attached to protective hard hats/helmets fully meet the EN 352-3 standards.



HAND PROTECTION

EN 388:2016 PROTECTIVE GLOVES AGAINST MECHANICAL RISKS



The EN 388 standard specifies requirements, test methods, marking and information to be supplied for protective gloves against the mechanical risks of abrasion, blade cut, tear, puncture and, if applicable, impact.

The impact protection has to fully encompass the back of hand, including the fingers. This standard is intended to be used in conjunction with EN ISO 21420.

All MILWAUKEE® hand protection solutions are certified according to both EN ISO 21420 and EN 388 standards, the rating given varies for each type of gloves. EN ISO 21420 is the European general requirement and test method standard for protective gloves.



EN 388



	Rating
Abrasion	1-4
Cut (Coup Test)	1-5
Tear	1-4
Puncture	1-4
Cut (TDM-100 Test)	A-F
Impact Protection	P,F

X= Not tested P= Pass F= Fail



WINTER GLOVES

EN 511:2006 PROTECTIVE GLOVES AGAINST COLD



The EN 511 standard specifies the requirements and test methods for protective gloves against convective cold or contact cold down to - 50 ° C solid.

The cold can vary with the climatic conditions or one professional activity. This standard is intended to be used in conjunction with EN 388 and EN ISO 21420.



EN 511



	Min – Max
Convective Cold	0-4
Contact Cold	0-4
Water Permeability	0-1

X= Not tested



CHEMICAL GLOVES

EN ISO 374-1: 2016 PROTECTIVE GLOVES AGAINST DANGEROUS CHEMICALS AND MICRO-ORGANISMS



The EN ISO 374-1:2016 standard specifies the requirements for gloves designed to protect against dangerous chemicals and micro-organisms. This includes protection through resistance to degradation, permeation, and penetration by chemicals. Gloves must meet key performance criteria, such as resistance to chemical exposure and maintaining material integrity.

Chemicals can penetrate through defects in the glove material, such as holes. Degradation occurs when the glove material is negatively impacted by chemical contact, and the degradation percentage must be included in the user instructions. Permeation refers to chemicals breaking through the glove material at a molecular level, and gloves are tested to ensure they meet minimum breakthrough times.

Type A gloves must withstand a breakthrough time of at least 30 minutes against 6 or more test chemicals. Type B gloves must meet the same time requirement for at least 3 test chemicals, and Type C gloves must withstand 10 minutes for at least 1 test chemical.



HIGH VISIBILITY

EN ISO 20471:2013 HIGH VISIBILITY CLOTHING



The EN ISO 20471 standard specifies requirements for high visibility clothing to ensure it is capable of visually signalling the user's presence. High visibility clothing ensures the user can be seen in all light conditions and is divided into 3 performance classes depending on the requirements.

The MILWAUKEE® high visibility vests are intended for multiple applications and are class 2 certified.

	Class 1	Class 2	Class 3
Reflective Tape	0.10 sqm	0.13 sqm	0.20 sqm
Fluorescent Material	0.14 sqm	0.50 sqm	0.80 sqm
Level of visibility	Lowest	Intermediate	Highest

RIS-3279-TOM (ONLY ORANGE CONTRACTOR HI-VIS VEST)



RIS-3279-TOM (formerly GO-RT 3279) is a high visibility standard specifically for the UK rail industry, unlike the broader EU-wide EN standards. Its purpose is to ensure rail workers near tracks are highly visible to approaching trains or other traffic. The standard requires compliance with color specifications in BS EN 20471 clause 5.1.2 to ensure a specific orange shade, avoiding red hues. The exact chromaticity coordinates for the fluorescent orange color are X: 0.588, Y: 0.371, with a luminance factor of at least 0.4. While the color tolerance follows EN 20471, there is no tolerance for the luminance factor.

	Class 1	Class 2	Class 3
Reflective Tape	0.10 sqm	0.13 sqm	0.20 sqm
Fluorescent Material	0.14 sqm	0.50 sqm	0.80 sqm
Level of visibility	Lowest	Intermediate	Highest

CLOTHING

EN 13758-1:2001 TEXTILES - SOLAR UV PROTECTIVE PROPERTIES - PART 1: METHOD OF TEST FOR CLOTHING FABRICS

The EN 13758-1 standard specifies the requirements and test methods for clothing designed to offer ultraviolet (UV) protection. This standard ensures that the clothing fabric meets the criteria for UV protection and is capable of effectively blocking harmful UV rays, with a rating of UPF50+ (all MILWAUKEE® EN 13758-1 certified products carry a UPF50+ rating). This standard is intended to be used in conjunction with other relevant textile and clothing standards to ensure comprehensive protection and performance.



MILWAUKEE® products that hold the EN 13758 certification are: PVA Cooling Towel and Cooling Microfiber Towel, Skull Cap, Work T-Shirts, Warm Weather T-Shirts, Baseball Caps, Performance Caps, Red Performance Neck Gaiters.

KNEE PADS

Wearing knee protection on the jobsite is important for several reasons:

- Reduce the risk of knee injuries: Knee pads reduce the risk of knee injuries that occur from kneeling and crawling. This can help prevent long-term damage to the knees, such as joint pain, arthritis, and other knee-related conditions.
- Increase comfort and productivity: Knee protection helps to reduce the discomfort and fatigue that can occur from working on hard surfaces or kneeling for long periods.
- Meet safety regulations: In many industries and job sites, knee protection is required by law or industry standards to ensure worker safety. Wearing knee protection can help ensure compliance with these regulations and prevent penalties for non-compliance.

EN 14404:2004+A1:2010 KNEE PROTECTORS FOR WORK WHEN KNEELING



In Europe, the most commonly recognized knee protection standard for workers on job sites is EN 14404:2004+A1:2010. This standard specifies the requirements and test methods for knee protectors used in tasks where the user is frequently kneeling. The standard covers the design, construction, performance, and marking of knee protectors, and it is applicable to all types of knee protectors used in occupational environments, including those worn over or integrated into clothing. Knee pads are tested based on their impact absorption, pressure distribution of the entire surface and protection against penetration of sharp or pointy objects.

EN 14404:2004+A1:2010 is recognized throughout the European Union and is widely used by manufacturers, employers, and workers to ensure that knee protectors provide the necessary level of protection and performance for workers who kneel frequently as part of their job duties.



Type 1	Knee pads independent of other clothing, fastened around the legs
Type 2	Knee pads in foam or other padding, secured in pockets on the legs, or which is permanently attached to the pants.
Type 3	Knee pads not stuck to the body but placed in position as the user moves around.
Type 4	Knee pads, which is part of a unit with additional functions, such as the framework for support to stand up, or kneeling seat. Can be worn on the body, or be independent.



Protection Class 0	Flat floor surfaces
Protection Class 1	Flat or uneven floor surface. Protects against penetration by a force of at least (100 ± 5) N



Protection Class 2	Flat or uneven floor surfaces under severe conditions. Protects against penetration by a force of at least (250 ± 10) N
---------------------------	---

SAFETY FOOTWEAR

EN ISO 20345:2022 SAFETY FOOTWEAR



The EN ISO 20345:2022 standard outlines the requirements for safety footwear designed for general use. This includes protection against mechanical risks, slip resistance, thermal hazards, and ergonomic performance. Safety footwear must meet all fundamental criteria, such as measurements, construction quality, material durability, and resistance to external factors.

Depending on the specific hazards in the workplace, additional requirements may be necessary. In these cases, the footwear must meet the relevant additional standards and be appropriately marked. Each MILWAUKEE® shoe's specific performance ratings are indicated on the tongue label and the shoe box sticker.

Class I	Footwear made entirely from leather and other materials
Class II	All entirely moulded footwear
SBH	Hybrid footwear that cannot be classed as either I or II.
SB	Safety toe cap protection only, tested with 200 J impact and 15 KN compression force.
S1	Class 1 + Closed heel area + SB + A + E
S2	As S1 + WPA
S3	(Metal insert type P) as S2 + P + Cleated Outsole
S3L	(Non-metal insert type PL) as S2 + PL + Cleated Outsole
S3S	(Non-metal insert type PS) as S2 + PS + Cleated Outsole
S4	Upper material of all Rubber or Polymeric as SB + Closed heel area + A + E
S5	(Metal insert type P) as S4 + P + Cleated Outsole
S5L	(Non-metal insert type PL) as S4 + PL + Cleated Outsole
S5S	(Non-metal insert type PS) as S4 + PS + Cleated Outsole
S6	As S2 + WR
S7	(Metal insert type P) as S3 + WR
S7L	(Non-metal insert type PL) as S3 + WR
S7S	(Non-metal insert type PS) as S3 + WR
HRO	Heat resistant outsole compound: Shall withstand 300°C for 60 seconds.
FO	Resistance to fuel oil
LG	Ladder grip
SC	Scuff cap abrasion

P	(Metal insert type P) Penetration resistant outsole: Lowest penetration value required shall not be less than 1100N
PL	(Non-metallic insert type PL) Penetration resistant outsole: Average penetration force shall not be lower than 1100 N and no single value must be lower than 950 N
PS	(Non-metal insert type PS) Penetration resistant outsole: Average penetration value shall not be less than 1100N
A	Anti-static: Electrical resistance between foot and ground of between 0.1 and 1000 Mega Ohms*
C	Partially conductive footwear. The electrical resistance shall not be greater than 0.1 Mega Ohms between foot and ground*
CI	Insulation against cold: 30 minutes at -17°C, the decrease shall not be more than 10°C
HI	Insulation against heat: 30 minutes at 150°C, the rise shall not be higher than 22°C
E	Energy absorption of the seat region: Energy absorbed to be not less than 20J
WPA	Water penetration and absorption (water resistant and breathable)
AN	Ankle protection: 10N impact means transferred force shall not exceed 10KN and no single value shall exceed 15KN
WR	Water resistant footwear (waterproof membrane)
CR	Cut resistant upper: Cut resistance to exceed 2.5 on the index
M	Metatarsal protection 100J impact energy
SR	SR slip resistance test features glycerine on ceramic tile surface. Replaces SRA SRB SRC.
Ø	No test given – for footwear featuring spikes or studs on sole.



ADAPT TO YOUR JOBSITE

The new MILWAUKEE® BOLT Helmets and Bolt Accessories allow each user to tailor their Head protection to best meet the demands of the jobsite.

BOLT™ 1000

**INDUSTRIAL
HARD
HAT**

BOLT™ 2000

**WORKING
AT HEIGHT
HELMET**

COLOURS
AVAILABLE



ABS SHELL
LIGHTWEIGHT

**ELECTRICALLY
INSULATED**

For use on low voltage installations EN50365.

**PREMIUM
RATCHET**

LEXAN SHELL
SUPERIOR IMPACT RESISTANCE

**INNER FOAM
TECHNOLOGY**

Foam progressively stiffens when impacted; distributes pressure evenly across entire head when impacts, independent of impact location.

**ADJUSTABLE
CHIN STRAP**



**BOLT™
ACCESSORIES**

ATTACHMENTS

MULTI ACCESSORIES COMPATIBILITY

Across BOLT 100 and BOLT 200 products



BOLT™ Visor
Universal Tinted
4932479942
Universal Clear
4932479941



**BOLT™ Mesh Face
Shield Universal**
4932479940



BOLT™ Face Shield
Universal Clear
4932479939
Universal Tinted
4932479938



**BOLT™ Low Profile
Headlamp Mount**
4932493350



BOLT™ Sunshade
Yellow
4932492101



BOLT™ Headlamp
4933479902



**BOLT™ LP
Earmuffs**
4932478878



**BOLT™ HP
Earmuffs**
4932478877

VENTED

ITEM NO.	DESCRIPTION	
4932478122	BOLT 100 White Vented	●
4932478913	BOLT 100 Yellow Vented	●
4932478916	BOLT 100 Red Vented	○
4932478917	BOLT 100 Black Vented	●
4932478914	BOLT 100 Blue Vented	●
4932478915	BOLT 100 Green Vented	●
4932480663	BOLT 100 Orange Vented	●
4932480664	BOLT 100 Hi Vis Vented*	●

UNVENTED

ITEM NO.	DESCRIPTION	
4932479246	BOLT 100 White Unvented	●
4932479247	BOLT 100 Yellow Unvented	●
4932479250	BOLT 100 Red Unvented	○
4932479251	BOLT 100 Black Unvented	●
4932479248	BOLT 100 Blue Unvented	●
4932479249	BOLT 100 Green Unvented	●
4932480665	BOLT 100 Orange Unvented	●
4932480666	BOLT 100 Hi Vis Unvented*	●

BOLT™ CUSTOMISATION



CUSTOMISE
YOUR BOLT™ 200 HELMET



CUSTOMISE
YOUR BOLT™ 100 HARD HAT



PRINT CAPABILITIES

- 4 printing zones
- Digital / laser printing
- Text printing
- No colour limitation for logos or images

ORDER INFORMATION

- MOQ: BOLT™ 100= 25pc / BOLT™ 200= 24pc
- Delivery time: 2-3 weeks after order confirmation
- Request more information from local Milwaukee sales representative

INTERACTIVE

Real-time design



ADD YOUR LOGO

Most file types accepted

1. Upload the logos to the online visualiser and view your customised helmet in 3D.
2. Contact your Milwaukee sales representative to confirm the order through the online Order Portal with the corresponding Milwaukee Dealer.
3. Sign the proofing document provided via the online Order Portal.
4. Follow up on the status via the online Order Portal with your dealer.

FRONT



BACK



SAFETY HELMET / HARD HAT LOGO PLACEMENT

LEFT



RIGHT



BOLT™ 100

- BOLT™ system – ensure compatibility among a large range of accessories with an easy and intuitive attachment system.
- Extremely comfortable and easy to adjust wheel ratchet adjustment system.
- Shell made of ABS for light weight.
- 6 points suspension for more comfort.
- Changeable and comfortable sweatband.
- Size: 52 - 68 cm.
- 8 colours available with glossy finish: white, yellow, orange, red, black, green, blue and high visibility yellow.
- Certified as per EN 397:2012 with optional requirement for Multi Metal, extreme temperatures -30°C, Lateral Deformation, and Electrical insulation 440 V a.c. (electrical insulation 440V under EN397 just on the unvented version).
- Certified as per EN 50365:2002 Electrical class 0 for installations with nominal voltage up to 1000V A.C. and 1500V D.C. in vented and unvented version.



Description	Article Number	EAN Code
BOLT™100 White Vented - 1pc	4932478122	4058546340551
BOLT™100 Yellow Vented - 1pc	4932478913	4058546361952
BOLT™ 100 Blue Vented - 1pc	4932478914	4058546361969
BOLT™ 100 Green Vented - 1pc	4932478915	4058546361976
BOLT™ 100 Red Vented - 1pc	4932478916	4058546361983
BOLT™ 100 Black Vented - 1pc	4932478917	4058546361990
BOLT™ 100 Black Vented - 1pc	4932480663	4058546409487
BOLT™ 100 Hi-Vis Yellow Vented - 1pc	4932480664	4058546409494

Description	Article Number	EAN Code
BOLT™ 100 White Unvented - 1pc	4932479246	4058546370404
BOLT™ 100 Yellow Unvented - 1pc	4932479247	4058546370411
BOLT™ 100 Blue Unvented - 1pc	4932479248	4058546370428
BOLT™ 100 Green Unvented - 1pc	4932479249	4058546370435
BOLT™ 100 Red Unvented - 1pc	4932479250	4058546370442
BOLT™ 100 Black Unvented - 1pc	4932479251	4058546370459
BOLT™ 100 Orange Unvented - 1pc	4932480665	4058546409500
BOLT™ 100 Hi-Vis Yellow Unvented - 1pc	4932480666	4058546409517

BOLT™ headlamp 600 lumens USB rechargeable

- 600 lumens of multi-directional TRUEVIEW™ high definition light output
- Full BOLT™ compatibility with a low profile design that works with all BOLT™ helmets, visors and face shields
- Mount connects to BOLT™ helmet without straps
- 70° pivoting light head to help users direct light where it is needed most
- 4 modes to manage output or run time with up to 32 hours of run time on (1) USB 3.0 Ah battery
- Fuel gauge allows fast checking of REDLITHIUM™ USB battery charge
- Conveniently charge REDLITHIUM™ USB battery internally with micro-USB Type C cable from USB power source or AC outlet (wall plug not included)
- IP54 rating, light is protected from dust and falling water
- Jobsite tough micro-USB braided cable with metal ends
- Includes USB cable



Description	Article Number	EAN Code
USB rechargeable BOLT headlamp 600 lumens	4933479902	4058546376963

BOLT™ 200

- Shell made of Lexan™ - ultra resistant to impacts.
- BOLT™ system – ensure compatibility among a large range of accessories with an easy and intuitive attachment system.
- Extremely comfortable and easy to adjust wheel ratchet adjustment system.
- Foam suspension provides consistent impact performance independent of impact location.
- Comfortable inner foam suspension paired with a crown liner for extra comfort.
- Breathable, washable and replaceable premium sweatband.
- Breathable, washable and replaceable premium crown liner.
- Vented version delivered with a mounted EN 12492 certified chinstrap (colour coded red).
- Unvented version delivered with a mounted EN 397 certified chinstrap (colour coded grey).
- Certified as per EN 397:2012 with optional requirement for Extreme temperatures – 40°C (vented and unvented version), Lateral Deformation (vented and unvented version) and Electrical insulation 440 V a.c. (unvented version).
- Vented version certified as per EN 12492:2012. Unvented version provides protection in conformity of EN12492: 2012 except clause 4.1.4.

Description	Article Number	EAN Code
BOLT™200 White Vented - 1pc	4932478141	4058546340742
BOLT™200 Yellow Vented - 1pc	4932478918	4058546362003
BOLT™200 Red Vented - 1pc	4932478919	4058546362010
BOLT™200 Black Vented - 1pc	4932478920	4058546362027
BOLT™200 Blue Vented - 1pc	4932480651	4058546409364
BOLT™200 Green Vented - 1pc	4932480652	4058546409371
BOLT™200 Orange Vented - 1pc	4932480653	4058546409388
BOLT™200 Hi-Vis Vented - 1pc	4932480654	4058546409395

Description	Article Number	EAN Code
BOLT™200 White Unvented - 1pc	4932479252	4058546370466
BOLT™200 Yellow Unvented - 1pc	4932479253	4058546370473
BOLT™200 Red Unvented - 1pc	4932479254	4058546370480
BOLT™200 Black Unvented - 1pc	4932479255	4058546370497
BOLT™200 Blue Unvented - 1pc	4932480655	4058546409401
BOLT™200 Green Unvented - 1pc	4932480656	4058546409418
BOLT™200 Orange Unvented - 1pc	4932480657	4058546409425
BOLT™200 Hi-Vis Yellow Unvented - 1pc	4932480658	4058546409432



BOLT™ Earmuff

- BOLT™ LP Earmuff provides an efficient job site noise attenuation SNR = 30 dB.
- BOLT™ HP Earmuffs provides an efficient job site noise attenuation SNR = 33 dB.
- BOLT™ system – ensure compatibility between the accessories with an easy and intuitive attachment system.
- Vertical adjustment and 360 degrees cup rotation for users' maximum comfort and attenuation.
- Extra comfortable foam in the earmuff's cushions for maximum comfort and protection.
- Compatible with Milwaukee BOLT™ 100 and BOLT™ 200 helmets in the rear and middle slot.
- European Certified hearing protectors: EN 352-3.

Description	Article Number	EAN Code
BOLT™ HP Ear Muffs	4932478877	4058546361594
BOLT™ LP Ear Muffs	4932478878	4058546361600



BOLT™ Low-Profile Headlamp Mount

- Our BOLT™ Low-Profile Headlamp Mount allows headlamp compatibility with BOLT™ eye visors and select BOLT™ full face shields.
- The mount is reversible and secures into the Front or Rear BOLT™ Mount of your MILWAUKEE® head protection for added convenience.
- The BOLT™ Low-Profile Headlamp Mount works with Milwaukee® and most other professional brand headlamps.
- This low-profile headlamp mount is part of the BOLT™ accessory system which allows users to secure accessories simultaneously.



Description	Article Number	EAN Code
BOLT™ Low-Profile Headlamp Mount	4932493350	4058546482213

BOLT™ Sunshade

- UV protection with 50+ UPF fabric, blocking blocking 97,5 – 98+ % of the harmful UV rays.
- BOLT™ system – ensure compatibility between the accessories with an easy and intuitive attachment system.
- Dedicated ear-muff slots for full accessories compatibility.
- Moisture wicking textile dry fast from sweat and permits to stay cool.
- Compatible with Milwaukee BOLT™ 100 and BOLT™ 200 helmets.
- Conforms to EN 13758-2.



Description	Article Number	EAN Code
BOLT™ Sunshade	4932492101	4058546414689

BOLT™ Face Shield

- Full face shield with panoramic field of vision.
- BOLT™ system – ensure compatibility among a large range of accessories with an easy and intuitive attachment system.
- Compatible with the BOLT™ Lamp: possibility to lift the face shield even with the lamp installed.
- Extremely easy and intuitive installation and removal.
- Lens made of polycarbonate.
- Lens certified anti-scratch K as per EN166.
- Lens certified anti-fog N as per EN166.
- 2 lens tints available: clear and grey.
- The Compact version offers a slim and compact design and is only compatible with BOLT™ 200.
- The Universal version can be adapted on both BOLT™ 100 and BOLT™ 200 helmets thanks to an easy switch system.
- Faceshield certified as per EN 166. Mesh faceshield certified as per EN 1731.



Description	Article Number	EAN Code
① BOLT™ Face Shield Compact Clear	4932479943	4058546377373
② BOLT™ Face Shield Compact Grey	4932479944	4058546377380
③ BOLT™ Mesh Face Shield Compact	4932479945	4058546377397
BOLT™ Face Shield Universal Clear	4932479938	4058546377328
BOLT™ Face Shield Universal Grey	4932479939	4058546377335
BOLT™ Mesh Face Shield Universal	4932479940	4058546377342
BOLT™ Face Shield Compact Clear Replacement (5 pc)	4932492327	4058546416942
BOLT™ Face Shield Compact Grey Replacement (5 pc)	4932492328	4058546416959
BOLT™ Face Shield Compact Carrier Replacement	4932492329	4058546416966
BOLT™ Face Shield Universal Clear Replacement	4932492324	4058546416911
BOLT™ Face Shield Universal Grey Replacement	4932492325	4058546416928
BOLT™ Face Shield Universal Carrier Replacement	4932492326	4058546416935

BOLT™ Visor

- Visor with panoramic field of vision.
- BOLT™ system – ensure compatibility among a large range of accessories with an easy and intuitive attachment system.
- Compatible with the BOLT™ Lamp: possibility to lift the visor even with the lamp installed.
- Extremely easy and intuitive installation and removal.
- Lens made of polycarbonate.
- Lens certified anti-scratch K as per EN166.
- Lens certified anti-fog N as per EN166.
- 2 lens tints available: clear and tinted.
- The Compact version offers a slim and compact design and is only compatible with BOLT™200.
- The Universal version can be adapted on both BOLT™ 100 and BOLT™ 200 helmets thanks to an easy switch system.
- The visors are certified as per EN 166.



Description	Article Number	EAN Code
① BOLT™ Visor Compact Clear	4932479946	4058546377403
② BOLT™ Visor Compact Tinted	4932479947	4058546377410
BOLT™ Visor Universal Clear	4932479941	4058546377359
BOLT™ Visor Universal Tinted	4932479942	4058546377366
BOLT™ Visor Clear Lens Replacement (5 pc)	4932492330	4058546416973
BOLT™ Visor Tinted Lens Replacement (5pc)	4932492331	4058546416980
BOLT™ Visor Compact Carrier Replacement	4932492333	4058546417000
BOLT™ Visor Universal Carrier Replacement	4932492332	4058546416997

BOLT™ Badge Holder


- BOLT Badge holder allows everyday identification on the job site. Business card or ID size of 85 mm x 54 mm.
- Compatible with MILWAUKEE® BOLT™ 100 and BOLT™ 200 helmets in the front and back slot.
- Compatible with BOLT™ visors, face shield, earmuffs, sunshade.
- BOLT™ system – ensure compatibility between the accessories with an easy and intuitive attachment system.
- Made of polycarbonate for extended durability in job site conditions.
- IP54 rated to protect from rain and dust.



Description	Article Number	EAN Code
BOLT™ Badge Holder -1pc	4932493510	4058546483814

BOLT™ Cooling Accessories

- Long lasting cooling effect up to 4 hours, prolonging productive work hours and mitigating heat related illnesses.
- Soak or run product under water and wring out excess water to activate cooling effect.
- Quick, 30 second activation time.
- When cooling effect expires, simply re-apply water to reactivate the cooling effect.
- Soft, Comfortable Padding.
- Attaches to Suspension with Hook and Loop.
- Machine washable.



Description	Article Number	EAN Code
① BOLT™ 200 Cooling Sweatband	4932498078	4058546512385
② BOLT™ 200 Cooling Crown Liner	4932498079	4058546512392
③ BOLT™ 100 Cooling Sweatband	4932498544	4058546524135

BOLT™ IMPACT ARMOR™ Crown Liner BOLT™200

NEW

- Advanced slip, trip & fall protection for MILWAUKEE® safety helmet.

Description	Article Number	EAN Code
BOLT™ IMPACT ARMOR™ Crown Liner BOLT™200	4932499173	4058546563370



BOLT™200 Spare Parts

- Padded breathable Crown liner and Sweatband as spare parts, that can be easily removed, machine washed (30°C), and changed.
- Two chin straps that can be easy exchange and replace to adapt to the job conditions. EN397 certified chin strap for on the ground work is colour coded in Black & Grey. EN12492 certified chin strap for work at height is colour coded in Black & Red.

Description	Article Number	EAN Code
Replacement Sweatband BOLT™200 - Pack of 10	4932480659	4058546409449
Replacement Crown liner BOLT™200 - Pack of 10	4932480660	4058546409456
4pts EN397 chinstrap BOLT™ - 1pc	4932480661	4058546409463
4pts EN12492 chinstrap BOLT™200 - 1pc	4932480662	4058546409470



Premium safety glasses with gasket



INCLUDES A SOFT CASE

	Lens colour	Packaging style	Article Number	EAN Code
①	Clear	Blister packaging	4932471885	4058546297848
②	Polarised	Blister packaging	4932471886	4058546297855

Performance safety glasses



- Durable anti-scratch lenses.
- Long lasting anti-fog lenses.
- Comfortable and flexible arms for extended comfort wear.
- Clear and tinted options offer eye protection whether working indoors or outdoors.
- European Certified: EN166 and EN170 / EN172.

	Lens colour	Packaging style	Article Number	EAN Code
①	Clear	Blister packaging	4932471883	4058546297824
		Bulk Pack (48pcs)	4932479027	4058546363178
②	Tinted	Blister packaging	4932471884	4058546297831
		Bulk Pack (48pcs)	4932479028	4058546363185
③	Grey	Blister packaging	4932478908	4058546361907
		Bulk Pack (48pcs)	4932479029	4058546363192
④	Yellow	Blister packaging	4932478928	4058546362102
⑤	Photochromic	Gift box	4932498367	4058546522360
⑥	Mirrored Silver	Gift box	4932498366	4058546522353

Safety glasses



- Light weight for extended comfort while wearing.
- Fully adjustable and removable nose bridge to fit comfortably all face shapes.
- Comfortable and flexible arms for extended comfort wear.
- Clear and tinted options offer eye protection whether working indoors or outdoors.
- European Certified: EN166 and EN170 / EN172.

	Lens colour	Packaging style	Article Number	EAN Code
①	Clear	Polybag	4932471881	4058546297800
②	Tinted	Polybag	4932471882	4058546297817

Hard Case For Safety Glasses

- Hard case to protect the safety glasses of job site conditions.
- Soft terry liner inside to avoid scratches on the lenses.
- Include hook for easy portability on the job site.
- Compatible with Milwaukee safety glasses: Enhanced Safety Glasses, Magnified Safety Glasses, Performance Safety Glasses, Premium Safety Glasses with Gasket.



Description	Article Number	EAN Code
Hard Case Safety Glasses	4932492083	4058546414504

Enhanced safety glasses



- Light weight for extended comfort while wearing.
- Durable anti-scratch lenses.
- Long lasting anti-fog lenses.
- Comfortable and flexible arms for extended comfort wear.
- Clear and tinted options offer eye protection whether working indoors or outdoors.
- European Certified: EN166 and EN170 / EN172.

	Lens colour	Packaging style	Article Number	EAN Code
①	Clear	Polybag	4932478763	4058546360450
		Bulk Pack (144pcs)	4932479024	4058546363147
②	Tinted	Polybag	4932478764	4058546360467
		Bulk Pack (144pcs)	4932479025	4058546363154
③	Grey	Polybag	4932478907	4058546361891
		Bulk Pack (144pcs)	4932479026	4058546363161
④	Yellow	Polybag	4932478927	4058546362096



Magnified safety glasses



- Magnified lenses - Offer users an optical correction to improve their eyesight for close application.
- 4 magnifying intensity: +1 / +1.5 / +2 / +2.5
- Light weight for extended comfort while wearing.
- Durable anti-scratch lenses.
- Comfortable and flexible arms for extended comfort wear.
- European Certified: EN166.



Description	Article number	EAN Code
Clear Safety Glasses (+1)	4932478909	4058546361914
Clear Safety Glasses (+1.5)	4932478910	4058546361921
Clear Safety Glasses (+2)	4932478911	4058546361938
Clear Safety Glasses (+2.5)	4932478912	4058546361945

High-Profile Goggles Non-Vented

NEW

- Durable anti-scratch lenses
- Long lasting anti-fog lenses
- Enhanced impact protection
- Protection against splashes and liquids
- Non-vented, for work with gases and vapors
- European Certified: EN166 and EN170 / EN172



Description	Article Number	EAN Code
① High-Profile Goggles Non-Vented Grey	4932493438	4058546483098
② High-Profile Goggles Non-Vented Clear	4932493437	4058546483081

High-Profile Goggles Vented

NEW

- Durable anti-scratch lenses
- Long lasting anti-fog lenses
- Enhanced impact protection
- Protection against splashes and liquids
- Indirect ventilation
- European Certified: EN166 and EN170 / EN172



Description	Article Number	EAN Code
① High-Profile Goggles Vented Clear	4932493435	4058546483067
② High-Profile Goggles Vented Tinted	4932493436	4058546483074

Low-Profile Goggles Vented

NEW

- Durable anti-scratch lenses
- Long lasting anti-fog lenses
- Enhanced impact protection
- Protection against splashes and liquids
- Indirect ventilation
- Compact for narrow space
- European Certified: EN166 and EN170 / EN172




Description	Article Number	EAN Code
① Low-Profile Goggles Vented Clear	4932493433	4058546483043
② Low-Profile Goggles Vented Tinted	4932493434	4058546483050

Over The Glasses

NEW

- Durable anti-scratch lenses
- Long lasting anti-fog lenses
- Comfortable and flexible arms for extended comfort wear
- Fits for wearing over the most popular prescription glasses frames
- Wraparound frame
- European Certified: EN166 and EN170 / EN172



Description	Lens colour	Article Number	EAN Code
① Over The Glasses Clear	Clear	4932493439	4058546483104
② Over The Glasses Clear	Tinted	4932493440	4058546483111

FFP2 Respirator

- FFP2 rating - filtering facepiece gives up to 94% protection.
- Flexible aluminium nose bridge - adjustable fit.
- Comfortable adjustable straps - easy fit.
- Anti-clogging inner layer - Stay cool all day long.
- Compatible with MILWAUKEE® safety eyewear.
- European Certified as FFP2 disposable respirator according to EN149: 2001/A1:2009.



Description	Article Number	EAN Code
FFP2 Respirator - 20pc	4932479237	4058546370312

FFP2 Foldable Respirator

- FFP2 rating - filtering facepiece gives up to 94% protection.
- Foldable respirator - Flat fold for easy carrying on job site.
- Flexible aluminium nose bridge - adjustable fit.
- Comfortable adjustable straps - easy fit.
- Compatible with MILWAUKEE® safety eyewear.
- European Certified as FFP2 disposable respirator according to EN149: 2001/A1:2009.



Description	Article number	EAN Code
FFP2 Foldable Respirator - 20pc	4932479238	4058546370329

FFP3 Disposable Respirator with Valve

- FFP3 rating - highest filtering facepiece gives up to 99% protection (including asbestos & silica).
- One way valve - fog free and easy breathing.
- Exhalation valve - easy breathing.
- Flexible aluminium nose bridge - adjustable fit.
- Comfortable adjustable straps - easy fit.
- Anti-clogging inner layer - Stay cool all day long.
- Comfortable tight sealed gasket - prevents dust and debris.
- Compatible with MILWAUKEE® safety eyewear.
- European Certified as FFP3 disposable respirator according to EN149: 2001/A1:2009.



Description	Article Number	EAN Code
FFP3 Respirator w/ Valve - 10pc	4932471906	4058546298050

FFP2 Respirator with Valve

- FFP2 rating - filtering facepiece gives up to 94% protection.
- One way valve - fog free and easy breathing.
- Exhalation valve - easy breathing.
- Flexible aluminium nose bridge - adjustable fit.
- Comfortable adjustable straps - easy fit.
- Anti-clogging inner layer - Stay cool all day long.
- Compatible with MILWAUKEE® safety eyewear.
- European Certified as FFP2 disposable respirator according to EN149: 2001/A1:2009.



Description	Article Number	EAN Code
FFP2 Respirator w/ Valve - 10pc	4932478548	4058546347413

FFP2 Foldable Respirator with Valve

- FFP2 rating - filtering facepiece gives up to 94% protection.
- Foldable respirator - flat fold for easy carrying on job site.
- One way valve - fog free and easy breathing.
- Exhalation valve - easy breathing.
- Flexible aluminium nose bridge - adjustable fit.
- Comfortable adjustable straps - easy fit.
- Anti-clogging inner layer - Stay cool all day long.
- Compatible with MILWAUKEE® safety eyewear.
- European Certified as FFP2 disposable respirator according to EN149: 2001/A1:2009.



Description	Article Number	EAN Code
FFP2 Foldable Respirator w/ Valve	4932478801	4058546360832

USB RECHARGEABLE HEARING ASSIST EARPLUGS W/BLUETOOTH®

NEW

- Jobsite awareness provides controllable situational awareness, while reducing the intensity of loud external noises
- Digital Bluetooth® 5.1 connects devices and allows listening to music/ podcast/ audio books/ media and accept/ talk on/ decline phone calls
- European Certified hearing protectors: EN 352-2:2020 (SNR silicone ear plugs = 26 dB; SNR Foam ear plugs = 32 dB); EN 352-7:2020; EN 352-9:2020; and EN 352-10:2020)
- Designed for on-the-job use, passive hearing protection is provided by silicone and foam ear tips
- Interchangeable foam ear tips and silicone ear tips as well as wings included
- Small enough to not interfere with any PPE or hoods & hats
- Light enough to minimise in-ear fatigue and to sit flush in-ear
- Up to 10 hours of run time on a single charge
- The REDLITHIUM™ USB case battery provides up to 70 hours of run time using multiple in-case charges
- A state of charge light feature allows end user to be informed of low battery status



Description	Article Number	EAN Code
USB RECHARGEABLE HEARING ASSIST EARPLUGS W/BLUETOOTH	4933478750	4058546360320

Memory foam ear tip replacement

NEW

Description	Article Number	EAN Code
5 pairs memory foam ear tip L replacement	4932493359	4058546482305
5 pairs memory foam ear tip M replacement	4932493360	4058546482312
5 pairs memory foam ear tip S replacement	4932493361	4058546482329



Ear Tip Double Layer Replacement

NEW

Description	Article Number	EAN Code
Ear tip silicone S replacement	4932493364	4058546482350
Ear tip silicone M replacement	4932493363	4058546482343
Ear tip silicone L replacement	4932493362	4058546482336



Foam ear plugs

- Efficient jobsite noise attenuation of SNR = 38 dB.
- Comfortable foam - to wear all day.
- Quick expansion to ensure a rapid and secure seal.
- Individually packed pairs (200 pairs), resealable packaging (10 pairs) for hygienic and easy distribution.
- European Certified hearing protectors: EN352-2 (SNR = 38 dB; H = 37; M = 36 dB; L = 32 dB).



Description	Article Number	EAN Code
Foam Ear Plugs - 10 pairs	4932480464	4058546407490
Foam Ear Plugs - 200 pairs	4932480465	4058546407506

Banded ear plugs

- 3-point wear: above head, below chin and behind the neck.
- Pivoting arms to adjust and pivot the band to a secure and comfortable position while being worn.
- Earplugs can be worn continuously even if the wearing position is changed – permanent protection.
- Interchangeable foam earplugs and tpr flanged earplugs included.
- Durable and comfortable band for a long lifetime.
- European Certified hearing protectors: EN 352-2 (SNR TPR ear plugs = 32 dB; SNR Foam ear plugs = 33 dB).



Description	Article Number	EAN Code
① Banded Ear Plugs	4932478135	4058546340681
② Foam Replacement - 5 pairs	4932478550	4058546347437
③ TPR Replacement - 5 pairs	4932478549	4058546347420



Reusable corded ear plugs

- Efficient jobsite noise attenuation of SNR = 31 dB.
- Corded solution for easy access - can be worn around the neck.
- Comfortable silicone - all day comfort.
- Quick-fit design to quickly insert and remove while achieving a secure seal.
- Storage box included - keep the ear plugs clean.
- European Certified hearing protectors: EN352-2 (SNR = 31 dB).



Description	Article Number	EAN Code
Reusable corded ear plugs	4932471904	4058546298036

PACKOUT™ First Aid Kit DIN 13157

- Quickly identifiable during an emergency due to red coloured PACKOUT™ Compact Organiser.
- Part of the PACKOUT™ modular storage system.
- Constructed with impact resistant polymers for jobsite durability.
- IP65 rated weather seal to keep out rain and jobsite debris.
- The interior features 5 removable & mountable bins.
- No-travel bins seals to prevent the bins contents from migrating between bins during transport.
- DIN 13157:2021-11 compliant first aid kit.



DESIGNED FOR USE IN
PACKOUT™



Description	Article Number	EAN Code
PACKOUT™ First Aid Kit DIN 13157	4932478879	4058546361617

Premium high-visibility vest

- 15 pockets - increased carrying capacity.
- 1 clear ID badge holder - easy identification on the jobsite.
- 1 back pocket - ideal to carry tablet or notebook.
- Quick internal size adjustment - size up or size down for better fit.
- Padded collar - added comfort for extended wear.
- Harness tethering hole - ideal to fit over harness to add more safety on the jobsite.
- European Certified as Class 2 High Visibility Clothing according to EN ISO 20471: 2013/A1:2016.



Description	Colour	Article Number	EAN Code
Premium high-visibility vest yellow - S/M	Yellow	4932471895	4058546297947
Premium high-visibility vest yellow - L/XL	Yellow	4932471896	4058546297954
Premium high-visibility vest yellow - 2XL/3XL	Yellow	4932471897	4058546297961
Premium high-visibility vest orange - S/M	Orange	4932471898	4058546297978
Premium high-visibility vest orange - L/XL	Orange	4932471899	4058546297985
Premium high-visibility vest orange - 2XL/3XL	Orange	4932471900	4058546297992

High-visibility vest

- 10 pockets - increased carrying capacity.
- 1 clear ID badge holder - easy identification on the jobsite.
- Quick internal size adjustment - size up or size down for better fit.
- Harness tethering hole - ideal to fit over harness to add more safety on the jobsite.
- European Certified as Class 2 High Visibility Clothing according to EN ISO 20471: 2013/A1:2016.



Description	Colour	Article Number	EAN Code
High-visibility vest yellow - S/M	Yellow	4932471889	4058546297886
High-visibility vest yellow - L/XL	Yellow	4932471890	4058546297893
High-visibility vest yellow - 2XL/3XL	Yellow	4932471891	4058546297909
High-visibility vest orange - S/M	Orange	4932471892	4058546297916
High-visibility vest orange - L/XL	Orange	4932471893	4058546297923
High-visibility vest orange - 2XL/3XL	Orange	4932471894	4058546297930

Contractor High-Visibility Vest

NEW

- 1 clear ID badge holder for easy identification on the jobsite.
- Mic tab for convenient radio access.
- 1 Internal pocket for storage of papers, pens, etc.
- Hanger loop to easily hang up your vest after use.
- Durable zipper for open/closure.
- Machine washable.
- European Certified as Class 2 High Visibility Clothing according to EN ISO 20471: 2013/A1:2016.




Description	Article Number	EAN Code
Contractor High-Visibility Vest Yellow S/M	4932493994	4058546511548
Contractor High-Visibility Vest Yellow L/XL	4932493995	4058546511555
Contractor High-Visibility Vest Yellow 2XL/3XL	4932493996	4058546511562
Contractor High-Visibility Vest Orange S/M	4932493998	4058546511586
Contractor High-Visibility Vest Orange L/XL	4932493999	4058546511593
Contractor High-Visibility Vest Orange 2XL/3XL	4932498000	4058546511609

MILWAUKEE® GLOVES GUIDE

Rating	4 3 4 3 C X
Abrasion	1-4
Cut (Coup Test)	1-5
Tear	1-4
Puncture	1-4
Cut (TDM-100 Test)	A-F
Impact Protection	PFX

X= Not tested P= Pass X= Fail

FEATURES KEY



COMFORT	DEXTERITY	SMARTSWIPE™	CUT RESISTANCE	CUT RESISTANCE	CUT RESISTANCE	CUT RESISTANCE	CUT RESISTANCE	CUT RESISTANCE	
HIGH VISIBILITY	BREATHABILITY	PUNCTURE RESISTANCE & GRIP PERFORMANCE	WINTER	LEATHER	IMPACT RESISTANT	REINFORCED PALM	DURABILITY	REINFORCED WITH ARMORTEX®	REINFORCEMENT


GLOVE TYPES	CUT RESISTANT GLOVES						PROTECTIVE SLEEVES		HI-VIS CUT RESISTANT GLOVES					HI-DEX CUT RESISTANT GLOVES		

	CUT LEVEL A	CUT LEVEL B	CUT LEVEL C	CUT LEVEL D	CUT LEVEL E	CUT LEVEL F	CUT LEVEL C	CUT LEVEL E	HI-VIS CUT LEVEL A	HI-VIS CUT LEVEL B	HI-VIS CUT LEVEL C	HI-VIS CUT LEVEL D	HI-VIS CUT LEVEL E	HI-DEX CUT LEVEL B	HI-DEX CUT LEVEL C	HI-DEX CUT LEVEL D
FEATURES																
EN 388 RATING	4121A	4242B	4343C	4X43D	4X44E	4X43F	2342C	3X42E	3121A	3242B	4X42C	4X43D	4X43E	4242B	4342C	4X42D
COLOUR CODE																
GAUGE	13	15	15	13	13	18	15	13	15	15	15	13	13	18	18	18
COATING	Nitrile - Sandy	Nitrile - Sandy	Nitrile - Microfoam	Nitrile - Sandy	Nitrile - Sandy	Nitrile - Sandy	-	-	Polyurethane (PU)	Polyurethane (PU)	Polyurethane (PU)	Polyurethane (PU)	Polyurethane (PU)	Polyurethane (PU)	Polyurethane (PU)	Polyurethane (PU)
ENVIRONMENT	Dry, damp, oily (WASHABLE)	Dry, damp, oily (WASHABLE)	Dry, damp, oily (WASHABLE)	Dry, damp, oily (WASHABLE)	Dry, damp, oily (WASHABLE)	Dry, damp, oily (WASHABLE)	-	-	Dry (WASHABLE)	Dry (WASHABLE)	Dry (WASHABLE)	Dry (WASHABLE)	Dry (WASHABLE)	Dry (WASHABLE)	Dry (WASHABLE)	Dry (WASHABLE)
APPLICATIONS																
AUTOMOTIVE/TRANSPORTATION	✓	✓	✓	-	-	-	✓	-	✓	✓	✓	✓	✓	✓	✓	✓
CARPENTRY	✓	✓	-	-	-	-	✓	-	✓	✓	-	-	-	✓	✓	-
CIVIL ENGINEERING	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
CONSTRUCTION	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
DEMOLITION	-	-	✓	✓	✓	-	✓	✓	-	-	-	-	-	-	-	-
DRYWALL, CEILING AND PARTIONING	-	✓	✓	✓	-	-	✓	✓	-	✓	✓	✓	-	✓	✓	✓
LANDSCAPING AND HORTICULTURAL	✓	✓	-	-	-	-	✓	-	-	-	-	-	-	-	-	-
MAINTENANCE, REPAIR AND OPERATIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MANUFACTURING	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
ASSEMBLE	✓	✓	-	-	-	-	✓	-	✓	✓	-	-	-	✓	✓	✓
METALWORKING AND ENGINEERING	-	-	✓	✓	✓	✓	✓	✓	-	-	✓	✓	✓	-	✓	✓
HVAC	-	-	✓	✓	✓	✓	-	✓	-	-	✓	✓	✓	-	✓	✓
PLUMBING	✓	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-
UTILITIES	✓	✓	✓	-	-	-	✓	-	✓	✓	✓	-	-	✓	✓	✓
OIL & GAS	✓	✓	✓	✓	✓	✓	-	-	-	-	-	-	-	-	-	-

MILWAUKEE® GLOVES GUIDE


Rating	4 3 4 3 C X
Abrasion	1-4
Cut (Coup Test)	1-5
Tear	1-4
Puncture	1-4
Cut (TDM-100 Test)	A-F
Impact Protection	PFX

X= Not tested P= Pass X= Fail



FEATURES KEY

COMFORT	DEXTERITY	SMARTSWIPE™	CUT RESISTANCE A	CUT RESISTANCE B	CUT RESISTANCE C	CUT RESISTANCE D	CUT RESISTANCE E	CUT RESISTANCE F	
HIGH VISIBILITY	BREATHABILITY	PUNCTURE RESISTANCE & GRIP PERFORMANCE	WINTER	LEATHER	IMPACT RESISTANT	REINFORCED PALM	DURABILITY	REINFORCED WITH ARMORTEX®	REINFORCEMENT



	CUT LEVEL A	CUT LEVEL B	CUT LEVEL C	CUT LEVEL D	CUT LEVEL E	HYBRID LEATHER	LEATHER	FREE FLEX	FINGERLESS	DEMOLITION	WINTER DEMOLITION	IMPACT CUT LEVEL C	IMPACT CUT LEVEL E	IMPACT DEMOLITION
FEATURES														
EN 388 RATING	EN388: 1141A EN511: 01X	EN388: 2242B EN511: X1X	EN388: 2442C EN511: 02X	EN388: 3X43D EN511: X1X	EN 388: 3X43E EN 511: X1X	2122X	2122X	2121X	2121X	2121X	EN 388: 2122A EN 511: 14X	4343CP	4X44EP	2121XP
COLOUR CODE						-	-	-	-	-	-			
GAUGE	15,10	15,10	15,7	15,10	13,10	-	-	-	-	-	-	18	13	-
COATING	Latex	Latex	Latex	Latex	Latex	-	-	-	-	-	-	Nitrile	Nitrile	-
ENVIRONMENT	Cold, damp, dry (WASHABLE)	Cold, damp, dry (WASHABLE)	Cold, damp, dry (WASHABLE)	Cold, damp, dry (WASHABLE)	Cold, damp, dry (WASHABLE)	(WASHABLE)	(WASHABLE)	Dry (WASHABLE)	Dry (WASHABLE)	Dry, damp (WASHABLE)	Cold, damp, dry (WASHABLE)	Dry, damp, oily (WASHABLE)	Dry, damp, oily (WASHABLE)	Dry (WASHABLE)
APPLICATIONS														
AUTOMOTIVE/ TRANSPORTATION	✓	-	-	-	-	-	-	✓	-	-	-	✓	-	-
CARPENTRY	✓	✓	-	-	-	✓	✓	✓	✓	✓	✓	-	-	-
CIVIL ENGINEERING	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONSTRUCTION	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
DEMOLITION	-	-	✓	✓	✓	-	-	-	-	✓	✓	✓	✓	✓
DRYWALL, CEILING AND PARTIONING	-	✓	✓	✓	-	-	-	-	-	-	-	✓	-	-
LANDSCAPING AND HORTICULTURAL	✓	✓	-	-	-	✓	✓	-	-	-	-	-	-	-
MAINTENANCE, REPAIR AND OPERATIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MANUFACTURING	✓	✓	-	-	-	-	-	-	-	-	-	✓	-	-
ASSEMBLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-
METALWORKING AND ENGINEERING	-	-	-	✓	✓	-	-	-	-	-	-	-	✓	-
HVAC	-	-	✓	✓	✓	-	-	-	-	✓	✓	✓	✓	-
PLUMBING	✓	✓	-	-	-	-	-	✓	✓	-	-	-	-	-
UTILITIES	✓	✓	-	-	-	✓	✓	✓	✓	✓	✓	-	-	-
OIL & GAS	✓	✓	✓	✓	✓	-	-	-	-	✓	✓	✓	✓	✓

MILWAUKEE® GLOVES GUIDE

Rating	4 3 4 3 C X
Abrasion	1-4
Cut (Coup Test)	1-5
Tear	1-4
Puncture	1-4
Cut (TDM-100 Test)	A-F
Impact Protection	PFX

X= Not tested P= Pass X= Fail

FEATURES KEY



	CHEMICAL	NITRILE DISPOSABLE GLOVES	FULLY DIPPED	GENERAL GLOVES	PAD PRO CUT D	CHAIN SAW	DEMOX	PERFORMANCE WORK GLOVES	FLEX WORK GLOVES	PAD PRO WORK GLOVES	IMPACT PRO C	IMPACT PRO E
FEATURES												
EN RATING	EN ISO 374- 1:2016 Type A/ JKLMNO, EN388: 4121A, EN 407: X1XXX, Food contact approved	EN ISO 374- 1:2016 Type B / KPT	EN388: 4221A, EN 407: X1XXX	EN388: 3121A	EN388: 4X42D, EN 407: X1XXXX	N ISO 11393: class 1, Design A, Typ 1 EN388: 2122A	EN388: 2121A	EN388: 2121A	EN388: 2121A	EN388: 2121A, EN 407: X1XXXX	EN388: 4343CP, EN 407: X1XXX	EN388:2016 (4343EP), EN 407 (X1XXX)
COLOUR CODE	-	-					-	-	-	-		
GAUGE			15	13	18						15	
COATING			Nitrile	Polyurethane (PU)							Nitrile - Sandy	Nitrile - Sandy
ENVIRONMENT	Damp, wet, chemicals	Damp, wet, oily chemicals	Damp, wet, oily (WASHABLE)	Dry	Dry, damp, oily (WASHABLE)	Dry, damp	Dry (WASHABLE)	Dry (WASHABLE)	Dry (WASHABLE)	Dry (WASHABLE)	Dry, damp, oily (WASHABLE)	Dry, damp, oily (WASHABLE)
APPLICATIONS												
AUTOMOTIVE/ TRANSPORTATION	✓	✓	✓	-	-	-	-	-	-	-	-	-
CARPENTRY	-	-	-	✓	-	-	✓	✓	✓	-	-	-
CIVIL ENGINEERING	✓	-	✓	✓	✓	-	✓	✓	✓	✓	✓	✓
CONSTRUCTION	-	-	✓	✓	✓	-	✓	✓	-	✓	✓	✓
DEMOLITION	-	-	-	-	✓	-	✓	-	-	✓	✓	✓
DRYWALL, CEILING AND PARTITIONING	-	-	-	-	-	-	✓	-	-	-	✓	✓
LANDSCAPING AND HORTICULTURAL	✓	✓	✓	-	-	✓	-	-	-	-	-	-
MAINTENANCE, REPAIR AND OPERATIONS	-	✓	✓	✓	✓	-	-	✓	-	✓	-	-
MANUFACTURING	-	✓	✓	✓	✓	-	-	-	✓	✓	-	-
ASSEMBLE	-	-	-	✓	-	-	-	✓	✓	-	-	-
METALWORKING AND ENGINEERING	-	✓	-	-	✓	-	-	-	-	-	-	-
HVAC	-	-	✓	-	-	-	-	-	-	-	-	-
PLUMBING	✓	✓	✓	-	-	-	-	-	-	-	-	-
UTILITIES	✓	-	✓	-	-	-	✓	-	-	-	-	-
OIL & GAS	✓	-	✓	-	-	-	-	-	-	-	-	-

Cut resistant dipped gloves

Description	Colour code	Size	Article Number	EAN Code
① Cut A Gloves	White	7 / S	4932479712	4058546375065
		7 / S	4932479713	4058546375072
		8 / M	4932471416	4058546290443
		8 / M	4932471614	4058546295134
		9 / L	4932471417	4058546290450
		9 / L	4932471615	4058546295141
		10 / XL	4932471418	4058546290467
		10 / XL	4932471616	4058546295158
		11 / XXL	4932471419	4058546290474
		11 / XXL	4932471617	4058546295165
② Cut B Gloves	Blue	7 / S	4932479906	4058546377007
		8 / M	4932479907	4058546377014
		9 / L	4932479908	4058546377021
		10 / XL	4932479909	4058546377038
		11 / XXL	4932479910	4058546377045
③ Cut C Gloves	Black	7 / S	4932479715	4058546375096
		7 / S	4932479716	4058546375102
		7 / S	4932479717	4058546375119
		8 / M	4932471420	4058546290481
		8 / M	4932471618	4058546295172
		8 / M	4932479012	4058546363024
		9 / L	4932471421	4058546290498
		9 / L	4932471619	4058546295189
		9 / L	4932479013	4058546363031
		10 / XL	4932471422	4058546290504
		10 / XL	4932471620	4058546295196
10 / XL	4932479014	4058546363048		
11 / XXL	4932471423	4058546290511		
11 / XXL	4932471621	4058546295202		
11 / XXL	4932479015	4058546363055		
④ Cut D Gloves	Grey	7 / S	4932479911	4058546377052
		8 / M	4932479912	4058546377069
		9 / L	4932479913	4058546377076
		10 / XL	4932479914	4058546377083
		11 / XXL	4932479915	4058546377090
⑤ Cut E Gloves	Red	7 / S	4932479718	4058546375126
		7 / S	4932479719	4058546375133
		7 / S	4932479720	4058546375140
		8 / M	4932471424	4058546290528
		8 / M	4932471622	4058546295219
		8 / M	4932479016	4058546363062
		9 / L	4932471425	4058546290535
		9 / L	4932471623	4058546295226
		9 / L	4932479017	4058546363079
		10 / XL	4932471426	4058546290542
		10 / XL	4932471624	4058546295233
10 / XL	4932479018	4058546363086		
11 / XXL	4932471427	4058546290559		
11 / XXL	4932471625	4058546295240		
11 / XXL	4932479019	4058546363093		



Description	Colour code	Size	Article Number	EAN Code
⑥ High Cut F Gloves	Purple	7 / S	4932492040	4058546413521
		7 / S	4932492045	4058546413576
		8 / M	4932492041	4058546413538
		8 / M	4932492046	4058546413583
		9 / L	4932492042	4058546413545
		9 / L	4932492047	4058546413590
		10 / XL	4932492043	4058546413552
		10 / XL	4932492048	4058546413606
		11 / XXL	4932492044	4058546413569
		11 / XXL	4932492049	4058546413613
⑦ General Gloves	White	7 / S	4932493238	4058546481094
		8 / M	4932493239	4058546481100
		9 / L	4932493240	4058546481117
		10 / XL	4932493241	4058546481124
		11 / XXL	4932493242	4058546481131



Cut C Sleeves

- High stretch nylon material with 4-way stretch points to fit users' arms.
- Tapered design, wider on the bicep and tight on the wrist, to fit the natural arm form.
- Elastic band with non-slip dots on the bicep and stretch wrist cuff to keep the sleeves in place and prevent them from sagging.
- Breathable and lightweight material provides good dexterity and all-day comfort.
- Elastic thumb loop avoids pressure points when using gloves.
- Sun UV rays protection with UPF 50+ according to BS EN 13758-1:2002 +A1:2006 for the covered part of the arms.
- European Certified for cut protection: EN ISO 21420, EN388:2016 (2342C), UKCA.



Description	Cut level	Colour code	Article Number	EAN Code
Cut C Sleeves - 40cm	C	Black	4932478584	4058546347772
Cut C Sleeves - 45cm	C	Black	4932478585	4058546347789

Cut E Sleeves

- High stretch nylon material with 4-way stretch points to fit users' arms.
- Tapered design, wider on the bicep and tight on the wrist, to fit the natural arm form.
- Elastic band with non-slip dots on the bicep and stretch wrist cuff to keep the sleeves in place and prevent them from sagging.
- Breathable and lightweight material provides good dexterity and all-day comfort.
- Elastic thumb loop avoids pressure points when using gloves.
- Sun UV rays protection with UPF 50+ according to BS EN 13758-1:2002 +A1:2006 for the covered part of the arms.
- European Certified for cut protection: EN ISO 21420, EN388:2016 (3X42E), UKCA.



Description	Cut level	Colour code	Article Number	EAN Code
Cut E Sleeves - 40cm	E	Red	4932479936	4058546377304
Cut E Sleeves - 45cm	E	Red	4932479937	4058546377311

Winter cut resistant gloves

Description	Colour code	Size	Article Number	EAN Code
① Winter Cut A Gloves	White	7 / S	4932479704	4058546374983
		7 / S	4932479705	4058546374990
		7 / S	4932479706	4058546375003
		8 / M	4932471343	4058546289713
		8 / M	4932471606	4058546295059
		8 / M	4932479000	4058546362904
		9 / L	4932471344	4058546289720
		9 / L	4932471607	4058546295066
		9 / L	4932479001	4058546362911
		10 / XL	4932471345	4058546289737
		10 / XL	4932471608	4058546295073
		10 / XL	4932479002	4058546362928
		11 / XXL	4932471346	4058546289744
		11 / XXL	4932471609	4058546295080
11 / XXL	4932479003	4058546362935		
② Winter Cut B Gloves	Blue	7 / S	4932480601	4058546408862
		7 / S	4932480606	4058546408916
		8 / M	4932480602	4058546408879
		8 / M	4932480607	4058546408923
		9 / L	4932480603	4058546408886
		9 / L	4932480608	4058546408930
		10 / XL	4932480604	4058546408893
		10 / XL	4932480609	4058546408947
		11 / XXL	4932480605	4058546408909
		11 / XXL	4932480610	4058546408954
		7 / S	4932479707	4058546375010
7 / S	4932479708	4058546375027		
7 / S	4932479709	4058546375034		
8 / M	4932471347	4058546289751		
8 / M	4932471610	4058546295097		
8 / M	4932479004	4058546362942		
9 / L	4932471348	4058546289768		
9 / L	4932471611	4058546295103		
9 / L	4932479005	4058546362959		
10 / XL	4932471349	4058546289775		
10 / XL	4932471612	4058546295110		
10 / XL	4932479006	4058546362966		
11 / XXL	4932471350	4058546289782		
11 / XXL	4932471613	4058546295127		
11 / XXL	4932479007	4058546362973		
④ Winter Cut D Gloves	Grey	7 / S	4932480611	4058546408961
		7 / S	4932480616	4058546409012
		8 / M	4932480612	4058546408978
		8 / M	4932480617	4058546409029
		9 / L	4932480613	4058546408985
		9 / L	4932480618	4058546409036
		10 / XL	4932480614	4058546408992
		10 / XL	4932480619	4058546409043
		11 / XXL	4932480615	4058546409005
		11 / XXL	4932480620	4058546409050
		7 / S	4932479710	4058546375041
7 / S	4932479711	4058546375058		
8 / M	4932479558	4058546373528		
8 / M	4932479562	4058546373566		
9 / L	4932479559	4058546373535		
9 / L	4932479563	4058546373573		
10 / XL	4932479560	4058546373542		
10 / XL	4932479564	4058546373580		
11 / XXL	4932479561	4058546373559		
11 / XXL	4932479565	4058546373597		



High visibility cut resistant gloves

Description	Colour code	Size	Article Number	EAN Code
① Hi-vis Cut A Gloves	White	7 / S	4932479916	4058546377106
		8 / M	4932479917	4058546377113
		9 / L	4932479918	4058546377120
		10 / XL	4932479919	4058546377137
		11 / XXL	4932479920	4058546377144
② Hi-Vis Cut B Gloves	Blue	7 / S	4932479921	4058546377151
		8 / M	4932479922	4058546377168
		9 / L	4932479923	4058546377175
		10 / XL	4932479924	4058546377182
		11 / XXL	4932479925	4058546377199
③ Hi-vis Cut C Gloves	Black	7 / S	4932479721	4058546375157
		7 / S	4932479722	4058546375164
		8 / M	4932478131	4058546340643
		8 / M	4932479020	4058546363109
		9 / L	4932478132	4058546340650
		9 / L	4932479021	4058546363116
		10 / XL	4932478133	4058546340667
		10 / XL	4932479022	4058546363123
		11 / XXL	4932478134	4058546340674
		11 / XXL	4932479023	4058546363130
		7 / S	4932479926	4058546377205
8 / M	4932479927	4058546377212		
9 / L	4932479928	4058546377229		
10 / XL	4932479929	4058546377236		
11 / XXL	4932479930	4058546377243		
④ Hi-Vis Cut D Gloves	Grey	7 / S	4932479931	4058546377250
		8 / M	4932479932	4058546377267
		9 / L	4932479933	4058546377274
		10 / XL	4932479934	4058546377281
		11 / XXL	4932479935	4058546377298
⑤ Hi-Vis Cut E Gloves	Red	7 / S	4932479931	4058546377250
		8 / M	4932479932	4058546377267
		9 / L	4932479933	4058546377274
		10 / XL	4932479934	4058546377281
		11 / XXL	4932479935	4058546377298



Hi-Dex Cut Gloves Summary Table

Description	Colour code	Size	Article Number	EAN Code
Hi-Dex Cut B Gloves	Blue	7 / S	4932480491	4058546407766
		7 / S	4932480506	4058546407919
		8 / M	4932480492	4058546407773
		8 / M	4932480507	4058546407926
		9 / L	4932480493	4058546407780
		9 / L	4932480508	4058546407933
		10 / XL	4932480494	4058546407797
		10 / XL	4932480509	4058546407940
		11 / XXL	4932480495	4058546407803
		11 / XXL	4932480510	4058546407957
Hi-Dex Cut C Gloves	Black	7 / S	4932480496	4058546407810
		7 / S	4932480511	4058546407964
		8 / M	4932480497	4058546407827
		8 / M	4932480512	4058546407971
		9 / L	4932480498	4058546407834
		9 / L	4932480513	4058546407988
		10 / XL	4932480499	4058546407841
		10 / XL	4932480514	4058546407995
		11 / XXL	4932480500	4058546407858
		11 / XXL	4932480515	4058546408008
Hi-Dex Cut D Gloves	Grey	7 / S	4932480501	4058546407865
		7 / S	4932480516	4058546408015
		8 / M	4932480502	4058546407872
		8 / M	4932480517	4058546408022
		9 / L	4932480503	4058546407889
		9 / L	4932480518	4058546408039
		10 / XL	4932480504	4058546407896
		10 / XL	4932480519	4058546408046
		11 / XXL	4932480505	4058546407902
		11 / XXL	4932480520	4058546408053



Fully Dip Cut A Gloves

- Full hand double nitrile dipping to repel and don't absorb water or oils. First coating layer with smooth nitrile on full hand and second layer with Micro-thin foam on palm and thumb.
- Excellent grip performance with foam nitrile finish on the palm. Nitrile material performs better than others in wide range of temperatures and oily surfaces.
- Nitrile reinforcement coating on thumb to provide durability on a weak area.
- Designed to provide all-day comfort, ideal for manufacturing, plumbing, forestry, automotive and transportation, facility management.
- SMARTWIPE™ fingertips - allows the use of touch screen devices without removing gloves.
- European Certified for cut protection and heat protection: EN ISO 21420, EN388:2016 (4221A), EN 407 (X1XXX).



Description	Packaging style	Article Number	EAN Code
Fully Dip Cut A Gloves - 7/S - 1pc	Hang Card	4932493218	4058546480899
Fully Dip Cut A Gloves - 8/M - 1pc	Hang Card	4932493219	4058546480905
Fully Dip Cut A Gloves - 9/L - 1pc	Hang Card	4932493220	4058546480912
Fully Dip Cut A Gloves - 10/XL - 1pc	Hang Card	4932493221	4058546480929
Fully Dip Cut A Gloves - 11/XXL - 1pc	Hang Card	4932493222	4058546480936
Pack Fully Dip Cut A Gloves - 7/S - 12pc	Polybag	4932493223	4058546480943
Pack Fully Dip Cut A Gloves - 8/M - 12pc	Polybag	4932493224	4058546480950
Pack Fully Dip Cut A Gloves - 9/L - 12pc	Polybag	4932493225	4058546480967
Pack Fully Dip Cut A Gloves - 10/XL - 12pc	Polybag	4932493226	4058546480974
Pack Fully Dip Cut A Gloves - 11/XXL - 12pc	Polybag	4932493227	4058546480981

Nitrile Disposable Gloves

- Durable and resistant disposable nitrile gloves with a thickness 0.8 mil and weight of 8.0gr, reducing the risk of tear, break and increasing productivity.
- Diamond texture pattern to improve grip on metallic tools or in oily and greasy surfaces.
- Chemical resistant ideal to protect from oils, gasoline, thinners, brake fluids, solvents commonly used in automotive garages.
- Excellent dexterity to let users feel the working surface and handle very small parts.
- SMARTWIPE™ fingertips - allows the use of touch screen devices without removing gloves.
- European Certified for chemical protection: EN ISO 374- 1:2016 Type B / KPT, EN ISO 374 -2, EN ISO 374-5 (VIRUS), EN ISO 21420, UKCA, EAC, UKRAINE



Chemical Gloves Grip

- Chemical protection, mechanical protection, and heat protection gloves to enhanced user safety.
- Glove length of 350mm with gauntlet cuff style to protect the forearm.
- Triple nitrile coating for increase durability.
- Excellent grip performance on wet and oily surfaces due to the sandy nitrile finish on the palm.
- 18 gauges soft inner liner and latex-free composition to ensure comfort over long periods of used.
- European Certified for chemical, mechanical and heat protection: EN ISO 374- 1:2016 Type A/ JKLMNO, EN ISO 374 -2, EN ISO 374-5 (VIRUS), EN ISO 21420, EN388 (4121A), EN 407 (X1XXX), Food contact approved, UKCA, EAC, UKRAINE



Description	Article Number	EAN Code
Chemical Gloves Grip - 7/S - 1pc	4932493228	4058546480998
Chemical Gloves Grip - 8/M - 1pc	4932493229	4058546481001
Chemical Gloves Grip - 9/L - 1pc	4932493230	4058546481018
Chemical Gloves Grip - 10/XL - 1pc	4932493231	4058546481025
Chemical Gloves Grip - 11/XXL - 1pc	4932493232	4058546481032

Chain saw Gloves

- Resistant saw cut protection in the right and left glove for forest work.
- Top grain goatskin leather grants extended durability and provides water repellant for working on wet environments.
- Reinforced palm, thumb-index and fingertips with dot pattern TPU for increased grip and durability.
- Smartswipe™ - Allows the use of touch screen devices without removing the gloves on the index finger knuckle.
- European Certified chainsaw protection EN ISO 11393 class 1 (20 m/s) and mechanical protection EN388:2016 (2122A) and EN ISO 21420.



Description	Article Number	EAN Code
Chain Saw Gloves -8/M - 1pc	4932493540	4058546484118
Chain Saw Gloves - 9/L - 1pc	4932493541	4058546484125
Chain Saw Gloves - 10/XL - 1pc	4932493542	4058546484132
Chain Saw Gloves - 11/XXL - 1pc	4932493543	4058546484149



DemoX Work Gloves

- Updated Demolition Gloves designed, versatile and comfortable work glove.
- ARMORTEX™ reinforced palms and fingertips: Increased durability and hand protection.
- SMARTSWIPE™ Knuckle: Allows the use of touch screen devices without removing the gloves on the index finger knuckle.
- Knuckle protection: TPR padding provides knuckle protection.
- Breathable tri-cot lining: Provides ultimate comfort and breathability.
- Terry cloth thumb: Built in sweat/brow wipe.
- Hook & Loop closure for secure fit.
- European Certified for mechanical protection: EN ISO 21420, EN388:2016 (2121A)



NEW

Description	Article Number	EAN Code
DemoX Work Gloves - 7/S - 1pc	4932498486	4058546523558
DemoX Work Gloves - 8/M - 1pc	4932498487	4058546523565
DemoX Work Gloves - 9/L - 1pc	4932498488	4058546523572
DemoX Work Gloves - 10/XL - 1pc	4932498489	4058546523589
DemoX Work Gloves - 11/XXL - 1pc	4932498490	4058546523596

Impact Pro Cut C Gloves

- Impact resistant material on back of the hand and fingers reduces and absorbs shock.
- Reinforced nitrile coating with added protection between thumb and fingers.
- Excellent grip performance - nitrile material performs better than other materials in extreme temperatures and oily surfaces.
- SMARTSWIPE™ palm and fingertips - allows the use of touch screen devices without removing gloves.
- European Certified for cut protection including impact testing and heat protection: EN ISO 21420, EN388:2016 (4343CP), EN 407 (X1XXX).



NEW

Description	Article Number	EAN Code
Impact Cut C Gloves - 11/XXL - 1 pc	4932498533	4058546524029
Impact Cut C Gloves - 7/S - 1pc	4932498529	4058546523985
Impact Cut C Gloves - 8/M - 1pc	4932498530	4058546523992
Impact Cut C Gloves - 9/L - 1pc	4932498531	4058546524005
Impact Cut C Gloves - 10/XL - 1pc	4932498532	4058546524012

Impact Pro Cut E Gloves

- Impact resistant material on back of the hand and fingers reduces and absorbs shocks.
- Reinforced nitrile coating with added protection between thumb and fingers.
- Excellent grip performance - nitrile material performs better than other materials in extreme temperatures and oily surfaces.
- SMARTSWIPE™ palm and fingertips - allows the use of touch screen devices without removing gloves.
- European Certified for cut protection including impact testing and heat protection: EN ISO 21420, EN388:2016 (4343EP), EN 407 (X1XXX).



NEW

Description	Article Number	EAN Code
Impact Pro Cut E Gloves - 7/S - 1 pc	4932498534	4058546524036
Impact Pro Cut E Gloves - 8/M - 1 pc	4932498535	4058546524043
Impact Pro Cut E Gloves - 9/L - 1 pc	4932498536	4058546524050
Impact Pro Cut E Gloves - 10/XL - 1 pc	4932498537	4058546524067
Impact Pro Cut E Gloves - 11/XXL - 1 pc	4932498538	4058546524074

Hybrid leather gloves

- Smartswipe™ - Allows the use of touch screen devices without removing the gloves on the index finger knuckle.
- Leather on the palm for extended durability and reinforced protection of hands.
- Synthetic leather on back of the hand to offer more dexterity and breathability while working.
- Reinforced palm for added comfort and protection while handling heavy objects.
- European Certified for cut resistance protection: EN ISO 21420 and EN388:2016 (2122X).



Description	Article Number	EAN Code
Hybrid Leather Gloves - 7/S - 1pc	4932479726	4058546375201
Hybrid Leather Gloves - 8/M - 1pc	4932471912	4058546298111
Hybrid Leather Gloves - 9/L - 1pc	4932471913	4058546298128
Hybrid Leather Gloves - 10/XL - 1pc	4932471914	4058546298135
Hybrid Leather Gloves - 11/XXL - 1pc	4932471915	4058546298142



Leather Gloves

- Top grain goatskin leather gives extended durability and reinforced protection of hands.
- Reinforced palm provides added comfort and protection while handling heavy objects.
- Keystone thumb for comfortable fit and extended wear.
- Smartswipe™ - Allows the use of touch screen devices without removing the gloves on the index finger knuckle.
- European Certified for cut resistance protection: EN ISO 21420 and EN388:2016 (2122X).



Description	Article Number	EAN Code
Leather Gloves - 7/S - 1pc	4932479727	4058546375218
Leather Gloves - 8/M - 1pc	4932478123	4058546340568
Leather Gloves - 9/L - 1pc	4932478124	4058546340575
Leather Gloves - 10/XL - 1pc	4932478125	4058546340582
Leather Gloves - 11/XXL - 1pc	4932478126	4058546340599



Winter Demolition Gloves

- Winter insulation and dual acrylic liner to keep the hand warm while working in cold conditions.
- Water and windproof layer on the palm provide superior insulation in extreme environments.
- Padded palm and fingertips for increased durability and comfort.
- SMARTSWIPE™ index finger knuckle that allows to use touch screen devices without removing gloves or using dirty fingertips.
- Built in sweat wipe with terry cloth on the thumb, to easily clean the glasses.
- European Certified for cut and cold resistance protection: EN ISO 21420, EN388:2016 (2122A), EN511 (14X), UKCA.



Description	Article Number	EAN Code
Winter Demolition Gloves - 7/S - 1pc	4932479731	4058546375256
Winter Demolition Gloves - 8/M - 1pc	4932479566	4058546373603
Winter Demolition Gloves - 9/L - 1pc	4932479567	4058546373610
Winter Demolition Gloves - 10/XL - 1pc	4932479568	4058546373627
Winter Demolition Gloves - 11/XXL - 1pc	4932479569	4058546373634
Winter Demolition Gloves - 12/XXL - 1pc	4932480976	4058546412616

Impact Cut C Gloves

- Impact resistant material on back of the hand and fingers reduces and absorbs shock.
- Reinforced nitrile coating with added protection between thumb and fingers.
- Excellent grip performance - nitrile material performs better than other materials in extreme temperatures and oily surfaces.
- SMARTSWIPE™ palm and fingertips - allows the use of touch screen devices without removing gloves.
- European Certified for cut resistance protection including impact testing: EN ISO 21420 and EN388:2016 (4343CP).



Description	Article Number	EAN Code
Impact Cut C Gloves - 7/S - 1pc	4932479724	4058546375188
Impact Cut C Gloves - 8/M - 1pc	4932478127	4058546340605
Impact Cut C Gloves - 9/L - 1pc	4932478128	4058546340612
Impact Cut C Gloves - 10/XL - 1pc	4932478129	4058546340629
Impact Cut C Gloves - 11/XXL - 1pc	4932478130	4058546340636

Pad Pro Cut D Gloves

NEW

- Foam padding on the palm provides extra comfort to work with vibrating tools.
- 18 gauge material for extra dexterity on hands.
- Knuckle protection: TPR padding provides knuckle protection.
- Reinforced nitrile coating between thumb and fingers and superior puncture resistance for more durability.
- SMARTSWIPE™ palm and fingertips - allows the use of touch screen devices without removing gloves.
- European Certified for cut resistance protection: EN ISO 21420, EN388:2016 (4X42D), EN 407 (X1XXXX), UKCA.



Description	Article Number	EAN Code
Pad Pro Cut D Gloves - 7/S - 1pc	4932498501	4058546523701
Pad Pro Cut D Gloves - 8/M - 1pc	4932498502	4058546523718
Pad Pro Cut D Gloves - 9/L - 1pc	4932498503	4058546523725
Pad Pro Cut D Gloves - 10/XL - 1pc	4932498504	4058546523732
Pad Pro Cut D Gloves - 11/XXL - 1pc	4932498505	4058546523749

Impact Cut E Gloves

- Impact resistant material on back of the hand and fingers reduces and absorbs shocks.
- Double layer of nitrile for added durability and increased protection from sharp objects.
- Reinforced nitrile coating with added protection between thumb and fingers.
- Excellent grip performance - nitrile material performs better than other materials in extreme temperatures and oily surfaces.
- SMARTSWIPE™ palm and fingertips - allows the use of touch screen devices without removing gloves.
- European Certified for cut resistance protection including impact testing: EN ISO 21420 and EN388:2016 (4X44EP).



Description	Article Number	EAN Code
Impact Cut E Gloves - 7/S - 1pc	4932479725	4058546375195
Impact Cut E Gloves - 8/M - 1pc	4932479570	4058546373641
Impact Cut E Gloves - 9/L - 1pc	4932479571	4058546373658
Impact Cut E Gloves - 10/XL - 1pc	4932479572	4058546373665
Impact Cut E Gloves - 11/XXL - 1pc	4932479573	4058546373672

Pad Pro Work Gloves

NEW

- Foam padding on the palm provides extra comfort to work with vibrating tools.
- Work gloves for heavy duty applications, like concrete drilling, grinding, sanding, cutting.
- Breathable lining: Provides ultimate comfort and breathability.
- Terry cloth thumb: Built in sweat/brow wipe.
- European Certified for cut resistance protection: EN ISO 21420, EN388:2016 (2121A), EN 407 (X1XXXX), UKCA.



Description	Article Number	EAN Code
Pad Pro Work Gloves - 7/S - 1pc	4932498506	4058546523756
Pad Pro Work Gloves - 8/M - 1pc	4932498507	4058546523763
Pad Pro Work Gloves - 9/L - 1pc	4932498508	4058546523770
Pad Pro Work Gloves - 10/XL - 1pc	4932498509	4058546523787
Pad Pro Work Gloves - 11/XXL - 1pc	4932498510	4058546523794

Impact demolition gloves

- Impact resistant material, on back of hand and fingers, to reduce and absorb shock.
- ARMORTEX™ reinforced palms and finger tips: Increased durability and hand protection.
- Superior palm grip on oily and wet surfaces.
- European Certified for cut resistance protection including impact testing: EN ISO 21420 and EN388:2016 (2121XP).



Description	Article Number	EAN Code
Impact Demolition Gloves - 7/S - 1pc	4932479723	4058546375171
Impact Demolition Gloves - 8/M - 1pc	4932471908	4058546298074
Impact Demolition Gloves - 9/L - 1pc	4932471909	4058546298081
Impact Demolition Gloves - 10/XL - 1pc	4932471910	4058546298098
Impact Demolition Gloves - 11/XXL - 1pc	4932471911	4058546298104

Fingerless gloves

- Designed to provide ultimate dexterity when handling small objects.
- Reinforced palm and thumb seam.
- Lightweight, breathable backing.
- Moisture wicking lining provides all day comfort.
- Built-in sweat wipe.
- Hook & Loop closure for secure fit.
- European Certified: CE Category 2, EN ISO 21420 and EN 388 (2121X).



Description	Article Number	EAN Code
Fingerless Gloves - 7/S - 1pc	4932479728	4058546375225
Fingerless Gloves - 8/M - 1pc	48229741	045242508730
Fingerless Gloves - 9/L - 1pc	48229742	045242508747
Fingerless Gloves - 10/XL - 1pc	48229743	045242508754
Fingerless Gloves - 11/XXL - 1pc	48229744	045242508761



Demolition gloves

- ARMORTEX™ reinforced palms and finger tips: Increased durability and hand protection.
- SMARTSWIPE™ Knuckle: Capacitive knuckle allows to use touch screen devices without removing gloves or using dirty fingertips.
- Breathable tri-cot lining: Provides ultimate comfort and breathability.
- Knuckle protection: TPR pad provides knuckle protection.
- Terry cloth thumb: Built in sweat/brow wipe.
- Hook & Loop closure for secure fit.
- European Certified: CE Category 2, EN ISO 21420 and EN 388 (2121X).



Description	Article Number	EAN Code
Demolition Gloves - 7/S - 1pc	4932479730	4058546375249
Demolition Gloves - 8/M - 1pc	48229731	045242479436
Demolition Gloves - 9/L - 1pc	48229732	045242479443
Demolition Gloves - 10/XL - 1pc	48229733	045242479450
Demolition Gloves - 11/XXL - 1pc	48229734	045242479467



Free-Flex Gloves

- SMARTSWIPE™ knuckle, palm and fingertips.
- Flexible and elastic gloves.
- Lightweight, breathable backing.
- Reinforced thumb seam.
- High dexterity finger tips.
- Built-in sweat wipe.
- European Certified: CE Category 2, EN ISO 21420 and EN 388 (2121X).



Description	Article Number	EAN Code
Free-Flex Work Gloves - 7/S - 1pc	4932479729	4058546375232
Free-Flex Work Gloves - 8/M - 1pc	48229711	045242508693
Free-Flex Work Gloves - 9/L - 1pc	48229712	045242508709
Free-Flex Work Gloves - 10/XL - 1pc	48229713	045242508716
Free-Flex Work Gloves - 11/XXL - 1pc	48229714	045242508723



TOOL DROP PREVENTION

MILWAUKEE® LANYARDS



WHY MILWAUKEE® LANYARDS?

A FALLING OBJECT IS THE 3RD HIGHEST CAUSE OF FATALITY ON A JOBSITE.

(Peoplesafe.co.uk, 2019)


LOCKING TOOL LANYARDS

WRIST TOOL LANYARD

RETRACTABLE TOOL LANYARD

TOOL LANYARD ACCESSORIES

TOOL DROP PREVENTION



NAME	4.5 KG LOCKING TOOL LANYARD	4.5 KG QUICK CONNECT LOCKING TOOL LANYARD	6.8 KG LOCKING TOOL LANYARD	15.8 KG LOCKING TOOL LANYARD	WRIST LANYARD	QUICK CONNECT WRIST LANYARD	QUICK CONNECT RETRACTABLE TOOL LANYARD	ANCHORING STRAP	D-RING WEB	SMALL QUICK CONNECT	SPLIT RINGS 38 mm / 50 mm	SELF-ADHERING TAPE 3.6 m
PART NUMBER	4932471351	4932471429	4932471352	4932471353	4932472107	4932472108	4932472106	4932472105	4932471431	4932471430	4932471433 (38 mm) 4932471434 (50 mm)	48228860
WEIGHT CAPACITY	4.5 KG	4.5 KG	6.8 KG	15.8 KG	2.2 KG	2.2 KG	2.2 KG	22.7 KG	2.2 KG	2.2 KG	1 KG	-
COLOUR CODING	RED	RED	BLACK	GREY	WHITE	WHITE	WHITE	GREEN	WHITE	WHITE	-	-
TETHER MECHANISM											-	-
COMPATIBLE WITH	ANCHORING STRAP	ALL ACCESSORIES	ANCHORING STRAP	ANCHORING STRAP	-	-	ALL ACCESSORIES	ALL LOCKING TOOL LANYARDS	SELF-ADHERING TAPE & 4.5 KG QUICK CONNECT LOCKING TOOL LANYARD	4.5 KG QUICK CONNECT LOCKING TOOL LANYARD	4.5 KG QUICK CONNECT LOCKING TOOL LANYARD	D-RING WEB
INTEGRATED SWIVEL	✓	✓	✓	✓	-	-	✓	-	-	-	-	-
SUITABLE PRODUCTS*	DRILL DRIVER IMPACT DRIVER IMPACT WRENCH JIGSAW HACKZALL SAWZALL™ SHEARS	HANDTOOLS WITH LANYARD ACCESSORY ATTACHED	ANGLE GRINDER DRILL DRIVER IMPACT DRIVER IMPACT WRENCH SDS PLUS HACKZALL SAWZALL™ BANDSAWS	SDS PLUS SDS MAX MAG PRESS IMPACT WRENCH BANDSAWS CHAINSAW	DRILL DRIVERS IMPACT DRIVERS IMPACT WRENCH HANDTOOLS	DRILL DRIVERS IMPACT DRIVERS IMPACT WRENCH HANDTOOLS	DRILL DRIVERS IMPACT DRIVERS IMPACT WRENCH HANDTOOLS	ALL LOCKING TOOL LANYARDS	HANDTOOLS WITHOUT LANYARD HOLE HAMMERS CUTTERS PLIERS	HANDTOOLS WITH LANYARD HOLE SCREWDRIVERS TAPES PLIERS	HANDTOOL WITH LANYARD HOLE KNIVES TAPES PLIERS	D-RING WEB
APPLICATION												

*All product recommendations are only references and are not guaranteed!
Please make sure that the total weight of the tethered product (+ Battery) does not exceed the weight capacity of the tool lanyard!



Locking tool lanyards

- Superior shock absorption - gradually stop the tool if dropped.
- Double locking carabiner - ensures a secure connection that cannot become loose or slip off accidentally.
- Integrated swivel - prevents twists and tangles allowing increased mobility.
- Colour coded weight rating - easy identification of lanyard weight capacity.
- High versatility - lanyard accessories can be added to connect all tools to the lanyards.



Description	Bearing force (kg)	Colour code	Article Number	EAN Code
① 4.5 kg locking tool lanyard	4.5	Red	4932471351	4058546289799
② 4.5 kg QUICK-CONNECT™ locking tool lanyard	4.5	Red	4932471429	4058546290573
③ 6.8 kg locking tool lanyard	6.8	Black	4932471352	4058546289805
④ 15.8 kg locking tool lanyard	15.8	Grey	4932471353	4058546289812



TOOL LANYARD ACCESSORIES

STAY SAFE. SECURE ANY TOOL.

EASILY CONNECT

- Creates a secure attachment point
- Different connection system (self-adhering tape or rings)

HIGH VERSATILITY

- Possibility to connect tools with or without lanyard holes
- Allows fast tool swap



Tool lanyard accessories

Description	Colour code	Bearing force (kg)	Article Number	EAN Code
① 2.2 kg small QUICK-CONNECT™ accessory	White	2.2	4932471430	4058546290580
② 2.2 kg D-ring web attachment	White	2.2	4932471431	4058546290597
③ 3.6 m self-adhering tape	-	-	48228860	4058546290603
④ 38 mm split ring	-	1	4932471433	4058546290610
⑤ 50 mm split ring	-	1	4932471434	4058546290627
⑥ Anchoring strap	Green	22.7	4932472105	4058546325015

Retractable tool lanyard


- Automatically retracts, 127 cm when extended.
- Double locking carabiner - ensures a secure connection that cannot become loose or slip off accidentally.
- Shuttle lock - greater control during use.
- Integrated swivel - prevents twists and tangles allowing increased mobility.
- Colour coded weight rating - easy identification of lanyard weight capacity.
- High versatility - lanyard accessories can be added to connect all tools to the lanyards.



Description	Colour code	Article Number	EAN Code
2.2 kg Quick-Connect Retractable Tool Lanyard	White	4932472106	4058546325022

Wrist tool lanyard

- Secure and comfortable tools attachment to the wrist.
- Soft and adjustable strap - fits all wrist sizes with a hook and loop closure.
- Hang loop or quick-connect double locking carabiner to securely attach all kind of tools - power tools, tapes, screwdrivers, etc.
- Wrist lanyard allows an easy access to tools in a tight environment or in repetitive work.
- Colour coded weight rating - easy identification of lanyard weight capacity.



Description	Bearing force (kg)	Colour code	Article Number	EAN Code
① Wrist lanyard	2.2	White	4932472107	4058546325039
② Quick connect wrist lanyard	2.2	White	4932472108	4058546325046



M12™ heated jacket

- Heat on demand - sewn in carbon fibre heating wires, distribute heat to core body areas and to the front pockets
- Superior run time, up to 8 hours of heat on low level with a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Easy touch heat controller - 3 heat settings: High, Medium, Low
- TOUGHShell™ stretch 90% polyester and 10% spandex material to withstand harsh working conditions and deliver up to 5x longer life
- FREE FLEX™ mobility - additional material under the arms increases range of movement for working overhead
- New battery pocket design providing users multiple options for battery placement, allowing adaptability to the situation
- Improved slim fit design with extended back prevents heat loss and keeps the user warm
- M12™ battery controller with 1 A USB port, to charge mobile devices stored in concealed battery pocket
- Water and wind resistant, provides comfort and durability in harsh environments
- Big hand & chest pocket, ideal for storing mobile devices
- Flexible battery system: works with all MILWAUKEE® M12™ batteries
- Available in sizes S-XXXL
- Machine washable and dryable



MACHINE WASHABLE



UP TO 8 HOURS* OF CONTINUOUS HEAT



TOUCH SENSITIVE CONTROLS

MILWAUKEE HEATED GEAR RANGE

Powered by M12™ REDLITHIUM™ or REDLITHIUM™ USB battery technology, MILWAUKEE® Heated Work Gear distributes heat across core body areas. Durable carbon fibre heating elements maintain heat to reduce the need for bulky layers, while multiple heat settings allow the user to select the right amount of warmth for all weather conditions. Our range of heated work wear is fully machine washable and dryable for extended use.

*on a single battery charge (3.0 Ah) at low setting

EXPLORE OUR RANGE OF HEATED GEAR



Description	Size	Article Number	EAN Code
M12™ heated jacket - Black	S	4933478967	4058546362492
M12™ heated jacket - Black	M	4933478968	4058546362508
M12™ heated jacket - Black	L	4933478969	4058546362515
M12™ heated jacket - Black	XL	4933478970	4058546362522
M12™ heated jacket - Black	XXL	4933478971	4058546362539
M12™ heated jacket - Grey	S	4933478972	4058546362546
M12™ heated jacket - Grey	M	4933478973	4058546362553
M12™ heated jacket - Grey	L	4933478974	4058546362560
M12™ heated jacket - Grey	XL	4933478975	4058546362577
M12™ heated jacket - Grey	XXL	4933478976	4058546362584

M12™ heated camouflage jacket

- REALTREE XTRA™ Camo pattern blends perfectly year round in a variety of habitats
- Quiet-shell stretch 100% polyester material to reduce noise during movement
- Heat on demand - 5 sewn in carbon fibre heating zones distribute heat to core body areas and to the front pockets
- Superior run time, up to 8 hours of heat on low level with a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Easy touch heat controller concealed inside the lapel - 3 heat settings: High, Medium, Low
- FREE FLEX™ mobility - additional material under the arms increases range of movement for working overhead
- Water and wind resistant, provides comfort and durability in harsh environments
- New battery pocket design providing users multiple options for battery placement, allowing adaptability to the situation
- Improved slim fit design with extended back prevents heat loss and keeps the user warm
- M12™ battery controller with 1 A USB port, to charge mobile devices stored in concealed battery pocket
- Big hand & chest pocket, ideal for storing mobile devices
- Flexible battery system: works with all MILWAUKEE® M12™ batteries
- Available in sizes S-XXXL
- Machine washable and dryable



Description	Size	Article Number	EAN Code
M12™ heated camouflage jacket	S	4933478977	4058546362591
M12™ heated camouflage jacket	M	4933478978	4058546362607
M12™ heated camouflage jacket	L	4933478979	4058546362614
M12™ heated camouflage jacket	XL	4933478980	4058546362621
M12™ heated camouflage jacket	XXL	4933478981	4058546362638

M12™ heated vest - Grey

- M12™ Heated TOUGHShell™ vest powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest & back
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- TOUGHShell™ stretch 90% Polyester and 10% spandex material to withstand harsh working conditions
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Machine washable and dryable
- Battery holder included
- Flexible battery system: works with all MILWAUKEE® M12™ batteries



Description	Size	Article Number	EAN Code
M12™ heated vest - Grey	S	4932480100	4058546403850
M12™ heated vest - Grey	M	4932480101	4058546403867
M12™ heated vest - Grey	L	4932480102	4058546403874
M12™ heated vest - Grey	XL	4932480103	4058546403881
M12™ heated vest - Grey	XXL	4932480104	4058546403898

M12™ heated puffer jacket - Black

- M12™ Heated Jacket powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest, back and shoulders
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Lightweight and highly durable ripstop polyester provides a slim design that can be worn as an outer-shell or a mid-layer (100% Polyester outer and inner shell)
- Reinforced high-wear zones protect from abrasion and tears
- Provides comfort and durability in harsh, rainy or windy environments
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- Multiple heating zones - 5 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Machine washable and dryable
- Battery controller included
- New hood design
- Flexible battery system: works with all MILWAUKEE® M12™ batteries



Description	Size	Article Number	EAN Code
M12™ heated puffer jacket - Black	S	4932480071	4058546403560
M12™ heated puffer jacket - Black	M	4932480072	4058546403577
M12™ heated puffer jacket - Black	L	4932480073	4058546403584
M12™ heated puffer jacket - Black	XL	4932480074	4058546403591
M12™ heated puffer jacket - Black	XXL	4932480075	4058546403607

M12™ heated puffer vest

- M12™ Heated Jacket powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest, back and shoulders
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Lightweight and highly durable ripstop polyester provides a slim design that can be worn as an outer-shell or a mid-layer (100% Polyester outer and inner shell)
- Reinforced high-wear zones protect from abrasion and tears
- Provides comfort and durability in harsh, rainy or windy environments
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Machine washable and dryable
- Battery holder included
- Flexible battery system: works with all MILWAUKEE® M12™ batteries



Description	Size	Article Number	EAN Code
M12™ heated puffer vest	S	4932480076	4058546403614
M12™ heated puffer vest	M	4932480077	4058546403621
M12™ heated puffer vest	L	4932480078	4058546403638
M12™ heated puffer vest	XL	4932480079	4058546403645
M12™ heated puffer vest	XXL	4932480080	4058546403652

USB rechargeable heated WORKSKIN™ base layer

- Mid-weight construction out of durable, pilling resistant material, keeps body warm and dry
- Fully heats-up in 2.5 min
- Heat is created and distributed to the chest and back
- Powered by L4 USB rechargeable REDLITHIUM™ battery pack
- A one-touch LED controller allows the user to select from 2 heat settings, delivering ideal heat for any environment
- Durable, pilling resistant material with raglan designed sleeves and seamless shoulders for improved mobility and comfort
- Superior run time – Up to 180 min of heat on low level
- L4 battery holder - concealed battery pocket for minimal user interference
- Machine washable



Description	Size	Article Number	EAN Code
USB rechargeable heated WORKSKIN™ base layer	S	4933478081	4058546340148
USB rechargeable heated WORKSKIN™ base layer	M	4933478082	4058546340155
USB rechargeable heated WORKSKIN™ base layer	L	4933478083	4058546340162
USB rechargeable heated WORKSKIN™ base layer	XL	4933478084	4058546340179
USB rechargeable heated WORKSKIN™ base layer	XXL	4933478085	4058546340186

M12™ heated hoodie

- M12™ Heated Hoodie powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest and back
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Rugged heated hoodie made from durable cotton (53%) exterior with durable reinforced utility pockets and polyester fleece (47%) lining to withstand tough outdoor conditions
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- In autumn and spring the hoodie can be worn as a rugged outer layer. In winter, it is best as a base layer that allows to shed bulky undergarments while generating and holding heat close to the body
- Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Integrated cell phone pocket
- Machine washable and dryable
- Battery holder included
- Flexible battery system: works with all MILWAUKEE® M12™ batteries



Description	Size	Article Number	EAN Code
M12™ heated hoodie - Black	S	4932480061	4058546403461
M12™ heated hoodie - Black	M	4932480062	4058546403478
M12™ heated hoodie - Black	L	4932480063	4058546403485
M12™ heated hoodie - Black	XL	4932480064	4058546403492
M12™ heated hoodie - Black	XXL	4932480065	4058546403508
M12™ heated hoodie - grey	S	4932480066	4058546403515
M12™ heated hoodie - grey	M	4932480067	4058546403522
M12™ heated hoodie - grey	L	4932480068	4058546403539
M12™ heated hoodie - grey	XL	4932480069	4058546403546
M12™ heated hoodie - grey	XXL	4932480070	4058546403553

M12™ heated ladies hoodie - Black

- M12™ Heated Hoodie for ladies powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest and back
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- Rugged heated hoodie made from durable cotton (53%) exterior with durable reinforced utility pockets and polyester fleece (47%) lining to withstand tough outdoor conditions
- In autumn and spring the hoodie can be worn as a rugged outer layer. In winter, it is best as a base layer that allows to shed bulky undergarments while generating and holding heat close to the body
- Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Integrated cell phone pocket
- Machine washable and dryable
- Battery holder included
- Flexible battery system: works with all MILWAUKEE® M12™ batteries



Description	Size	Article Number	EAN Code
M12™ heated ladies hoodie - Black	S	4932480090	4058546403751
M12™ heated ladies hoodie - Black	M	4932480091	4058546403768
M12™ heated ladies hoodie - Black	L	4932480092	4058546403775
M12™ heated ladies hoodie - Black	XL	4932480093	4058546403782

M12™ heated puffer jacket ladies - black

- M12™ Heated Jacket powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest, back and shoulders
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Lightweight and highly durable ripstop polyester provides a slim design that can be worn as an outer-shell or a mid-layer (100% Polyester outer and inner shell)
- Reinforced high-wear zones protect from abrasion and tears
- Provides comfort and durability in harsh, rainy or windy environments
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- Multiple heating zones - 5 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Machine washable and dryable
- Battery controller included Flexible battery system: works with all MILWAUKEE® M12™ batteries



Description	Article Number	EAN Code
M12™ heated puffer jacket ladies - black	4932480085	4058546403706
M12™ heated puffer jacket ladies - black	4932480086	4058546403713
M12™ heated puffer jacket ladies - black	4932480087	4058546403720
M12™ heated puffer jacket ladies - black	4932480088	4058546403737
M12™ heated puffer jacket ladies - black	4932480089	4058546403744

FREEFLEX™ Work Jacket Black

NEW

- FREEFLEX™ Engineered to move freely on the job: Custom action back design paired with a full range arm movement.
- Insulated Quilted Lining: Provides warmth needed to keep working all winter without adding bulk.
- Jobsite Durability: Ripstop reinforced elbows and shoulders protect while working.
- Double-stitched reinforced 6-pocket design: allows for added tool storage and functionality.
- Zippers built for the jobsite: shielded front zipper design holds up against jobsite debris.
- Adjustable snap cuffs: allow for seamless and comfortable fitting with work gloves.



Description	Size	Article Number	EAN Code
FREEFLEX™ Work Jacket Black	S	4932498277	4058546521462
FREEFLEX™ Work Jacket Black	M	4932498278	4058546521479
FREEFLEX™ Work Jacket Black	L	4932498279	4058546521486
FREEFLEX™ Work Jacket Black	XL	4932498280	4058546521493
FREEFLEX™ Work Jacket Black	XXL	4932498281	4058546521509

FREEFLEX™ Softshell Hooded Jacket Black

NEW

- FREEFLEX™ Mobility: Engineered To Move Freely On The Job with a custom 2-way stretch fabric and full range arm movement for working overhead.
- Wind and Water-Resistant Materials: Built to protect against changing jobsite conditions.
- Brushed Fleece Interior: Provides the warmth for early morning jobs without adding bulk.
- Hidden Draw Cords: Stay out of the way when ripping cuts.
- Double-Stitched Reinforced 3-Pocket Design: Allows for added tool storage and functionality.
- Durable Rib Knit Cuffs: Comfortable elastic cuffs shield from wind and are easy to layer without gloves.



Description	Size	Article Number	EAN Code
FREEFLEX™ Softshell Hooded Jacket Black	S	4932498271	4058546521400
FREEFLEX™ Softshell Hooded Jacket Black	M	4932498272	4058546521417
FREEFLEX™ Softshell Hooded Jacket Black	L	4932498273	4058546521424
FREEFLEX™ Softshell Hooded Jacket Black	XL	4932498274	4058546521431
FREEFLEX™ Softshell Hooded Jacket Black	XXL	4932498275	4058546521448

Midweight Hoodie

- Midweight hoodie is easy to layer for great seasonal versatility.
- Trade focused design with reinforced front pockets and drop shoulder seams.
- Comfortable design and fit allows to move freely and easily on the job.

Description	Colour	Size	Article Number	EAN Code
① Work hoodie midweight - black	Black	S	4932493116	4058546479879
	Black	M	4932493117	4058546479886
	Black	L	4932493118	4058546479893
	Black	XL	4932493119	4058546479909
② Work hoodie midweight - grey	Black	XXL	4932493120	4058546479916
	Grey	S	4932493121	4058546479923
	Grey	M	4932493122	4058546479930
	Grey	L	4932493123	4058546479947
③ Work hoodie midweight - blue	Grey	XL	4932493124	4058546479954
	Grey	XXL	4932493125	4058546479961
	Blue	S	4932493126	4058546479978
	Blue	M	4932493127	4058546479985
	Blue	L	4932493128	4058546479992
	Blue	XL	4932493129	4058546480004
	Blue	XXL	4932493130	4058546480011



Work T-Shirt Summary Table

- Heavy Duty 200 gsm tear and abrasion resistant fabric, perfectly to outlast the jobsite.
- Durable and breathable cotton (60) polyester (40) blend.
- Storage pocket to store pens, ear plugs or other items.
- UV Protection Factor UPF 50+ according to EN 13758-1.

	Description	Colour	Size	Article Number	EAN Code
①	Work T-Shirt short sleeve black	Black	S	4932493003	4058546478742
		Black	M	4932493004	4058546478759
		Black	L	4932493005	4058546478766
		Black	XL	4932493006	4058546478773
		Black	XXL	4932493007	4058546478780
②	Work T-Shirt long sleeve black	Brown	S	4932493033	4058546479046
		Black	M	4932493034	4058546479053
		Black	L	4932493035	4058546479060
		Black	XL	4932493036	4058546479077
		Black	XXL	4932493037	4058546479084
③	Work T-Shirt short sleeve blue	Blue	S	4932493013	4058546478841
		Blue	M	4932493014	4058546478858
		Blue	L	4932493015	4058546478865
		Blue	XL	4932493016	4058546478872
		Blue	XXL	4932493017	4058546478889
④	Work T-Shirt long sleeve blue	Blue	S	4932493043	4058546479145
		Blue	M	4932493044	4058546479152
		Blue	L	4932493045	4058546479169
		Blue	XL	4932493046	4058546479176
		Blue	XXL	4932493047	4058546479183
⑤	Work T-Shirt short sleeve green	Green	S	4932493018	4058546478896
		Green	M	4932493019	4058546478902
		Green	L	4932493020	4058546478919
		Green	XL	4932493021	4058546478926
		Green	XXL	4932493022	4058546478933
⑥	Work T-Shirt long sleeve green	Grey	S	4932493038	4058546479091
		Grey	M	4932493039	4058546479107
		Grey	L	4932493040	4058546479114
		Grey	XL	4932493041	4058546479121
		Grey	XXL	4932493042	4058546479138
⑦	Work T-Shirt short sleeve brown	Brown	S	4932493028	4058546478995
		Brown	M	4932493029	4058546479008
		Brown	L	4932493030	4058546479015
		Brown	XL	4932493031	4058546479022
		Brown	XXL	4932493032	4058546479039
⑧	Work T-shirt long sleeve brown	Brown	S	4932493058	4058546479299
		Brown	M	4932493059	4058546479305
		Brown	L	4932493060	4058546479312
		Brown	XL	4932493061	4058546479329
		Brown	XXL	4932493062	4058546479336



Hybrid T-Shirt Summary Table

- Lightweight and breathable 156 gsm work shirt to stay comfortable and productive.
- Specifically created for mobility with drop shoulder design and full body coverage.
- Breathable and comfortable cotton (33) polyester (67) blend.

	Description	Colour	Size	Article Number	EAN Code
①	Hybrid T-shirt short sleeve black	Black	S	4932492963	4058546478346
		Black	M	4932492964	4058546478353
		Black	L	4932492965	4058546478360
		Black	XL	4932492966	4058546478377
		Black	XXL	4932492967	4058546478384
②	Hybrid T-shirt long sleeve black	Black	S	4932492983	4058546478544
		Black	M	4932492984	4058546478551
		Black	L	4932492985	4058546478568
		Black	XL	4932492986	4058546478575
		Black	XXL	4932492987	4058546478582
③	Hybrid T-shirt short sleeve grey	Grey	S	4932492968	4058546478391
		Grey	M	4932492969	4058546478407
		Grey	L	4932492970	4058546478414
		Grey	XL	4932492971	4058546478421
		Grey	XXL	4932492972	4058546478438
④	Hybrid T-shirt long sleeve grey	Grey	S	4932492988	4058546478599
		Grey	M	4932492989	4058546478605
		Grey	L	4932492990	4058546478612
		Grey	XL	4932492991	4058546478629
		Grey	XXL	4932492992	4058546478636
⑤	Hybrid T-shirt short sleeve blue	Blue	S	4932492973	4058546478445
		Blue	M	4932492974	4058546478452
		Blue	L	4932492975	4058546478469
		Blue	XL	4932492976	4058546478476
		Blue	XXL	4932492977	4058546478483
⑥	Hybrid T-shirt long sleeve blue	Blue	S	4932492993	4058546478643
		Blue	M	4932492994	4058546478650
		Blue	L	4932492995	4058546478667
		Blue	XL	4932492996	4058546478674
		Blue	XXL	4932492997	4058546478681
⑦	Hybrid T-shirt short sleeve green	Green	S	4932492978	4058546478490
		Green	M	4932492979	4058546478506
		Green	L	4932492980	4058546478513
		Green	XL	4932492981	4058546478520
		Green	XXL	4932492982	4058546478537
⑧	Hybrid T-shirt long sleeve green	Green	S	4932492998	4058546478698
		Green	M	4932492999	4058546478704
		Green	L	4932493000	4058546478711
		Green	XL	4932493001	4058546478728
		Green	XXL	4932493002	4058546478735



Warm Weather T-Shirt Summary Table

- Light weight to stay productive on the jobsite in hot weather conditions
- Moisture wicking fabric, 100% Polyester
- Fast-drying, multi-layer mesh material in core sweat zones for great ventilation under the armpits, on the sides of the body and on the back
- Raglan sleeves for comfortable carrying of tool bags, backpacks or climbing harnesses and providing a greater range of motion
- UV Protection Factor UPF 50+ according to EN 13758-1.

	Description	Colour	Size	Article Number	EAN Code
①	WORKSKIN™ warm weather short sleeve performance shirt black	Black	S	4932493063	4058546479343
		Black	M	4932493064	4058546479350
		Black	L	4932493065	4058546479367
		Black	XL	4932493066	4058546479374
		Black	XXL	4932493067	4058546479381
②	WORKSKIN™ warm weather long sleeve performance shirt black	Black	S	4932493078	4058546479497
		Black	M	4932493079	4058546479503
		Black	L	4932493080	4058546479510
		Black	XL	4932493081	4058546479527
		Black	XXL	4932493082	4058546479534
③	WORKSKIN™ warm weather short sleeve performance shirt red	Red	S	4932493068	4058546479398
		Red	M	4932493069	4058546479404
		Red	L	4932493070	4058546479411
		Red	XL	4932493071	4058546479428
		Red	XXL	4932493072	4058546479435
④	WORKSKIN™ warm weather long sleeve performance shirt red	Red	S	4932493083	4058546479541
		Red	M	4932493084	4058546479558
		Red	L	4932493085	4058546479565
		Red	XL	4932493086	4058546479572
		Red	XXL	4932493087	4058546479589
⑤	WORKSKIN™ warm weather short sleeve performance shirt yellow	Yellow	S	4932493073	4058546479442
		Yellow	M	4932493074	4058546479459
		Yellow	L	4932493075	4058546479466
		Yellow	XL	4932493076	4058546479473
		Yellow	XXL	4932493077	4058546479480
⑥	WORKSKIN™ warm weather long sleeve performance shirt yellow	Yellow	S	4932493088	4058546479596
		Yellow	M	4932493089	4058546479602
		Yellow	L	4932493090	4058546479619
		Yellow	XL	4932493091	4058546479626
		Yellow	XXL	4932493092	4058546479633
⑦	WORKSKIN™ light weight performance short sleeve shirt - Grey	Grey	S	4933478194	4058546341275
		Grey	M	4933478195	4058546341282
		Grey	L	4933478196	4058546341299
		Grey	XL	4933478197	4058546341305
		Grey	XXL	4933478198	4058546341312
⑧	WORKSKIN™ light weight performance long sleeve shirt - Grey	Grey	S	4933464108	4058546220532
		Grey	M	4933464194	4058546221393
		Grey	L	4933464195	4058546221409
		Grey	XL	4933464196	4058546221416
		Grey	XXL	4933464197	4058546221423



FREEFLEX™ Work Pants black

NEW

- FREEFLEX™ Mobility: Comfortable 4-way stretch material in key movement areas allows maximum range of motion even when loaded with tools.
- Durable mid weight 245 gsm material (65% recycled Polyester / 35% cotton) ideal for indoor and outdoor applications.
- Removable and reinforced holster pockets with loops for more storage versatility (secured with zip and buttons).
- Diagonally opened side pocket to store longer tools (meter stick, pliers, spanners) with additional storage for smaller tools.
- 2x closable side pockets with loops, 2x front pockets and 2x closable back pockets.
- Cordura®reinforced knee pad pockets with flaps to protect against dust and dirt.
- Tool lanyard ready for working safely at height.
- Hammer loop for quick access to hammers.
- The trouser length can be extended by 5 cm at the bottom for maximum adjustment.
- OEKO-TEX® made in green.



Description	Size	Article Number	EAN Code
FREEFLEX™ Work Pants black	44	4932498190	4058546520595
FREEFLEX™ Work Pants black	46	4932498191	4058546520601
FREEFLEX™ Work Pants black	48	4932498192	4058546520618
FREEFLEX™ Work Pants black	50	4932498193	4058546520625
FREEFLEX™ Work Pants black	52	4932498194	4058546520632
FREEFLEX™ Work Pants black	54	4932498195	4058546520649
FREEFLEX™ Work Pants black	56	4932498196	4058546520656
FREEFLEX™ Work Pants black	58	4932498197	4058546520663
FREEFLEX™ Work Pants black	60	4932498198	4058546520670
FREEFLEX™ Work Pants black	62	4932498199	4058546520687
FREEFLEX™ Work Pants black	64	4932498200	4058546520694

Knee Pad Inserts EVA

NEW

- Lightweight and comfortable foam padding.
- Ergonomically designed to ensure great flexibility in all movements, especially when kneeling.
- Easy insertion in knee pad pockets.
- Compatible with MILWAUKEE®FREEFLEX™Work pants.
- European Certified knee protectors: EN 14404 performance level 0.



Description	Article Number	EAN Code
Knee Pad Inserts EVA	4932498789	4058546526580

WORKSKIN™ Cold Weather Base Layer Long Sleeve Black

NEW

- Custom sweat wicking fabric: fast sweat wicking performance while working.
- Brushed fleece interior: for added warmth and next-to-skin comfort on long cold days.
- Built to layer: fitted design and flat stitched seams prevent rubbing and layer easily.
- Trade built 4-way stretch and drop shoulder seams: allow for full freedom of movement.



Description	Size	Article Number	EAN Code
WORKSKIN™ Cold Weather Base Layer Long Sleeve Black	S	4932498283	4058546521523
WORKSKIN™ Cold Weather Base Layer Long Sleeve Black	M	4932498284	4058546521530
WORKSKIN™ Cold Weather Base Layer Long Sleeve Black	L	4932498285	4058546521547
WORKSKIN™ Cold Weather Base Layer Long Sleeve Black	XL	4932498286	4058546521554
WORKSKIN™ Cold Weather Base Layer Long Sleeve Black	XXL	4932498287	4058546521561

WORKSKIN™ Cold Weather Base Layer Pants Black

NEW

- Custom sweat wicking fabric: fast sweat wicking performance while working.
- Brushed fleece interior: for added warmth and next-to-skin comfort on long cold days.
- Built to layer: fitted design and flat stitched seams prevent irritation and layer easily.
- Trade built 4-way stretch allows for full freedom of movement.



Description	Size	Article Number	EAN Code
WORKSKIN™ Cold Weather Base Layer Pants Black	S	4932498289	4058546521585
WORKSKIN™ Cold Weather Base Layer Pants Black	M	4932498290	4058546521592
WORKSKIN™ Cold Weather Base Layer Pants Black	L	4932498291	4058546521608
WORKSKIN™ Cold Weather Base Layer Pants Black	XL	4932498292	4058546521615
WORKSKIN™ Cold Weather Base Layer Pants Black	XXL	4932498293	4058546521622

Baseball Cap Summary Table

- Lightweight cap to protect from the sun, on or off the jobsite.
- Flexible band for best fit. Cap sizes include S/M and L/XL available in red, black or grey.
- UV Protection Factor UPF 50+ according to EN 13758-1.

Description	Size	Article Number	EAN Code
① Baseball cap - black	S / M	4932493095	4058546479664
Baseball cap - black	L / XL	4932493096	4058546479671
② Baseball cap - grey	S / M	4932493097	4058546479688
Baseball cap - grey	L / XL	4932493098	4058546479695
③ Baseball cap - red	S / M	4932493099	4058546479701
Baseball cap - red	L / XL	4932493100	4058546479718



Snapback Trucker cap black

- Lightweight cap to protect from the sun, on or off the jobsite.
- Ripstop polyester in the front panel provides added durability and a rugged look.
- Breathable mesh material for great ventilation.
- Snapback mechanism to fit all head sizes.

Description	Article Number	EAN Code
Snapback Trucker cap - black	4932493107	4058546479787



Performance Cap Summary Table

- Lightweight cap to protect from the sun, on or off the jobsite.
- Stay cool, dry fast moisture wicking fabric.
- Flexible band for best fit. Cap sizes include S/M and L/XL available in grey, dark grey and blue.
- UV Protection Factor UPF 50+ according to EN 13758-1.

Description	Size	Article Number	EAN Code
① Baseball cap performance - grey	S / M	4932493101	4058546479725
Baseball cap performance - grey	L / XL	4932493102	4058546479732
② Baseball cap performance - dark grey	S / M	4932493103	4058546479749
Baseball cap performance - dark grey	L / XL	4932493104	4058546479756
③ Baseball cap performance - blue	S / M	4932493105	4058546479763
Baseball cap performance - blue	L / XL	4932493106	4058546479770



Beanie

- Comfortable beanie protects from cold environments.
- Fleece lined for more comfort and protects from wind.
- Durable 98% Polyester, 2% Spandex construction resists snagging and manages moisture to help prevent sweating and overheating.

Description	Article Number	EAN Code
① Beanie - black	4932493109	4058546479800
② Beanie - grey	4932493110	4058546479817
③ Beanie - red	4932493111	4058546479824



PVA Cooling Towel

NEW

- KEEP COOL.
- Quick, 30 second absorption.
- UPF 50+.
- Soak in water to activate.
- Repeat when dry.
- Up to 4 hours of Cooling Time.
- Blocks Harmful UV Rays.
- Comfortable Material.
- Wring out any excess water.
- Machine Washable.



Description	Article Number	EAN Code
Cooling PVA Towel	4932498146	4058546513061

Cooling Microfiber Towel

NEW

- KEEP COOL.
- Quick, 30 second absorption.
- Blocks Harmful UV Rays.
- Durable Edge Banding.
- Wring out any excess water.
- Machine Washable.
- Up to 4 hours of Cooling Time.
- Comfortable Microfiber Material.
- UPF 50+.
- Soak in water to activate.
- Repeat when dry.



Description	Article Number	EAN Code
Cooling Microfiber Towel	4932498076	4058546512361

Neck gaiter & face mask

- Multi-functional, wear it as a neck gaiter, face mask, headband, sweatband or headgear protection on the jobsite
- Moisture wicking fabric dries quickly, repels sweat & water, keeps users dry on the jobsite
- Breathable, comfortable fabric made from 86 % Polyester and 14 % Spandex
- 50+ UPF sun protection blocks 98 % of UV rays
- Shields from wind, dust and jobsite debris
- Turnback hem prevents the fabric from sliding down
- Washer and dryer safe
- One size fits most
- Available in colours grey and red



Description	Colour	Article Number	EAN Code
Neck gaiter & face mask - Red	Red	4933478780	4058546360627
Neck gaiter & face mask - Grey	Grey	4933478766	4058546360481

WORKSKIN™ Performance Neck Gaiter Face Mask

- Multi-functional, wear it as a neck gaiter, face mask, headband, sweatband or headgear to protect from hot conditions, sun or wind.
- Breathable fabric to stay cool and dry fast while working in hot conditions.
- Adjustable neck gaiter has a rear drawstring to customize for more comfort.
- Blocks harmful UV rays. rated UPF 50+ according to EN 13758-1 (red version only)



Description	Article Number	EAN Code
WORKSKIN™ Performance Neck Gaiter Face Mask grey	4932493093	4058546479640
WORKSKIN™ Performance Neck Gaiter Face Mask red	4932493094	4058546479657

Performance Face Covering

- Structured Fit Design - Separates mask from mouth.
- 3 Soft and Breathable Layers - all day comfort for long time wear.
- Comfortable Adjustable Ear Loops - No pressure on the ears.
- Water Repellent Outer Layer.
- Flexible Nose Bridge - Adjustability for a better sealing and to reduce fog on glasses.
- Moisture Wicking Inner Layer - Stay Cool, Dry Fast.
- Machine Washable.



Description	Size	Article number	EAN Code
Performance Face Covering S/M - 3pcs	S / M	4932478865	4058546361471
Performance Face Covering L/ XL - 3pcs	L / XL	4932478866	4058546361488



Flexible knee pad

- Flexible, lightweight and comfortable foam padding.
- Water resistant cap.
- Debris guard to prevent debris from entering.
- Size adjustable straps for a custom fit.
- Buckles to quickly put on and off the knee pad.
- European Certified knee protectors: EN 14404 performance level 1.



Description	Article Number	EAN Code
Flexible knee pad - 1 pair	4932478136	4058546340698

Hard knee pad

- Thick comfortable foam padding with a supporting gel zone.
- Durable hard cap which withstands rough surfaces.
- Size adjustable double straps for a better hold and a custom fit.
- Buckles with metal rivets that withstand repeated fastenings.
- 1680D Ballistic Nylon for a long lifetime.
- European Certified knee protectors: EN 14404 performance level 2.



Description	Article Number	EAN Code
Hard knee pad - 1 pair	4932478137	4058546340704

Premium non-marking knee pad

- High density foam padding with a supporting premium gel injection.
- Non-marking coating to prevent scratches on sensitive surfaces.
- Comfortable and size adjustable double straps with a wider lower strap.
- Buckles with metal rivets that withstand repeated fastenings.
- 1680D Ballistic Nylon for a long lifetime.
- European Certified knee protectors: EN 14404 performance level 1.



Description	Article Number	EAN Code
Premium non-marking knee pad - 1 pair	4932478139	4058546340728



SAFETY FOOTWEAR

ENERGY FOAM

ENERGY FOAM

Expanded TPU provides maximum energy return and comfort

ANTI-PUNCTURE PLATE


Sits underneath ENERGY FOAM technology



VIEW THE MILWAUKEE® SAFETY FOOTWEAR RANGE



TYPICAL JOBSITE SAFETY FOOTWEAR



MILWAUKEE® ENERGY FOAM provides unmatched comfort in every step. With its unique construction, the premium expanded TPU foam sits above the anti-puncture plate allowing users to be in direct contact with the cushioning technology. Ensuring maximum energy return and comfort for all day use on the jobsite.

MILWAUKEE® SAFETY SHOES

TYPE



SHOE MODEL		MILWAUKEE® FLEXTRED™								
SHOE TYPE		Safety Trainer	Safety Trainer	Safety Boot	Safety Boot	Safety Trainer	Safety Trainer	Safety Boot	Safety Trainer	Safety Boot
LACING TYPE		Laces	BOA®	Laces	BOA®	Laces	BOA®	Laces	BOA®	Laces
COLOUR		Black	Black	Black	Black	Black	Black	Black	Black	Beige
UPPER MATERIAL		Textile	Textile	Textile	Textile	Nubuck Leather	Nubuck Leather	Nubuck Leather	Nubuck Leather	Nubuck Leather
SHOE SIZE		36-48	36-48	36-48	36-48	36-48	36-48	36-48	36-48	36-48
METAL FREE (EXCEPT BOA) / SUITABLE FOR SECURITY GATES		yes	yes	yes	yes	yes	yes	yes	yes	yes
SAFETY SHOE CLASS										
SAFETY SHOE CLASS		S1PS	S1PS	S1PS	S1PS	S3S	S3S	S3S	S3S	S3S
TOE CAP (MATERIAL)		Fiberglass	Fiberglass	Fiberglass	Fiberglass	Fiberglass	Fiberglass	Fiberglass	Fiberglass	Fiberglass
MANDATORY SLIP RESISTANCE (FORMERLY SRA)		✓	✓	✓	✓	✓	✓	✓	✓	✓
CLOSED HEEL		✓	✓	✓	✓	✓	✓	✓	✓	✓
A - ELECTROSTATIC DISCHARGE		✓	✓	✓	✓	✓	✓	✓	✓	✓
B - ENERGY ABSORBING UNDER THE HEEL			✓	✓	✓	✓	✓	✓	✓	✓
PUNCTURE PROTECTION / ANTIPUNCTURE PLATE	P - Metal	-	-	-	-	-	-	-	-	-
	PL - Non-Metal - (4.5 mm Test Nail)	-	-	-	-	-	-	-	-	-
	PS - Non-Metal - (3 mm Test Nail)	✓	✓	✓	✓	✓	✓	✓	✓	✓
WPA - WATER PENETRATION & ABSORPTION		-	-	-	-	✓	✓	✓	✓	✓
WR - WATER RESISTANCE (MEMBRANE)		-	-	-	-	-	-	-	-	-
ADDITIONAL REQUIREMENTS										
FO	Oil and Gasoline Resistance of the Outsole	✓	✓	✓	✓	✓	✓	✓	✓	✓
HI	HI - Heat Insulation of the Shoe Base	-	-	-	-	-	-	-	-	-
CI	Cold Insulation of the Shoe	-	-	-	-	-	-	-	-	-
HRO	Short-term Heat Resistance of the Outsole Material up to 300°C	-	-	-	-	-	-	-	-	-
M	Metatarsal Protection	-	-	-	-	-	-	-	-	-
AN	Ankle Protection	-	-	-	-	-	-	-	-	-
SC	Abrasion Resistance of the Toe Cap Material	-	-	-	-	✓	✓	✓	✓	-
SR	Slip Resistance, tested on a ceramic tile with glycerin	✓	✓	✓	✓	✓	✓	✓	✓	✓
LG	Grip on Ladders through Transverse Inserted Profile (at least 1.5 mm high)	-	-	-	-	-	-	-	-	-
CR	Cut Resistance in the Area above the Sole Edge	-	-	-	-	-	-	-	-	-
ESD	Anti-Static	✓	✓	✓	✓	✓	✓	✓	✓	✓

MILWAUKEE® ARMOURTRED™						
SHOE TYPE		Safety Trainer	Safety Boot	High Safety Boot	Safety Trainer	Safety Boot
LACING TYPE		Laces	Laces	Laces	BOA®	BOA®
COLOUR		Black	Black	Black	Black	Black
UPPER MATERIAL		Leather	Leather	Microfiber	Microfiber	Microfiber
SHOE SIZE		39-48	39-48	39-48	39-48	39-48
METAL FREE (EXCEPT BOA) / SUITABLE FOR SECURITY GATES		no	no	no	no	no
SAFETY SHOE CLASS						
SAFETY SHOE CLASS		S3S	S3S	S7S	S3S	S7S
TOE CAP (MATERIAL)		Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
MANDATORY SLIP RESISTANCE (FORMERLY SRA)		✓	✓	✓	✓	✓
CLOSED HEEL		✓	✓	✓	✓	✓
A - ELECTROSTATIC DISCHARGE		✓	✓	✓	✓	✓
B - ENERGY ABSORBING UNDER THE HEEL		✓	✓	✓	✓	✓
PUNCTURE PROTECTION / ANTIPUNCTURE PLATE		-	-	-	-	-
WPA - WATER PENETRATION & ABSORPTION		✓	✓	✓	✓	✓
WR - WATER RESISTANCE (MEMBRANE)		-	-	Sympatex® Membrane	-	Sympatex® Membrane
ADDITIONAL REQUIREMENTS						
FO		✓	✓	✓	✓	✓
HI		-	-	-	-	-
CI		-	-	-	-	-
HRO		✓	✓	✓	✓	✓
M		-	-	-	-	-
AN		-	-	✓	-	-
SC		✓	✓	✓	✓	✓
SR		✓	✓	✓	✓	✓
LG		✓	✓	✓	✓	✓
CR		-	-	-	-	-
ESD		✓	✓	-	✓	-

Milwaukee
FLEXTRED™

**ROLLCAGE™
HEEL STABILIZER**



**REFLECTIVE
HEEL LOOP**

**LACE
POCKET**



**STEP
RELEASE™**

**ENERGY
FOAM
SITS ABOVE ANTI-
PUNCTURE PLATE
FOR MAXIMUM
COMFORT**

**LIGHTWEIGHT
COMPOSITE
TOE CAP**



**VIEW THE MILWAUKEE®
FLEXTRED™ RANGE**

**FlexTred™ S1PS Safety Trainers black
1L110133 ESD FO SR**

NEW

- Flexible and lightweight all-round safety trainers for tradesmen protection.
- ENERGY FOAM heel cushioning construction for superior energy return and maximum comfort.
- STEP-RELEASE™ heel for a convenient and rapid shoe removal.
- ROLLCAGE™ heel stabilizer for great stability even in demanding terrain.
- Lace pocket for storing shoelaces to prevent unintentional opening, tripping hazards and lace damage.
- Textile upper for all-day ventilation and breathability.
- Reinforced front to protect toe cap from abrasion.
- Metal free construction to conveniently pass through security gates.
- Superior grip to prevent slipping.
- ESD (electrostatic discharge) certified.
- Certified according to EN ISO 20345:2022 S1PS ESD FO SR.



Description	Article Number	EAN Code
FlexTred™ S1PS Safety Trainers black 1L110133 ESD FO SR 36	4932493688	4058546508487
FlexTred™ S1PS Safety Trainers black 1L110133 ESD FO SR 37	4932493689	4058546508494
FlexTred™ S1PS Safety Trainers black 1L110133 ESD FO SR 38	4932493690	4058546508500
FlexTred™ S1PS Safety Trainers black 1L110133 ESD FO SR 39	4932493691	4058546508517
FlexTred™ S1PS Safety Trainers black 1L110133 ESD FO SR 41	4932493693	4058546508531
FlexTred™ S1PS Safety Trainers black 1L110133 ESD FO SR 42	4932493694	4058546508548
FlexTred™ S1PS Safety Trainers black 1L110133 ESD FO SR 43	4932493695	4058546508555
FlexTred™ S1PS Safety Trainers black 1L110133 ESD FO SR 44	4932493696	4058546508562
FlexTred™ S1PS Safety Trainers black 1L110133 ESD FO SR 46	4932493698	4058546508586
FlexTred™ S1PS Safety Trainers black 1L110133 ESD FO SR 47	4932493699	4058546508593
FlexTred™ S1PS Safety Trainers black 1L110133 ESD FO SR 48	4932493700	4058546508609

**FlexTred™ S1PS Safety Trainers black
B1L110133 ESD FO SR**

NEW

- Flexible and lightweight all-round safety trainers for tradesmen protection.
- ENERGY FOAM heel cushioning construction for superior energy return and maximum comfort.
- STEP-RELEASE™ heel for a convenient and rapid shoe removal.
- ROLLCAGE™ heel stabilizer for great stability even in demanding terrain.
- BOA® Fit system. Strong and reliable speedlacing system for a perfect fit and a fast and effortless use even with gloves.
- Textile upper for all-day ventilation and breathability.
- Reinforced front to protect toe cap from abrasion.
- Metal free construction to conveniently pass through security gates.
- Superior grip to prevent slipping.
- ESD (electrostatic discharge) certified.
- Certified according to EN ISO 20345:2022 S1PS ESD FO SR.



Description	Article Number	EAN Code
FlexTred™ S1PS Safety Trainers black B1L110133 ESD FO SR 36	4932498080	4058546512408
FlexTred™ S1PS Safety Trainers black B1L110133 ESD FO SR 37	4932498081	4058546512415
FlexTred™ S1PS Safety Trainers black B1L110133 ESD FO SR 38	4932498082	4058546512422
FlexTred™ S1PS Safety Trainers black B1L110133 ESD FO SR 39	4932498083	4058546512439
FlexTred™ S1PS Safety Trainers black B1L110133 ESD FO SR 41	4932498085	4058546512453
FlexTred™ S1PS Safety Trainers black B1L110133 ESD FO SR 42	4932498086	4058546512460
FlexTred™ S1PS Safety Trainers black B1L110133 ESD FO SR 43	4932498087	4058546512477
FlexTred™ S1PS Safety Trainers black B1L110133 ESD FO SR 44	4932498088	4058546512484
FlexTred™ S1PS Safety Trainers black B1L110133 ESD FO SR 46	4932498090	4058546512507
FlexTred™ S1PS Safety Trainers black B1L110133 ESD FO SR 47	4932498091	4058546512514
FlexTred™ S1PS Safety Trainers black B1L110133 ESD FO SR 48	4932498092	4058546512521

**Flexfred™ S1PS Safety Boots black
1M110133 ESD FO SR**

NEW

- Flexible and lightweight all-round safety boots for tradesmen protection.
- ENERGY FOAM heel cushioning construction for superior energy return and maximum comfort.
- STEP-RELEASE™ heel for a convenient and rapid shoe removal.
- ROLLCAGE™ heel stabilizer for great stability even in demanding terrain.
- Lace pocket for storing shoelaces to prevent unintentional opening, tripping hazards and lace damage.
- Textile upper for all-day ventilation and breathability.
- Reinforced front to protect toe cap from abrasion.
- Metal free construction to conveniently pass through security gates.
- Superior grip to prevent slipping.
- ESD (electrostatic discharge) certified.
- Certified according to EN ISO 20345:2022 S1PS ESD FO SR.



Description	Article Number	EAN Code
Flexfred™ S1PS Safety Boots black 1M110133 ESD FO SR 36	4932493701	4058546508616
Flexfred™ S1PS Safety Boots black 1M110133 ESD FO SR 37	4932493702	4058546508623
Flexfred™ S1PS Safety Boots black 1M110133 ESD FO SR 38	4932493703	4058546508630
Flexfred™ S1PS Safety Boots black 1M110133 ESD FO SR 39	4932493704	4058546508647
Flexfred™ S1PS Safety Boots black 1M110133 ESD FO SR 41	4932493706	4058546508661
Flexfred™ S1PS Safety Boots black 1M110133 ESD FO SR 42	4932493707	4058546508678
Flexfred™ S1PS Safety Boots black 1M110133 ESD FO SR 43	4932493708	4058546508685
Flexfred™ S1PS Safety Boots black 1M110133 ESD FO SR 44	4932493709	4058546508692
Flexfred™ S1PS Safety Boots black 1M110133 ESD FO SR 46	4932493711	4058546508715
Flexfred™ S1PS Safety Boots black 1M110133 ESD FO SR 47	4932493712	4058546508722
Flexfred™ S1PS Safety Boots black 1M110133 ESD FO SR 48	4932493713	4058546508739

**Flexfred™ S1PS Safety Boots black
B1M110133 ESD FO SR**

NEW

- Flexible and lightweight all-round safety boots for tradesmen protection.
- ENERGY FOAM heel cushioning construction for superior energy return and maximum comfort.
- STEP-RELEASE™ heel for a convenient and rapid shoe removal.
- ROLLCAGE™ heel stabilizer for great stability even in demanding terrain.
- BOA® Fit System delivers micro adjustable precision fit, engineered to perform in the toughest conditions.
- Textile upper for all-day ventilation and breathability.
- Reinforced front to protect toe cap from abrasion.
- Metal free construction to conveniently pass through security gates.
- Superior grip to prevent slipping.
- ESD (electrostatic discharge) certified.
- Certified according to EN ISO 20345:2022 S1PS ESD FO SR.



Description	Article Number	EAN Code
Flexfred™ S1PS Safety Boots black B1M110133 ESD FO SR 36	4932498093	4058546512538
Flexfred™ S1PS Safety Boots black B1M110133 ESD FO SR 37	4932498094	4058546512545
Flexfred™ S1PS Safety Boots black B1M110133 ESD FO SR 38	4932498095	4058546512552
Flexfred™ S1PS Safety Boots black B1M110133 ESD FO SR 39	4932498096	4058546512569
Flexfred™ S1PS Safety Boots black B1M110133 ESD FO SR 41	4932498098	4058546512583
Flexfred™ S1PS Safety Boots black B1M110133 ESD FO SR 42	4932498099	4058546512590
Flexfred™ S1PS Safety Boots black B1M110133 ESD FO SR 43	4932498100	4058546512606
Flexfred™ S1PS Safety Boots black B1M110133 ESD FO SR 44	4932498101	4058546512613
Flexfred™ S1PS Safety Boots black B1M110133 ESD FO SR 46	4932498103	4058546512637
Flexfred™ S1PS Safety Boots black B1M110133 ESD FO SR 47	4932498104	4058546512644
Flexfred™ S1PS Safety Boots black B1M110133 ESD FO SR 48	4932498105	4058546512651

**Flexfred™ S3S Safety Trainers black
1L110133 ESD SC FO SR**

NEW

- Flexible and lightweight all-round safety trainers for tradesmen protection.
- ENERGY FOAM heel cushioning construction for superior energy return and maximum comfort.
- STEP-RELEASE™ heel for a convenient and rapid shoe removal.
- ROLLCAGE™ heel stabilizer for great stability even in demanding terrain.
- Lace pocket for storing shoelaces to prevent unintentional opening, tripping hazards and lace damage.
- Nubuck water repellent leather upper to protect from water, dust and dirt.
- Scuff cap for increased toe cap protection and durability.
- Metal free construction to conveniently pass through security gates.
- Superior grip to prevent slipping.
- ESD (electrostatic discharge) certified.
- Certified according to EN ISO 20345:2022 S3S ESD SC FO SR.



Description	Article Number	EAN Code
Flexfred™ S3S Safety Trainers black 1L110133 ESD SC FO SR 36	4932493714	4058546508746
Flexfred™ S3S Safety Trainers black 1L110133 ESD SC FO SR 37	4932493715	4058546508753
Flexfred™ S3S Safety Trainers black 1L110133 ESD SC FO SR 38	4932493716	4058546508760
Flexfred™ S3S Safety Trainers black 1L110133 ESD SC FO SR 39	4932493717	4058546508777
Flexfred™ S3S Safety Trainers black 1L110133 ESD SC FO SR 41	4932493719	4058546508791
Flexfred™ S3S Safety Trainers black 1L110133 ESD SC FO SR 42	4932493720	4058546508807
Flexfred™ S3S Safety Trainers black 1L110133 ESD SC FO SR 43	4932493721	4058546508814
Flexfred™ S3S Safety Trainers black 1L110133 ESD SC FO SR 44	4932493722	4058546508821
Flexfred™ S3S Safety Trainers black 1L110133 ESD SC FO SR 46	4932493724	4058546508845
Flexfred™ S3S Safety Trainers black 1L110133 ESD SC FO SR 47	4932493725	4058546508852
Flexfred™ S3S Safety Trainers black 1L110133 ESD SC FO SR 48	4932493726	4058546508869

**Flexfred™ S3S Safety Trainers black
B1L110133 ESD SC FO SR**

NEW

- Flexible and lightweight all-round safety trainers for tradesmen protection.
- ENERGY FOAM heel cushioning construction for superior energy return and maximum comfort.
- STEP-RELEASE™ heel for a convenient and rapid shoe removal.
- ROLLCAGE™ heel stabilizer for great stability even in demanding terrain.
- BOA® Fit system. Strong and reliable speedlacing system for a perfect fit and a fast and effortless use even with gloves.
- Nubuck water repellent leather upper to protect from water, dust and dirt.
- Scuff cap for increased toe cap protection and durability.
- Metal free construction to conveniently pass through security gates.
- Superior grip to prevent slipping.
- ESD (electrostatic discharge) certified.
- Certified according to EN ISO 20345:2022 S3S ESD SC FO SR.



Description	Article Number	EAN Code
Flexfred™ S3S Safety Trainers black B1L110133 ESD SC FO SR 36	4932498106	4058546512668
Flexfred™ S3S Safety Trainers black B1L110133 ESD SC FO SR 37	4932498107	4058546512675
Flexfred™ S3S Safety Trainers black B1L110133 ESD SC FO SR 38	4932498108	4058546512682
Flexfred™ S3S Safety Trainers black B1L110133 ESD SC FO SR 39	4932498109	4058546512699
Flexfred™ S3S Safety Trainers black B1L110133 ESD SC FO SR 41	4932498111	4058546512712
Flexfred™ S3S Safety Trainers black B1L110133 ESD SC FO SR 42	4932498112	4058546512729
Flexfred™ S3S Safety Trainers black B1L110133 ESD SC FO SR 43	4932498113	4058546512736
Flexfred™ S3S Safety Trainers black B1L110133 ESD SC FO SR 44	4932498114	4058546512743
Flexfred™ S3S Safety Trainers black B1L110133 ESD SC FO SR 46	4932498116	4058546512767
Flexfred™ S3S Safety Trainers black B1L110133 ESD SC FO SR 47	4932498117	4058546512774
Flexfred™ S3S Safety Trainers black B1L110133 ESD SC FO SR 48	4932498118	4058546512781

Flexfred™ S3S Safety Boots black 1M110133 ESD SC FO SR

NEW

- Flexible and lightweight all-round safety boots for tradesmen protection.
- ENERGY FOAM heel cushioning construction for superior energy return and maximum comfort.
- STEP-RELEASE™ heel for a convenient and rapid shoe removal.
- ROLLCAGE™ heel stabilizer for great stability even in demanding terrain.
- Lace pocket for storing shoelaces to prevent unintentional opening, tripping hazards and lace damage.
- Nubuck water repellent leather upper to protect from water, dust and dirt.
- Scuff cap for increased toe cap protection and durability.
- Metal free construction to conveniently pass through security gates.
- Superior grip to prevent slipping.
- ESD (electrostatic discharge) certified.
- Certified according to EN ISO 20345:2022 S3S ESD SC FO SR.



Description	Article Number	EAN Code
Flexfred™ S3S Safety Boots black 1M110133 ESD SC FO SR 36	4932493727	4058546508876
Flexfred™ S3S Safety Boots black 1M110133 ESD SC FO SR 37	4932493728	4058546508883
Flexfred™ S3S Safety Boots black 1M110133 ESD SC FO SR 38	4932493729	4058546508890
Flexfred™ S3S Safety Boots black 1M110133 ESD SC FO SR 39	4932493730	4058546508906
Flexfred™ S3S Safety Boots black 1M110133 ESD SC FO SR 41	4932493732	4058546508920
Flexfred™ S3S Safety Boots black 1M110133 ESD SC FO SR 42	4932493733	4058546508937
Flexfred™ S3S Safety Boots black 1M110133 ESD SC FO SR 43	4932493734	4058546508944
Flexfred™ S3S Safety Boots black 1M110133 ESD SC FO SR 44	4932493735	4058546508951
Flexfred™ S3S Safety Boots black 1M110133 ESD SC FO SR 46	4932493737	4058546508975
Flexfred™ S3S Safety Boots black 1M110133 ESD SC FO SR 47	4932493738	4058546508982
Flexfred™ S3S Safety Boots black 1M110133 ESD SC FO SR 48	4932493739	4058546508999

Flexfred™ S3S Safety Boots beige 1M171311 ESD FO SR

NEW

- Flexible and lightweight all-round safety boots for tradesmen protection.
- ENERGY FOAM heel cushioning construction for superior energy return and maximum comfort.
- STEP-RELEASE™ heel for a convenient and rapid shoe removal.
- ROLLCAGE™ heel stabilizer for great stability even in demanding terrain.
- Lace pocket for storing shoelaces to prevent unintentional opening, tripping hazards and lace damage.
- Nubuck water repellent leather upper to protect from water, dust and dirt.
- Metal free construction to conveniently pass through security gates.
- Superior grip to prevent slipping.
- ESD (electrostatic discharge) certified.
- Certified according to EN ISO 20345:2022 S3S ESD FO SR.



Description	Article Number	EAN Code
Flexfred™ S3S Safety Boots beige 1M171311 ESD FO SR 36	4932493740	4058546509002
Flexfred™ S3S Safety Boots beige 1M171311 ESD FO SR 37	4932493741	4058546509019
Flexfred™ S3S Safety Boots beige 1M171311 ESD FO SR 38	4932493742	4058546509026
Flexfred™ S3S Safety Boots beige 1M171311 ESD FO SR 39	4932493743	4058546509033
Flexfred™ S3S Safety Boots beige 1M171311 ESD FO SR 41	4932493745	4058546509057
Flexfred™ S3S Safety Boots beige 1M171311 ESD FO SR 42	4932493746	4058546509064
Flexfred™ S3S Safety Boots beige 1M171311 ESD FO SR 43	4932493747	4058546509071
Flexfred™ S3S Safety Boots beige 1M171311 ESD FO SR 44	4932493748	4058546509088
Flexfred™ S3S Safety Boots beige 1M171311 ESD FO SR 46	4932493750	4058546509101
Flexfred™ S3S Safety Boots beige 1M171311 ESD FO SR 47	4932493751	4058546509118
Flexfred™ S3S Safety Boots beige 1M171311 ESD FO SR 48	4932493752	4058546509125

Flexfred™ S3S Safety Boots black B1M110133 ESD SC FO SR

NEW

- Flexible and lightweight all-round safety boots for tradesmen protection.
- ENERGY FOAM heel cushioning construction for superior energy return and maximum comfort.
- STEP-RELEASE™ heel for a convenient and rapid shoe removal.
- ROLLCAGE™ heel stabilizer for great stability even in demanding terrain.
- BOA® Fit system. Strong and reliable speedlacing system for a perfect fit and a fast and effortless use even with gloves.
- Nubuck water repellent leather upper to protect from water, dust and dirt.
- Scuff cap for increased toe cap protection and durability.
- Metal free construction to conveniently pass through security gates.
- Superior grip to prevent slipping.
- ESD (electrostatic discharge) certified.
- Certified according to EN ISO 20345:2022 S3S ESD SC FO SR.



Description	Article Number	EAN Code
Flexfred™ S3S Safety Boots black B1M110133 ESD SC FO SR 36	4932498119	4058546512798
Flexfred™ S3S Safety Boots black B1M110133 ESD SC FO SR 37	4932498120	4058546512804
Flexfred™ S3S Safety Boots black B1M110133 ESD SC FO SR 38	4932498121	4058546512811
Flexfred™ S3S Safety Boots black B1M110133 ESD SC FO SR 39	4932498122	4058546512828
Flexfred™ S3S Safety Boots black B1M110133 ESD SC FO SR 41	4932498124	4058546512842
Flexfred™ S3S Safety Boots black B1M110133 ESD SC FO SR 42	4932498125	4058546512859
Flexfred™ S3S Safety Boots black B1M110133 ESD SC FO SR 43	4932498126	4058546512866
Flexfred™ S3S Safety Boots black B1M110133 ESD SC FO SR 44	4932498127	4058546512873
Flexfred™ S3S Safety Boots black B1M110133 ESD SC FO SR 46	4932498129	4058546512897
Flexfred™ S3S Safety Boots black B1M110133 ESD SC FO SR 47	4932498130	4058546512903
Flexfred™ S3S Safety Boots black B1M110133 ESD SC FO SR 48	4932498131	4058546512910





**HEAVY DUTY
ALUMINIUM
TOE CAP**



**REFLECTIVE
HEEL LOOP**

**LACE
POCKET**

**SHOCK
SHIELD**



**STEP
RELEASE™**

**ENERGY
FOAM
SITS ABOVE ANTI-
PUNCTURE PLATE
FOR MAXIMUM
COMFORT**

**ROLLCAGE™
HEEL STABILIZER**



**VIEW THE MILWAUKEE®
ARMOURTRED™ RANGE**

**Armourtred™ S3S Safety Trainers black
1L110111W ESD HRO SC FO LG SR**

NEW

- Durable and protective safety trainers for heavy duty jobsite protection.
- ENERGY FOAM heel cushioning system for superior energy return and maximum comfort.
- STEP-RELEASE™ heel for a convenient and rapid shoe removal.
- ROLLCAGE™ heel stabilizer for great stability even in demanding terrain.
- SHOCKSHIELD front hammer for added protection and rubber reinforced outsole with strong studs for best grip in demanding terrain.
- Lace pocket for storing shoelaces to prevent unintentional opening, tripping hazards and lace damage.
- Full grain cow leather upper to protect from water, dust and dirt and is easy to clean.
- Ladder grip sole area to climb up ladders safely.
- Scuff cap for increased toe cap protection and durability.
- Superior grip to prevent from slips.
- Heat Resistant outsole to 300°C.
- ESD (electrostatic discharge) certified.
- Certified according to EN ISO 20345:2022 S3S ESD HRO SC FO LG SR .



Description	Article Number	EAN Code
Armourtred™ S3S Safety Trainers black 1L110111W ESD HRO SC FO LG SR 39	4932493753	4058546509132
Armourtred™ S3S Safety Trainers black 1L110111W ESD HRO SC FO LG SR 41	4932493755	4058546509156
Armourtred™ S3S Safety Trainers black 1L110111W ESD HRO SC FO LG SR 42	4932493756	4058546509163
Armourtred™ S3S Safety Trainers black 1L110111W ESD HRO SC FO LG SR 43	4932493757	4058546509170
Armourtred™ S3S Safety Trainers black 1L110111W ESD HRO SC FO LG SR 44	4932493758	4058546509187
Armourtred™ S3S Safety Trainers black 1L110111W ESD HRO SC FO LG SR 46	4932493760	4058546509200
Armourtred™ S3S Safety Trainers black 1L110111W ESD HRO SC FO LG SR 47	4932493761	4058546509217
Armourtred™ S3S Safety Trainers black 1L110111W ESD HRO SC FO LG SR 48	4932493762	4058546509224

**Armourtred™ S3S Safety Trainers black
B1L110111W ESD HRO SC FO LG SR**

NEW

- Durable and protective safety trainers for heavy duty jobsite protection.
- ENERGY FOAM heel cushioning system for superior energy return and maximum comfort.
- STEP-RELEASE™ heel for a convenient and rapid shoe removal.
- ROLLCAGE™ heel stabilizer for great stability even in demanding terrain.
- SHOCKSHIELD front hammer for added protection and rubber reinforced outsole with strong studs for best grip in demanding terrain.
- BOA® Fit System delivers micro adjustable precision fit, engineered to perform in the toughest conditions.
- Microfiber light weight upper to protect from water, dust and dirt and is easy to clean.
- Ladder grip sole area to climb up ladders safely.
- Scuff cap for increased toe cap protection and durability.
- Heat Resistant outsole to 300°C.
- ESD (electrostatic discharge) certified.
- Certified according to EN ISO 20345:2022 S3S ESD HRO SC FO LG SR.



Description	Article Number	EAN Code
Armourtred™ S3S Safety Trainers black B1L110111W ESD HRO SC FO LG SR 39	4932493783	4058546509439
Armourtred™ S3S Safety Trainers black B1L110111W ESD HRO SC FO LG SR 41	4932493785	4058546509453
Armourtred™ S3S Safety Trainers black B1L110111W ESD HRO SC FO LG SR 42	4932493786	4058546509460
Armourtred™ S3S Safety Trainers black B1L110111W ESD HRO SC FO LG SR 43	4932493787	4058546509477
Armourtred™ S3S Safety Trainers black B1L110111W ESD HRO SC FO LG SR 44	4932493788	4058546509484
Armourtred™ S3S Safety Trainers black B1L110111W ESD HRO SC FO LG SR 46	4932493790	4058546509507
Armourtred™ S3S Safety Trainers black B1L110111W ESD HRO SC FO LG SR 47	4932493791	4058546509514
Armourtred™ S3S Safety Trainers black B1L110111W ESD HRO SC FO LG SR 48	4932493792	4058546509521

Armourtred™ S3S Safety Boots black 1M110111W ESD HRO SC FO LG SR

NEW

- Durable and protective safety boots for heavy duty jobsite protection.
- ENERGY FOAM heel cushioning system for superior energy return and maximum comfort.
- STEP-RELEASE™ heel for a convenient and rapid shoe removal.
- ROLLCAGE™ heel stabilizer for great stability even in demanding terrain.
- SHOCKSHIELD front hammer for added protection and rubber reinforced outsole with strong studs for best grip in demanding terrain.
- Lace pocket for storing shoelaces to prevent unintentional opening, tripping hazards and lace damage.
- Full grain cow leather upper to protect from water, dust and dirt and is easy to clean.
- Ladder grip sole area to climb up ladders safely.
- Scuff cap for increased toe cap protection and durability.
- Superior grip to prevent from slips.
- Heat Resistant outsole to 300°C.
- ESD (electrostatic discharge) certified.
- Certified according to EN ISO 20345:2022 S3S ESD HRO SC FO LG SR .



Description	Article Number	EAN Code
Armourtred™ S3S Safety Boots black 1M110111W ESD HRO SC FO LG SR 39	4932493763	4058546509231
Armourtred™ S3S Safety Boots black 1M110111W ESD HRO SC FO LG SR 41	4932493765	4058546509255
Armourtred™ S3S Safety Boots black 1M110111W ESD HRO SC FO LG SR 42	4932493766	4058546509262
Armourtred™ S3S Safety Boots black 1M110111W ESD HRO SC FO LG SR 43	4932493767	4058546509279
Armourtred™ S3S Safety Boots black 1M110111W ESD HRO SC FO LG SR 44	4932493768	4058546509286
Armourtred™ S3S Safety Boots black 1M110111W ESD HRO SC FO LG SR 46	4932493770	4058546509309
Armourtred™ S3S Safety Boots black 1M110111W ESD HRO SC FO LG SR 47	4932493771	4058546509316
Armourtred™ S3S Safety Boots black 1M110111W ESD HRO SC FO LG SR 48	4932493772	4058546509323

Armourtred™ S7S Safety Boots black 1H110111W CI AN HRO SC FO LG SR

NEW

- Durable and protective safety boots for heavy duty jobsite protection.
- ENERGY FOAM heel cushioning system for superior energy return and maximum comfort.
- STEP-RELEASE™ heel for a convenient and rapid shoe removal.
- ROLLCAGE™ heel stabilizer for great stability even in demanding terrain.
- SHOCKSHIELD front hammer for added protection and rubber reinforced outsole with strong studs for best grip in demanding terrain.
- Sympatex® waterproof membrane to stay dry.
- Lace pocket for storing shoelaces to prevent unintentional opening, tripping hazards and lace damage.
- Full grain cow leather upper to protect from water, dust and dirt and is easy to clean.
- Ankle protectors for added durability and protection.
- Ladder grip sole area to climb up ladders safely.
- Scuff cap for increased toe cap protection and durability.
- Heat Resistant outsole to 300°C.
- Cold insulation of outsole complex.
- Certified according to EN ISO 20345:2022 S7S CI AN HRO SC FO LG SR .



Description	Article Number	EAN Code
Armourtred™ S7S Safety Boots black 1H110111W CI AN HRO SC FO LG SR 39	4932493773	4058546509330
Armourtred™ S7S Safety Boots black 1H110111W CI AN HRO SC FO LG SR 41	4932493775	4058546509354
Armourtred™ S7S Safety Boots black 1H110111W CI AN HRO SC FO LG SR 42	4932493776	4058546509361
Armourtred™ S7S Safety Boots black 1H110111W CI AN HRO SC FO LG SR 43	4932493777	4058546509378
Armourtred™ S7S Safety Boots black 1H110111W CI AN HRO SC FO LG SR 44	4932493778	4058546509385
Armourtred™ S7S Safety Boots black 1H110111W CI AN HRO SC FO LG SR 46	4932493780	4058546509408
Armourtred™ S7S Safety Boots black 1H110111W CI AN HRO SC FO LG SR 47	4932493781	4058546509415
Armourtred™ S7S Safety Boots black 1H110111W CI AN HRO SC FO LG SR 48	4932493782	4058546509422

Armourtred™ S7S Safety Boots black B1M110111W CI HRO SC FO LG SR

NEW

- Durable and protective safety boots for heavy duty jobsite protection.
- ENERGY FOAM heel cushioning system for superior energy return and maximum comfort.
- STEP-RELEASE™ heel for a convenient and rapid shoe removal.
- ROLLCAGE™ heel stabilizer for great stability even in demanding terrain.
- SHOCKSHIELD front hammer for added protection and rubber reinforced outsole with strong studs for best grip in demanding terrain.
- BOA® Fit System delivers micro adjustable precision fit, engineered to perform in the toughest conditions.
- Sympatex® waterproof membrane to stay dry.
- Microfiber light weight upper to protect from water, dust and dirt and is easy to clean.
- Ladder grip sole area to climb up ladders safely.
- Scuff cap for increased toe cap protection and durability.
- Heat Resistant outsole to 300°C.
- Cold insulation of outsole complex.
- Certified according to EN ISO 20345:2022 S7S CI HRO SC FO LG SR .



Description	Article Number	EAN Code
Armourtred™ S7S Safety Boots black B1M110111W CI HRO SC FO LG SR 39	4932493793	4058546509538
Armourtred™ S7S Safety Boots black B1M110111W CI HRO SC FO LG SR 41	4932493795	4058546509552
Armourtred™ S7S Safety Boots black B1M110111W CI HRO SC FO LG SR 42	4932493796	4058546509569
Armourtred™ S7S Safety Boots black B1M110111W CI HRO SC FO LG SR 43	4932493797	4058546509576
Armourtred™ S7S Safety Boots black B1M110111W CI HRO SC FO LG SR 44	4932493798	4058546509583
Armourtred™ S7S Safety Boots black B1M110111W CI HRO SC FO LG SR 46	4932493800	4058546509606
Armourtred™ S7S Safety Boots black B1M110111W CI HRO SC FO LG SR 47	4932493801	4058546509613
Armourtred™ S7S Safety Boots black B1M110111W CI HRO SC FO LG SR 48	4932493802	4058546509620





Nothing but **HEAVY DUTY.**TM

Techtronic Industries UK Ltd.

Suite A, Second Floor

Marlow International

Parkway

Marlow

Bucks SL7 1YL

Tel: +44 (0) 1628 894400

Fax: +44 (0) 1628 894401

Distributed by: