



OUTDOOR POWER EQUIPMENT



SCAN
TO VIEW
OUR
OPE
RANGE

M18 FUEL™ DRIVEN TO OUTPERFORM.™

MILWAUKEE® is committed to driving unrivaled performance and productivity to Outdoor Power Equipment professionals through groundbreaking developments in battery-powered technology, motors and electronics. From our roots in the MEP trades, and now with the landscape professional, we are dedicated to provide innovative, trade focused solutions with reduced emissions and less noise.


BEST CUT QUALITY

FULL THROTTLE UNDER
1 SECOND

MAX
TORQUE
FOR DEMANDING
MOWING APPLICATIONS



1 POWERSTATE™ BRUSHLESS MOTOR



2 REDLINK™ PLUS INTELLIGENCE



3 REDLITHIUM™ BATTERY

M18 REDLITHIUM FORGE™

**MOST POWER
FASTEST CHARGING
LONGEST LIFE**



M12™

**PORTABLE PRODUCTIVITY.
TRADE FOCUSED.
SYSTEM WIDE.**



SEE THE FULL RANGE ONLINE



ONE SYSTEM 115 SOLUTIONS

M18™

**PERFORMANCE DRIVEN.
TRADE FOCUSED.
SYSTEM WIDE.**



SEE THE FULL RANGE ONLINE



ONE SYSTEM 290 SOLUTIONS



M18

OVER **290** **M18** TOOLS



LEADING THE CHARGE

Focused on matching petrol equipment, MILWAUKEE® delivers the performance professionals users expect, while eliminating the environmental impacts associated with emissions, noise, vibrations and tool maintenance and the risk of spilling hazardous liquid.



ZERO EMISSIONS.* ZERO COMPROMISE.

ENSURING OUR USERS CAN WORK SAFELY, SUSTAINABLY, AND PRODUCTIVELY.



M18 F2LM46-0 | Article Number. 4933492010 (Also available as a kit version)

M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER 46 CM

M18 FUEL

FEATURES:

- 46 cm steel deck and blade design paired with M18 FUEL™ technology deliver best-in-class quality of cut
- Compact deck design for more maneuverability in tight access areas
- 3-in-1 grass management system to mulch, 60 litre bag, or rear side discharge chute
- High Lift Mode allows to toggle between continuous outstanding peak power for best cut quality and automatic blade speed adjustment to the required power for more efficiency
- Adjustable self-propelled mechanism with 5 speed settings delivers up to 6.5 km/h cutting speed
- Active speed management paddle delivers ultimate user control

Decksize (cm)	46
Blade speed (rpm)	3,800
Drive mechanism	Self propelled
Cutting height (mm)	25 - 100
Self-propelled speed (km/h)	0 - 6.5
Weight with battery pack (EPTA) (kg)	34.7 (2 x M18 HB8)



REDLITHIUM™
HIGH OUTPUT BATTERY TECHNOLOGY

M18 F2LM53-0 | Article Number. 4933479584 (Also available as a kit version)

M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER 53 CM

M18 FUEL

FEATURES:

- 53 cm steel deck and blade design paired with M18 FUEL™ technology deliver best-in-class quality of cut
- Instant start in tall grass, outstanding peak power and start up torque to complete demanding applications
- 3-in-1 grass management system to mulch, bag, or rear side discharge
- Automatic blade speed adjustment to the required power for more efficiency
- Adjustable self-propelled mechanism with 5 speed settings delivers up to 6.4 km/h cutting speed
- Active speed management paddle delivers ultimate user control

Decksize (cm)	53
Blade speed (rpm)	3,300
Drive mechanism	Self propelled
Cutting height (mm)	25 - 100
Self-propelled speed (km/h)	0.16 - 6.4
Weight with battery pack (EPTA) (kg)	38.5 (2 x M18 HB12)



REDLITHIUM™
HIGH OUTPUT BATTERY TECHNOLOGY

M18 FBCU-0 | Article Number. 4933492297 (Also available as a kit version)

M18 FUEL™ BRUSH CUTTER

M18 FUEL

FEATURES:

- Powerful brush cutter designed to clear grass, weeds, thick brush and saplings up to 3 cm diameter
- Full throttle in under 1 second for instantaneous power and ultimate control
- Supplied with a trimmer head for a 35 - 40 cm cutting swath and a 23 cm blade featuring a 4-tooth design to take on more demanding applications
- Two speed modes allow the user to choose between maximum performance or extended run time
- Great ergonomics from the bike handle design and double shoulder harness allowing for more user comfort
- Optimised guard design for the best material containment



Cutting path width blade (cm)	23
Cutting path width (string head) (cm)	40
Handle type	Bike handle
Weight with battery pack (EPTA) (kg)	6.5 (M18 HB12)

REDLITHIUM™
HIGH OUTPUT BATTERY TECHNOLOGY

M18 BLLT-0 | Article Number. 4933472218 (Also available as a kit version)

M18™ BRUSHLESS GRASS TRIMMER

M18

FEATURES:

- The M18™ brushless grass trimmer has the power to clear thick brush and reaches full throttle in under 1 second
- Up to 4600 RPM in first mode and 6200 RPM in second mode
- 2-speed variable trigger allows the user to choose between higher performance or extended run time
- Adjustable cutting swath of 35 cm – 40 cm
- Up to 1 hour of run time with M18™ HIGH OUTPUT™ 8.0 Ah battery pack
- Easy load trimmer head and adjustable auxiliary handle for optimum user comfort and control
- Brushless motor, REDLITHIUM™ battery pack and REDLINK™ electronic deliver power, run time and durability
- Flexible battery system: works with all MILWAUKEE® M18™ batteries



Cutting line diameter (mm)	2.4
Cutting path width (cm)	40
Weight with battery pack (EPTA) (kg)	5.3 (M18 HB8)

REDLITHIUM™

M18 FHET60-0 | Article Number. 4933493290 (Also available as a kit version)

M18 FUEL™ HEDGE TRIMMER 60 CM

M18 FUEL

FEATURES:

- Double sharpened blade for clean cuts and removal of thicker material
- Power to cut 20 mm branches
- 60 cm blade trims more material in a single pass, increasing reach and productivity
- Up to 2 hours run time with an M18™ HIGH OUTPUT™ 8.0 Ah battery pack
- POWERSTATE™ brushless motor provides increased efficiency, lasts longer and delivers maximum power



Blade length (cm)	60
Cutting capacity (mm)	20
Tooth spacing (mm)	20
Stroke rate (spm)	3400
Weight with battery pack (EPTA) (kg)	5.2 (M18 HB8)

REDLITHIUM™
HIGH OUTPUT BATTERY TECHNOLOGY


M18 FHET45-0 | Article Number. 4933493293 (Also available as a kit version)

M18 FUEL™ HEDGE TRIMMER 45 CM

M18 FUEL

FEATURES:

- Double sharpened blade for clean cuts and removal of thicker material
- 45 cm blade for more flexibility and the power to cut 19 mm branches
- Sustains power under load without bogging down
- Up to 2 hours run time with an M18™ HIGH OUTPUT™ 8.0 Ah battery pack
- All-metal gear case fully encloses and completely protects the gear drive system from jobsite abuse
- Blade tip guard to protect the blades and prevent accidental damage of fences or other objects



Blade length (cm)	45
Cutting capacity (mm)	19
Tooth spacing (mm)	20
Stroke rate (spm)	3400
Weight with battery pack (EPTA) (kg)	5.0 (M18 HB8)

REDLITHIUM™
HIGH OUTPUT BATTERY TECHNOLOGY

M12 FHT20-0 | Article Number. 4933479675 (Also available as a kit version)

M12 FUEL™ HEDGE TRIMMER 20 CM

M12 FUEL

FEATURES:

- 20 cm blade ideal for small detail work like trimming overgrowth or topiary of hedges, shrubs and small bushes
- Delivers fast and precise cuts for upmost productivity
- All metal gear case for increased durability
- Slim ergonomic gripping area for outstanding control in tight to reach areas
- Well balanced and low weight for better control and effortless cutting in multiple positions



Blade length (cm)	20
Cutting capacity (mm)	12.5
Tooth spacing (mm)	14
Stroke rate (spm)	2700
Weight with battery pack (EPTA) (kg)	1.7 (M12 B6)

REDLITHIUM™

M18 FCHS-0 | Article Number. 4933464723 (Also available as a kit version)

M18 FUEL™ CHAINSAW WITH 40 CM BAR

M18 FUEL

FEATURES:

- The M18 FUEL™ chainsaw delivers the power to outperform on the most demanding chainsaw applications vs. petrol chainsaws
- FUEL™ technology allows the saw to maintain speed in tough application without bogging down, giving it the ability to outperform petrol chainsaws up to 40cc
- The HIGH OUTPUT™ system of tools elevates the M18 FUEL™ technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT™ batteries



Chain bar length (cm)	40
Chain speed (m/s)	12.4
Chain pitch (mm/°)	9.5 / 3/8"
Chain gauge (mm/°)	1.1 / 0.043"
Weight with battery pack (EPTA) (kg)	6.4 (M18 HB12)

HO REDLITHIUM™
HIGH OUTPUT BATTERY TECHNOLOGY

M18 FCHS35-0 | Article Number. 4933479678 (Also available as a kit version)

M18 FUEL™ CHAINSAW WITH 35 CM BAR

M18 FUEL

FEATURES:

- Delivers the power to outperform on the most demanding applications vs. petrol chainsaws
- Maintains speed in tough applications without bogging down
- The HIGH OUTPUT™ system of tools elevates the M18 FUEL™ technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT™ batteries
- It cuts up to 150 pieces of 100 mm x 100 mm pine on a full charge of an M18™ HIGH OUTPUT™ 12.0 Ah battery pack



Chain bar length (cm)	35
Chain speed (m/s)	12.4
Chain pitch (mm/°)	9.5 / 3/8"
Chain gauge (mm/°)	1.1 / 0.043"
Weight with battery pack (EPTA) (kg)	6.4 (M18 HB12)

HO REDLITHIUM™
HIGH OUTPUT BATTERY TECHNOLOGY

M18 FCHSC-0 | Article Number. 4933471441 (Also available as a kit version)

M18 FUEL™ CHAINSAW WITH 30 CM BAR

M18 FUEL

FEATURES:

- Delivers the power to outperform on the most demanding chainsaw applications vs. petrol chainsaws
- FUEL™ technology allows the saw to maintain speed in tough application without bogging down, giving it the ability to outperform petrol chainsaws up to 40cc
- The HIGH OUTPUT™ system of tools elevates the M18 FUEL™ technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT™ batteries



Chain bar length (cm)	30
Chain speed (m/s)	12.4
Chain pitch (mm/°)	9.5 / 3/8"
Chain gauge (mm/°)	1.1 / 0.043"
Weight with battery pack (EPTA) (kg)	6.4 (M18 HB12)

HO REDLITHIUM™
HIGH OUTPUT BATTERY TECHNOLOGY

M18 FTHCHS30-0 | Article Number. 4933479586 (Also available as a kit version)

M18 FUEL™ TOP HANDLE CHAINSAW WITH 30 CM BAR

M18 FUEL

FEATURES:

- Outstanding speed of cut in hardwood vs petrol or higher voltage top handle chainsaws
- High torque to complete cuts in demanding materials and maintains speed under heavy loads without bogging down
- FUEL™ technology to reach full throttle in under 1 second
- Up to 150 cuts in 10 x 10 cm cedar on a full M18™ HIGH OUTPUT™ 8.0 Ah battery charge for outstanding productivity



Chain bar length (cm)	30
Chain speed (m/s)	15
Chain pitch (mm/°)	8.3/ .325"
Chain gauge (mm/°)	1.1/ 0.043"
Weight with battery pack (EPTA) (kg)	4.7 (M18 HB8)

HO REDLITHIUM™
HIGH OUTPUT BATTERY TECHNOLOGY

M18 FTHCHS35-0 | Article Number. 4933479588 (Also available as a kit version)

M18 FUEL™ TOP HANDLE CHAINSAW WITH 35 CM BAR

M18 FUEL

FEATURES:

- Outstanding speed of cut in hardwood vs petrol or higher voltage top handle chainsaws
- High torque to complete cuts in demanding materials and maintains speed under heavy loads without bogging down
- FUEL™ technology to reach full throttle in under 1 second
- Up to 150 cuts in 10 x 10 cm cedar on a full M18™ HIGH OUTPUT™ 8.0 Ah battery charge for outstanding productivity



Chain bar length (cm)	35
Chain speed (m/s)	15
Chain pitch (mm/°)	8.3/ .325"
Chain gauge (mm/°)	1.1/ 0.043"
Weight with battery pack (EPTA) (kg)	4.7 (M18 HB8)

HO REDLITHIUM™
HIGH OUTPUT BATTERY TECHNOLOGY

M18 FHS20-0 | Article Number. 4933480117 (Also available as a kit version)

M18 FUEL™ HATCHET™ PRUNING SAW 20 CM

M18 FUEL

FEATURES:

- M18 FUEL™ HATCHET™ pruning saw delivers outstanding power and torque to cut hardwood without bogging down
- Designed to meet the ergonomic, performance, and durability needs of landscape maintenance professionals
- Compact design for increased control and maneuverability in tight access areas
- Up to 180 cuts in 10 x 10 cm cedar on a full M18™ HIGH OUTPUT™ 5.5 Ah battery charge for outstanding productivity



Chain bar length (cm)	20
Chain speed (m/s)	5.0
Chain pitch (mm/°)	9.5 / 3/8"
Chain gauge (mm/°)	1.1 / 0.043"
Weight with battery pack (EPTA) (kg)	3.1 (M18 HB5.5)

HO REDLITHIUM™
HIGH OUTPUT BATTERY TECHNOLOGY

M18 FTSP30-0 | Article Number. 4933480868 (Also available as a kit version)

NEW

M18 FUEL™ TELESCOPING POLE SAW 30 CM

M18 FUEL

FEATURES:

- Powerful cutting performance due to a chain speed of 25.4 m/s, high torque and 30 cm cutting length for fast results
- Outperforms petrol pole saws in demanding applications
- Features a telescopic shaft with a square profile and a quick length adjustment collar, allowing for optimal length adjustment of up to 400 cm
- Up to 70 cuts in 150 mm x 150 mm hardwood on one full charge of a 12.0 Ah battery pack
- Developed to achieve precise cuts in higher tree areas with perfect balance and design

Chain bar length (cm)	30
Chain speed (m/s)	25.4
Chain pitch (mm/°)	8.3/ .325
Chain gauge (mm/°)	1.1/ 0.043
Weight with battery pack (EPTA) (kg)	8.3 (M18 HB12)



HD REDLITHIUM™
HIGH OUTPUT BATTERY TECHNOLOGY

M18 BLTS-0 | Article Number. 4933480865 (Also available as a kit version)

NEW

M18™ BRUSHLESS TELESCOPIC SHEAR

M18

FEATURES:

- Power to cut up to 4.4 cm branches
- Telescopic function over easy-to-use collar allows to expand from 2.1 up to 3 metres for versatile applications
- Up to 2000 cuts in 2.5 cm softwood branches with an M18 HB5.5 HIGH OUTPUT™ battery pack
- Outer shaft jacket for increased control & optimum grip
- Retractable branch hook allows the user to keep a compressed profile for better access or to pull down branches that become stuck
- Brushless motor, REDLITHIUM™ battery pack and REDLINK™ electronic deliver power, run time and durability
- Flexible battery system: works with all MILWAUKEE® M18™ batteries

Length (m)	2.1 - 3.0
Telescopic	Yes
Max. cutting capacity (full) (mm)	44
Blade material	DC53
Weight with battery pack (EPTA) (kg)	6.4 (M18 HB5.5)



REDLITHIUM™

M12 FHS-0 | Article Number. 4933472211 (Also available as a kit version)


M12 FUEL™ HATCHET™ PRUNING SAW

M12 FUEL

FEATURES:

- M12 FUEL™ HATCHET™ pruning saw delivers outstanding control & access, has the power to cut 75 mm hardwoods, and delivers up to 120 cuts per charge on an M12 B4 battery pack
- Designed to meet the ergonomic, performance, and durability needs of landscape maintenance professionals
- Weighing 2.3 kg and featuring a compact design, the cordless pruning saw gives you increased control and manoeuvrability in tight access areas
- Easy access chain tensioner ensures quick adjustment to chain tension
- Translucent oil reservoir allows for clear visibility to oil levels
- Variable speed trigger gives the user full control over the power range
- All metal bucking spikes allow for increased leverage during applications

Chain bar length (cm)	15
Chain speed (m/s)	5
Chain pitch (mm)	9.5 / 3/8"
Chain gauge (mm/°)	1.1 / 0.043"
Weight with battery pack (EPTA) (kg)	2.3 (M12 B6)



REDLITHIUM™

M12 BLPRS-0 | Article Number. 4933480114 (Also available as a kit version)

M12™ BRUSHLESS PRUNING SHEARS

M12

FEATURES:

- Power to cut branches up to 32 mm
- Trigger tracking technology allowing for blade movement to follow the trigger movement for increased control during the application
- No manual effort required, especially convenient for extended applications
- Mode select board provides ability to lock blades into half capacity of 16 mm, allowing for increased cut speed
- Over 1,000 cuts in 1.25 cm material with a M12 B2 battery pack
- Wrist strap and wrist strap attachment point included for better handling of the tool

Cutting width (mm)	xxxxx
Max. cutting capacity (full) (mm)	32
Max. cutting capacity (half) (mm)	16
Battery type	Li-ion
Blade material	SK5 Steel
Weight with battery pack (EPTA) (kg)	1.5 (M12 B2)



REDLITHIUM™

M18 F2BPB-0 | Article Number. 4933493212 (Also available as a kit version)

NEW

M18 FUEL™ DUAL BATTERY BACKPACK BLOWER

M18 FUEL



FEATURES:

- High constant clearing force with a consistent blowing force of 20.5 N over the entire battery discharge
- 2 x 18 V dedicated backpack blower with a padded back pad and padded adjustable straps for extreme comfort
- Up to four battery slots for extended run time
- Up to 18.5 m³/min of air volume at 250 km/h to clear leaves, gravel and debris
- Optimised balance and ergonomics with a 3-mode select, variable speed lever, tool-free handle adjustment and telescoping adjustable nozzle
- Achieves full throttle in under 1 second
- Easy to transport thanks to hook for vertical nozzle storage and carry handle
- Interchangeable nozzle attachments to optimise the blowing pattern for various applications
- The DNA of our FUEL™ platform redefines the balance of cordless technologies. MILWAUKEE®'s POWERSTATE™ brushless motor, REDLITHIUM™ battery pack and REDLINK PLUS™ electronic intelligence delivering outstanding power, run time and durability
- Flexible battery system: works with all MILWAUKEE® M18™ batteries



Air speed (km/h)	0 - 250
Air volume (m ³ /min)	0 - 18.5
Clearing force (N)	20.5
Cruise control	Yes
Weight with battery pack (EPTA) (kg)	11.4 (2x M18 HB12)

REDLITHIUM™
HIGH OUTPUT BATTERY TECHNOLOGY

M18 F2BL-0 | Article Number. 4933479987 (Also available as a kit version)

M18 FUEL™ DUAL BATTERY BLOWER

M18 FUEL

FEATURES:

- Up to 17 m³/min of air volume at 233 km/h to clear leaves, gravel and debris
- High constant clearing force with a consistent blowing force of 17.7 N over the entire battery discharge
- Best clearing control due to balanced design and ambidextrous variable speed lock allowing the user to lock on to any speed for precise applications
- Interchangeable nozzle attachments to optimise the blowing pattern for various applications
- Achieves full throttle in under 1 second



Air speed (km/h)	0 - 233
Air volume (m ³ /min)	0 - 17
Clearing force (N)	17.7
Weight with battery pack (EPTA) (kg)	5.9 (M18 HB8)

REDLITHIUM™
HIGH OUTPUT BATTERY TECHNOLOGY

M18 FBL-0 | Article Number. 4933459825

M18 FUEL™ BLOWER

M18 FUEL

FEATURES:

- POWERSTATE™ brushless motor provides increased efficiency, lasts longer and delivers maximum power
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load
- Ergonomic inline design clears debris and dirt in tight spaces
- Up to 12.74 m³/min of air volume at 193 km/h to clear debris
- Variable trigger and speed lock for full power control
- Lock-on switch



Air speed (km/h)	193
Air volume (m ³ /min)	12.7
Clearing force (N)	11
Weight with battery pack (EPTA) (kg)	3.3 (M18 HB8)

REDLITHIUM™

M18 FBLG3-0 | Article Number. 4933493301 (Also available as a kit version)

M18 FUEL™ BLOWER

M18 FUEL

FEATURES:

- Up to 14.2 m³/min of air volume at 193 km/h to clear debris
- Consistent 12.2 N throughout the entire battery discharge
- Reaches full throttle in under 0.6 seconds
- Ambidextrous variable speed lock allowing the user to lock on to any speed for precise applications and optimum runtime
- Interchangeable nozzle attachments to optimize the blowing pattern for various applications



Air speed (km/h)	193
Air volume (m ³ /min)	14.2
Clearing force (N)	12.2
Weight with battery pack (EPTA) (kg)	3.5 (M18 HB8)

REDLITHIUM™

M18 FOPH-0 | Article Number. 4933464954

M18 FUEL™ OUTDOOR POWER HEAD WITH QUIK-LOK™

M18 FUEL

FEATURES:

- Versatile outdoor power equipment system, powered by a single power head
- Delivers the capability to swap between multiple attachments to complete a wide range of applications
- Full throttle in under 1 second
- 2-speed with variable speed trigger



Voltage (V)	18
No load speed gear 1 (rpm)	0 - 6860
No load speed gear 2 (rpm)	0 - 8680
Weight with battery pack (EPTA) (kg)	4.1 (M18 HB8)

REDLITHIUM™

M18 FOPH-RA | Article Number. 4932492669

QUIK-LOK™ RECIPROCATOR ATTACHMENT

NEW

M18

FEATURES:

- Achieves precision and versatility, allowing to safely trim around obstacles, create perfect edges without debris, and effortlessly clear light brush and shrubs
- Two counter rotating blades, preventing the whirling up of objects and ensuring safe operation in confined spaces and near vehicles
- 23 cm cutting width optimises the working process, enabling efficient and precise trimming
- Specifically designed for weed removal on gravel and paved surfaces
- With a compact toe kick guard integrated, our reciprocator prioritises user protection
- A protective storage cover, providing added protection and ease of storage and transportation for the tool
- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system



Blade diameter (mm)	230
Cutting capacity (mm)	13
Stroke rate (spm)	2480
Weight (without battery) (kg)	2.4

REDLITHIUM™

M18 FOPH-BCA | Article Number. 4932479986

QUIK-LOK™ BRUSH CUTTER ATTACHMENT

M18

FEATURES:

- Designed to clear tall grass, weeds, thick brush and saplings up to 3 cm diameter
- 4-tooth blade with 23 cm diameter to cut overgrown areas
- Optimized blade shield design for better material containment
- Full throttle in under 1 second
- Protected drive shaft for increased durability against drops
- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system



Blade diameter (mm)	230
Length (cm)	103
No load speed gear 1 (rpm)	4900
No load speed gear 2 (rpm)	6200
Weight (kg)	1.6

REDLITHIUM™

M18 FOPH-LTA | Article Number. 4932464955

QUIK-LOK™ GRASS TRIMMER ATTACHMENT

M18 FUEL

FEATURES:

- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system
- Has the capability to clear thick brush
- 38.6 cm cutting path width
- Easy load trimmer head with bump feed holds 7.6 m of 2.0 mm trimmer line or 6.1 m of 2.4 mm trimmer line
- Designed to meet landscape maintenance professional needs
- Extreme wear resistance delivering longer life



Max. cutting capacity (mm)	400
Cutting line diameter (mm)	2.0 / 2.4
No load speed gear 1 (rpm)	0 - 4900
No load speed gear 2 (rpm)	0 - 6200
Length (cm)	102
Weight without battery pack (kg)	1.7

REDLITHIUM™

M18 FOPH-CSA | Article Number. 4932464957

QUIK-LOK™ CHAINSAW ATTACHMENT

M18 FUEL

FEATURES:

- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system
- Perfect for cutting down overhead limbs or branches
- 254 mm bar with automatic chain oiling
- Side access chain tensioner for easy chain adjustment
- Branch extracting hook, ideal for leverage and pulling cut branches out of the way
- Up to 150 cuts with a M18™ 8.0 Ah battery pack
- Suitable for use with 91 cm extension attachment for maximum reach



Chain bar length (cm)	25.4
Chain speed (m/s)	8.6
Chain oil tank capacity (ml)	140
Chain pitch (mm/)	9.5 / 3/8"
Chain gauge (mm/)	1.1 / 0.043"
Usable cutting length (mm)	230
Weight without battery pack (kg)	1.9

REDLITHIUM™

M18 FOPH-HTA | Article Number. 4932464959


QUIK-LOK™ HEDGE TRIMMER ATTACHMENT

M18 FUEL

FEATURES:

- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system
- Capable of cutting branches and limbs up to 25 mm in diameter
- 508 mm blade trims more material in a single pass, increasing reach and productivity
- Articulating head offers 12 positions from 0° to 270° for the most comfortable user sculpting angles and easy trimming the top of tall hedges
- Blade tip guard protects blades from contact with hard objects such as fencing

Blade length (mm)	508
Cutting capacity (mm)	25
Stroke rate (spm)	0 - 3500
Tooth spacing (mm)	25
Length (cm)	152.4
Weight without battery pack (kg)	2.6



REDLITHIUM™

M18 FOPH-SHTA | Article Number. 4932492666

QUIK-LOK™ SHORT HEDGE TRIMMER ATTACHMENT

NEW

M18

FEATURES:

- Capable of cutting branches and limbs up to 19 mm diameter
- 508 mm blade trims more material in a single pass, increasing reach and productivity
- Blade tip guard protects blades from contact with hard objects such as fencing
- Blade cover fully encloses the blade set for storage and transportation purposes
- Short length makes it perfectly suitable for topiary of high and wide hedges
- Straight shaft makes the tool more robust and the low weight more comfortable for the user

Blade length (mm)	508
Cutting capacity (mm)	19
Stroke rate (spm)	0-3500
Weight (without battery) (kg)	2.0



REDLITHIUM™

M18 FOPH-EXA | Article Number. 4932464960

QUIK-LOK™ EXTENSION ATTACHMENT

M18 FUEL

FEATURES:

- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system
- Easily adds an additional 91 cm reach to MILWAUKEE® outdoor power head chainsaw and hedge trimmer attachments making the tool much safer to use without the need for a ladder

Length (cm)	103
Weight without battery pack (kg)	0.9



REDLITHIUM™

M18 FOPH-BBA | Article Number. 4932479985

QUIK-LOK™ BRISTLE BRUSH ATTACHMENT

M18

FEATURES:

- Clearing wet leaves, pebbles, dirt, sand, mulch and other debris off hard surfaces like sidewalks, paths, driveways or patios
- Efficiently cleans between cracks in sidewalk or pavement
- Counter-rotation of the drum throwing material in front and away from the operator
- 58 cm clearing capacity achieving best material movement on a single pass for increased productivity
- Robust bristle brushes ensure a longer lifetime
- Optimised guard design for best material containment
- Maintenance of synthetic grass
- Full throttle in under 1 second

Cleaning width (cm)	58
Diameter (mm)	254
Length (cm)	122
Weight (kg)	6.5



REDLITHIUM™

M18 FOPH-RBA | Article Number. 4932479984

QUIK-LOK™ RUBBER BROOM ATTACHMENT

M18

FEATURES:

- Clearing stones, leaves, dirt, mulch and other debris off grassy areas and hard surfaces like sidewalks, paths, driveways or patios
- Ability to move standing water or snow up to a height of 7.5 cm
- 58 cm clearing capacity achieving best material movement on a single pass for increased productivity
- Robust rubber paddles ensure a longer lifetime
- Optimised guard design for best material containment
- Counter-rotation of the drum throwing material in front and away from the operator
- Full throttle in under 1 second

Cleaning width (cm)	58
Diameter (mm)	267
Length (cm)	122
Weight (kg)	7.3



REDLITHIUM™

M18 FOPH-CA | Article Number. 4932492667

NEW

QUIK-LOK™ CULTIVATOR ATTACHMENT

M18

FEATURES:

- Versatile attachment for bed-related tasks, including breaking up surfaces, preparing soil, and rejuvenating beds for optimal planting conditions
- Easy maneuverability in confined areas, thanks to its narrow working width of 22 cm
- Effortlessly rake up soil with the cultivator tiller featuring 22 cm bolo tines, ensuring efficient soil cultivation with ease
- Optimised guard design provides enhanced material deflection
- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system



No load speed gear 1 (rpm)	0 - 150
No load speed gear 2 (rpm)	0 - 205
Weight (without battery) (kg)	4.3

REDLITHIUM™

M18 FOPH-EA | Article Number. 4932464958

QUIK-LOK™ EDGER ATTACHMENT

M18 FUEL

FEATURES:

- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system
- Designed to meet landscape maintenance professional needs
- Get the perfect lawn, sidewalk and path edges creating a sharp and manicured look
- Adjustable height and guide wheel help for best tool performance and control
- 20.3 cm blade offers long life and durability
- Up to 3900 RPM offers an efficient and nice clean cut



Blade diameter (mm)	203
Blade length (cm)	20.3
Max. cutting capacity (mm)	50
No load speed (rpm)	0 - 3000/0 - 3900
Weight without battery pack (kg)	2.4

REDLITHIUM™

M18 FOPH-BA | Article Number. 4932492668

NEW

QUIK-LOK™ BLOWER ATTACHMENT

M18

FEATURES:

- Up to 14.2 m³/min of air volume at 193 km/h for efficient clearing of leaves, gravel, and debris
- Cleans tight corners and other hard-to-reach areas effectively
- Reaches under overhangs or other objects to clear materials
- Compatible with both flat and tapered nozzle attachments
- Achieves full throttle in under 1 second for immediate power delivery
- Compatible with MILWAUKEE® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system



Air speed (km/h)	0 - 193
Clearing force (N)	12.2
Weight (without battery) (kg)	2.1

REDLITHIUM™

M18 BPFPH-0 | Article Number. 4933464961 (Also available as a kit version)

M18™ SWITCH TANK™ POWER BASE

M18

FEATURES:

- The M18™ SWITCH TANK™ 15 l backpack fluid pump sprayer delivers the industry's first interchangeable tank design with no manual pumping
- The interchangeable tank design isolates the pump, hose and wand, separating wearable components from the M18™ SWITCH TANK™ powered base
- Add on and replace tank assemblies to eliminate cross-chemical contamination and lower cost of ownership
- 120 PSI (8.27 Bar) pump pressure



M18 BPFPH-WST | Article Number. 4933464965

M18™ SWITCH TANK™ 15L WATER SUPPLY

FEATURES:

- Fully compatible with SWITCH TANK™
- Water sprayer tank for efficient water delivery for concrete cutting and coring applications. Also useful for washing up slurry's, areas and equipment
- Semi-transparent tank with measuring scale to know how much liquid is inside the tank
- Carry handle lid with wide mouth makes easy transport and pouring of water into tank
- Replaceable hose with standard garden hose quick coupling and spray nozzle - attaches easily to concrete cutting and coring equipment. Also compatible with standard garden nozzle accessories
- Integrated strainer prevents debris from entering the tank
- 5-mode pressure adjustment knob
- UV resistant



M18 BPFPH-CST | Article Number. 4933464964

M18™ SWITCH TANK™ 15L CHEMICAL SPRAYER

FEATURES:

- Fully compatible with SWITCH TANK™
- Chemical sprayer tank for pesticides/fertilizers/treatments/herbicides/fungicides/insecticides/de-icing agents and more
- Semi-transparent tank with measuring scale to know how much liquid is inside the tank
- Carry handle lid with wide mouth makes easy transport and pouring of water/chemicals into tank
- Comfortable rubber gripped spray wand handle with ability to lock-on for larger jobs
- Sprayer wand storage to save space and avoid damage during transport
- Integrated strainer prevents debris from entering the tank



REDLITHIUM™

M12 BHCS3L-0 | Article Number. 4933480781 (Also available as a kit version)

M12™ HANDHELD CHEMICAL SPRAYER 3.7 L

M12

FEATURES:

- Instant, constant and adjustable pressure for best in class control
- Three pressure settings deliver the capability to optimise performance for a wide range of applications like spot, broadcast and distance spraying
- No manual pumping allows faster application speed and reduces user fatigue versus other manual sprayers
- 5.5 bar maximum working pressure and 5.2 m vertical spray distance for increased performance



Tank capacity (l)	3.7
Flow rate (l/min)	0.4 - 1.1
Speed settings	3
Spray distance (m)	5.2
Weight with battery pack (EPTA) (kg)	3.5 (M12 B6)

REDLITHIUM™

M18 FFUS-0C | Article Number. 4933479834 (Also available as a kit version)

M18 FUEL™ FENCING UTILITY STAPLER

M18 FUEL

FEATURES:

- Power to fire MILWAUKEE® 9 gauge barbed collated staples from 40 mm to 50 mm
- Fires up to 600 staples per charge on a REDLITHIUM™ 3.0 Ah battery pack for maximum productivity
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Tool-free, quick and easy depth adjustment to assure staples are driven to the correct depth so as not to crush the wire
- Quick access hatch for easy clearing of jammed staples



Magazine capacity	45
Staple strip	20
Staple strip length (mm)	38 - 51
Staple strip width (mm)	10.3
Weight with battery pack (EPTA) (kg)	5.0 (M18 HB3)



REDLITHIUM™

M18 GG-0 | Article Number. 4933440493

M18™ GREASE GUN

M18

FEATURES:

- Powerful 18V motor delivers over 690 bar max. operating pressure
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Extreme long run time - dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics - only 355 mm long and 3.9 kg
- Air bleeder valve - priming mechanism for quick flow
- Integrated hose storage, shoulder strap loop & LED fuel gauge - added user convenience and reducing down time



Pressure (bar)	690
Weight with battery pack (EPTA) (kg)	3.9 (M18 B2)



REDLITHIUM™

M12 GG-0 | Article Number. 4933440435

M12™ SUB COMPACT GREASE GUN

M12

FEATURES:

- Powerful 12 V motor delivers over 562 bar max operating pressure
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Extreme long run time - dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics - only 355 mm long and 3.2 kg
- Air bleeder valve - priming mechanism for quick flow
- Integrated hose storage & shoulder strap loop - added user convenience and reducing down time



Pressure (bar)	562
Weight with battery pack (EPTA) (kg)	3.2 (M12 B4)



REDLITHIUM™

M18 FCOS230-0 | Article Number. 4933471696 (Also available as a kit version)

M18 FUEL™ CUT OFF SAW

M18 FUEL

FEATURES:

- The world's first 18 V 230 mm battery powered cut-off saw, delivers the power to cut reinforced concrete, whilst being 50% lighter than other petrol comparisons
- Starts up instantly, eliminates the need to mix petrol and oil, and avoids petrol engine maintenance
- Can be used indoors due to zero fume emissions
- Features RAPIDSTOP™ blade brake and load indicator light, as well as lowest vibrations at 1.81 m/s²
- 85 mm cutting depth for class leading performance



Blade diameter (mm)	230
Max. cutting depth (mm)	85
No load speed (rpm)	6600
Weight with battery pack (EPTA) (kg)	6.2 (M18 HB12)



REDLITHIUM™

M18 FAC-0 | Article Number. 4933472166

M18 FUEL™ AIR COMPRESSOR

M18 FUEL

FEATURES:

- POWERSTATE™ brushless motor delivers a maximum air pressure of 9.31 bar and 48 l/m at 2.8 bar which delivers enough performance to run common finish nailers and staplers
- At only 68 dB(A) this is one of the quietest cordless compressors on the market allowing for a more comfortable working environment on the jobsite
- 14 kg in weight and equipped with two carry handles allows the compressor to be easily transport to and from the jobsite



Airflow (l/min)	48
Max. pressure (bar / PSI)	9.31/ 135
Tank capacity (l)	7.6
Weight with battery pack (EPTA) (kg)	15.7 (M18 HB12)



REDLITHIUM™

M18 BI-0 | Article Number. 4933478706

M18™ INFLATOR

M18

FEATURES:

- Compact lightweight design for fast inflation of car, light truck and compact equipment tyres. Top off 235/65R16 sprinter tyres in under 1 minute
- Anti-vibration stand with all rubber feet for no movement while inflating
- Top off up to 30 tyres on an M18™ 5.0 battery pack
- 10.3 max bar capacity
- Auto pressure check feature activates to ensure bar target is achieved
- Automatic shut-off at selected bar prevents over inflation



Hose length (mm)	920
Max. pressure (bar / PSI)	10.3/ 150
No load air delivery (l/min)	40
Weight with battery pack (EPTA) (kg)	4.8 (M18 HB12)



REDLITHIUM™

Article Number. 4932492533
**M18™ FORGE™
6.0 AH BATTERY**



Article Number. 4932464260
**M18™ HIGH
OUTPUT™ 12.0 AH
BATTERY**



Article Number. 4932451388
**M12™ 3.0 AH
BATTERY**



Article Number. 4932430064
**M12™ 2.0 AH
BATTERY**



Article Number. 4932492532
**M18 FUEL™ DUAL
BAY SUPER
CHARGER**



Article Number. 4932471070
**M18™ HIGH
OUTPUT™ 8.0 AH
BATTERY**



Article Number. 4932464712
**M18™ HIGH
OUTPUT™ 5.5 AH
BATTERY**



Article Number. 4932471069
**M18™ HIGH
OUTPUT™ 3.0 AH
BATTERY**



Article Number. 4932472074
**M18™ DUAL BAY
RAPID CHARGER**



Article Number. 4932451080
**M12™ - M18™ FAST
CHARGER**



Article Number. 4932352069
M12™ CHARGER



Article Number. 4932430483
**M18™ 5.0 AH
BATTERY**



Article Number. 4932430063
**M18™ 4.0 AH
BATTERY**



Article Number. 4932430062
**M18™ 2.0 AH
BATTERY**



Article Number. 4932471735
**M12™ - M18™
SUPER CHARGER**



Article Number. 4932459205
**M12™ - M18™
CAR CHARGER**



Article Number. 4932480163
**M18™ PACKOUT™
SIX BAY RAPID
CHARGER**



Article Number. 4932480165
**M12™ 5.0 AH
HIGH OUTPUT™
BATTERY PACK**



Article Number. 4932451395
**M12™ 6.0 AH
BATTERY**



Article Number. 4932430065
**M12™ 4.0 AH
BATTERY**



Article Number. 4932430555
**M12™ 4 BAY
CHARGER**



**VIEW OUR
BATTERIES &
CHARGERS
HERE**





MILWAUKEE® ACCESSORIES

Article Number. 4932479818
**MOWER
BLADE 217 53
CM**



Article Number. 4932479819
**HIGH
PERFORMANCE
MOWER BLADE
217 53 CM**



Article Number. 4932492106
**MOWER BLADE
187 46 CM**



Article Number. 4932492107
**HIGH
PERFORMANCE
MOWER BLADE
187 46 CM**



Article Number. 4932479821
**LAWN MOWER
COVER 217 53 CM**



Article Number. 4932480180
**EASY LOAD TRIMMER
HEAD GEN II**



Article Number. 4932481041
**BRUSH CUTTER REPLACEMENT
BLADE 4-TOOTH**



Article Number. 49162712
**2 MM X 45 M
TRIMMER LINE**



Article Number. 49162713
**2.4 MM X 76 M
TRIMMER LINE**



Article Number. 4932492849
**DOUBLE SHOULDER
HARNES FOR
BRUSH CUTTERS**



Article Number. 4932464873
**40 CM/ 16" SAW
CHAIN 3/8" X
1.1 M18 FCHS**



Article Number. 4932479820
**35 CM/ 14" SAW
CHAIN 3/8" X
1.1 M18 FCHS35**



Article Number. 4932471385
**30 CM/ 12" SAW
CHAIN 3/8" X 1.1 M18
FCHSC**



Article Number. 4932471329
**25 CM/ 10" SAW
CHAIN 3/8" X 1.1 M18
FOPH-CSA**



Article Number. 4932480176
**20 CM/ 8" SAW
CHAIN 3/8" X 1.1 M18
FHS**



Article Number. 4932478427
**15 CM/ 6" SAW
CHAIN 3/8" X
1.1 M12 FHS**



Article Number. 4932480178
**35 CM/ 14" SAW
CHAIN 0.325" X 1.1 M18
FTHCHS35**



Article Number. 4932480177
**30 CM/ 12" SAW
CHAIN 0.325" X 1.1 M18
FTHCHS30**



Article Number. 4932480174
**40 CM/ 16" GUIDE BAR
M18 FCHS**



Article Number. 4932480173
**GUIDE BAR
147 35 CM**



Article Number. 4932480172
**35 CM/ 14" GUIDE BAR M18
FTHCHS35**



Article Number. 4932480171
**30 CM/ 12" GUIDE BAR M18
FTHCHS30**



Article Number. 4932480170
**25 CM/ 10" GUIDE BAR M18
FOPH-CSA**



Article Number. 4932480169
**20 CM/ 8" GUIDE BAR
M18 FHS**



Article Number. 4932480168
**15 CM/ 6" GUIDE BAR
M12 FHS**



**SCAN HERE
TO VIEW OUR
RANGE OF
ACCESSORIES**



BOLT™ 200

HIGH RESISTANCE MATERIAL

COLOURS AVAILABLE



BOLT200 is EN12492 and BOLT100 is EN397

LEXAN SHELL

SUPERIOR IMPACT RESISTANCE

ADJUSTABLE CHIN STRAP

INNER FOAM TECHNOLOGY



BOLT™ 200 OPE Helmet | Article Number. 4932493626

BOLT™ 200 OPE HELMET KIT

FEATURES:

- The BOLT™ 200 OPE kit includes vented helmet, hearing protection and mesh shield.
- BOLT™ 200 helmet shell made of Lexan™ - ultra resistant to impacts. Extremely comfortable and easy to adjust wheel ratchet adjustment system. Compliant with EN 397 & EN 12492, including extreme temperature -40°C, Lateral Deformation.
- BOLT™ Mesh Face shield made of steel for extended durability. Impact resistance rated F and compliant with EN1731.



ADAPT TO YOUR JOBSITE

The new Milwaukee BOLT 200 Helmet and Bolt Accessories allow each user to tailor their Head protection to best meet the demands of the jobsite.

COMFORT & FASHIONABLE FIT

- Extremely comfortable and easy to adjust wheel ratchet system.
- Comfortable inner foam material.
- Compact design to offer a perfect fit on the head.
- Washable and replaceable sweatband and crown line.

VENTED

DESCRIPTION	ART.#
BOLT 200 White Vented	● 4932478141
BOLT 200 Yellow Vented	● 4932478918
BOLT 200 Red Vented	○ 4932478919
BOLT 200 Black Vented	● 4932478920
BOLT 200 Blue Vented	● 4932480651
BOLT 200 Green Vented	● 4932480652
BOLT 200 Orange Vented	● 4932480653

UNVENTED

DESCRIPTION	ART.#
BOLT 200 White Unvented	● 4932479252
BOLT 200 Yellow Unvented	● 4932479253
BOLT 200 Red Unvented	○ 4932479254
BOLT 200 Black Unvented	● 4932479255
BOLT 200 Blue Unvented	● 4932480655
BOLT 200 Green Unvented	● 4932480656
BOLT 200 Orange Unvented	● 4932480657

BOLT™ ACCESSORIES MULTI ACCESSORIES COMPATIBILITY

Headlamp, Eye Visor, Face Shield, Pen.

DESCRIPTION	ART.#
BOLT Visor Compact Clear	4932479946
BOLT Visor Compact Tinted	4932479947
BOLT Mesh Face Shield Compact	4932479945
BOLT Face Shield Compact Clear	4932479943
BOLT Face Shield Compact Grey	4932479944

ATTACHMENTS



L4 RLEPB-301 | Article Number. 4933478750

USB RECHARGEABLE HEARING ASSIST EARPLUGS W/BLUETOOTH

FEATURES:

- Jobsite Awareness provides controllable situational awareness, while reducing the intensity of loud external noises
- Digital Bluetooth connects devices up to 100 m and allows to listen to Music/Podcasts/Audiobooks/Media and accept/Talk On/Decline Phone calls
- European Certified hearing protectors: EN 352-2:2020 (SNR silicone ear plugs = 26 dB; SNR Foam ear plugs = 32 dB); EN 352-7:2020; EN 352-9:2020; and EN 352-10:2020)
- Designed for on-the-job use, passive hearing protection is provided by silicone and foam ear tips.



REDLITHIUM™



MILWAUKEE® PPE & WORK GEAR

Article Number. 4932471881
SAFETY GLASSES CLEAR



Article Number. 4932471882
SAFETY GLASSES TINTED



Article Number. 4932471885
PREMIUM SAFETY GLASSES CLEAR



Article Number. 4932471886
PREMIUM SAFETY GLASSES POLARISED



Article Number. 4932478135
BANDED EAR PLUGS



Article Number. 4932471904
REUSABLE CORDED EAR PLUGS



SCAN HERE TO VIEW OUR FULL RANGE OF PPE



Article Number. 4932471913
HYBRID LEATHER GLOVES - 9/L - 1PC



Article Number. 4932478124
LEATHER GLOVES - 9/L - 1PC



Article Number. 4932471417
CUT A GLOVES - 9/L - 1PC



Article Number. 4932471890
HIGH-VISIBILITY VEST YELLOW - L/XL



Article Number. 4932471896
PREMIUM HIGH-VISIBILITY VEST YELLOW - L/XL



Article Number. 4932471893
HIGH-VISIBILITY VEST ORANGE - L/XL



Article Number. 4932471899
PREMIUM HIGH-VISIBILITY VEST ORANGE - L/XL



Article Number. 4932493005
WORK T-SHIRT SHORT SLEEVE - BLACK



Article Number. 4932493020
WORK T-SHIRT SHORT SLEEVE - GREEN



Article Number. 4932493080
WARM WEATHER LONG SLEEVE PERFORMANCE SHIRT - BLACK



Article Number. 4933478196
WORKSKIN™ LIGHT WEIGHT PERFORMANCE SHORT SLEEVE SHIRT - GREY (L)



Article Number. 4932480078
M12™ HEATED PUFFER VEST



Article Number. 4932480102
M12™ HEATED VEST - GREY



SCAN HERE TO VIEW MORE SIZE OPTIONS FOR ALL THE PPE CLOTHING RANGES



RUN TIME DATA

M18

APPLICATION	PRODUCT NAME	BATTERY					
		M18 HB3	M18 B4	M18 B5	M18 HB5.5	M18 HB8	M18 HB12
M18							
CHAINSAWS							
LOG CUTTING CUTS IN 10CM PINE	M18 FCHS	38	40	50	75	100	150
	M18 FCHSC	38	40	50	75	100	150
	M18 FCHS35	38	40	50	75	100	150
LOG CUTTING CUTS IN 10CM CEDAR	M18 FHS20	90	120	150	180	240	360
	M18 FTHCHS30	56	75	93	112	150	225
	M18 FTHCHS35	56	75	93	112	150	225
POLE SAWS							
PRUNING CUTS IN 7.5CM OAK	M18 FOPH-CSA	62	65	82	123	166	247
GRASS TRIMMERS							
GRASS CUTTING HIGH MODE	M18 BLLT	13 min	14 min	17 min	26 min	35 min	53 min
	M18 FOPH-LTA	12 min	13 min	16 min	24 min	33 min	49 min
GRASS CUTTING LOW MODE <small>*measured under no load speed, simulates light grass trimming application</small>	M18 BLLT	26 min	28 min	35 min	54 min	70 min	105 min
	M18 FOPH-LTA	22 min	23 min	29 min	44 min	58 min	88 min
HEDGE TRIMMERS							
LIGHT TRIMMING <small>*measured under no load speed, simulates light hedge trimming application</small>	M18 CHT	52 min	56 min	70 min	105 min	140 min	211 min
	M18 FHT45	52 min	56 min	70 min	105 min	140 min	211 min
	M18 FOPH-HTA	26 min	28 min	35 min	52 min	70 min	105 min
BRUSH CUTTERS							
TRIMMING HIGH MODE <small>*No load run time with blade at full throttle (simulates light brush cutting)</small>	M18 FOPH-BCA	23 min	30 min	38 min	46 min	61 min	91 min
	M18 FBCU	12 min	13 min	16 min	24 min	33 min	49 min
TRIMMING LOW MODE <small>*measured under no load speed, simulates light grass trimming application</small>	M18 FBCU	22 min	23 min	29 min	44 min	58 min	88 min
BLOWERS							
TOUGH BLOWING HIGH MODE	M18 FBL	6 min	6 min	8 min	12 min	16 min	24 min
LIGHT BLOWING LOW MODE	M18 FBL	18 min	19 min	24 min	36 min	48 min	72 min

SCAN TO VIEW OUR OPE RANGE



RUN TIME DATA

M12 M18

APPLICATION	PRODUCT NAME	BATTERY					
		M18 HB3	M18 B4	M18 B5	M18 HB5.5	M18 HB8	M18 HB12
M18							
SPRAYERS							
CHEMICAL SPRAYER <small>*Number of tanks on speed one which is equivalent to light spraying</small>	M18 BPFP-CST	9 tanks	12 tanks	15 tanks	18 tanks	24 tanks	36 tanks
EDGERS							
LIGHT EDGING HIGH MODE	M18 FOPH-EGA	40 min	42 min	53 min	80 min	106 min	160 min
BRUSHES							
CLEANING HIGH MODE <small>*measured under load moving wood chips and dirt at full throttle</small>	M18 FOPH-BBA	11 min	14 min	18 min	22 min	29 min	43 min
CLEANING HIGH MODE <small>*measured under load moving wood chips and dirt at full throttle</small>	M18 FOPH-RBA	9 min	12 min	15 min	18 min	25 min	37 min
M18 DUAL BATTERY							
		M18 HB3	M18 B4	M18 B5	M18 HB5.5	M18 HB8	M18 HB12
LAWN MOWER							
GRASS CUTTING <small>*removing 2.5 cm of grass at 4.8 km/h</small>	M18 F2LM53	HIGH OUTPUT BATTERY TECHNOLOGY MILWAUKEE® RECOMMENDS HIGH OUTPUT™ BATTERIES			1000 m²	1300 m²	2000 m²
BLOWER							
TOUGH BLOWING	M18 F2BL	HIGH OUTPUT BATTERY TECHNOLOGY MILWAUKEE® RECOMMENDS HIGH OUTPUT™ BATTERIES			13	17	26
<small>*Dual-battery run time based on two of the same battery, using batteries with different amp hour (Ah) capacities will provide the run time of the smaller battery.</small>							
M12							
		M12 B2	M12 B3	M12 B4	M12 B6	M12 HB2.5	M12 HB5
HATCHET SAW							
LOG CUTTING CUTS IN 5 CM OAK	M12 FHS	60	90	120	180	86	172
HEDGE TRIMMER							
LIGHT TRIMMING <small>*No load run time at full throttle (simulates light trimming application)</small>	M12 FHT	25 min	37 min	50 min	75 min	36 min	72 min
SPRAYER							
CHEMICAL SPRAYER <small>*first mode - spot spraying</small>	M12 BHCS3L	300 l	450 l	600 l	900 l	431 l	862 l

= Run time data based on MILWAUKEE® testing conducted using the recommended battery

*Charge times are based on a fully-charged battery. These given guidelines are indicative only and may not be replicated due to the varying usage conditions. Results can vary depending on the user and the application. Test results conducted by MILWAUKEE® for recommended batteries are marked in white, all other battery capacities are calculated.




STAY UP TO DATE WITH MILWAUKEE®

**FOLLOW US FOR THE LATEST PRODUCT
LAUNCHES, NEWS AND CHANCES TO WIN**



**FOLLOW
US ON
INSTAGRAM**



**FOLLOW
US ON TIKTOK**



**FOLLOW US
ON LINKEDIN**



**SIGN UP TO
OUR EMAIL
NEWSLETTER**



**SUBSCRIBE
TO OUR
YOUTUBE
CHANNEL**



Nothing but **HEAVY DUTY**.™

MILWAUKEE® Tool UK, Suite A, Second Floor, Marlow International, Parkway, Marlow, SL7 1YL

Tel: +44(0) 1628 894400 Fax: +44(0) 1628 894401

milwaukeetool.co.uk

All data incl. service and warranty conditions as well as product range are subject to change without notice. Pictures are not binding. Prices are not binding.
No liability for printing errors or mistakes. Copyright 2024 – Milwaukee® Electric Tool.