

OUTDOOR POWER EQUIPMENT













WWW.MILWAUKEETOOL.CO.UK



SCAN TO VIEW OUR OPE RANGE



M18 FUEL DRIVEN TO OUTPERFORM.TM

Milwaukee® is committed to driving unrivaled performance and productivity to Outdoor Power Equipment professionals through groundbreaking developments in battery-powered technology, motors and electronics. From our roots in the MEP trades, and now with the landscape professional, we are dedicated to provide innovative, trade-focused solutions so users can perform an entire day's work on one battery system.



REDLITHIUM™ AND REDLITHIUM™ HIGH OUTPUT™ SUPERIOR PACK CONSTRUCTION IT LASTS LONGER, THINKS FASTER & WORKS HARDER



NEW GENERATION REDLITHIUM[™] HIGH OUTPUT[™] BATTERIES

REDLITHIUM™ CELLS	REDLITHIUMTM - High power cell - Bade free performance - I sin extreme environments	Image: Constraint of the second se
REDLINK™ ELECTRONICS	Individual cell monitoring Digital overload protection System performance optimisation M18" system compatibility	IN ADDITION + New high power processor + Higher current handling + Maintains existing M18" system compatibility
CONSTRUCTION	Best-in-class pack construction Long-lasting reliability Proven durability on the jobsite	IN ADDITION + New ground up construction + Improved current flow + Lower temperature rise
BENEFITS	WORKS FASTER, LONGER, HARDER & EXTREMER* • Up to 20% more power* • Up to 2.5x more run-time* • Up to 2x longer battery life* • Works down to -20°C	MOST POWERFUL MILWAUKEE® BATTERY EVER + Up to 50% more power + Up to 33% more run-time* + Runs up to 50% cooler* + Works down to -28°C
APPLICATION RECOMMENDATION	ALL PROFESSIONAL TRADE APPLICATIONS	HIGH DEMAND APPLICATIONS REQUIRING HIGH OUTPUT CURRENT
RANGE		
		*Vs Standard REDLITHIUM" batteries in high current draw applications

-

LATCH COVER Prevents water from entering pack through the latch buttons



Routes water away from the electronics and out of the battery pack

ELECTRONIC COATING

Protects the electronics from water and condensation



Provides a strong structure and transfers energy efficiently for maximum life

REDLITHIUM™ BATTERY CELLS

Provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life



MILWAUKEE® OUTDO **ELIMINATES EMISSIONS,**

MAINTENANCE AND NOISE ASSOCIATED WITH PETROL PRODUCTS.

WWW.MILWAUKEETOOL.CO.UK I #MILWAUKEETOOL

ENVIRONMENT



HEALTH







ENGINE

NO

SAFETY

NO MIXING

OF PETROL

PRODUCTIVITY

MAINTENANCE

AND OIL

PORTABLE PRODUCTIVITY. TRADE FOCUSED. SYSTEM WIDE.







PERFORMANCE DRIVEN. **TRADE** FOCUSED. SYSTEM WIDE.







OUTDOOR POWER EQUIPMENT // JAN-JUNE 2023

M18 F2LM53-0 | Article Number.# 4933479584 (Also available as a kit version)

M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN

FEATURES:

- 53 cm steel deck and blade design paired with M18 FUEL™ technology deliver best-in-class quality of cut
- Instant start in tall grass, outstanding peak power and start up torque to complete demanding applications
- 3-in-1 grass management system to mulch, bag, or rear side discharge
- Automatic blade speed adjustment to the required power for more efficiency
- Adjustable self-propelled mechanism with 5 speed settings delivers up to 6.4 km/h cutting speed

KIT INCLUDED M18 F2LM53

M18 BLLT-0 | Article Number.# 4933472218

M18™ BRUSHLESS GRASS TRIMMER

FEATURES:

■ The M18[™] brushless line trimmer has the power to clear thick brush and reaches full throttle in under 1 second



- Up to 4600 RPM in first mode and 6200 RPM in second mode
- 2-speed variable trigger allows the user to choose between higher performance or
- extended run time Adjustable cutting
- swath of 35 cm 40



M18 FBCU-0 | Article Number.# 4933492297 (Also available as a kit version)

M18 FUEL[™] BRUSH CUTTER

FEATURES:

- Powerful brush cutter designed to clear grass, weeds, thick brush and saplings up to 3 cm diameter
- Full throttle in under 1 second for instantaneous power and ultimate control
- Supplied with a trimmer head for a 35-40 cm cutting swath and a 23 cm blade featuring a 4-tooth design, meant to take on more demanding applications
- Two speed modes allow the user to choose between maximum performance or extended run time
- Great ergonomics from the bike handle design and double shoulder harness allowing for more user comfort



KIT INCLU



M18 Cutting line diameter (mm) 2.4 40 Cutting path width (cm) W HOUR Weight with battery pack 5.3 (M18 HB8) REDLITHIUM™





M18 FUEL

M18 FUEL

IOURS

HEPLITHIUM'

M18 CHT-0 | Article Number.# 4933459346

M18 FUEL™ HEDGE TRIMMER 60CM



- POWERSTATE[™] brushless motor provides increased efficiency, lasts longer and delivers maximum power
- REDLINK PLUS[™] intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load
- Power to cut 20 mm branches
- 600 mm blade trims more material in a single pass, increasing reach and productivity
- Up to 2 hours run time with an M18[™] HIGH OUTPUT[™] 8.0 Ah battery pack



M18 FHT45-0 | Article Number.# 4933479677

M18 FUEL™ HEDGE TRIMMER 45 CM

FEATURES:

- 45 cm blade for more flexibility and the power to cut 19 mm branches
- Sustains power under load without bogging down
- Up to 2 hours run time with an M18[™] HIGH OUTPUT™ 8.0 Ah battery pack
- All-metal gear case fully encloses and completely protects the gear drive Blade length (cm) system from jobsite abuse
- Blade tip guard to protect the blades and prevent accidental damage of fences or other objects



M12 FHT20-0 | Article Number.# 4933479675 (Also available as a kit version)

M12 FUEL™ HEDGE TRIMMER 20 CM



OUTDOOR POWER EQUIPMENT // JAN-JUNE 2023

M18 FCHS-0 | Article Number.# 4933464723 (Also available as a kit versior

M18 FUEL™ CHAINSAW WITH 40 CM

FEATURES:

■ The M18 FUEL[™] chainsaw delivers the power to outperform on the most demanding chainsaw applications vs. petrol chainsaws



- FUEL[™] technology allows the saw to maintain speed in tough application without bogging down, giving it the ability to outperform petrol chainsaws up to 40cc
- The HIGH OUTPUT[™] system of tools elevates the M18 FUEL[™] technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT[™] batteries



M18 FCHS35-0 | Article Number.# 4933479678 (Also available as a kit version)

M18 FUEL™ CHAINSAW WITH 35 CM BAR

FEATURES:

- Delivers the power to outperform on the most demanding applications vs. petrol chainsaws
- Maintains speed in tough applications without bogging down
- The HIGH OUTPUT[™] system of tools elevates the M18 FUEL[™] technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT[™] batteries
- It cuts up to 150 pieces of 100 mm x 100 mm pine on a full charge of an M18™ HIGH OUTPUT™ 12.0 Ah battery pack

KIT INCLUDED: M18 FCHS35

M18 FCHSC-0 | Article Number.# 4933471441 (Also available as a kit version)

M18 FUEL™ CHAINSAW WITH 30 CM BAR

FEATURES:

- Delivers the power to outperform on the most demanding chainsaw applications vs. petrol chainsaws
- FUEL[™] technology allows the saw to maintain speed in tough application without bogging down, giving it the ability to outperform petrol chainsaws up to 40cc
- The HIGH OUTPUT[™] system of tools elevates the M18 FUEL[™] technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT[™] batteries



M12 FUEL

n)		
BA	R	M18 FUEL
<u> </u>		ye 150 PER WITH A MINISTRATION
	Chain bar length (cm)	40
_	Chain speed (m/s)	12.4
JDED:	Chain pitch (mml")	9.5 / 3/8″
	Chain Gauge [mml"]	1.1 / 0.043"
HS	Weight with battery pack (EPTA) (kg)	6.4 (M18 HB12)
		H∃DLITHIUM [™]





M18 FUEL

M18 FUEL

MAINTAINS

COMING SOON

M18 FTHCHS35-0 | Article Number.# 4933479588 (Also available as a kit version)

M18 FUEL™ TOP HANDLE CHAINSAW WITH 35 CM BAR



M18 FTHCHS30-0 | Article Number.# 4933479586 (Also available as a kit version)

M18 FUEL[™] TOP HANDLE CHAINSAW WITH 30 CM BAR

FEATURES:

- Outstanding speed of cut in hardwood vs certain petrol or higher voltage top handle chainsaws
- High torque to complete cuts in demanding materials and maintains speed under heavy loads without bogging down
- FUEL[™] technology to reach full throttle in under 1 second
- Up to 150 cuts in 10 x 10 cm cedar on a full M18TM HIGH OUTPUTTM 8.0 Ah battery charge for outstanding productivity
- Top handle design and optimised balance perfectly suited for arboricultural work
- Variable speed trigger allows for full control over the power curve
- Lanyard hang loop for quick attachment and removal from the harness





*This chainsaw is to be used **only** by trained tree surgeons. Use without proper training can result in serious injury.

M18 FHS20-0 | Article Number.# 4933480117 (Also available as a kit version)

M18 FUEL™ HATCHET™ PRUNING SAW 20 CM

FEATURES:

- M18 FUEL[™] HATCHET[™] pruning saw delivers outstanding power and torque to cut hardwood without bogging down
- Designed to meet the ergonomic, performance, and durability needs of landscape maintenance professionals
- Compact design for increased control and maneuverability in tight access areas
- Up to 180 cuts in 10 x 10 cm cedar on a full M18[™] HIGH OUTPUT[™] 5.5 Ah battery charge for outstanding productivity
- Easy access chain tensioner ensures quick adjustment to chain tension
- Variable speed trigger gives the user full control over the power range
- All metal bucking spikes allow for increased leverage during applications

	SAW CHAIN M18 HATCHET 3/8 LP X 203 X 1.1 - 1 PC ARTICLE NUMBER.# 4932480176	Chain bar length
KIT INCLUDED:		Chain speed (m/ Chain pitch (mm
2	€ 000,00 excl. wat	Chain Gauge [mi
M18 FHS20	€000,00 ENC. VAT	Weight with batt (EPTA) (kg)

M12 FHS-0 | Article Number.# 4933472211 (Also available as a kit version)

M12 FUEL™ HATCHET™ PRUNING SAW

FEATURES:

KIT INCLUDED

M12 FHS

- M12 FUELTM HATCHETTM pruning saw delivers outstanding control & access, has the power to cut 75 mm hardwoods, and delivers up to 120 cuts per charge on an M12 B4 battery pack
- Designed to meet the ergonomic, performance, and durability needs of landscape maintenance professionals
- Weighing 2.3 kg and featuring a compact design, the cordless pruning saw gives you increased control and manoeuvrability in tight access areas
- Easy access chain tensioner ensures guick adjustment to chain tension
- Translucent oil reservoir allows for clear visibility to oil levels
- Variable speed trigger gives the user full control over the power range
- All metal bucking spikes allow for increased leverage during applications

Chain spee
Chain pitch
Chain Gaug
Weight with (EPTA) (kg)











M18 F2BL-0 | Article Number.# 4933479987 (Also available as a kit version)

M18 FUEL[™] DUAL BATTERY BLOWER

FEATURES:

- Up to 17 m³/min of air volume at 233 km/h to clear leaves, gravel and debris
- High constant clearing force with a consistent blowing force of 17.7 N over the entire battery discharge
- Best clearing control due to balanced design and ambidextrous variable speed lock allowing the user to lock on to any speed for precise applications
- Interchangeable nozzle attachments to optimise the blowing pattern for various applications
- Achieves full throttle in under 1 second



M18 FBL-0 | Article Number.# 4933459825

M18 FUEL[™] BLOWER

FEATURES:

- POWERSTATE[™] brushless motor provides increased efficiency, lasts longer and delivers maximum power
- REDLINK PLUS[™] intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load
- Ergonomic inline design clears debris and dirt in tight spaces
- Up to 12.74 m³/min of air volume at 193 km/h to clear debris
- Variable trigger and speed lock for full power control



M12 BHCS3L-0 | Article Number.# 4933480781

M12[™] HANDHELD CHEMICAL SPRAYER 3.7 L

FEATURES:

- Instant, constant and adjustable pressure for best in class control
- Three pressure settings deliver the capability to optimize performance for a wide range of applications like spot, broadcast and distance spraying
- No manual pumping allows faster application speed and reduces user fatigue versus other manual sprayers
- 5.5 bar maximum working pressure and 5.2 m vertical spray distance for increased performance
- Delivers up to 300 litres of spraying per charge with M12[™] B2 battery



NEW

M12

<section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header>		SWITC INTERCHANC AND WATER	
<section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header>	ISOLATED PUMP, HOSE & WAND		\](
<section-header><section-header><text><text><section-header><text><section-header><section-header><section-header><section-header><list-item><list-item><list-item><list-item><list-item><list-item></list-item></list-item></list-item></list-item></list-item></list-item></section-header></section-header></section-header></section-header></text></section-header></text></text></section-header></section-header>	MOTOR isolated along with the		
<section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><list-item><list-item><list-item><list-item><list-item></list-item></list-item></list-item></list-item></list-item></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header>	ADJUSTMENT KNOB Adjust Pressure Between 1.38-8.27		
<section-header><section-header><section-header><section-header></section-header></section-header></section-header></section-header>			
 Fully compatible with SWITCH TANK[™] Chemical sprayer tank for pesticides/fertilizers/treatments/herbicides/fungicides/ insecticides/de-icing agents and more Semi-transparent tank with measuring scale to know how much liquid is inside the tank Carry handle lid with wide mouth makes easy transport and pouring of water/ chemicals into tank Comfortable rubber gripped spray wand handle with ability to lock-on for larger jobs Sprayer wand storage to save space and avoid damage during transport Integrated strainer prevents debris from entering the tank Adjustable spray pattern - from cone to straight stream for end user preference and application. Up to 7.6 m spray distance 	INTERCHA	NGEABLE TAN	K
 Chemical sprayer tank for pesticides/fertilizers/treatments/herbicides/fungicides/ insecticides/de-icing agents and more Semi-transparent tank with measuring scale to know how much liquid is inside the tank Carry handle lid with wide mouth makes easy transport and pouring of water/ chemicals into tank Comfortable rubber gripped spray wand handle with ability to lock-on for larger jobs Sprayer wand storage to save space and avoid damage during transport Integrated strainer prevents debris from entering the tank Adjustable spray pattern - from cone to straight stream for end user preference and application. Up to 7.6 m spray distance 	M18 BPFP-CST Article Numbe M18™ SWITCH TA	r.# 4933464964	
 insecticides/de-icing agents and more Semi-transparent tank with measuring scale to know how much liquid is inside the tank Carry handle lid with wide mouth makes easy transport and pouring of water/ chemicals into tank Comfortable rubber gripped spray wand handle with ability to lock-on for larger jobs Sprayer wand storage to save space and avoid damage during transport Integrated strainer prevents debris from entering the tank Adjustable spray pattern - from cone to straight stream for end user preference and application. Up to 7.6 m spray distance 	M18 BPFP-CST Article Numbe M18™ SWITCH TA SPRAYER FEATURES:	r.# 4933464964 NK™ 15L CHEMICAL	
 the tank Carry handle lid with wide mouth makes easy transport and pouring of water/ chemicals into tank Comprable rubber gripped spray wand handle with ability to lock-on for larger jobs Sprayer wand storage to save space and avoid damage during transport Integrated strainer prevents debris from entering the tank Adjustable spray pattern - from cone to straight stream for end user preference and application. Up to 7.6 m spray distance 	M18 BPFP-CST Article Numbe M18™ SWITCH TA SPRAYER FEATURES: ■ Fully compatible with SWITCH T	er.# 4933464964 NK™ 15L CHEMICAL	K
 chemicals into tank Comfortable rubber gripped spray wand handle with ability to lock-on for larger jobs Sprayer wand storage to save space and avoid amage during transport Integrated strainer prevents debris from entering the tank Adjustable spray pattern - from cone to straight stream for end user preference and application. Up to 7.6 m spray distance 	M18 BPFP-CST Article Numbe M18™ SWITCH TA SPRAYER FEATURES: • Fully compatible with SWITCH T. • Chemical sprayer tank for pestic insecticides/de-icing agents and	er.# 4933464964 NK™ 15L CHEMICAL ANK™ ides/fertilizers/treatments/herbicides/fungicides/ f more	K
jobs • Sprayer wand storage to save space and avoid damage during transport • Integrated strainer prevents debris from entering the tank • Adjustable spray pattern - from cone to straight stream for end user preference and application. Up to 7.6 m spray distance	M18 BPFP-CST Article Numbe M18™ SWITCH TA SPRAYER FEATURES: • Fully compatible with SWITCH T. • Chemical sprayer tank for pestic insecticides/de-icing agents and • Semi-transparent tank with mea the tank	er.# 4933464964 NK™ 15L CHEMICAL ANK™ ides/fertilizers/treatments/herbicides/fungicides/ ides/fertilizers/treatments/herbicides/fungicides/ ides/ertilizers/treatments/herbicides/fungicides/ ides/ertilizers/treatments/herbicides/fungicides/	K
 Sprayer wand storage to save space and avoid damage during transport Integrated strainer prevents debris from entering the tank Adjustable spray pattern - from cone to straight stream for end user preference and application. Up to 7.6 m spray distance 	M18 BPFP-CST Article Numbe M18™ SWITCH TA SPRAYER FEATURES: • Fully compatible with SWITCH T. • Chemical sprayer tank for pestic insecticides/de-icing agents and • Semi-transparent tank with mea the tank	er.# 4933464964 NK™ 15L CHEMICAL ANK™ ides/fertilizers/treatments/herbicides/fungicides/ ides/fertilizers/treatments/herbicides/fungicides/ ides/ertilizers/treatments/herbicides/fungicides/ ides/ertilizers/treatments/herbicides/fungicides/	K
 Integrated strainer prevents debris from entering the tank Adjustable spray pattern - from cone to straight stream for end user preference and application. Up to 7.6 m spray distance 	M18 BPFP-CST Article Number M18 [™] SWITCH TA SPRAYER FEATURES: Fully compatible with SWITCH T. Chemical sprayer tank for pestic insecticides/de-icing agents and Semi-transparent tank with mea the tank Carry handle lid with wide mouth chemicals into tank Comfortable rubber gripped spra	er.# 4933464964 INK™ 15L CHEMICAL ANK™ sides/fertilizers/treatments/herbicides/fungicides/ d more suring scale to know how much liquid is inside h makes easy transport and pouring of water/	K
 Adjustable spray pattern - from cone to straight stream for end user preference and application. Up to 7.6 m spray distance 	M18 BPFP-CST Article Number M18 TM SWITCH TA SPRAYER FEATURES: Fully compatible with SWITCH T Chemical sprayer tank for pestic insecticides/de-icing agents and Semi-transparent tank with mea the tank Carry handle lid with wide mouth chemicals into tank Comfortable rubber gripped spri jobs Sprayer wand storage to save sp	er.# 4933464964 ANK™ 15L CHEMICAL ANK™ sides/fertilizers/treatments/herbicides/fungicides/ f more suring scale to know how much liquid is inside h makes easy transport and pouring of water/ ay wand handle with ability to lock-on for larger	K
M18 BPFPH-0 Article Number.# 4933464961 (Also available as a kit version)	M18 BPFP-CST Article Number M18™ SWITCH TA SPRAYER FEATURES: Fully compatible with SWITCH T. Chemical sprayer tank for pestice insecticides/de-icing agents and Semi-transparent tank with mea the tank Carry handle lid with wide mouth chemicals into tank Carry handle lid with wide mouth chemicals into tank Comfortable rubber gripped spra- jobs Sprayer wand storage to save sp damage during transport Integrated strainer prevents debi	er.# 4933464964 NK™ 15L CHEMICAL ANK™ ides/fertilizers/treatments/herbicides/fungicides/ d more suring scale to know how much liquid is inside in makes easy transport and pouring of water/ ay wand handle with ability to lock-on for larger pace and avoid	K
M18 BPFPH-0 Article Number.# 4933464961 (Also available as a kit version)	M18 BPFP-CST Article Number M18 TM SWITCH TA SPRAYER FEATURES: Fully compatible with SWITCH TA Chemical sprayer tank for pestic insecticides/de-icing agents and Semi-transparent tank with mea the tank Carry handle lid with wide mouth chemicals into tank Comfortable rubber gripped spra- jobs Sprayer wand storage to save sp damage during transport Integrated strainer prevents debut the tank Adjustable spray pattern - from de stream for end user preference a	er.# 4933464964 ANK™ 15L CHEMICAL ANK™ sides/fertilizers/treatments/herbicides/fungicides/ d more suring scale to know how much liquid is inside h makes easy transport and pouring of water/ ay wand handle with ability to lock-on for larger pace and avoid ris from entering cone to straight	K
M18 BPFPH-0 Article Number.# 4933464961 (Also available as a kit version)	M18 BPFP-CST Article Number M18 TM SWITCH TA SPRAYER FEATURES: Fully compatible with SWITCH TA Chemical sprayer tank for pestic insecticides/de-icing agents and Semi-transparent tank with mea the tank Carry handle lid with wide mouth chemicals into tank Comfortable rubber gripped spra- jobs Sprayer wand storage to save sp damage during transport Integrated strainer prevents debut the tank Adjustable spray pattern - from de stream for end user preference a	er.# 4933464964 ANK™ 15L CHEMICAL ANK™ sides/fertilizers/treatments/herbicides/fungicides/ d more suring scale to know how much liquid is inside h makes easy transport and pouring of water/ ay wand handle with ability to lock-on for larger pace and avoid ris from entering cone to straight	
	M18 BPFP-CST Article Number M18 TM SWITCH TA SPRAYER FEATURES: Fully compatible with SWITCH TA Chemical sprayer tank for pestic insecticides/de-icing agents and Semi-transparent tank with mea the tank Carry handle lid with wide mouth chemicals into tank Comfortable rubber gripped spra- jobs Sprayer wand storage to save sp damage during transport Integrated strainer prevents debut the tank Adjustable spray pattern - from de stream for end user preference a	er.# 4933464964 ANK™ 15L CHEMICAL ANK™ sides/fertilizers/treatments/herbicides/fungicides/ d more suring scale to know how much liquid is inside h makes easy transport and pouring of water/ ay wand handle with ability to lock-on for larger pace and avoid ris from entering cone to straight	

FEATURES:

REC

Up to 2 hours of run time (12 or more tanks) with 4.0 Ah battery pack
 Flexible battery system: works with all MILWAUKEE® M18[™] batteries

Features adjustable pressure selection dial to best suit user requirements

interchangeable tank design with no manual pumping

120 PSI (8.27 Bar) pump pressure

The M18™ SWITCH TANK™ 15 I backpack fluid pump sprayer delivers the industry's first

The interchangeable tank design isolates the pump, hose and wand, separating wearable components from the M18^{\rm TM} SWITCH TANK $^{\rm TM}$ powered base

Add on and replace tank assemblies to eliminate cross-chemical contamination and lower cost of ownership







M18 BPFP-WST | Article Number.# 4933464965

M18™ SWITCH TANK™ 15L WATER

SUPPLY

FEATURES:

- Fully compatible with SWITCH TANK[™]
- Water sprayer tank for efficient water delivery for concrete cutting and coring applications. Also useful for washing up slurry's, areas and equipment
- Semi-transparent tank with measuring scale to know how much liquid is inside the tank
- Carry handle lid with wide mouth makes easy transport and pouring of water into tank
- Replaceable hose with standard garden hose quick coupling and spray nozzle attaches easily to concrete cutting and coring equipment. Also compatible with standard garden nozzle accessories
- Integrated strainer prevents debris from entering the tank
- 5-mode pressure adjustment knob
- UV resistant
- When equipped with an M18[™] REDLITHIUM[™] 4.0 Ah battery it provides up to 12 tanks of spraying per charge





Tank capacity (I)	15
Pressure (bar)	1.38 - 8.27
Spray distance (m)	7.6
Flow rate (I/min)	0.4 - 2.0
Weight with battery pack (EPTA) (kg)	5.0 (M18 B4)



M18 FUEL

M18 FUEL

M18 FOPH-0 | Article Number.# 4933464954

M18 FUEL™ OUTDOOR POWER HEAD WITH QUIK-LOK™



M18 FOPH-EXA | Article Number.# 4932464960

QUIK-LOK™ EXTENSION ATTACHMENT

FEATURES:

- Compatible with Milwaukee[®] M18 FUEL[™] outdoor power head QUIK-LOK™ attachment system
- Easily adds an additional 91 cm reach to Milwaukee[®] outdoor power head chainsaw and hedge trimmer attachments making the tool much safer to use without the need for a ladder



M18 FOPH-LTA | Article Number.# 4932464955

QUIK-LOK™ GRASS TRIMMER ATTACHMENT

FEATURES:

- Compatible with Milwaukee[®] M18 FUEL[™] outdoor power head QUIK-LOK[™] attachment system
- Has the capability to clear thick brush
- 38.6 cm cutting path width
- Easy load trimmer head with bump feed holds 7.6 m of 2.0 mm trimmer line or 6.1 m of 2.4 mm trimmer line
- Designed to meet landscape maintenance professional needs
- Extreme wear resistance delivering longer life

IACHIM	ENI		
5			UP TO 58 MINUTES RUNTIME WITH AN MIS B.OAH BATTERY
	Max. cutting capacity (mm)	400	
	Cutting line diameter (mm)	2.0 / 2.4	Steel Contraction
	No load speed gear 1 (rpm)	0 - 4900	States and the
KIT INCLUDED:	No load speed gear 2 (rpm)	0 - 6200	
	Length (cm)	102	State Marine Provide State
M18 FOPH-LTA	Weight without battery pack (kg)	1.7	
		REDLI	HIUM ™

OUTDOOR POWER EQUIPMENT // JAN-JUNE 2023

M18 FOPH-BCA | Article Number.# 4932479986

QUIK-LOK™ BRUSH CUTTER ATTACHMENT

FEATURES:

- Designed to clear tall grass, weeds, thick brush and saplings up to 3 cm diameter
- 4-tooth blade with 23 cm diameter to cut overgrown areas
- Optimised blade shield design for better material containment
- Full throttle in under 1 second
- Protected drive shaft for increased durability against drops
- Compatible with MILWAUKEE[®] M18 FUEL[™] outdoor power head QUIK-LOK[™] attachment system

M18 FOPH-HTA | Article Number.# 4932464959

QUIK-LOK™ HEDGE TRIMMER ATTACHMENT

FEATURES:

- Compatible with Milwaukee[®] M18 FUEL[™] outdoor power head QUIK-LOK[™] attachment system
- Capable of cutting branches and limbs up to 25 mm in diameter
- 508 mm blade trims more material in a single pass, increasing reach and productivity
- Articulating head offers 12 positions from 0° to 270° for the most comfortable user sculpting angles and easy trimming the top of tall hedges
- Blade tip guard protects blades from contact with hard objects such as fencing

M18 FOPH-CSA | Article Number.# 4932464957

QUIK-LOK™ CHAINSAW ATTACHMENT

FEATURES:

■ Compatible with Milwaukee[®] M18 FUEL[™] outdoor power head QUIK-LOK[™] attachment system



- Perfect for cutting down overhead limbs or branches
- 254 mm bar with automatic chain oiling
- Side access chain tensioner for easy chain adjustment
 - Branch extracting hook, ideal for leverage and pulling cut branches out of the way
- Up to 150 cuts with a M18[™] 8.0 Ah battery pack
- Suitable for use with 91 cm extension attachment for maximum reach









M18 FOPH-EA | Article Number.# 4932464958

QUIK-LOK™ EDGER ATTACHMENT

FEATURES:

- Compatible with Milwaukee® M18 FUEL™ outdoor power head QUIK-LOK™ attachment system
- Designed to meet landscape maintenance professional needs
- Get the perfect lawn, sidewalk and path edges creating a sharp and manicured look
- Adjustable height and guide wheel help for best tool performance and control
- 20.3 cm blade offers long life and durability
- Up to 3900 RPM offers an efficient and nice clean cut



M18 FOPH-BBA | Article Number.# 4932479985

QUIK-LOK™ BRISTLE BRUSH ATTACHMENT

FEATURES:

- Clearing wet leaves, pebbles, dirt, sand, mulch and other debris off hard surfaces like sidewalks, paths, driveways or patios
- Efficiently cleans between cracks in sidewalk or pavement
- Maintenance of synthetic grass
- 58 cm clearing capacity achieving best material movement on a single pass for increased productivity
- Robust bristle brushes ensure a longer lifetime
- Optimized guard design for best material containment



M18 FOPH-RBA | Article Number.# 4932479984

QUIK-LOK™ RUBBER BROOM ATTACHMENT

FEATURES:

- Clearing rocks, leaves, dirt, mulch and other debris off grassy areas and hard surfaces like sidewalks, paths, driveways or patios
- Ability to move standing water or snow up to a height of 7,5 cm
- 58 cm clearing capacity achieving best material movement on a single pass for increased productivity
- Robust rubber paddles ensure a longer lifetime
- Optimized guard design for best material containment
- Counter-rotation of the drum throwing material in front and away from the operator



Article Number.# 4932464260 M18™ HIGH OUTPUT™ 12.0 AH BATTERY	Article Number.# 4932471070 M18™ HIGH OUTPUT™ B.O AH BATTERY BATTERY BATTERY
Article Number.# 4932430483 M18™ 5.0 AH BATTERY	Article Number.# 4932430063 M18™ 4.0 AH BATTERY BATTERY
Article Number.# 4932480165 M12™ 5.0 AH HIGH OUTPUT™ BATTERY PACK	Article Number.# 4932451395 Arti M12™ 6.0 AH BATTERY 66.0 BA BATTERY
Article Number.# 4932430064 M12™ 2.0 AH BATTERY	Article Number.# 4932451080 M12™ - M18™ SUPER CHARGER
Article Number.# 4932430087 M14™ - M18™ MULTIBAY CHARGER	Article Number.# 4932472074 M18™ DUAL BAY RAPID CHARGER

OUTDOOR POWER EQUIPMENT // JAN-JUNE 2023







cle Number.# 4932430062

Article Number.# 4932480164















WWW.MILWAUKEETOOL.CO.UK I #MILWAUKEETOOL





NOTES



BOLT™200 White Vented | Article Number.# 4932478141

NEW

BOLT™200 WHITE VENTED - 1PC

FEATURES:

- Shell made of Lexan[™] ultra resistant to impacts.
- BOLT[™] system ensure compatibility among a large range of accessories with an easy and intuitive attachment system.
- Extremely comfortable and easy to adjust wheel ratchet adjustment system.
- Foam suspension provides consistent impact performance independent of impact location.







M18

RUN TIME DATA

APPLICATION	PRODUCT NAME BATTERY						
M18		M18 HB3	M18 B4	M18 B5	M18 HB5.5	M18 HB8	M18 HB12
CHAINSAWS							
	M18 FCHS	38	40	50	75	100	150
	M18 FCHSC	38	40	50	75	100	150
	M18 FCHS35 M18 FHS20	38 90	40 120	50 150	75 180	100 240	150 360
	M18 FTHCHS30	56	75	93	112	150	225
CUTS IN 10CM CEDAR	M18 FTHCHS35	56	75	93	112	150	225
POLE SAWS							
PRUNING XUTS IN 7.5CM OAK	M18 FOPH-CSA	62	65	82	123	166	247
GRASS TRIMMERS							
	M18 BLLT	13 min	14 min	17 min	26 min	35 min	53 min
HIGH MODE	M18 FOPH-LTA	12 min	13 min	16 min	24 min	33 min	49 min
GRASS CUTTING	M18 BLLT	26 min	28 min	35 min	54 min	70 min	105 min
*measured under no load speed, simulates light grass trimming application	M18 FOPH-LTA	22 min	23 min	29 min	44 min	58 min	88 min
HEDGE TRIMMERS							
	M18 CHT	52 min	56 min	70 min	105 min	140 min	211 min
*measured under no load speed, simulates light hedge trimming application	M18 FHT45	52 min	56 min	70 min	105 min	140 min	211 min
	M18 FOPH-HTA	26 min	28 min	35 min	52 min	70 min	105 min
BRUSH CUTTERS							
TRIMMING HIGH MODE	M18 FOPH-BCA	23 min	30 min	38 min	46 min	61 min	91 min
*No load run time with blade at full throttle (simulates light brush cutting)	M18 FBCU	12 min	13 min	16 min	24 min	33 min	49 min
TRIMMING LOW MODE *measured under no load speed, simulates light grass trimming application	M18 FBCU	22 min	23 min	29 min	44 min	58 min	88 min
BLOWERS							
TOUGH BLOWING HIGH MODE	M18 FBL	6 min	6 min	8 min	12 min	16 min	24 min
LIGHT BLOWING LOW MODE	M18 FBL	18 min	19 min	24 min	36 min	48 min	72 min

SCAN TO VIEW OUR OPE RANGE



RUN TIME DATA

APPLICATION		PRODUCT NAME	BATTERY					
M18			M18 HB3	M18 B4	M18 B5	M18 HB5.5	M18 HB8	M18 HB12
SPRAYERS								
CHEMICAL SPRAYER *Number of tanks on speed one which is equivalent to light spraying	1	M18 BPFP-CST	9 tanks	12 tanks	15 tanks	18 tanks	24 tanks	36 tanks
EDGERS								
LIGHT EDGING HIGH MODE	(man)	M18 FOPH-EGA	40 min	42 min	53 min	80 min	106 min	160 min
BRUSHES								
CLEANING HIGH MODE *measured under load moving wood chips and dirt at full throttle	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	M18 FOPH-BBA	11 min	14 min	18 min	22 min	29 min	43 min
CLEANING HIGH MODE *measured under load moving wood chips and dirt at full throttle		M18 FOPH-RBA	9 min	12 min	15 min	18 min	25 min	37 min

M18 DUAL BATTERY	M18 HB3	M18 B4	M18 B5	M18 HB5.5	M18 HB8	M18 HB12	
LAWN MOWER							
GRASS CUTTING *removing 2.5 cm of grass at 4.8 km/h	M18 F2LM53	MILWA	RE DLITH BATTERY TECHN UKEE® RECOMM OUTPUT™ BATT	IENDS	1000 m ²	1300 m ²	2000 m²
BLOWER							
	M18 F2BL	MILWA	BATTERY TECHN UKEE® RECOMM OUTPUT™ BATT	IENDS	13	17	26

M12		M12 B2	M12 B3	M12 B4	M12 B6	M12 HB2.5	M12 HB5	
HATCHET SAW								
LOG CUTTING CUTS IN 5CM OAK		M12 FHS	60	90	120	180	86	172
HEDGE TRIMMER								
LIGHT TRIMMING "No load run time at full throttle (simulates light trimming application)	た	M12 FHT	25	37	50	75	36	72
SPRAYER								
CHEMICAL SPRAYER *first mode - spot spraying	1	M12 BHCS3L	300	450	600	900	431	862

_ Run time data based on MILWAUKEE® testing conducted using the recommended battery

*Charge times are based on a fully-charged battery. These given guidelines are indicative only and may not be replicated due to the varying usage conditions. Results can vary depending on the user and the application. Test results conducted by MILWAUKEE® for recommended batteries are marked in white, all other battery capacities are calculated.

M12 M18

Milwaukee





Visit **www.milwaukeetool.co.uk** to find out more



#milwaukeetool_uk

#MilwaukeeToolUK

@MilwaukeeToolEurope

