

Milwaukee[®]

Nothing but **HEAVY DUTY**.™



2022/23

PLUMBING CATALOGUE

NEW



**PIPE
CONNECTING
& PRESSING**



SEE PAGES 2-9

**PIPE
CUTTING**



SEE PAGES 10-11

**PIPE
INSTALLATION**



SEE PAGES 23-25

**DRAIN
CLEANING &
INSPECTION**



SEE PAGES 12-21

milwaukeetool.co.uk

PIPE CONNECTING

M12 HPT-OC | ART.# 4933478247

M12 SUB COMPACT FORCE LOGIC™ HYDRAULIC PRESS TOOL

FEATURES:

- The industry's smallest, lightest press tool: weighs only 1.8 kg for greater user comfort
- Patented one hand operation allows to work in restricted areas
- Press indicator: provides visual confirmation of a quality connection
- Outstanding pressing range up to 35 mm metal and 40 mm composite pipes
- Battery-tool communication: press operation doesn't start to prevent incomplete pressing in case of low charged battery. Pre-press battery check ensures enough charge to complete each press

KIT INCLUDES:



NEW M18 BLHPTXL-OC | ART.# 4933479440

M18 FORCE LOGIC™ BRUSHLESS XL PRESS TOOL

FEATURES:

- New compact brushless motor in FORCE LOGIC™ press tools delivers up to 10% faster connections and 20% more run time
- FORCE LOGIC™ press indicator: provides visual confirmation of a quality connection
- Extended press range up to 108 mm in copper, C- steel & stainless steel & up to 4" in steel pipe

KIT INCLUDES:



M18 ONEBLHPT-OC | ART.# 4933478305


M18 ONE-KEY™ FORCE LOGIC™ BRUSHLESS PRESS TOOL

JAW RECEPTION

Fits all current M18™ press jaws and all common competitors

FORCE LOGIC™ PRESS INDICATOR

Instant feedback on every press cycle. Green light = Right amount of force was applied to the fitting



LED LIGHT



TOOL TRIGGER
With auto-press cycle function



PERFECT BALANCE
For one-handed operation



AVAILABLE IN THE RANGE:



	NEW M18 BLHPTXL-OC	M18 ONEBLHPT-OC	M18 BLHPT-202C	M12 HPT-OC
System	M18™	M18™	M18™	M12™
Technology	Brushless	Brushless	Brushless	Brushed
ONE-KEY™ enabled	X	✓	X	X
Press cycles	50,000	50,000	50,000	40,000
Press force (kN)	32	32	32	19
Max. press size in metal (mm)	108	108	108	35
Max. press size in plastic (mm)	110	110	110	40
Kit includes	No batteries supplied, No charger supplied, Kitbox	No batteries supplied, No charger supplied, Kitbox	2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox	No batteries supplied, No charger supplied, Kitbox
ART.#	4933479440	4933478305	4933451137	4933478247

*Images for illustration purposes only, press jaw not included

REDLITHIUM™

PICK THE RIGHT KIT FOR YOU

All press tools are also available as bare unit without batteries, charger, kitbox and jaws

M18 ONE-KEY™ FORCE LOGIC™ BRUSHLESS PRESS TOOL SETS

ONE-KEY™ M18 FORCE LOGIC™

ART.# 4933478629

M18 ONEBLHPT-302C M-SET

INCLUDES:
3 x M-profile jaws (15/22/28 mm)



KIT INCLUDES:



ART.# 4933478628

M18 ONEBLHPT-302C U-SET

INCLUDES:
3 x U-profile jaws (16/20/25 mm)



KIT INCLUDES:



M18 FORCE LOGIC™ BRUSHLESS PRESS TOOL SETS

M18 FORCE LOGIC™



KIT INCLUDES:




Article Number	Description	Includes
4933451138	M18 BLHPT-202C M-SET	3 x M-profile jaws (15 / 22 / 28 mm)
4933451139	M18 BLHPT-202C V-SET	3 x V-profile jaws (15 / 22 / 28 mm)
4933451140	M18 BLHPT-202C TH-SET	3 x TH-profile jaws (16 / 20 / 32 mm)
4933451141	M18 BLHPT-202C U-SET	3 x U-profile jaws (16 / 20 / 25 mm)

M12 SUB COMPACT FORCE LOGIC™ HYDRAULIC PRESS TOOL SETS

M12 FORCE LOGIC™



KIT INCLUDES:



Article Number	Description	Includes
4933448748	M12 HPT-202C M-SET	3 x M-profile jaws (15 / 22 / 28 mm)
4933448749	M12 HPT-202C V-SET	3 x V-profile jaws (15 / 22 / 28 mm)
4933448750	M12 HPT-202C TH-SET	3 x TH-profile jaws (16 / 20 / 26 mm)
4933448751	M12 HPT-202C U-SET	3 x U-profile jaws (16 / 20 / 25 mm)

REDLITHIUM™

DISCOVER OUR PRESS JAW RANGE

M12™ and M18™ FORCE LOGIC™ Press Jaws are manufactured for the highest standards of press quality and durability in the industry. Designed for easy opening with one thumb, these jaws when used with the M12™ and M18™ FORCE LOGIC™ Press Tools represent a one handed pressing solution for up to 108 mm pipe. The Press Jaws will deliver quality press connections on all major fitting brands.



Jaw profile	Fits to following pipe system suppliers	Tool suitability	Nominal size	Description	Article Number
M	Geberit: Mapress VSH: X-Press Eurotubi Raccorderie Metallique Rubinetteria Bresciane Sanha: Nirosoan Pegler Yorkshire	M12	12	J12-M12	4932430243
			15	J12-M15	4932430245
			18	J12-M18	4932430247
			22	J12-M22	4932430249
			28	J12-M28	4932430251
			35	J12-M35	4932430253
			12	J12-M12 Geberit	4932480879
			15	J12-M15 Geberit	4932480880
			18	J12-M18 Geberit	4932480881
			22	J12-M22 Geberit	4932480882
			28	J12-M28 Geberit	4932480883
			35	J12-M35 Geberit	4932480884
			12	J18-M12	4932430244
			15	J18-M15	4932430246
		18	J18-M18	4932430248	
		22	J18-M22	4932430250	
		28	J18-M28	4932430252	
		35	J18-M35	4932430254	
		42	RJ18-M42 (requires ring jaw adaptor RJA-1)	4932430255	
		54	RJ18-M54 (requires ring jaw adaptor RJA-1)	4932430256	
		M18	12	J18-M12 Geberit	4932480885
			15	J18-M15 Geberit	4932480886
			18	J18-M18 Geberit	4932480887
			22	J18-M22 Geberit	4932480888
			28	J18-M28 Geberit	4932480889
			35	J18-M35 Geberit	4932480890

FF	Geberit	M12	16-40	J12-FF 16-40 Geberit	4932480981
		M18	16-40	J18-FF 16-40 Geberit	4932480982
			50-75	J18-FF 50-75 Geberit	4932480983

V	Viega Comap IBP Sanha: Nirosoan	M12	12	J12-V12	4932430260		
			14	J12-V14	4932451660		
			15	J12-V15	4932430262		
			16	J12-V16	4932451661		
			18	J12-V18	4932430264		
			22	J12-V22	4932430266		
			28	J12-V28	4932430268		
			35	J12-V35	4932430270		
			12	J18-V12	4932430261		
			14	J18-V14	4932471086		
			15	J18-V15	4932430263		
			16	J18-V16	4932471087		
			18	J18-V18	4932430265		
			22	J18-V22	4932430267		
		28	J18-V28	4932430269			
		35	J18-V35	4932430271			
		42	RJ18-V42 (requires ring jaw adaptor RJA-1)	4932430272			
		54	RJ18-V54 (requires ring jaw adaptor RJA-1)	4932430273			
		Adaptor Jaw M18™				RJA-1	4932430307

TH	ALB Comap Frankische Henco (nur TH14 - TH25) IPA Sanha Tiemme	M12	14	J12-TH14	4932430274
			16	J12-TH16	4932430276
			18	J12-TH18	4932430278
			20	J12-TH20	4932430280
			25	J12-TH25	4932430282
			26	J12-TH26	4932430283
			32	J12-TH32	4932430285
			40	J12-TH40	4932430287
			14	J18-TH14	4932430275
		16	J18-TH16	4932430277	
		18	J18-TH18	4932430279	
		20	J18-TH20	4932430281	
		25	J18-TH25	4932430355	
		26	J18-TH26	4932430284	
		32	J18-TH32	4932430286	
		40	RJ18-TH40 (requires ring jaw adaptor RJA-1)	4932430288	
		50	RJ18-TH50 (requires ring jaw adaptor RJA-1)	4932430289	
		63	RJ18-TH63 (requires ring jaw adaptor RJA-1)	4932430290	

U	ALB Uponor: Unipipe, Airpipe Kan: Kan-therm Wavin: Press-Systeme Frankische: Apex F50 Profi DW Verbundrohr Multitubo IBP:>B<Flex KE Kelit: Kelit Kelox Jupiter: Heizsystem	M12	14	J12-U14	4932430291
			16	J12-U16	4932430293
			18	J12-U18	4932430295
			20	J12-U20	4932430297
			25	J12-U25	4932430299
			32	J12-U32	4932430301
			40	J12-U40	4932430303
			14	J18-U14	4932430292
			16	J18-U16	4932430294
		18	J18-U18	4932430296	
		20	J18-U20	4932430298	
		25	J18-U25	4932430300	
		32	J18-U32	4932430302	
		40	RJ18-U40 (requires ring jaw adaptor RJA-1)	4932430304	
		50	RJ18-U50 (requires ring jaw adaptor RJA-1)	4932430305	
		63	RJ18-U63 (requires ring jaw adaptor RJA-1)	4932430306	

Acz	ACOME MT	M12	12	J12-ACz 12	4932459388
			16	J12-ACz 16	4932459389
			20	J12-ACz 20	4932459390
			25	J12-ACz 25	4932459391

G	Geberit: Mepla & Mepla Therm	M12	16	J12-G16	4932464217
			20	J12-G20	4932464218
			26	J12-G26	4932464219
			32	J12-G32	4932464220
			40	J12-G40	4932464221
			16	J12-G16 Geberit	4932480891
			20	J12-G20 Geberit	4932480892
			26	J12-G26 Geberit	4932480893
			32	J12-G32 Geberit	4932480894
			40	J12-G40 Geberit	4932480895
			16	J18-G16	4932464544
			20	J18-G20	4932464545
			26	J18-G26	4932464546
			32	J18-G32	4932464547
		40	J18-G40	4932464548	
		50	J18-G50	4932464549	
		16	J18-G16 Geberit	4932480896	
		20	J18-G20 Geberit	4932480897	
		26	J18-G26 Geberit	4932480898	
		32	J18-G32 Geberit	4932480899	
		40	J18-G40 Geberit	4932480900	
		50	J18-G50 Geberit	4932480901	
63	RJ18-G63 Geberit	4932480966			
75	RJ18-G75 Geberit	4932480967			
M18 Adapter Jaw				RJA - Geberit	4932480968

MILWAUKEE® HAS GOT YOU COVERED FOR PE-XA PIPE EXPANSIONS



RESIDENTIAL INSTALLATIONS

M12 FPXP/ C12 PXP

LIGHT COMMERCIAL INSTALLATIONS

HD18 PXP

HEAVY COMMERCIAL/ INDUSTRIAL INSTALLATION

M18 ONEBLXP

M18 ONEBLXPPL-502C | ART.# 4933457610

M18 ONE-KEY™ FORCE LOGIC™ UPONOR™ Q&E HYDRAULIC PIPE EXPANDING TOOL

AUTO-ROTATING HEAD
Provides accurate, one-handed expansion

TABLE TOP DESIGN
Flip over the tool onto a stable flat base for table top usage

POWERFUL HYDRAULICS
Expands Uponor™ PE-Xa pipes up to DN75

AUTO-CYCLE
One trigger pull initiates auto-cycle to speed up repetitive connections

BALANCED ERGONOMICS
Ergonomically designed for above head installations with balanced weight and grip position

ONE-KEY™
M18 ONEBLXPPL
ONE-KEY™ allows reporting of every expansion cycle

KIT INCLUDES:
M18 ONEBLXPPL, M18 B5 x2, M12-18 C, KITBOX

THE MOST CONSISTENT WAY TO INSTALL.



ALSO AVAILABLE IN THE M18 RANGE:

HD18 PXP-H06202C | ART.# 4933451162

M18 UPONOR™ Q&E EXPANSION TOOL 6 BAR KIT

INCLUDES:
6 Bar heads 16/20/25/32 mm

FEATURES:

- Auto rotating head 12 mm to 40 mm (6 bar) and to 32 mm (10 bar) provides accurate, one-handed expansion
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Quick cam mechanism - single pull continuous action installs Q&E up to 4x faster
- Steel gears and integrated magnesium frame
- Robust D-handle design for easy installation of Q&E fittings
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability
- On board fuel gauge and LED light

KIT INCLUDES:
HD18 PXP, M18 B2 x2, M12-18 C, KITBOX

REDLITHIUM™

NEW M18 FPXP-0C | ART.# 4933479436 (Available as 0-version only)

M18 FUEL UPONOR™ Q&E EXPANSION TOOL

- FEATURES:**
- Auto-rotating heads from 9.9 mm to 50 mm provide the most accurate, one-handed expansions
 - Most compact 50 mm battery powered pipe expander Compatible with all existing M12™ and M18™ expansion heads up to 50 mm
 - Fast solution for 50 mm Q&E installations Two speed settings: one for up to 32 mm and one for 40 mm and above
 - On board LED light for illumination in low lit working conditions Ideal solution for 40 mm and 50 mm expansions
 - ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality



KIT INCLUDES:
M18 FPXP-0C

REDLITHIUM™

M12 FPXP-0C | ART.# 4933472018

M12 FUEL UPONOR™ Q&E PIPE EXPANDING TOOL

AUTO-ROTATE HEAD
Ensures a perfect expanding

BELT HOOK
For a safe hold

SLIM HANDLE
For best handling

BATTERY LEVEL
Info about remaining run time

HEAD RECEPTION
Maximum capacity of 32 mm at 6 bar and 25 mm at 10 bar

DUAL ACTING TRIGGER
Allows expansion in any position

TRIGGER LOCK
For safe storing

LED LIGHT
Illuminate work area

REDLITHIUM™

C12 PXP-I06202C | ART.# 4933381990

M12 SUB COMPACT UPONOR™ Q&E EXPANSION TOOL 6 BAR KIT

INCLUDES:
6 Bar heads 16/20/25 mm

AUTO-ROTATE HEAD
Ensures a perfect expanding

BELT HOOK
For a safe hold

SLIM HANDLE
For best handling

BATTERY LEVEL
Info about remaining run time

HEAD RECEPTION
Maximum capacity of 32 mm at 6 bar and 25 mm at 10 bar

DUAL ACTING TRIGGER
Allows expansion in any position

TRIGGER LOCK
For safe storing

LED LIGHT
Illuminate work area

KIT INCLUDES:
C12 PXP, M12 B2 x2, C12 C, KITBOX

REDLITHIUM™

DISCOVER OUR EXPANDER HEADS RANGE

The Q&E Expansion Heads are precision engineered for accurate expansion of Uponor™ PEX-a tubing for Q&E fittings. Featuring the auto-rotation interface for MILWAUKEE® Cordless Q&E Expansion Tools, the heads are not only compatible with M12™, M18™ tools, but also fit most Uponor™ tools. Made from high strength steel, the chrome plated segments and black oxide ring combine durability and weather resistance. Colour coded rings for easy size recognition add convenience.



	Pipe diameter (mm)	Pipe wall thickness (mm)	Pipe pressure (bar)	Suitable	Article Number
PXPH12I-14	12	1.7/1.8/2	6-10	M12 M18	4932352716
PXPH16I-1410	16	1.8/2.0/2.2	10	M12 M18	4932352717
PXPH20I-1406	20	1.9/2.0/2.3	6, (8 bar - Ø 2.3 mm)	M12 M18	4932352718
PXPH20I-1410	20	2.8	10	M12 M18	4932352719
PXPH25I-1406	25	2.3	6	M12 M18	4932352720
PXPH32I-1406	32	2.9	6	M12 M18	4932352723
PXPH 40I - 5606	40	3.7	6-10	M18 ONEBLPXPL	4932451396
PXPH 50I - 5606	50	4.6	6-10	M18 ONEBLPXPL	4932451397
PXPH 63I - 5606	63	5.8	6-10	M18 ONEBLPXPL	4932451398
PXPH 75I - 5606	75	6.8	6-10	M18 ONEBLPXPL	4932451399
Grease					4932352726
Tube contents 50 g. For lubrication of cone and expander heads					



M18 FPT2-0C | ART.# 4933478596

M18 FUEL PIPE THREADER 2"

INDUSTRY'S FIRST CORDLESS 2" PIPE THREADER

IDEAL FOR:
SUPPLY WATER & SPRINKLER SYSTEMS
GAS LINES
PROTECTING ELECTRICAL WIRING



- TWO-SPEED SELECTOR**
Speeds optimised for thread quality above and below 1"
- REINFORCED MAGNESIUM CARRY HANDLE**
Reinforced magnesium for added strength & durability
- AUTOSTOP™**
Anti-kickback control
- DIE HEAD LOCK RING**
Locks die head in place & prevents unintended die head ejection
- SIDE GRIP**
Avoids the hand touching the spinning head
- DIRECT DIE HEAD FIT**
Rigid 12-R
- VARIABLE SPEED TRIGGER**
Control speed for optimal thread quality
- ONE-KEY™ enabled**
Protect your asset with tool tracking and security

KIT INCLUDES:



PIPE THREADER ADAPTER KIT FOR RIDGID 11R HEADS
ART.# 4932478838

- Small adapter for sizes 1/8" up to 1-1/4"
- Large adapter for 1-1/2" up to 2"

PIPE THREADER ADAPTER KIT FOR REMS QUICK CHANGE HEADS
ART.# 4932478839

- Small adapter for sizes 1/8" up to 1-1/4"
- Large adapter for 1-1/2" up to 2"

PIPE THREADER ADAPTER KIT FOR ROTHENBERGER
ART.# 4932478840

- Small adapter for sizes 1/8" up to 1-1/4"
- Large adapter for 1-1/2" up to 2"


PIPE CUTTING

NEW M12 PCSS-0 | ART.# 4933479241 (Available as 0-version only)

M12 RAPTOR™ PIPE CUTTER STAINLESS STEEL

- FEATURES:**
- Cuts galvanised, stainless steel and copper from 12 mm to 28 mm x 1.2 mm
 - Cuts 40 mm from the wall
 - Up to 90 cuts per charge with an M12 B2 battery pack

WORLDS FIRST BATTERY POWERED PIPE CUTTER FOR INSTALLED STAINLESS STEEL



C12 PC-0 | ART.# 4933411920 (Available as 0-version only)

M12 SUB COMPACT COPPER PIPE CUTTER

- FEATURES:**
- Outstanding cutting speed of 500 rpm
 - Featured with cutting mechanism that automatically adjusts the diameter to cut 12 - 15 - 18 - 22 - 28 mm copper pipes



C12 PPC-0 | ART.# 4933416550 (Available as 0-version only)

M12 SUB COMPACT PEX CUTTER

- FEATURES:**
- Quick-return blade helps to increase productivity when making repetitive cuts
 - Convenient offset blade: facilitates cutting of PVC in walls, close to walls or in the ground



BAND SAWS

- IDEAL FOR:**
- CUTTING CAST IRON FOR WASTE WATER
 - CUTTING BLACK PIPES FOR INSTALLING SPRINKLERS
 - CUTTING STAINLESS STEEL OR COPPER PIPE FOR RUNNING WATER

M12 FBS64-402C | ART.# 4933478442

M12 FUEL SUB COMPACT BAND SAW

- No load speed 0-174 rpm
- Max cutting capacity 64 mm



DESCRIPTION	ART.#	PRICE (excl. VAT)	PRICE (inc. VAT)
Metal 4-8 mm	48390631	£ 49.99	£ 59.99
Metal 5-13 mm	48390630	£ 49.99	£ 59.99



M18 FBS85-202C | ART.# 4933471498

M18 FUEL COMPACT BAND SAW

- No load speed 0-165 rpm
- Max cutting capacity 85 mm



DESCRIPTION	ART.#	PRICE (excl. VAT)	PRICE (inc. VAT)
Metal 4-8 mm	48390619	£ 47.24	£ 56.69
Metal 5-13 mm	48390609	£ 47.24	£ 56.69



M18 CBS125-502C | ART.# 4933448198

M18 FUEL DEEP CUT BAND SAW

- No load speed 0-116 rpm
- Max cutting capacity 125 mm



DESCRIPTION	ART.#	PRICE (excl. VAT)	PRICE (inc. VAT)
Metal 4-8 mm	48390611	£ 57.74	£ 69.29
Metal 5-13 mm	48390601	£ 57.74	£ 69.29



REDLITHIUM™

SAWZALL™ & HACKZALL™

- IDEAL FOR:**
- DEMOLITION AND PIPE CUTTING

M18 ONEFSZ-0X | ART.# 4933478296

M18 FUEL ONE-KEY™ SAWZALL™

- No load stroke rate 0-3000 spm
- 32 mm stroke length



M18 ONEFSZ-552X | ART.# 4933478295

M18 FUEL ONE-KEY™ SAWZALL™

- No load stroke rate 0-3000 spm
- 32 mm stroke length



M12 CHZ-602X | ART.# 4933451908

M12 FUEL SUB COMPACT HACKZALL™

- No load stroke rate 0-3000 spm
- 15.9 mm stroke length



M18 FHZ-502X | ART.# 4933459886

M18 FUEL HACKZALL™

- No load stroke rate 0-3000 spm
- 22 mm stroke length



REDLITHIUM™

THE TORCH™ CARBIDE TEETH



- For cutting all thick metal pipes, cast iron & SML drainage pipes
- 50x longer life than standard bi-metal blades

LENGTH	PACK QTY	ART.#
150 mm	1	48005201
150 mm	5	48005501
230 mm	1	48005202
230 mm	5	48005502
300 mm	1	48005203
300 mm	5	48005503

TORCH™ NITRUS CARBIDE



- For cutting all thick metal pipes, cast iron & SML drainage pipes
- 3x longer life than standard carbide blades

LENGTH	PACK QTY	ART.#
150 mm	1	48005261
150 mm	5	48005561
230 mm	1	48005262
230 mm	5	48005562
300 mm	1	48005263
300 mm	5	48005563

230 MM SAWZALL™ TORCH™ BLADE WITH DIAMOND GRIT
ART.# 48001450

- For special application in cast iron, abrasive materials & fibreglass



TORCH™ BLADES FOR ALL METAL DEMOLITION WORK - 5 PCS PACKS

LENGTH	ART.#
150 mm x 14 Tpi	48005782
230 mm x 14 Tpi	48005787
150 mm x 10 Tpi	48005712
230 mm x 10 Tpi	48005713
300 mm x 10 Tpi	48005714

THIN KERF BLADES: FAST CUTS IN METAL - 5 PCS PACKS

LENGTH	ART.#
150 mm x 18 Tpi	48005184
230 mm x 18 Tpi	48005188
300 mm x 18 Tpi	48005189
150 mm x 14 Tpi	48005182
230 mm x 14 Tpi	48005187

PIPE CUTTING

PIPE CUTTING

PLUMBING EDITION

DRAIN CLEANING



FIXTURE/ SINK LINES

32-50 MM



SECONDARY/ BRANCH DRAIN LINES

50-90 MM



COMMERCIAL MAIN & RESIDENTIAL SEWERS

75-160 MM



SEWER/ LATERAL LINES

110-250 MM



MXF LSDP-301 | ART.# 4933471852

MX FUEL LARGE SEWER DRUM MACHINE WITH POWERTREDZ™

- POWER TREDZ™ TRIGGER**
Engages POWER TREDZ™ lift assist
- CONTROL PANEL**
Turning tool on and off, switch from lift assist to drain cleaning mode
- FULLY ENCLOSED DRUM**
Best protection and mess containment
- ONE KEY™**
UNLOCKING THE DIGITAL JOBSITE.
TRACK. MANAGE. SECURE.™
- POWER TREDZ™ LIFT ASSIST**
One-person transportation of the machine up and down stairs as well as in and out of service van
- RAPID STOP™**
Release of CABLE-DRIVE bearings to quickly stop cable from feeding or retracting
- FORWARD/OFF/REVERSE SWITCH**
Dictates cable spin direction
- CABLE-DRIVE**
Automatically feeds and retracts the cable
- ELECTRONIC FOOT PEDAL**
For cable speed control
- DRUM PLUG**
Easily remove water from the drum



M18 FUEL HANDHELD DRAIN CLEANERS

CABLE-DRIVE™ LOCKING FEED SYSTEM

Strongest cable grip, maintains selected speed

M18 FDCPF10-0C
ART.# 4933459684

M18 FUEL DRAIN CLEANER POWER FEED 10 MM

Supplied with 1 x 10 mm x 10.6 m cable, 5 pc cutter set, removal pin



M12 HANDHELD DRAIN CLEANERS

SLIDE ACTION CABLE LOCK

Lock and release cable in one quick movement

M12 BDC8-0C
ART.# 4933451632

M12 SUB COMPACT DRAIN CLEANER WITH SPIRAL DIAMETER 8 MM

Supplied with 8 mm x 7.6 m inner core bulb head



M12 BDC6-0C
ART.# 4933451634

M12 SUB COMPACT DRAIN CLEANER WITH SPIRAL DIAMETER 6 MM

Supplied with 6 mm x 7.6 m inner core bulb head



M18 FUEL FREESTANDING DRAIN CLEANERS

FOOT PEDAL STORAGE

For easier transportation

FULLY ENCLOSED DRUM

Best protection and mess containment

ON-TOOL ACCESSORY STORAGE

Keep accessories with the tool

ELECTRONIC FOOT PEDAL

For cable speed control

FORWARD/OFF/REVERSE SWITCH

Dictates cable spin direction

BACK PACK STRAPS

For easiest transportation

KICK STAND

For additional stability

TOOL-FREE DRUM LATCH

Quickly change between drums



M18 FFSDC16-0 | ART.# 4933459709

M18 FUEL FREE STANDING DRAIN CLEANER 16 MM

Supplied with 1 x backpack assembly, 2 x drum assembly, 2 x 16 mm x 15 m open wind cables, 1 x cutter set & removal tool



M18 FFSDC10-0 | ART.# 4933459707

M18 FUEL FREE STANDING DRAIN CLEANER 10 MM

Supplied with 1 x backpack assembly, 1 x drum assembly, 1 x 10 mm x 15 m cables, 1 x cutter set & removal tool



AUTO FEED SYSTEM ATTACHMENTS

SAF | ART.# 4932471993

SWITCH PACK™ AUTO FEED FOR M18 FFSDC SERIES

- For use with all M18 FFSDC series, the SWITCH PACK™ auto feed allows users to upgrade their current M18 FFSDC, into an automatic feeding drain cleaner
- Compatible with MILWAUKEE® 8 mm x 23 m, 10 mm x 15 m, 13 mm x 15 m inner core cables and 16 mm x 15 m open wind cables
- Integrated RAPIDSTOP™, allows user to directly stop feeding of the cable when clog is reached to have more control whilst unclogging drains and preventing cable binding and breaking



GHSAF | ART.# 4932471994

GUIDE HOSE FOR SWITCH PACK™ AUTO FEED

- 65 cm front guide hose for SWITCH PACK™ with attached auto feed mechanism
- Enables users to fully cover the spiral whilst automatically feeding the cable into the drain for best protection and mess containment



BPSAF | ART.# 4932478225

BASE PLATE FOR SWITCH PACK™ AUTO FEED

- Base plate for auto feed assembly for SWITCH PACK™
- Fits on every M18 FFSDC drum



M18 FCSSM-0 | ART.# 4933478408

M18 FUEL COMPACT SECTIONAL SEWER MACHINE



ONE KEY

UNLOCKING THE DIGITAL JOBSITE.

TRACK. MANAGE. SECURE.

CARRY STRAP CONNECTION POINTS

Attach MILWAUKEE® carry strap for hands-free transportation

PIN KEY HOLDER

Conveniently store cable decoupling tool

DRAINAGE PORT

Clear excess liquid from the machine

KIT INCLUDES:



FORWARD/OFF/REVERSE SWITCH

Dictates cable spin direction, use forward to manually feed and retract

CAM LEVER FOR TOOL-FREE CABLE SIZE CHANGES

Between 16 mm and 22 mm cable

GUIDE HOSE CONNECTION

Quick connection to the machine

LEVER ARM HOOK

Holds lever arm in place to carry and store the machine

NO TOOL LUBRICATION REQUIRED

LEVER ARM

Engages clutch

CABLE HOOK

Hook cable sections to prevent cable from falling down the line

BATTERY DOOR

Sealed battery protection

Supplied with guide hose



LIGHTWEIGHT ONLY 14 KG INCLUDING BATTERY

REDLITHIUM™

M18 FSSM-0 | ART.# 4933471411

M18 FUEL SECTIONAL SEWER MACHINE

- First 18V sectional sewer machine with automatic feed and retract
- CABLE-DRIVE locking feed system maintains selected feed speed, and auto-adjusts to compatible cable sizes 22 and 32 mm

KIT INCLUDES:



from Ø 50 mm to Ø 200 mm

REDLITHIUM™

DISCOVER OUR DRUM MACHINE ATTACHMENTS



	Description	M12BDC6, M12 BDC8	M18 FDCPF8, M18 FDCPF10	M18 FFSDC16, M18 FFSDC13, M18 FFSDC10	MXF LS DP	Article Number	
Open wind spiral SD	16 mm x 15.2 m open wind coupling end			✓		48532775	

Tight wind spiral HH	6 mm x 7.6 m inner core bulb head	✓				48532573		
	8 mm x 7.6 m inner core drop head	✓				48532572		
	6 mm x 7.6 m inner core drop head	✓				48532574		
		6 mm x 10.6 m inner core bulb head		✓			48532671	
		6 mm x 15.2 m inner core bulb head		✓			48532672	
		8 mm x 7.6 m inner core bulb head	✓				48532571	
		8 mm x 10.6 m inner core bulb head		✓			48532673	
		8 mm x 15.2 m inner core bulb head		✓			48532674	
		10 mm x 10.6 m inner core coupling end		✓			48532675	
		6 mm x 7.6 m inner core bulb head drum	✓				48532581	
		6 mm x 7.6 m inner core drop head drum	✓				48532582	
		8 mm x 7.6 m inner core bulb head drum	✓				48532583	
	8 mm x 7.6 m inner core drop head drum	✓				48532584		

Tight wind spiral SD	8 mm x 23 m inner core bulb head			✓		48532772	
	10 mm x 15.2 m inner core coupling end			✓		48532773	
	13 mm x 15.2 m inner core coupling end			✓		48532774	
	16 mm x 7.6 m inner core coupling end				✓	4932471701	
	16 mm x 15.2 m inner core coupling end				✓	4932471702	
	20 mm x 7.6 m inner core coupling end				✓	4932471703	
	20 mm x 15.2 m inner core coupling end				✓	4932471704	
	16 mm anchor cable coupling end				✓	4932471707	
	16 mm x 60 cm leader cable coupling end				✓	4932471708	
20 mm x 600 mm leader cable coupling end				✓	4932471709		

Bulb auger HH	Small bulb auger for 10, 13, 16 mm cables		✓	✓		48532681	
C-cutter HH	Small C cutter for 10, 13, 16 mm cables		✓	✓		48532684	
C-cutter SD	Medium C cutter for 10, 13, 16 mm cables		✓	✓		48532789	
Chain knocker SD	75 mm chain knocker for 16, 20 mm cables				✓	48532837	
	100 mm chain knocker for 16, 20 mm cables				✓	48532838	

	Description	M12BDC6, M12 BDC8	M18 FDCPF8, M18 FDCPF10	M18 FFSDC16, M18 FFSDC13, M18 FFSDC10	MXF LS DP	Article Number	
Drop head HH	Small drop head for 10, 13, 16 mm cables		✓	✓		48532682	
Drop head SD	Medium drop head for 10, 13, 16 mm cables		✓	✓		48532787	
Funnel auger SD	Funnel auger for 16, 20 mm cables				✓	48532831	
	Medium funnel auger for 10, 13, 16 mm cables		✓	✓		48532786	
Head kit HH	Small 5 pc head kit for 10, 13, 16 mm cables		✓	✓		48532685	
	Medium 5 pc head kit for 10, 13, 16 mm cables		✓	✓		48532790	
Head kit SD	9 pc head kit 16, 20 mm cables				✓	48532840	

Opening tool SD	Small opening tool for 16, 20 mm cables				✓	48532835	
	Medium opening tool for 16, 20 mm cables				✓	48532836	
Root cutter SD	75 mm root cutter for 16, 20 mm cables				✓	48532832	
	100 mm root cutter for 16, 20 mm cables				✓	48532833	
	150 mm root cutter for 16, 20 mm cables				✓	48532834	
Spade bit HH	Small spade bit for 10, 13, 16 mm cables		✓	✓		48532683	
Spade bit SD	Medium spade bit for 10, 13, 16 mm cables		✓	✓		48532788	
Straight auger SD	Straight auger for 16, 20 mm cables				✓	48532830	

SAF	SWITCH PACK™ auto feed for M18 FFSDC series			✓		4932471993	
GHSAF	Guide hose for SWITCH PACK™ auto feed			✓		4932471994	
BPSAF	Base plate for SWITCH PACK™ auto feed			✓		4932478225	
SWITCH PACK™ drum	SWITCH PACK™ drum for M18 FFSDC series			✓		4932464277	

MX drum guide hose	Guide hose for MXFLSDP				✓	4932478110	
Pin key	Pin key for all cables		✓	✓	✓	4932471717	

DISCOVER OUR SECTIONAL SEWER MACHINE ATTACHMENTS



	Description	Fits sewer machine M18 FCSSM	Fits sewer machine M18 FSSM	Article Number	
Open wind spiral SM	16 mm x 2.3 m open wind coupling end	✓		4932478413	
	16 mm x 2.3 m open wind inner core coupling	✓		4932478414	
	22 mm x 4.5 m open wind inner core coupling end	✓	✓	4932478415	
	22 mm x 4.5 m open wind coupling end	✓	✓	4932471712	
	22 mm x 4.5 m open wind coupling end kit	✓	✓	4932471713	
	32 mm x 4.5 m open wind coupling end	✓	✓	4932471710	
	32 mm x 4.5 m open wind heavy duty coupling end	✓	✓	4932471711	
Drop head SM	Drop head bulb 16 mm cables	✓		48533811	
	Drop head straight 16 mm cables	✓		48533812	
Funnel auger SM	Funnel auger for 16 mm cables	✓		48533813	
	Small funnel auger for 22 mm cables	✓	✓	48533828	
	Medium funnel auger for 22 mm cables	✓	✓	48533831	
	Funnel auger for 32 mm cables	✓	✓	48534831	
Opening tool SM	Extra small opening tool for 16 mm cables	✓		48533814	
	Small opening tool for 16 mm cables	✓		48533815	
	Small opening tool for 22 mm cables	✓	✓	48533827	
	Small opening tool for 22 mm cables	✓	✓	48533835	
	Medium opening tool for 22 mm cables	✓	✓	48533836	
	Small opening tool for 32 mm cables	✓	✓	48534835	
	Medium opening tool for 32 mm cables	✓	✓	48534836	
Spring cleaner SM	Spring cleaner for 16 mm cables	✓		48533816	
	Spring cleaner for 22 mm cables	✓	✓	48533826	
Root cutter SM	50 mm root cutter for 22 mm cables	✓	✓	48533825	
	75 mm root cutter for 22 mm cables	✓	✓	48533832	
	100 mm root cutter for 22 mm cables	✓	✓	48533833	
	150 mm root cutter for 22 mm cables	✓	✓	48533834	
	75 mm root cutter for 32 mm cables	✓	✓	48534832	
Straight auger SM	Small straight auger for 22 mm cables	✓	✓	48533829	
	Medium straight auger for 22 mm cables	✓	✓	48533830	
	Straight auger for 32 mm cables	✓	✓	48534830	
Chain knocker SM	75 mm chain knocker for 22 mm spirals	✓	✓	48533837	
	100 mm chain knocker 22 mm cables	✓	✓	48533838	
	75 mm chain knocker for 32 mm spirals	✓	✓	48534837	
Head kit SM	9pc head kit for 22 mm cables	✓	✓	48533840	
	9pc head kit for 32 mm cables	✓	✓	48534839	
Small guide hose	Small guide hose for FCSSM	✓		4932478410	
Medium guide hose	Medium guide hose for FCSSM	✓		4932478409	
Large guide hose	Large guide hose for FSSM		✓	4932471720	
Cable drum	Cable drum for 16 mm spirals	✓		4932478412	
	Cable drum for 22 mm spirals	✓	✓	4932478411	
	Cable drum for 32 mm spirals	✓	✓	4932471719	
Pin key	Pin key for all cables	✓	✓	4932471717	

M12 PL-0 | ART.# 4933471995

M12 PLUMBING LOCATOR



2X OMNI DIRECTIONAL ANTENNAS MAKE LOCATING SONDES AND TRACING ENERGISED LINES EASY WITHOUT ANY GHOST SIGNALS

FEATURES:

- Easy to use plumbing locator: 2 omni directional antennas make locating sondes and tracing energised lines easy without any ghost signals
- First locator on the market on a 12V battery with 13 hours run time on a M12™ 2.0 Ah battery, no alkaline batteries that need frequent changing
- Active guiding indicators: arrow icon points to direction of sonde and compass indicator direct the path of the energised line
- ONE-KEY™ tool tracking and security, which offers a cloud-based inventory management platform that supports both location tracking and theft prevention
- Sealed battery door for IP65 rated protection against the toughest conditions
- 4.3" colour LCD screen with backlit buttons for better visibility

KIT INCLUDES:



REDLITHIUM™

M12 IC-201C (S) | ART.# 4933451024 (Also available as 0-version)

M12 SUB COMPACT M-SPECTOR™ 360° CAMERA

FEATURES:

- Rotating screen: screen rotates 270 degrees
- Optimised 68.6 mm LCD
- 9 mm 640 x 480 digital image sensor
- 4 surround LED lights

KIT INCLUDES:



CABLE EXTENSION
ART.# 48530110
Up to a maximum of 3 extensions can be fixed together.
0.9 m cable length
17 mm cable diameter

REDLITHIUM™

M12 ICAV3-201C | ART.# 4933459154

M12 DIGITAL INSPECTION CAMERA

FEATURES:

- Screen can be removed from console and works within a range of 10 m
- 4x zoom and screen rotation
- Optimised 85 mm LCD
- 12 mm 320 x 240 digital image sensor
- 4 surround LED lights

KIT INCLUDES:



REDLITHIUM™

M18 MODULAR PIPELINE

STEP 1

CHOOSE YOUR DESIRED REEL



ONE KEY M18 SIC36-0 M18 SIC60-0

Camera cable length (m)	36	60
Drain capacity (mm)	50-150	75-250
Cable diameter (mm)	9	11
Camera head diameter (mm)	25	34
No. of high intensity LEDs	12	20
Backpack strap	✓	X
Extendable handle	X	✓
ART.#	4933471413	4933471412

STEP 2

PICK SMART HUB

M18 SISH-0 | ART.# 4933471415
M18 SEWER INSPECTION SMART HUB

- Save HD images and video recordings to M18™ 500 GB smart hub
- Maintain live video when swapping M18™ REDLITHIUM™ batteries



STEP 3

CHOOSE YOUR VIEWING DEVICE

M18 SIM-0 | ART.# 4933471414
M18 SEWER INSPECTION MONITOR

- Choose MILWAUKEE® monitor and/or tablet/smartphone with MILWAUKEE® pipeline inspection app



STEP 4

SAVE & SHARE YOUR RECORDINGS

USB OR



- Download large files to USB
- Send saved recordings from mobile device



DIAGNOSTICS & INSPECTION



SMART HUB RELEASE BUTTON

Easily interchangeable between reels with one push on the button

TRANSMITTER/ GROUNDING POST

Build-in line trace (with 33 kHz, 83 kHz frequency) for locating the push rod

FULLY ENCLOSED REEL

For better mess containment

150 MM ALL-TERRAIN WHEELS

For easy transportation

TELESCOPING HANDLE

Easy transportation on/ off calls

SEALED USB-A & USB-C

Wireless or USB-C video connection via M18™ wireless monitor or MILWAUKEE® app

PUSH CABLE

Thick push rod for easier reach of longer runs but still flexible enough to run through 90-degree bends

SELF-LEVELING HD CAMERA

Steel reinforced camera head for maximum durability

BATTERY COMPARTMENT

Works with all M18™ batteries



USB-C & USB PORTS

Save directly to smart hub or USB stick

NAVIGATION DIAL

Provides quick and easy navigation



SCREEN COVER

Shields the screen while in use and during transportation

8" DAYLIGHT READABLE SCREEN

Provides a crisp clear screen even when viewing outside

WATER & IMPACT RESISTANT DISPLAY

Protects against harsh environments

BACKLIT BUTTONS

Provides better visibility in low lit areas

MOUNTING RECEPTACLE

Mount to reels for viewing stability and transportation

WHEN USING TABLET INSTEAD OF INSPECTION MONITOR:

SEWER INSPECTION TABLET MOUNT
 ART.# 4932478406



ONE KEY

DOWNLOAD THE FREE APP NOW!



SKID SET FOR M18 SIC36
 ART.# 4931473616



SKID SET FOR M18 SIC60
 ART.# 4931473638



GROUNDING KIT FOR M18 SISH
 ART.# 4931473526



CAPTURES 1080P 4X DIGITAL ZOOM *Featured M18 SIC60

DIAGNOSTICS & INSPECTION

WATER TRANSFER

NEW M12 BSWP-0 | ART.# 4933479639

M12 BRUSHED STICK WATER PUMP

FEATURES:

- Innovative HYDROPASS FILTER™ technology, providing effortless pumping and best-in-class debris handling
- 85 cm submersible aluminium barrel, for reaching and pumping-out in-ground trenches, storm drains, and water metre boxes
- Extremely quick set-up and one-hand operation, freeing the user's other hand to direct the outflow, giving greater control and containing the mess



KIT INCLUDES:



M12 BSWP

REDLITHIUM™

M18 BTP-0 | ART.# 4933471494

M18 FUEL COMPACT TRANSFER PUMP

- 18V transfer pump with 3.4 kg in weight, it's lighter than other corded transfer pumps with an equal performance
- With a flow rate of 1817 l/h, it can deliver 908 l of transferred water with one M18™ 5.0 Ah battery charge
- REDLINK™ intelligence can recognise when the tool stops moving water and automatically shuts itself off to avoid dry pumping
- The tool's flexible impeller and powerful motor generate a lift height up to 5.5 m and a head height up to 23 m



KIT INCLUDES:



M18 BTP

REDLITHIUM™

INSTALLATION ESSENTIALS

M12 FCOT-622X | ART.# 4933464620 (Also available as 0-version)

M12 FUEL SUB COMPACT MULTI MATERIAL CUT-OFF TOOL

FEATURES:

- Disc diameter 76 mm
- Max. cutting depth 16.3 mm



IDEAL FOR CUTTING TILES & BOLTS

THIN METAL CUTTING DISCS PRO+ 76 MM (5PC)

ART.# 4932464717

KIT INCLUDES:



M12 FCOT

M12 B6

M12 B2

C12 C

HD BOX

M12 FDGA-422B | ART.# 4933471440 (Also available as 0-version)

M12 FUEL ANGLED DIE GRINDER

FEATURES:

- Ideal for drilling tiles
- Disc diameter 50 mm



ADAPTOR M16 X 1F - M14M
ART.# 4932472265

DIAMOND MAX™ DIAMOND DRILL BIT SET (4PC)

ART.# 4932471863

Ø 6, 8, 10, 14 mm

KIT INCLUDES:



M12 FDGA

M12 B4

M12 B2

C12 C

BAG

REDLITHIUM™

CAULK GUNS

IDEAL FOR:

SEALING SINK & BATH TRIMS WITH SILICON



C18 PCG/310C-201B | ART.# 4933448759

M18 CAULK GUN WITH 310 ML CANISTER

- Up to 4500 N of force



KIT INCLUDES:



C18 PCG

M18 B2

M12-18 C

BAG

M12 PCG/310C-201B | ART.# 4933448763

M12 SUB COMPACT CAULK GUN WITH 310 ML CARTRIDGE HOLDER

- Up to 1780 N of force



KIT INCLUDES:



M12 FDGS

M12 B2

C12 C

BAG

REDLITHIUM™

M18 BMT-421C | ART.# 4933446272 (Also available as 0-version)

M18 MULTI TOOL

FEATURES:

- Ideal for cut outs in drywall or cutting in confined spaces
- Oscillation angle left/ right 1.7°



KIT INCLUDES:



M18 BMT

M18 B4

M18 B2

M12-18 C

KITBOX

REDLITHIUM™

STARLOCK MULTI TOOL BLADE SET 9 PC

ART.# 48906088

INCLUDES:

- 2 x multi mat. 28 mm plunge cut blade
- 2 x multi mat. 43 mm plunge cut blade
- 1 x grout removal 2.2 mm carbide blade
- 1 x 3X cutting knife
- 1 x rasp carbide grit
- 1 x flexible scraper 52 mm




PIPE INSTALLATION

NEW MPS | ART.# 4933472022

M18 PIPE STAND

FEATURES:

- Worlds first pipe stand, that is flat foldable, which allows for easier transportation and more efficient storage
- Able to clamp materials, such as pipe, strut, channel, angled iron and other materials, up to 165 mm or 6"



KIT INCLUDES:



MPS-RS
MILWAUKEE® PIPE STAND REMOVABLE SHELF
ART.# 4932478926

MPS-RJ
MILWAUKEE® PIPE STAND RECAPABLE JAWS
ART.# 4932478923

MPS-NCJ
MILWAUKEE® PIPE STAND NEOPRANE JAWS
ART.# 4932478924

MPS-SSJ
MILWAUKEE® PIPE STAND STAINLESS STEEL JAWS
ART.# 4932478925

REDLITHIUM™

M18 BLTRC-522X | ART.# 4933471152 (Also available as an -0X version)

M18 BRUSHLESS THREADED ROD CUTTER

3.8 CM TRIM LENGTH

For uniform cuts throughout the job

FIXED LOWER DIE

To align rod for best cut quality

AUTO RETRACT

Jaw auto-retracts back to home position after making a cut

CENTERED GRIP

For one-handed overhead operation

OPTIMISED BLADE GEOMETRY

Delivers burr-free cuts

REVERSE BUTTON

To back out of unintended cuts

DELIVERS UP TO 300 CUTS ON A M18 B2 BATTERY PACK

KIT INCLUDES:



REDLITHIUM™

MXF DCD150-302C KIT | ART.# 4933464888

MX FUEL 150 MM DIAMOND CORE DRILL

ANTI VIBRATION BODY

Limiting excess vibration

PERFORMANCE GAUGE

Increased efficiency, longer lasting and maintaining power under heavy loads

WATER SUPPLY

Industrial standard connector

1/2" / 1 1/4" UNC SPINDLE

Suiting all common wet and dry cores in the market



KIT INCLUDES:



SUPPLIED WITH:

- MXF DR255TV drill stand
- Trigger lock-on
- Side handle

81 MM THIN KERF™ WET DIAMOND DRILLING CORE WITH 1 1/4" UNC CORE RECEPTION
ART.# 4932472190

MILWAUKEE® has an extensive range of dry and wet drilling cores, with wet cores optimised for cordless drilling, visit milwaukeetool.co.uk

REDLITHIUM™


MXF COS350-602 | ART.# 4933479969 (Also available as 0-version)

MX FUEL 350 MM CUT-OFF SAW

FULL 350 MM BLADE CAPACITY

FASTER CUTS FROM START TO FINISH

NO PETROL HEADACHES



M18 FPD2-502X | ART.# 4933464265 (Also available as 0-version)

M18 FUEL PERCUSSION DRILL

FEATURES:

- 135 Nm of torque
- Extremely compact design of 175 mm length for access into tight spaces
- Advanced heavy duty chuck providing increased bit grip

KIT INCLUDES:



REDLITHIUM™

M12 CH-602X | ART.# 4933451907 (Also available as 0-version)

M12 FUEL SUB COMPACT SDS-PLUS HAMMER

FEATURES:

- 1.1 Joules (EPTA) of impact energy
- Drills over 60 50 mm x 6 mm holes per battery charge

KIT INCLUDES:



M12 UDEL-201B
ART.# 4933471262

M12 UNIVERSAL DUST EXTRACTOR

HEPA H13 filter

M18 CHX-502X | ART.# 4933451383 (Also available as 0-version)

M18 FUEL 4-MODE SDS-PLUS HAMMER WITH FIXTEC™ CHUCK

FEATURES:

- 2.5 J (EPTA) of impact energy
- Max. drilling concrete 26 mm

KIT INCLUDES:



M18 CDEX-0
ART.# 4933447450

M18 FUEL SDS-PLUS DUST EXTRACTOR

HEPA H13 filter

REDLITHIUM™

M18 FSAGV115XPDB-0X | ART.# 4933478773 (Also available as 0-version)

M18 FUEL 115 MM BRAKING VARIABLE SPEED GRINDER

FEATURES:

- Ideal for cutting metal struts and beams when fixing pipes

KIT INCLUDES:



THIN METAL CUTTING DISCS PRO+
ART.# 4932451487
Diameter: 125 x 1.0 mm
Application: Steel & Stainless

REDLITHIUM™

M18 FHSAG125XPDB-552X
ART.# 4933471081
(Also available as 0X-version)

M18 FUEL 125 MM HIGH PERFORMANCE GRINDER WITH PADDLE SWITCH



M12 FDD-602X | ART.# 4933459821
(Also available as 0-version)

M12 FUEL SUB COMPACT DRILL DRIVER



M12 FDDXKIT-202X | ART.# 4933464980

M12 FUEL™ 4-IN-1 DRILL DRIVER KIT



SHOCKWAVE™ IMPACT DUTY BIT SET (48 PC)
ART.# 4932472057

STEP DRILL SET (3PC)
ART.# 48899399

THUNDERWEB HSS-G SET (19PC)
ART.# 4932352374

SDS-PLUS MX4 DRILL BIT SET (7PC)
ART.# 4932478626

	ART.#
Pointed	4932343735
Flat	4932343738
Wide	4932343743

REDLITHIUM™

M12 FQID-202X | ART.# 4933464974
(Also available as 0-version)

M12 FUEL SURGE™ 1/4" HEX HYDRAULIC IMPACT DRIVER



M18 FID2-502X | ART.# 4933464089
(Also available as 0X-version)

M18 FUEL 1/4" IMPACT DRIVER



M18 FHM-121C | ART.# 4933464895
(Also available as 0C-version)

M18 FUEL ONE-KEY™ 8 KG SDS-MAX DRILLING AND BREAKING HAMMER



MILWAUKEE® LASERS

M12 CLLP-301C | ART.# 4933478245

M12 GREEN CROSS LINE LASER WITH PLUMB POINTS

IP54

INCLUDES:

- 15+ hours run time
- 38 m visibility
- Kit includes 1x track clip and 1x target plate



L4 CLLP-301C | ART.# 4933478244

L4 USB RECHARGEABLE GREEN CROSS LINE LASER WITH PLUMB POINTS

IP54

INCLUDES:

- 8+ hours run time
- 30 m visibility
- Kit includes 1x track clip



L4 CLL-301C | ART.# 4933478243


L4 RECHARGEABLE GREEN CROSS LINE LASER

IP54

INCLUDES:

- 8+ hours run time
- 30 m visibility
- Kit includes 1x track clip





CORDLESS ESSENTIALS

PLUMBING EDITION

M12 BI | ART.# 4933464124
M12 INFLATOR



M12 FCOT-0 | ART.# 4933464618
M12 FUEL SUB COMPACT MULTI-MATERIAL CUT-OFF TOOL



M12 FMT-0 | ART.# 4933472238
M12 FUEL MULTI-TOOL



M18 FLAG230XPDB-0C | ART.# 4933464114

M18 FUEL 230 MM LARGE BRAKING GRINDER WITH PADDLE SWITCH



M12 BD-202C | ART.# 4933443885
M12 SUB COMPACT DRIVER



M18 FMCS-502X | ART.# 4933459194
M18 FUEL 57 MM METAL CIRCULAR SAW



M18 CDEX-0 | ART.# 4933447450
M18 FUEL SDS-PLUS DUST EXTRACTOR



M12 UDEL-0B | ART.# 4933471460
M12 UNIVERSAL DUST EXTRACTOR



M18 AF-0 | ART.# 4933451023
M18 AIR FAN



M18 FJS-0X | ART.# 4933464726
M18 FUEL TOP HANDLE JIGSAW



2267-40 | ART.# 4933451906
10:1 INFRARED TEMP-GUN™



LDM 50 | ART.# 4933447700
50 M LASER DISTANCE METER



M12 FVCL-0 | ART.# 4933478186
M12 FUEL WET/ DRY VACUUM



M18 VC2-0 | ART.# 4933464029
M18 WET/DRY VACUUM



M12 RCDAB+-0 | ART.# 4933472115
M12 RADIO CHARGER



M18 JSR-0 | ART.# 4933451473
M18 JOBSITE RADIO



M18 AL-0 | ART.# 4932430392
M18 LED AREA LIGHT

IP54
1500 LUMENS



M18 PAL-0 | ART.# 4933464105
M18 PIVOTING AREA LIGHT

IP54
1500 LUMENS



M12 SAL-0 | ART.# 4933464823
M12 STAND LIGHT

1400 LUMENS



M12 PAL-0 | ART.# 4933478226
M12 PIVOT AREA LIGHT

IP24
700 LUMENS



M18 TLED-0 | ART.# 4932430361
M18 LED TORCH



L4 FL-201 | ART.# 4933459442
USB RECHARGEABLE POCKET FLOOD LIGHT



L4 FFL-201 | ART.# 4933464821
USB RECHARGEABLE FOLDING FLOOD LIGHT



L4 HL-VIS-201 | ART.# 4933471389
USB RECHARGEABLE HI-VIS HEADLAMP



M18 HB12 | ART.# 4932464260
M18 HIGH OUTPUT™ 12.0 Ah BATTERY



M18 HB8 | ART.# 4932471070
M18 HIGH OUTPUT™ 8.0 Ah BATTERY



M18 B5 | ART.# 4932430483
M18 5.0 Ah BATTERY



M18 HB3 | ART.# 4932471069
M18 HIGH OUTPUT™ 3.0 Ah BATTERY



M18 B2 | ART.# 4932430062
M18 2.0 Ah BATTERY



M12-18 FC | ART.# 4932451080
M12 - M18 FAST CHARGER



M14-18 C6 | ART.# 4932430310
M14 - M18 MULTIBAY CHARGER



L4 B3 | ART.# 4933478311
REDLITHIUM™ USB BATTERY



M12 B6 | ART.# 4932451395
M12 6.0 Ah BATTERY



M12 B4 | ART.# 4932430065
M12 4.0 Ah BATTERY



M12 B3 | ART.# 4932451388
M12 3.0 Ah BATTERY



C12 C | ART.# 4932352069
M12 CHARGER



CORDLESS ESSENTIALS

TRUEVIEW™ LIGHTING RANGE

AVAILABLE FOR ALL TRADES

YouTube WATCH OUR LIGHTING VIDEOS AT youtube.com/milwaukeeeurope

FLASH LIGHTS

feature sliding beam focus, adjustable and rotating heads, and various light output modes including spot, flood, and strobe.



IP24 750 LUMENS M12 SLED-0 4933451261	IP54 1250 LUMENS M18 SLED-0 4933459159	IP24 220 LUMENS M12 SL-0 4932430178	IP24 300 LUMENS M18 IL-0 4932430564	IP54 120 LUMENS M12 TLED-0 4932430360	IP54 120 LUMENS M18 TLED-0 4932430361
---	--	---	---	---	---

TRUEVIEW™
HIGH DEFINITION LIGHTING
TRUE COLOUR, EVEN BEAM & NATURAL LIGHT

STANDARD LED vs TRUEVIEW™

FLOOD LIGHTS

are versatile to adapt to any job site, they stick, clamp or hang on almost anything and can be carried to cast light in multiple orientations.



IP54 1000 LUMENS M12 AL-0 4933451394	IP54 700 LUMENS M12 PAL-0 4933478226	IP54 1500 LUMENS M18 PAL-0 4933464105	IP54 3000 LUMENS M18 POALC-0 4933479583 (240V)	NEW 4000 LUMENS M18 HOAL-0 4933478119	IP54 1500 LUMENS M18 AL-0 4932430392	IP24 400 LUMENS M12 LL-0 4932430562	IP24 700 LUMENS M18 LL-0 4932430563
--	--	---	--	---	--	---	---

PERSONAL LIGHTING

SITE LIGHTS

provide maximum 360 degrees coverage regardless of whether task, area or overhead site lighting is required.



2200 LUMENS M18 TAL-0 4933464134	IP54 4400 LUMENS M18 ONESLSP-0 4933459156	IP54 9000 LUMENS M18 ONESLDP-0 4933459161	7700 LUMENS HOB L 7000 4933464161
---	---	---	--

TOWER LIGHTS

deploy in seconds and provide light overhead to reduce shadows in the workspace.



27,000 LUMENS IP55 MXF TL-601 4933471846	1400 LUMENS M12 SAL-0 4933464823	IP34 6000 LUMENS M18 HOSALC-0 4933478117	IP54 2000 LUMENS M18 SAL-0 4933451246
---	---	--	---

TASK LIGHTS

are specifically built to tackle challenging task and trade-specific lighting demands without compromising light quality and durability.



IP56 2500 LUMENS M18 UBL-0 4933459433	IP54 1350 LUMENS M12 UHL-0 4933459432	IP67 1200 LUMENS NEW M12 UCL-0 4933478868	IP67 5400 LUMENS M18 ONERSAL-0 4933459431
---	---	---	---

HEADLAMPS

NEW IP54 RECHARGEABLE 450 LUMENS IR HL 450 4933478587	IP54 350 LUMENS 3 AAA HL2-LED 4933471286	IP64 310 LUMENS 3 AAA ISHL-LED 4933478112	IP54 450 LUMENS 3 AAA HL-SF 4933471388
---	--	---	--

TASK LIGHTS

IP54 300 LUMENS 2 AA FL-LED 4933464824	IP54 445 LUMENS REDLITHIUM USB L4 FL-201 4933459442	IP54 550 LUMENS REDLITHIUM USB L4 SL550-301 4933478869
--	---	--

FLASHLIGHTS


NEW IP67 RECHARGEABLE 250 LUMENS IR PL 250 4933478705	IP67 325 LUMENS 3 AAA ML-LED 4933464825	IP67 100 LUMENS 2 AAA IPL-LED 4933459440	IP67 800 LUMENS REDLITHIUM USB L4 FMLED-201 4933478113	IP67 500 LUMENS REDLITHIUM USB L4 PWL-201 4933464822	IP67 1100 LUMENS REDLITHIUM USB L4 TMLED-201 4933478114	IP67 NEW 500 LUMENS RECHARGEABLE IR FL500 4933478586
---	---	--	--	--	---	--

MILWAUKEE® PERSONAL PROTECTIVE EQUIPMENT

STAY SAFE.
STAY PRODUCTIVE.



MILWAUKEE® SAFETY GLASSES RANGE



REMOVABLE GASKET
PROTECTS AGAINST DEBRIS

**ANTI-
SCRATCH
LENSES**

PREMIUM SAFETY GLASSES WITH GASKET

The gasket places the glasses closer to the skin and avoids any dust or debris entering into the eye. This is the perfect replacement for safety goggles, as the glasses offer the same dust protection, without the discomfort.

The tinted premium safety glasses benefit from polarised lenses to protect from glare, and offer best-in-class UV protection.



PERFORMANCE SAFETY GLASSES

Performance Safety Glasses also benefit from Milwaukee Tool's anti-scratch lenses, allowing for easy, care-free cleaning. The anti-fog coating on the lens makes the glasses compatible for use with a respirator and perfect for all-day wear, inside and out.




**LONG
LASTING
ANTI-FOG**

**ALL
DAY
COMFORT**


SAFETY GLASSES

Safety Glasses are the lightest within the range and are ideal for a long-time everyday wear. The possibility to remove the nose bridge makes them perfect to fit over respirators.



DESCRIPTION	Premium clear safety glasses with gasket	Premium polarised safety glasses with gasket	Performance clear safety glasses	Performance tinted safety glasses	Clear safety glasses	Tinted safety glasses
ART.#	4932471885	4932471886	4932471883	4932471884	4932478763	4932478764

MILWAUKEE® GLOVES GUIDE



ART.# 4932478136
**FLEXIBLE KNEE
PADS - 1 PAIR**



- Flexible, lightweight and comfortable foam padding
- Water resistant cap
- Debris guard to prevent debris from entering
- Size adjustable straps for a custom fit
- Buckles to take on and off with ease

ART.# 4932478137
**HARD KNEE
PADS - 1 PAIR**



- Thick comfortable foam padding with a supporting gel zone.
- Durable hard cap which withstands rough surfaces
- Size adjustable double straps for a better hold and a custom fit
- Buckles with metal rivets that withstand repeated fastenings.
- 1680D Ballistic Nylon for a long lifetime.

ART.# 4932478139
**PREMIUM NON-
MARKING KNEE
PADS**



- High density foam padding with a supporting premium gel injection
- Non-marking coating to prevent scratches on sensitive surfaces.
- Comfortable and size adjustable double straps with a wider lower strap
- 1680D Ballistic Nylon for a long lifetime.

ART.# 4932478866 (L/XL)
**PERFORMANCE
FACE COVERING -
3 PCS**



- Structured Fit Design - Separates mask from mouth
- 2 Soft and Breathable Layers - all day comfort for long time wear
- Comfortable Adjustable Ear Loops
- Water Repellent Outer Layer
- Machine Washable

M12 HJBL5-0

M12 PREMIUM HEATED JACKET (BLACK)



FEATURES:

- Heat on Demand - 5 sewn in carbon fibre heating zones, distributes heat to core body areas and to the front pockets
- Superior run time, up to 8 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 2.0 Ah battery pack
- Easy touch heat controller - 3 heat settings: High, Medium, Low
- TOUGHSELL™ stretch 100% polyester material for up to 5x longer life
- FREE FLEX™ mobility increases range of movement for working overhead
- Water and wind resistant, provides comfort and durability in harsh environments



KIT INCLUDES:



ART. #	SIZE
4933478967	(S)
4933478968	(M)
4933478969	(L)
4933478970	(XL)
4933478971	(XXL)

UNIQUE BATTERY PASS-THRU:

Place battery in front or back pocket for improved comfort


milwaukeetool.co.uk/range/ppe

PACKOUT™ MODULAR STORAGE SYSTEM

OVER 100 POSSIBLE COMBINATIONS

VERSATILE, DURABLE

The MILWAUKEE® PACKOUT™ modular storage system revolutionises tool transportation, organisation and storage. Designed to provide users with the ability to interchange and interlock a wide assortment of heavy duty tool boxes, organisers and storage totes in multiple different configurations.



TRY OUR NEW
PACKOUT™ BUILDER
TO CREATE YOUR IDEAL KIT

milwaukeeeurope.co.uk/packout

ART.# 4932472130 (Available as 2 drawer version)

PACKOUT™ 3 DRAWER TOOL BOX - 1PC



FEATURES:

- PACKOUT™ Drawer Tool Box allows for easy access to your tools, even when placed at the bottom of the PACKOUT™ stack.
- Steel ball bearing slides support up to 11 kg of weight per drawer.
- Locking security bar prevents an unwanted opening of drawers during transit and allows to shut the drawers with a padlock.
- Each box comes with a set of Quick-Adjust Dividers that let users fully customise the layout of the drawers for better organisation.
- Metal reinforced corners.
- Constructed with impact resistant polymers for jobsite durability.



ART.# 4932464244

PACKOUT™ 3 PIECE SET



FEATURES:

- Constructed with impact-resistant polymers for job site durability.
- 113 kg weight capacity.
- Industrial grade extension handle.
- IP65 rated weather seal to keep out rain and job site debris.
- Metal reinforced corners.
- Metal reinforced locking point.
- Interior organiser tray.
- Mounting location for the ONE-KEY™ TICK™.



PACKOUT™ Tote toolbag 25 cm 4932464084	PACKOUT™ Tote toolbag 40 cm 4932464085	PACKOUT™ Tote toolbag 50 cm 4932464086	PACKOUT™ Backpack 4932471131
"/>38 cm"/>	"/>50 cm"/>		
PACKOUT™ Duffel bag 15"/"38 cm 4932471066	PACKOUT™ Duffel bag 20"/"50 cm 4932471067	PACKOUT™ Jobsite cooler 4932471132	PACKOUT™ Tech bag 4932471130
PACKOUT™ Organiser 4932464082	PACKOUT™ Compact organiser 4932464083	PACKOUT™ Compact slim organiser 4932471065	PACKOUT™ Slim organiser 4932471064
PACKOUT™ Box 4932464080	PACKOUT™ Large box 4932464079	PACKOUT™ Foam insert 4932471428	PACKOUT™ Foam Trolley insert 4932471927
PACKOUT™ Mounting Plate 4932471638	PACKOUT™ Flat Trolley 4932471068	PACKOUT™ Trolley box 4932464078	PACKOUT™ Hard Cooler 4932471722
PACKOUT™ Crate 4932471724	PACKOUT™ Compact Tool Box 4932471723	PACKOUT™ 2 Wheeled Cart 4932472131	PACKOUT™ Customisable Work Surface 4932472128
PACKOUT™ Rackings System Kit - 1 pc 4932472127	PACKOUT™ Area Light Charger 110v 240v 4933478121	PACKOUT™ Radio Charger 4933472113	PACKOUT™ FUEL PACKOUT™ Wet / Dry Vacuum 4933478187

TRADE ESSENTIALS

Plumbing

TRADE ESSENTIALS

PLUMBING EDITION

TRADE ESSENTIALS

ART.# 48220050
HACKSAW

6 BLADE STORAGE CAPACITY
REINFORCED METAL FRAME
HIGH LEVERAGE TENSION KNOB
45° CUT POSITION
OVERMOLD HANDLE

ART.# 48220212
PVC SAW

TOOL FREE BLADE CHANGE
METAL CORE, IMPACT RESISTANT BODY

MINI COPPER TUBING CUTTERS

TOOL FREE BLADE CHANGE
CHROME ROLLERS
EASY GRIP KNOB

	ART.#
Mini copper tubing cutter 15 mm	48229250
Mini copper tubing cutter 22 mm	48229258
Mini copper tubing cutter 28 mm	48229251

CONSTANT SWING COPPER TUBING CUTTERS

4 CHROME ROLLERS
TOOL FREE BLADE CHANGE
SMOOTH ADJUSTMENT

	ART.#
Constant swing copper tubing cutter 28 mm	48229259
Constant swing copper tubing cutter 42 mm	48229252
Constant swing copper tubing cutter 67 mm	48229253

ART.# 48224202
PLASTIC CUTTER

V-SHAPED BLADE
REWORK GROOVE
ONE-HAND LOCKING

RATCHETING PVC CUTTERS

PIERCE POINT BLADE
LANYARD HOLE
ONE-HAND LOCKING

	ART.#
Ratcheting PVC cutter 42 mm	4932464172
Ratcheting PVC cutter 60 mm	4932464173

CHEATER ALUMINIUM ADJUSTABLE PIPE WRENCH

ALUMINIUM ADJUSTABLE HANDLE
ALUMINIUM DESIGN FOR LIGHTER WEIGHT

	ART.#
Cheater Aluminium Adjustable Pipe Wrench	4932478672

S JAW PIPE WRENCHES

CHROME VANADIUM STEEL
45° ANGLE JAW

	ART.#
S Jaw pipe wrench 340 mm	4932464576
S Jaw pipe wrench 430 mm	4932464577
S Jaw pipe wrench 550 mm	4932464578

REAMING PEN

ALL METAL DESIGN
SLIDE RESISTANT CLIP
HEAT TREATED AND BLACK OXIDE COATED

	ART.#
Reaming pen	48224255
Reaming blades (3 pcs)	48224257

BASIN WRENCH

SMOOTHEST LENGTH ADJUSTMENT
TELESCOPING SHANK
COMFORT HANDLE

	ART.#
Basic wrench	48227001
Basic wrench compact	48227002

QUICK ADJUST WATER PUMP PLIERS

REAMING HEAD
PUNCH AND REAMING HANDLES
COMFORT GRIPS
ALL-METAL QUICK ADJUST

	ART.#
Quick adjust water pump pliers 200 mm	48226208
Quick adjust water pump pliers 250 mm	48226210
Quick adjust water pump pliers 300 mm	48226212

ADJUSTABLE WRENCHES

LANYARD HOLE
ERGONOMIC HANDLE
CHROME PLATED

	ART.#
Adjustable wrench 200 mm	48227508
Adjustable wrench 300 mm	48227412

VDE WATER PUMP PLIER 240 MM
ART.# 4932464574

VDE PLIER SET (3 PC)
ART.# 4932464575

- Diagonal cutter (160 mm)
- Long nose plier (205 mm)
- Combi plier (180 mm)

STUD™ II TAPE MEASURES



LENGTH	ART.#
5 m/16 ft	4932471628
8 m/26 ft	4932471629

PREMIUM WIDE BLADE TAPE MEASURES



LENGTH	ART.#
5 m/16 ft	4932471817
8 m/26 ft	4932471818

MAGNETIC TAPE MEASURES



LENGTH	ART.#
5 m/16 ft	4932464602
8 m/26 ft	4932464603

REDSTICK BACKBONE



	ART.#
REDSTICK Backbone 40 - 1pc	4932459060
REDSTICK Backbone 60 - 1pc	4932459062
REDSTICK Backbone 80 - 1pc	4932459064
REDSTICK Backbone 100 - 1pc	4932459066
REDSTICK Backbone 120 - 1pc	4932459068
REDSTICK Backbone 180 - 1pc	4932459070
REDSTICK Backbone 200 - 1pc	4932459072
REDSTICK Backbone 240 - 1pc	4932459074

REDSTICK COMPACT MAGNETIC BOX LEVELS



	ART.#
40 cm magnetic	4932459079
60 cm magnetic	4932459081
80 cm magnetic	4932459083
100 cm magnetic	4932459085
120 cm magnetic	4932459087
180 cm magnetic	4932459088

DIGITAL LEVELS



LENGTH	ART.#
60 cm	4933471978
120 cm	4933471979

ART.# 4932459096
BLOCK TORPEDO LEVEL



ART.# 4932472122
COMPACT TORPEDO



ART.# 4932471806
TRI-LOBE SCREWDRIVER SET 1 (6 PC)

PZ1 / PZ2 /
SL3 / SL4 /
SL5.5 /
SL6.5



ART.# 4932471453
VDE SLIM SCREWDRIVER SET (7 PC)

SL3 / SL4 /
SL 5.5 / PH1 /
PH2 / PZ1 /
PZ2



ART.# 4932472003
TRI-LOBE SCREWDRIVER SET 4 (12 PC)



ART.# 4932471598
9 IN 1 RATCHETING MULTI-BIT SCREWDRIVER



ART.# 4932471340
RATCHETING SPANNER



ART.# 4932478559
FASTBACK™ 6 IN 1 UTILITY KNIFE



ART.# 4932464830
HARDLINE™ FIXED BLADE KNIFE



ART.# 48224533
METAL SNIPS SET (3 PC)

Aviation snips:
Red:
48224510
Yellow:
48224530
Green:
48224520



ART.# 4932464028
14" CURVED CLAW HAMMER



ART.# 4932430910
SHOCKWAVE™ IMPACT DUTY DRIVE GUIDE CASSETTES



ART.# 4932399590
PZ 2 X 25 MM - 25 PCS



ART.# 49224083
HOLE DOZER™ HOLESAW SET (7 PC)



ART.# 48899266
SHOCKWAVE™ IMPACT DUTY STEP DRILL SET (3 PC)



ART.# 48223711
INKZALL™ LIQUID PAINT MARKER - WHITE



ART.# 48223165
INKZALL™ FINE TIP PENS (4 PC) - COLOURED



ART.# 48223154
INKZALL™ FINE TIP MARKERS (4 PC) BLACK



FIND THE RIGHT TOOLS FOR YOUR TRADE

milwaukeeetool.co.uk



WITH OUR NEW PLUMBING TRADE ZONE

We work directly with our core trades every day to produce the tools you need to improve the way you work.



 **WATCH OUR PLUMBING TRADE VIDEOS AT**
youtube.com/milwaukeeetool europe



PLUMBING

Techtronic Industries UK Ltd
Suite A, Second Floor,
Marlow International,
Parkway,
Marlow,
Bucks
SL7 1YL

www.milwaukeeetool.co.uk



Distributed by: