Milwaukee®

Nothing but **HEAVY DUTY.**™



2022/23

HANDTOOLS, STORAGE AND PPE CATALOGUE

Milwaukee® Nothing but HEAVY DUTY.™



#MILWAUKEETOOL

milwaukeetool.co.uk

CONTENTS

HANDTOOLS

Cutting
- Bolt Cutters 30
- Cable Cutter 29
- Knives and Blades 21-24
- Metal Snips 27
- Sawing 25
- Scissors 26
- Tubing Cutters 27-29

Demolition
- Nail Puller 31
- Pry Bars 58
- Trim puller 31
- Wrecking bar 31

Fish Tape 49

Gripping and Fastening
- HOLLOWCORE™ Magnetic Nut Drivers 37
- Pliers 40-45
- Ratchets 56-57
- Screwdrivers 35-37
- Sockets 53-55
- Spanners 50-52
- TORQUE LOCK™ Clamps 45
- TORQUE LOCK™ Pliers 44
- Wrenches 47-48

Hammers
- Claw hammers 32
- Club Hammer 33
- Curved Hammers 32
- Engineers Hammers 33

Hook & Pick Set 58

Measuring and Marking
- Chalk Reel 18
- Folding Rules 8
- Framing Square 18
- INKZALL™ Markers 19-20
- Levels 10-17
- Long Tapes 9
- Rafter Square 18
- Short Tapes 4-8

PERSONAL PROTECTIVE EQUIPMENT

- Safety Glasses 59-61
- Respirators 62-63
- High-Visibility Vests 64-65
- Gloves 66-75
- Lanyards 76-79
- Knee Pads 80
- Ear Plugs 81
- PACKOUT™ First Aid Kit 81

STORAGE


- Steel Storage 82-85
- Inserts 86-87
- PACKOUT™ Boxes 88-94
- PACKOUT™ Trolleys 91
- PACKOUT™ Organisers 95-96
- PACKOUT™ Racking Systems 98-99
- PACKOUT™ Bags 101-105
- Work Belts & Rigs 105

Tape measures STUD™ II



- EXO 360™ blade technology delivers long lasting, rip and wear resistance.
- Strong magnet at start of the tape allows easy hooking onto flat surfaces and round pipe.
- Up to 4 m standout - higher standout for higher efficiency and higher reach.
- Anti-tear coating - reinforces the first 15 cm of the blade.
- 2 sided blade printing - increases the readability.
- Patented finger stop - protects fingers from blade retraction.
- ABS housing with impact resistant overmold for more comfort and jobsite durability.
- Wire form belt clip - reduces pocket tearing.
- Tool lanyard hole - Ready for quick and easy tethering.
- Class II accuracy.

EXO 360™ BLADE TECHNOLOGY™



Strong magnet



4M STANDOUT

Description	Length (m)	Blade width (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
STUD Gen2 5 m	5	33	1	6	**4932471626**	4058546295257
STUD Gen2 8 m	8	33	1	6	**4932471627**	4058546295264
STUD Gen2 5 m 16 ft	5 / 16'	33	1	6	**4932471628**	4058546295271
STUD Gen2 8 m 26 ft	8 / 26'	33	1	6	**4932471629**	4058546295288







Premium wide blade tape measures

- Up to 4 m standout - higher standout for higher efficiency and higher reach.
- Anti-tear coating - reinforces the first 15 cm of the blade.
- 2 sided blade printing - increases the readability.
- Impact resistant 5 points - reinforces the frame and makes it more durable.
- Patented finger stop - protects fingers from blade retraction.
- Wire form belt clip - reduces pocket tearing.
- Nylon bond blade protection - reduces tape tear.
- Tool lanyard hole - Ready for quick and easy tethering.





4M STANDOUT





Description	Length (m)	Blade width (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
Premium wide blade 5 m	5	33	1	6	**4932471815**	4058546297145
Premium wide blade 8 m	8	33	1	6	**4932471816**	4058546297152
Premium wide blade 5 m 16 ft	5 / 16'	33	1	6	**4932471817**	4058546297169
Premium wide blade 8 m 26 ft	8 / 26'	33	1	6	**4932471818**	4058546297176

Magnetic tape measures GEN III



- Strong magnet at start of the tape allows easy hooking onto flat surfaces and round pipe.
- Compact and ergonomic design.
- Improved standout up to 3.4 m.
- Nylon non-reflective bond blade protection, up to 10x more resistant to jobsite damage.
- 27 mm blade with double sided printing on tape for easier readability.
- Patented finger stop: stable when stands alone.
- 5-point reinforced frame for jobsite durability.
- Class II accuracy.
- Architect scale provides easy calculating of scaled drawings.





Description	Length (m)	Blade width (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
Magnetic Tape Measure 5 m	5	27	1	6	**4932464599**	4058546225445
Magnetic Tape Measure 8 m	8	27	1	6	**4932464600**	4058546225452
Magnetic Tape Measure 10 m	10	27	1	6	**4932464601**	4058546225469
Magnetic Tape Measure 5 m - 16 ft	5 / 16'	27	1	6	**4932464602**	4058546225476
Magnetic Tape Measure 8m - 26 ft	8 / 26'	27	1	6	**4932464603**	4058546225483

Tape measure Autolock

- Autolock brake: tape automatically locks in place as blade is pulled out.
- Nylon coated blade protection against debris, dirt and water.
- 5 Point reinforced housing for outstanding tape lifetime.
- ABS housing with impact resistant overmold for more comfort and jobsite durability.
- Compact design and comfortable size.
- Heavy Duty belt clip.
- Class II accuracy.
- Bulk packed, order in multiples of 6pcs.



Description	Length (m)	Blade width (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
Tape measure Autolock 5 m	5	25	1	6	**4932464663**	4058546226084
Tape measure Autolock 8 m	8	25	1	6	**4932464664**	4058546226091
Tape measure Autolock 5 m - 16 ft	5	25	1	6	**4932464665**	4058546226107
Tape measure Autolock 8 m - 26 ft	8	25	1	6	**4932464666**	4058546226114



Tape measures pro compact

- Improved ergonomics and comfortable size.
- Jobsite durability.
- 5-point reinforced housing.
- 2G nylon coated blade protection.
- Improved tape tear and flexibility.
- Withstands 3 m drop test.
- Non magnetic.
- Heavier font on measurements for better readability.
- Smaller compact hook design.
- Back rest for easy vertical measuring.
- Improved belt clip: more pocket friendly.



Description	Length (m)	Blade width (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
Tape measure pro compact C5/25	5	25	1	6	**4932459593**	4058546027650
Tape measure pro compact C8/25	8	25	1	6	**4932459594**	4058546027667
Tape measure pro compact C5-16/25	5 / 16‘	25	1	24	**4932459595**	4058546027674
Tape measure pro compact C8-26/25	8 / 26‘	25	1	12	**4932459596**	4058546027681



Tape measure with LED Light

- 19 LUX LED Light: helps finding measured spot.
- Nylon lacquer blade protection against debris, dirt and water.
- 4 Point reinforced housing for outstanding tape lifetime.
- ABS housing with impact resistant overmold for more comfort and jobsite durability.
- Compact design and comfortable size.
- Magnet on the rear side of the tape for attaching to metal tool boxes and other metal surfaces.
- 2x CR2016 batteries are included in the delivery scope.
- Class II accuracy.
- Bulk packed, order in multiples of 12 pcs.



Description	Length (m)	Blade width (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
3 m/ 10 ft tape measure with LED	3	12	1	12	**48226602**	045242529285



Tape measures slimline

- Very compact and improved ergonomic design.
- Nylon coated blade protection against debris, dirt and water.
- ABS housing with softgrip rubber gripping area for extra comfort and jobsite durability.
- 4-point reinforced frame.
- Flat base for horizontal stability and back rest for easy vertical measuring.
- Belt clip.
- Class II accuracy.
- Orders are only possible in master cartons with 24,12 or 6 tapes depending on sku.



Description	Length (m)	Blade width (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
S5 / 25	5	25	1	6	**48227706**	045242512911
S8 / 25	8	25	1	6	**48227708**	045242512928
S5-16 / 25	5/16‘	25	1	24	**48227717**	045242512935
S8-26 / 25	8/26‘	25	1	24	**48227726**	045242512942



Tape measure - 2 m / 6 ft



- 5-point reinforced frame for job site durability.
- Heavy duty blade with 13 mmblade width.
- Double sided nylon bond blade protection for extreme tape durability against dust, dirt, debris and water.
- Compact design and overmould gripping area for extra comfort and durability.
- Bulk packed, order in multiples of 12 pcs.

Description	Length (m)	Pack quantity	Min. order quantity	Article Number	EAN Code
2 m/ 6 ft metric & imperial tape measure	2	1	12	**48225502**	045242468034

Long open tapes

- Steel blade design with nylon clad (extra thick nylon coating) for increased durability.
- Best in class stretch performance: up to 50% less stretch vs. fibreglass tapes.
- Ultra durable design: reinforced metal handle and drop durability.
- 3:1 clutched planetary gearing for 10x longer gear durability and smooth rewind.
- GRIME GUARD: debris wiper keeps blade clean and clear of abrasive material.
- Class II accuracy.
- 2 sided scale printing. Metric measurements shown on the top side and imperial (inches and feet) on the underside of the blade.

① ②



	Description	Length (m)	Blade width (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
①	Long open tape combi 30 m/ 100 ft	30	13	1	1	**48225203**	045242486069
②	Long open tape combi 100 m/ 330 ft	100	9.5	1	1	**48225211**	045242486076

Fibreglass long tapes

- Fibreglass blade ensures a low tape weight.
- 3:1 clutched planetary gearing for 10x longer gear durability and smooth rewind.
- GRIME GUARD: debris wiper keeps blade clean and clear of abrasive material.
- 2 sided scale printing. Metric measurements shown on the top side and imperial (inches and feet) on the underside of the blade.

① ②



	Description	Length (m)	Blade width (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
①	Fibreglass long tape combi 30 m/ 100 ft	30	13	1	1	**48225330**	045242527731
②	Fibreglass long tape combi 60 m/ 200 ft	60	13	1	1	**48225360**	045242527748

Long closed tapes

- Single sided 30 m metric tape with 9.5 mm blade width.
- GRIME GUARD: debris wiper keeps blade clean and clear of abrasive material.
- Ultra durable design: reinforced metal frame housing, reinforced handle and steel blade with nylon coating.
- 3:1 clutched planetary gearing for 10x longer gear durability and smooth rewind.
- Class II accuracy.



Description	Length (m)	Blade width (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
Long closed tape 30 m	30	9.5	1	1	**48225103**	045242486106

REDSTICK™ DIGITAL LEVELS



HEAVY DUTY DESIGN

- Increased frame and strength
- 2x stronger display
- IP65 rating

BEST USER EXPERIENCE

- Enhanced visual and audio signals
- AUTO MODE - Screen automatically adjusts to the environment based on the amount of light

PRECISION ACCURACY

- PIN MODE - Quickly set and save any measurement with 360°
- DYNAMIC READOUT - Delivers enhanced graphics when approaching the target
- Accurate to: 0°, 90°/.03° and 1°-89°/.10



Digital levels



Description	Length (cm)	Handles	Pack quantity	Min. order quantity	Article Number	EAN Code
Digital level 60 cm	60	0	1	1	**4933471978**	4058546298777
Digital level 120 cm	120	2	1	1	**4933471979**	4058546298784





Expandable level



- Cover any length from 200 cm - 366 cm with laser etched measurements.
- SHARPSITE™ vial technology improves the readability of the vial.
- Reinforced internal components protect the level from damage or wear.
- Precision milled measuring surface provides accuracy in all working positions.
- Accurate to 0.029° (0.0005 ″/ in, 0.5 mm/ m) in normal and reverse position.
- High contrast vial system is easy to clean and optimises visibility.
- Full grip frame for improved ergonomics in transport & application.
- Secure tool-removable stand offs.

Description	Length (cm)	Handles	Pack quantity	Min. order quantity	Article Number	EAN Code
Expandable 200 cm - 366 cm	200 - 366	2	1	1	**4932471355**	4058546289836

30 YEARS ACCURACY GUARANTEE
JAHRE GENAUIGKEITSGARANTIE
ANS DE PRÉCISION GARANTIE
www.milwaukeetool.eu



REDSTICK™

DURABLE. GUARANTEED ACCURACY.

ACCURACY GUARANTEE



1. Shock absorbing end caps protect the frame.
2. Durable, All-Metal Hang Hole for storage
3. Wide, durable handles for comfort and portability
4. High Contrast Vial System is easy to clean and optimizes visibility
5. Over-moulded, non-slip grips stick to the wall and prevent sliding
6. Precision milled measuring surface guarantees accuracy in all working positions

SHARPSITE™ VIAL TECHNOLOGY IMPROVED Readability

ALL-METAL REINFORCED BACKBONE™

AMPLIFIED RARE-EARTH MAGNETS

REDSTICK™ BACKBONE™ box levels



- All-metal BACKBONE™. Strong and durable frame. Reinforced vial retention.
- SHARPSITE™ vial technology improves the readability of the vial.
- Wide, durable handles for comfort and portability.
- Precision milled measuring surface provides accuracy in all working positions.
- High contrast vial system is easy to clean and optimises visibility.
- Shock absorbing end caps protect the frame.
- Overmolded, non-slip grips stick to the wall and prevent sliding.
- Durable, all-metal hang hole for storage.
- Accurate to 0.029° (0.0005 ″/ in, 0.5 mm/ m) in normal and reverse position.
- Amplified rare earth magnets for maximum holding power (only magnetic levels).






Strong and durable frame, all metal reinforced BACKBONE™



SHARPSITE™ vial technology improves the readability of the vial



Amplified rare earth magnets for maximum holding power (only magnetic levels)

30 YEARS ACCURACY GUARANTEE
JAHRE GENAUIGKEITSGARANTIE
ANS DE PRÉCISION GARANTIE
www.milwaukeetool.eu

Description	Length (cm)	Handles	Pack quantity	Min. order quantity	Article Number	EAN Code
40 cm magnetic	40	0	1	1	**4932459061**	4002395280322
60 cm magnetic	60	0	1	1	**4932459063**	4002395280346
80 cm magnetic	80	1	1	1	**4932459065**	4002395280360
100 cm magnetic	100	0	1	1	**4932459067**	4002395280384
120 cm magnetic	120	2	1	1	**4932459069**	4002395281008
180 cm magnetic	180	2	1	1	**4932459071**	4002395281046
200 cm magnetic	200	2	1	1	**4932459073**	4002395281060
240 cm magnetic	240	2	1	1	**4932459075**	4002395281084
40 cm non-magnetic	40	0	1	1	**4932459060**	4002395280315
60 cm non-magnetic	60	0	1	1	**4932459062**	4002395280339
80 cm non-magnetic	80	1	1	1	**4932459064**	4002395280353
100 cm non-magnetic	100	0	1	1	**4932459066**	4002395280377
120 cm non-magnetic	120	2	1	1	**4932459068**	4002395280391
180 cm non-magnetic	180	2	1	1	**4932459070**	4002395281015
200 cm non-magnetic	200	2	1	1	**4932459072**	4002395281053
240 cm non-magnetic	240	2	1	1	**4932459074**	4002395281077
End-caps for REDSTICK™ BACKBONE™ levels			2	1	**4932459680**	4058546028527

REDSTICK™ compact box levels





- SHARPSITE™ vial technology improves the readability of the vial.
- Compact and durable frame.
- Bottom milled measuring surface provides maximum accuracy.
- High contrast vial system is easy to clean and optimises visibility.
- Amplified rare earth magnets for maximum holding power (only magnetic levels).
- Accurate to 0.029° (0.0005 ″/ in, 0.5 mm/m) in standard position.
- Shock absorbing rubber end caps.

30 YEARS ACCURACY GUARANTEE
JAHRE GENAUIGKEITSGARANTIE
ANS DE PRÉCISION GARANTIE
www.milwaukeetool.eu

Description	Length (cm)	Handles	Pack quantity	Min. order quantity	Article Number	EAN Code
40 cm magnetic	40	0	1	1	**4932459079**	4002395281725
60 cm magnetic	60	0	1	1	**4932459081**	4002395281749
80 cm magnetic	80	0	1	1	**4932459083**	4002395281763
100 cm magnetic	100	0	1	1	**4932459085**	4002395281787
120 cm magnetic	120	0	1	1	**4932459087**	4002395282401
180 cm magnetic	180	0	1	1	**4932459089**	4002395282425
40 cm non-magnetic	40	0	1	1	**4932459078**	4002395281718
60 cm non-magnetic	60	0	1	1	**4932459080**	4002395281732
80 cm non-magnetic	80	0	1	1	**4932459082**	4002395281756
100 cm non-magnetic	100	0	1	1	**4932459084**	4002395281770
120 cm non-magnetic	120	0	1	1	**4932459086**	4002395281794
180 cm non-magnetic	180	0	1	1	**4932459088**	4002395282418
End-caps for REDSTICK™ compact levels			2	1	**4932459681**	4058546028534

REDSTICK™ concrete levels





- SHARPSITE™ vial technology improves the readability of the vial.
- Ergonomic keyhole profile delivers maximum durability and continuous grip across entire level.
- Wide magnesium base for enhanced screeding functionality and cleanability.
- Dedicated working edges include a rounded and a squared bottom edge for cutting and finishing concrete.
- High contrast vial system is easy to clean and optimises visibility.
- Vial surrounds are optimised for screeding applications and cleanability.
- Slope vials rated for ⅛″ & ¼″ (1% & 2%).

30 YEARS ACCURACY GUARANTEE
JAHRE GENAUIGKEITSGARANTIE
ANS DE PRÉCISION GARANTIE
www.milwaukeetool.eu

Description	Length (cm)	Handles	Pack quantity	Min. order quantity	Article Number	EAN Code
60 cm non-magnetic	60	0	1	1	**4932459893**	4058546030650
120 cm non-magnetic	120	0	1	1	**4932459894**	4058546030667
180 cm non-magnetic	180	0	1	1	**4932459895**	4058546030674

Slim box levels





- 2 solid acrylic vials. Shockproof and UV resistant.
- Precision milled measuring surface up to 120 cm provides maximum accuracy.
- Shock absorbing end caps.
- Durable hang hole for storage.
- VPA third party certificate on accuracy.
- Accurate to 0.029° (0.0005 ″/ in, 0.5 mm/ m) in standard position.

10 YEARS ACCURACY GUARANTEE
JAHRE GENAUIGKEITSGARANTIE
ANS DE PRÉCISION GARANTIE
www.milwaukeetool.eu

Description	Length (cm)	Pack quantity	Min. order quantity	Article Number	EAN Code
20 cm magnetic	20	10	10	**4932478897**	4058546361792
40 cm magnetic	40	1	1	**4932464854**	4058546227999
60 cm magnetic	60	1	1	**4932464855**	4058546228002
100 cm magnetic	100	1	1	**4932464856**	4058546228019
180 cm magnetic	180	1	1	**4932464857**	4058546228026
① 20 cm non-magnetic	20	10	10	**4932472091**	4058546324872
40 cm non-magnetic	40	1	1	**4932459090**	4002395282432
60 cm non-magnetic	60	1	1	**4932459091**	4002395282449
80 cm non-magnetic	80	1	1	**4932459092**	4002395282456
100 cm non-magnetic	100	1	1	**4932459093**	4002395282463
120 cm non-magnetic	120	1	1	**4932459094**	4002395282470
180 cm non-magnetic	180	1	1	**4932459095**	4002395282487
200 cm non-magnetic	200	1	1	**4932459590**	4058546027629

①

REDCAST die-cast levels





- 2 solid acrylic vials. Shockproof and UV resistant.
- 2 heavy duty cast aluminium „anvil“ strike pads for trowel blows during tile work.
- Drill bit diameter gauge in the level‘s profile from 5 to 12 mm.
- Precision milled measuring surface provides maximum accuracy.
- Durable hang hole for storage.
- VPA third party certificate on accuracy.
- Accurate to 0.029° (0.0005 ″/ in, 0.5 mm/ m).

10 YEARS ACCURACY GUARANTEE
JAHRE GENAUIGKEITSGARANTIE
ANS DE PRÉCISION GARANTIE
www.milwaukeetool.eu

Description	Length (cm)	Pack quantity	Min. order quantity	Article Number	EAN Code
REDCAST die-cast level 60 cm	60	1	1	**4932459098**	4002395283118
REDCAST die-cast level 80 cm	80	1	1	**4932459099**	4002395283125

Block torpedo level





- SHARPSITE™ vial technology improves the readability of the vial.
- Locking 360° adjustable vial. Identify and repeat any angle needed on the jobsite. Lock vial in place to keep accuracy in and out of pocket/ pouch.
- Amplified rare earth magnets for maximum holding power.
- Reinforced plumb vials. Solid, acrylic block vials offer maximum durability.
- Die cast aluminium body withstands the conditions of the jobsite.
- Precision milled measuring surface provides maximum accuracy.
- Lanyard hole for use with all most prevention programs.
- Accurate to 0.029° (0.0005 ″/ in, 0.5 mm/ m).

30 YEARS ACCURACY GUARANTEE
JAHRE GENAUIGKEITSGARANTIE
ANS DE PRÉCISION GARANTIE
www.milwaukeetool.eu

Description	Length (cm)	Pack quantity	Min. order quantity	Article Number	EAN Code
Block torpedo level	25	1	1	**4932459096**	4002395282494

Billet torpedo level





- Amplified rare earth magnets for maximum holding power.
- Maximised viewing area. Easily read slope in ⅛″ or ¼″ per foot in either direction.
- Reinforced acrylic vials offer maximum durability.
- Weld clearance. Easily level over weld joints in pipes and other materials.
- Optimised V-groove design for stability on non-ferrous pipes.
- Laser etched ruled edge for quick measurements on material.
- Slim, tapered design for easy sliding in and out of pockets and pouches.

10 YEARS ACCURACY GUARANTEE
JAHRE GENAUIGKEITSGARANTIE
ANS DE PRÉCISION GARANTIE
www.milwaukeetool.eu

Description	Length (cm)	Pack quantity	Min. order quantity	Article Number	EAN Code
Billet torpedo level	17	1	1	**4932459097**	4002395283101

Pocket level





- 360° adjustable vial for reading angles.
- Locking mechanism for repetitive use in and out of pocket/ pouch.
- Amplified rare-earth magnets for maximum holding power.
- V-groove for leveling on pipes.
- Milled edge to ensure accuracy.
- Compact size for jobsite functionality.



10 YEARS ACCURACY GUARANTEE
JAHRE GENAUIGKEITSGARANTIE
ANS DE PRÉCISION GARANTIE
www.milwaukeetool.eu

Description	Length (cm)	Pack quantity	Min. order quantity	Article Number	EAN Code
Pocket level	7.8	1	6	**4932459597**	4058546027698

Compact torpedo





- SHARPSITE™ pitch vial for easy reading of 1 and 2 degree pitch.
- Sub compact design for working in tight spaces.
- Optimized V-grove design for stability of rounded surfaces.
- Weld clearance to level over weld lines in pipe and other material.
- Amplified rare earth magnets for maximum holding power.
- Accurate to 0.029° (0.0005 ″/ in, 0.5 mm/ m).

Description	Length (cm)	Pack quantity	Min. order quantity	Article Number	EAN Code
Compact torpedo	7.6	1	1	**4932472122**	4058546325183

Minibox level







- Lightweight aluminium box profile fits easily into your tool belt or pocket.
- Solid acrylic vial. Shockproof and UV resistant vials.
- Shockproof end caps.
- Accurate to 0.029° (0.0005 ″/ in, 0.5 mm/ m) in standard position.
- VPA third party certificate on accuracy.

10 YEARS ACCURACY GUARANTEE
JAHRE GENAUIGKEITSGARANTIE
ANS DE PRÉCISION GARANTIE
www.milwaukeetool.eu

Description	Length (cm)	Pack quantity	Min. order quantity	Article Number	EAN Code
Minibox level	10	1	10	**4932459100**	4002395283446


Chalk reel

- Extra bold lines - 2 mm thick line for maximum visibility.
- Planetray gear system for increased durability.
- 4/1 gear ratio for fast line retraction.
- Large chalk capacity.
- Easy refills due to the extra large quick turn opening.
- Easy line securing due to the line lock.



① 

② 

③ 

	Description	Pack quantity	Min. order quantity	Article Number	EAN Code
①	30 m large capacity chalk reel	1	1	**4932471634**	4058546295332
②	45 m large capacity chalk reel	1	1	**4932471635**	4058546295349
③	30 m replacement line chalk reel	1	1	**4932471636**	4058546295356
	45 m replacement line chalk reel	1	1	**4932471637**	4058546295363

Framing Square

- Reinforced frame.
- Laser etched markings provide superior visibility.
- Precision scribe notches for easy marking.
- Common conversion table.
- Markings to assist in angle finding.





Description	Length (cm)	length (Inch)	Pack quantity	Min. order quantity	Article Number	EAN Code
Framing square metric	40 x 60	-	1	1	**4932472126**	4058546325220
Framing square imperial	-	16 x 24	1	1	**4932472125**	4058546325213

Rafter Square

- Precision scribe notches for easy marking.
- High visibility laser etched markings.
- Pipe prop to assist in cutting pipe materials.
- Increased heel width for improved grip.





Description	Length (cm)	length (Inch)	Pack quantity	Min. order quantity	Article Number	EAN Code
Rafter square metric	18	-	1	1	**4932472124**	4058546325206
Rafter square imperial	-	7	1	1	**4932472123**	4058546325190

INKZALL™ markers

- Stays sharp, doesn't mushroom or push back under pressure.
- Acrylic nib ideal for rough surfaces such as OSB and concrete.
- Marker continues to write after 72+ hours of cap off time.
- For use on concrete, wood, metal, plywood, OSB, plastic.
- Can be used on wet, oily, dusty, rusty, with debris surfaces.
- Quick dry time – reduced smearing markings on PVC, metal surfaces.
- Thin body for use in restricted areas.
- Helmet clip – can be clipped to the construction site cap, trousers, overalls.
- Easy open cap for one hand operation.
- Anti-Roll design - won't roll off surfaces.

① 

② 

③ 

④ 

⑤ 

⑥ 

	Description	Colour	Tip	Pack quantity	Min. order quantity	Article Number	EAN Code
①	INKZALL™ marker*	Black	1 mm	1	36	**48223100**	045242319473
②	INKZALL™ marker*	Red	1 mm	1	36	**48223170**	045242355259
③	INKZALL™ marker with stylus	Black	1 mm	1	1	**48223101**	045242297436
④	INKZALL™ fine tip markers	Black	0.6 mm	4	1	**48223154**	045242479764
⑤	INKZALL™ colour markers Blue, red, green and black		1 mm	4	1	**48223106**	045242333585
⑥	INKZALL™ chisel point marker	Black	1- 4,8 mm	1	1	**48223103**	045242333608

* Orders are only possible in master cartons (contains 36 x 48223100). Minum order quantity is 36 pcs (= 1 master carton). Order quantities greater than 36 pcs are to be ordered in multiples of 36 pcs (i.e. 72, 108, 144, 180...).

INKZALL™ chisel tip markers

- Marker continues to write after 72+ hours of cap off time.
- Can be used on wet, oily, dusty, rusty, with debris surfaces.
- For use on concrete, wood, metal, plywood, OSB, plastic.
- Quick dry time – reduced smearing markings on PVC, metal surfaces.
- Easier to read from a distance due to the increased chisel tip sizes.



	Description	Colour	Tip	Pack quantity	Min. order quantity	Article Number	EAN Code
①	INKZALL™ black chisel tip marker L (3 pc)	Black	6.2 mm	3	1	**4932471554**	4058546294533
②	INKZALL™ black chisel tip marker L	Black	6.2 mm	1	12	**4932471555**	4058546294540
③	INKZALL™ red chisel tip marker L	Red	6.2 mm	1	12	**4932471556**	4058546294557
④	INKZALL™ blue chisel tip marker L	Blue	6.2 mm	1	12	**4932471557**	4058546294564
⑤	INKZALL™ black chisel tip marker XL (1 pack)	Black	14.5 mm	1	1	**4932471558**	4058546294571
⑥	INKZALL™ black chisel tip marker XL	Black	14.5 mm	1	12	**4932471559**	4058546294588
⑦	INKZALL™ red chisel tip marker XL	Red	14.5 mm	1	12	**4932471560**	4058546294595
⑧	INKZALL™ blue chisel tip marker XL	Blue	14.5 mm	1	12	**4932471561**	4058546294601

① 

② 

③ 

④ 

⑤ 

⑥ 

⑦ 

⑧ 

INKZALL™ liquid paint markers

- Valve action marker.
- Durable acrylic nib for the most demanding environmental conditions: surface temperature from -10° up to + 145°.
- Marks on dark surfaces where traditional markers would not be easily visible.
- Can be used on rough, dirty and greasy surfaces.
- For use on concrete, black pipe, aluminium, PVC, steel & stainless steel, rubber and tyres.
- 10 seconds dry time.
- Water and UV resistant markings.
- Permanent markers. Markings last up to 6 months.
- Metal barrel for construction site durability.
- Xylene-free paint.
- IMPORTANT: Shake the marker with the cap on. Remove the cap and carefully pump it up and down until ink flows into the nib.





	Description	Pack quantity	Min. order quantity	Article Number	EAN Code
①	INKZALL™ liquid paint marker - white	1	12	**48223711**	045242363360
②	INKZALL™ liquid paint marker - yellow	1	12	**48223721**	045242363377
③	INKZALL™ liquid paint marker - black	1	12	**48223731**	045242363384

INKZALL™ highlighters

- Durable tip stays sharp longer.
- No smearing, doesn‘t bleed through.
- Non-toxic ink, ASTM D 4236 certification.
- Ideal for architectural drawings, labels, office paper.
- Anti-roll body design for better grip on smooth surfaces.
- Construction helmet clip: the INKZALL™ highlighters can be clipped to the helmet, trousers, overalls, etc.
- Lanyard hole, e.g. to attach the INKZALL™ highlighters to the belt.





	Description	Pack quantity	Min. order quantity	Article Number	EAN Code
①	INKZALL™ highlighter - yellow	5	1	**48223201**	045242482573
②	INKZALL™ highlighter - coloured	5	1	**48223206**	045242482580

INKZALL™ fine tip pens

- Approx. 0.6 mm tip.
- Clog resistant.
- Main applications: marking of labels for electrical wires, adding comments to architect plans.



	Description	Colour	Pack quantity	Min. order quantity	Article Number	EAN Code
①	INKZALL™ fine tip pens (4 pc) - black	Black	4	1	**48223164**	045242479818
②	INKZALL™ fine tip pens (4 pc) - coloured	Black, red and blue	4	1	**48223165**	045242479825

FASTBACK™ flip utility knife

- One handed blade opening. User can flip open the blade with one hand for easy activation.
- Integrated gut hook. Allows users to make cuts without exposing the blade.
- Tool free blade change. Less down time in the field for blade changes.
- Wire stripper. Eliminates the need to look for another tool in user‘s bag.
- Thin body design. Tool is easily stored in user‘s pocket.
- Belt clip for easy storage.





	Description	Pack quantity	Min. order quantity	Article Number	EAN Code
①	FASTBACK™ compact flip utility knife	1	1	**4932471356**	4058546289843
②	FASTBACK™ flip utility knife	1	6	**4932471357**	4058546289850
③	FASTBACK™ flip utility knife with blade storage	1	1	**4932471358**	4058546289867

FASTBACK™ 6 in 1 utility knife

- 1/4˝ Hex bit holder with double ended PH2 and SL5.5.
- One handed blade opening. User can flip open the blade with one hand for easy activation.
- Tool free blade change. Less down time in the field for blade changes.
- Wire stripper. Eliminates the need to look for another tool in user‘s bag.
- Belt clip for easy storage.
- Integrated bottle opener.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
6 in 1 utility knife	1	1	**4932478559**	4058546347529

FASTBACK™ folding knife

- Press and flip operation permits one-handed opening.
- Resharpenable stainless steel blade.
- Piercing tip allows controlled piercing and smooth cutting.
- Liner lock secures the blade in the open position.
- Lanyard hole.
- Wire form belt clip for quick access without fraying pockets.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
FASTBACK™ folding knife	1	1	**48221990**	045242296842

Compact pocket knife

- Compact size for carrying in the pocket.
- Resharpenable stainless steel blade.
- Piercing tip allows controlled piercing and smooth cutting.
- Liner lock secures the blade in the open position.
- Lanyard hole.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Compact pocket knife	1	1	**4932478560**	4058546347536

Fixed blade knife

- The fixed blade knife is designed for optimal edge retention and durability.
- 4” (101mm) stainless steel blade, optimised to stay sharper longer.
- Full metal tang provides durability for tough cut.
- Ergonomic handle offers secure and comfortable grip.
- Lanyard hole for easy tethering.
- Durable moulded sheath with belt clip for fast access.





Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Fixed blade knife	1	1	**4932464828**	4058546227739

Hawkbill fixed blade knife

- The hawkbill fixed blade knife is ideal for stripping wire and cable.
- Stainless steel blade is optimised to stay sharper longer.
- Full metal tang provides durability for tough cuts.
- Large ergonomic handle designed for comfortable use with gloves.
- Lanyard hole for easy tethering.
- Durable molded sheath with belt clip for fast access.





Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Hawkbill fixed blade knife	1	1	**4932464829**	4058546227746

HARDLINE™ folding knives

- Premium D2 blade steel provides better corrosion resistance. High strength and wear resistance, stays sharp longer.
- Smooth / serrated 75 mm blade and piercing tip. Ideal for tearing through material and tip allows controlled piercing.
- Flip opening with bearing system: can be opened with 1 hand only.
- Opening steel frame lock secures the blade in the open position.
- Glass filled nylon handle with stainless steel.
- Liner lock secures the blade in the open position.
- Lanyard hole.
- Reversible belt clip allows right or left handed carry.





Description	Blade type	Pack quantity	Min. order quantity	Article Number	EAN Code
① HARDLINE™ folding knife - smooth	Smooth	1	1	**48221994**	045242477043
② HARDLINE™ folding knife - serrated	Serrated	1	1	**48221998**	045242359165

HARDLINE™ fixed blade knife

- 5″ (127 mm) AUS-8 Steel blade allows the blade to hold its edge longer, reducing the user’s need to sharpen.
- Full metal tang provides durability for tough cuts.
- Overmolded handle for a strong secure grip, and a lanyard hole.
- Durable multi position sheath for fexible carry option and fast access.





Description	Pack quantity	Min. order quantity	Article Number	EAN Code
HARDLINE™ fixed blade knife	1	1	**4932464830**	4058546227753

Fixed blade utility knife

- Ready to use fixed blade for an easier an fastest access to the knife.
- Tool-free blade change: Saves time changing blades. Thumb-screw mechanism allows to change the blade quickly and without any extra tools.
- Blade storage holds up to 5 blades conveniently inside the handle.
- Tool lanyard hole for easy tethering.
- Heavy Duty: Durable full metal body.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Fixed blade utility knife	1	1	**4932471361**	4058546289898

Sliding utility knife

- Side blade activation: Reduces the risk of exposing the blade accidentally.Tool free blade change: Saves time changing blades.
- Blade storage: Magnetic holder for 5 blades.
- Heavy Duty: Full metal body with rubber overmould for increased comfort and reduced hand slippage.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
① Sliding utility knife	1	6	**4932471359**	4058546289874
② Compact slide utility knife	1	1	**4932478561**	4058546347543

Self-retracting safety knife

- Self-retract mechanism: Retracts blade when the button is released.Blade storage holds up to 5 blades conveniently inside the handle.
- Tool-free blade change: Saves time changing blades. Thumb-screw mechanism allows to change the blade quickly and without any extra tools.
- Heavy Duty: Durable full metal body.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Self-retracting safety knife	1	1	**4932471360**	4058546289881

General purpose utility blades

- Iron carbide deposited metal for longer lifetime.
- Optimised cutting angle geometry for sharpness.
- Extra ground cutting edge for cleaner cuts.
- Blades are protected and easily accessible from storage box.



	Description	Total length (mm)	Height (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
①	General purpose utility knife blades	62	19	50	1	**48221950**	045242344444
				5	1	**48221905**	045242268061
②	Hook utility knife blades	62	19	50	1	**48221952**	045242286980
③	Carton utility knife blades (rounded)	62	19	5	1	**48221934**	045242286942

Snap knives


- Metal lock* for maximum durability and longer lifetime.
- Lock with a speed thread* that allows faster blade adjustment.
- Auto-lock slide** for faster blade adjustment.
- Snap-off cap pocket clip** snaps off blade segments.
- Overmolded handle offers a slip resistant grip and is an acetone resistant.
- Iron carbide blade for longer lifetime, increased sharpness and clean cut finish.



	Description	Blade width (mm)	No. blade points	Pack quantity	Min. order quantity	Article Number	EAN Code
①	Snap knife 9 mm	9	13	1	1	**48221960**	045242296811
②	Snap knife 18 mm	18	8	1	1	**48221961**	045242296798
③	Snap knife 25 mm	25	7	1	1	**48221962**	045242296828

Snap blades

- Robust re-usable storage dispenser with easy access to blades.
- Optimized cutting angle geometry for sharpness and improved cutting precision.
- Iron carbide metal for longer life.
- Precise ground cutting edges for cleaner cuts.



	Description	Blade width (mm)	No. blade points	Pack quantity	Min. order quantity	Article Number	EAN Code
①	Snap blades 9 mm	9	13	10	1	**4932480106**	4058546403911
②	Snap blades 18 mm	18	8	10	1	**4932480107**	4058546403928
③	Snap blades 25 mm	25	7	10	1	**4932480108**	4058546403935

PVC saw

- All-metal handle design for best-in-class durability.
- Tool free blade change: up to 10x faster blade change.
- Overmold handle for increased comfort.
- Compact design.





Description	Pack quantity	Min. order quantity	Article Number	EAN Code
PVC saw	1	1	**48220212**	045242467518
PVC saw replacement blade	1	1	**48220222**	045242467532

Compact hacksaw

- Tool free blade change for changing blades up to 10x faster.
- Compact design, ideal for versatile cutting in tight spaces.
- Adjustable blade length for easier flush cutting.
- Rubber overmold grip for increased comfort.
- Accepts 12″ blades.
- Supplied with 10″ / 24 Tpi blade.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Compact hacksaw	1	1	**48220012**	045242204571

Folding jab saw

- Tool free blade change: Change blades up to 10x faster.
- Folding blade: Easier and safer storage.
- Rubber overmold grip: Increased comfort.
- Accepts all SAWZALL™ blades for increased versatility.
- Supplied with 18 TPi, 150 mm blade.



Description	Blade length (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
Folding jab saw	150	1	1	**48220305**	045242204618

Hacksaw

- Tough metal frame, supports higher tension (25,000 PSi / 250 lbs).
- Overmould handle ensures secure grip and user comfort.
- Internal blade storage for extra blades.
- Supplied with 12″ / 24 Tpi blade.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Hacksaw	1	1	**48220050**	045242362226

Rasping jab saw

- 150 mm plaster / drywall blade: Extra strong thicker blade making it more resistant for plunge cuts.
- Coated for corrosion protection.
- Rubber overmould: Increased comfort and reduced hand slippage.
- Built in rasping holes: Allows user to rapidly expand holes or smooth rough edges.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Rasping jab saw	1	1	**4932479783**	4058546375775

Jobsite scissors

- Iron carbide cutting edge for maximum durability. Longer lifetime vs. stainless steel.
- Chrome plated blades for maximum rust protection.
- All metal core: Full metal handle construction to protect from drops and handle breakage.
- Bolt lock technology protects blades from loosening to ensure precise cutting.
- Large handle loops for use with gloves.
- Index finger groove for more comfort.
- Laser edged ruler markings on the blade allows to measure and cut in one go.
- Jobsite offset scissors with micro-serrated blades for maximum durability and better grip.
- Jobsite offset scissors with 60°-offset head allows to keep hand above cutting material.

① 

②

Description	Total length (mm)	Blade length (mm)	Weight (g)	Pack quantity	Min. order quantity	Article Number	EAN Code
① Straight scissors	230	95	180	1	1	**4932479409**	4058546372033
② Offset scissors	240	115	230	1	1	**4932479410**	4058546372040

Electricians Scissors

NEW

- Cable cutting groove for greater leverage.
- Rounded grove allows for easy wire stripping.
- Cable crimper for crimps up to 6 mm.
- Adjustable tightening screw allows to set desired resistance.
- Tool holder with belt strap for easy storage.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Electricians Scissors	1	1	**4932478620**	4058546348137

Metal Aviation Snips

- Thumb and forefinger slots for increased comfort and less fatigue. Allows user to push through sheet metal with ease with less risk of cutting oneself.
- Serrated cutting edges prevent slippage when cutting.
- Less hand fatigue when cutting thicker materials. Design with compound leverage action.
- Torsion spring opens jaws automatically during cutting for faster cutting action and less fatigue work.
- Chrome plated rust protected forged blades for increased lifetime. Extra hardened to 65 HRC.
- Made from forged alloy steel for best durability – Cr Steel.
- One hand locking mechanism.
- Flush slimline design for non-snagging in material.
- Triple cutting direction identification – on the head, handle and by colour coded handle.
- Ergonomic and durable overmoulded grips add comfort and last longer.
- Aviation snips: For short, straight and shaped cuts. Ideal for narrow radius cuts and notch cuts.
- Offset snips: For long continuous straight or curved cuts. 45° offset keeps users hand away from the cutting material.
- Extra long aviation snips: For longer and straighter cuts in one go.

① 

② 

③ 

④ 

Cutting direction	Total length (mm)	Edge length (mm)	Max. cutting capacity aluminium (mm)	Max. cutting capacity stainless steel (mm)	Weight (g)	Pack quantity	Min. order quantity	Article Number	EAN Code
① Aviation snips: For short, straight and shaped cuts. Ideal for narrow radius cuts and notch cuts.									
Straight (yellow)	260	31	1.0	0.6	430	1	1	**48224530**	045242503643
Right (green)	260	31	1.0	0.6	430	1	1	**48224520**	045242503636
Left (red)	260	31	1.0	0.6	430	1	1	**48224510**	045242503629
② Offset snips: For long continuous straight or curved cuts. 45° offset keeps users hand away from the cutting material.									
Straight (yellow)	260	37	1.0	0.6	430	1	1	**48224532**	045242503674
Right (green)	260	30	1.0	0.6	430	1	1	**48224522**	045242503667
Left (red)	260	30	1.0	0.6	430	1	1	**48224512**	045242503650
③ Extra long aviation snips: For longer and straighter cuts in one go.									
Straight (yellow)	310	76	1.0	0.6	450	1	1	**48224537**	045242503681
Left (offset)	290	63	1.0	0.6	450	1	1	**48224538**	045242503698
④ **Metal snips set (3pc)** 48224510, 48224530 and 48224520						3	1	**48224533**	045242503735

Mini copper tubing cutters

- Proprietary adjustment mechanism.
- Chrome rollers for added durability and extended performance provide best in class rust protection.
- Easy grip knob allows faster adjustment and easier one handed use.
- Compact design to cut pipes in restricted areas.



Description	Max. cutting capacity in copper pipe (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
Mini copper tubing cutter 15 mm	3 - 15	1	1	**48229250**	045242521210
Mini copper tubing cutter 22 mm	3 - 22	1	1	**48229258**	045242521258
Mini copper tubing cutter 28 mm	3 - 28	1	1	**48229251**	045242521227



Constant swing copper tubing cutters

- Constant swing copper tubing cutters are engineered for straighter, cleaner cuts.
- 4 roller design delivers accurate cuts and prevents walking.
- Chrome rollers for added durability and extended performance provide best in class rust protection.
- Smooth adjustment mechanism.
- On-board reamer enables fast, easy deburring.
- A spare wheel is integrated in the knob.





Description	Max. cutting capacity in copper pipe (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
Constant swing copper tubing cutter 28 mm	3 - 28	1	1	**48229259**	045242521265
Constant swing copper tubing cutter 42 mm	3 - 42	1	1	**48229252**	045242521234
Constant swing copper tubing cutter 67 mm	16 - 67	1	1	**48229253**	045242521241
Reaming blades		3	1	**48224257**	045242356263

Tubing cutter blades

- Replacement blades for tubing cutters.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Tubing cutter blades for copper	2	1	**48224256**	045242356256
Tubing cutter blades for stainless steel	4	1	**4932464511**	4058546224561

Reaming pen

- Provides easy deburring of copper tubing and PVC.
- All-metal design for durability through demanding jobsite use.
- Heat treated and black oxide coated blade for extended life.
- A slide resistant clip allows easy storage in the users pocket or tool bag for quick access.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Reaming pen	1	1	**48224255**	045242356249

Plastic cutter

NEW

- Cuts PEX, PB, MDP, PE, plastic electrical conduits, pneumatic pipe, plastic overflow pipe, rubber hoses, silicon hoses up to Ø 25 mm.
- V-shaped blade allows quick and straight cuts; prevents crushing of material.
- Replaceable stainless steel blade.
- Robust construction: Metal core from the head to the handles for maximum lifetime.
- One handed locking mechanism, tool remains closed while in pouch, spring loaded but easy opening.
- Corrosion resistant head.



Description	Max. capacity tube & pipe Ø (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
Plastic Cutter	25	1	1	**4932479407**	4058546372019
Plastic cutter blade replacement	-	1	1	**4932479408**	4058546372026

Ratcheting PVC cutter

- Durable stainless steel rust proof blade for more cuts.
- Comfortable handle adds working comfort.
- Quick blade release adds working speed.
- One-handed metal lock.
- Lanyard hole, improves working security.
- Blades are replaceable.
- Suitable for: PVC, CPVC, PEX, PP, PB, PVDF, PE.





	Description	Max. capacity tube & pipe Ø (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
①	Ratcheting PVC cutter 42 mm	42	1	1	**4932464172**	4058546221171
	Ratcheting PVC cutter 60 mm	63	1	1	**4932464173**	4058546221188
②	Ratcheting PVC cutter blade 42 mm		1	1	**48224211**	045242477012
	Ratcheting PVC cutter blade 60 mm		1	1	**48224216**	045242477036

Cable cutter

- Best-in-class cut quality: Bevelled jaw heads for accurate, smooth cable shearing.
- Comfort grips: More comfortable than dipped plastic. Grips will not peel.
- Forged design: Tool durability in abusive environments.
- Rust protection: Black oxide finish protects from rust.





Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Cable cutter	1	1	**48226104**	045242356140

Bolt cutters

- Forged steel blades for strong and durable cutting edge.
- Comfort grip handles will not peel or slide off.
- Blade adjustment screw ensures high performance and longer life.
- Lanyard holes.



Description]	Blade width (mm)	Cutting capacity for HRC 31 materials (Max. Ø mm)	Cutting capacity for HRC 48 materials (Max. Ø mm)]	Pack quantity	Min. order quantity	Article Number	EAN Code
14" bolt cutter	13	8	5	1	1	**4932464827**	4058546227722
24" bolt cutter	13	11	8	1	1	**4932464826**	4058546227715



Extendable bolt cutters

- POWERMOVE™ handles extend for easier cuts in tough applications.
- Forged steel blades for strong and durable cutting edge.
- Pivoting head for angle adjustment.
- Comfort grip handles will not peel or slide off.
- Lanyard holes.



Description	Blade width (mm)	Cutting capacity for HRC 31 materials (Max. Ø mm)	Cutting capacity for HRC 48 materials (Max. Ø mm)]	Pack quantity	Min. order quantity	Article Number	EAN Code
14" / 18" extendable bolt cutter	13	8	5	1	1	**4932464850**	4058546227951
24" / 30" extendable bolt cutter	13	11	8	1	1	**4932464851**	4058546227968



Nail Puller

- Dimpler allows for easy nail removal with limited damage to surface.
- Low profile claw to reach the tightest of nails.
- Handle grip greatly reduces vibration.



Description	Length (cm)	Pack quantity	Min. order quantity	Article Number	EAN Code
9" nail puller	22.86	1	1	**4932478249**	4058546344269
10" nail puller	25.40	1	1	**4932478250**	4058546344276
12" nail puller	30.48	1	1	**4932478251**	4058546344283



Trim Puller

- Low profile trim claw to easily slide between trim/ skirting boards and walls.
- Dimpler allows for easy nail removal with limited damage to surface.
- Handle grip greatly reduces vibration.



Description	Length (cm)	Pack quantity	Min. order quantity	Article Number	EAN Code
10" trim puller	25.40	1	1	**4932478252**	4058546344290



Wrecking Bar

- Beveled edge improves leverage and accessibility when pulling nails, lifting or prying.
- Nail/ staple puller easily removes nails and staples without damaging flooring or surrounding materials.
- Reinforced strikable tongue for extra material penetration using a hammer.



Description	Length (cm)	Pack quantity	Min. order quantity	Article Number	EAN Code
12" wrecking bar	30.48	1	1	**4932478253**	4058546344306
15" wrecking bar	38.1	1	1	**4932478254**	4058546344313



Steel RIP claw hammer

NEW

- Shockshield grip reduces peak vibration
- Straight/RIP claw for prying and demolition work
- Magnetic nail starter for safer application
- Side nail puller
- I-Beam handle construction resists bending in prying applications
- Precise balance for better handling



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
16oz Steel RIP claw hammer	1	1	**4932478653**	4058546348465
20oz Steel RIP claw hammer	1	1	**4932478654**	4058546348472

Steel curved claw hammer

NEW

- Shockshield grip reduces peak vibration
- Curved claw hammer reduces damage when pulling nails
- Magnetic nail starter for safer application
- Side nail puller
- I-Beam handle construction resists bending in prying applications
- Precise balance for better handling



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
16oz Steel curved claw hammer	1	1	**4932478655**	4058546348489
20oz Steel curved claw hammer	1	1	**4932478656**	4058546348496

Hickory curved claw hammer

NEW

- Hickory handle providing low vibration
- Curved claw hammer reduces damage when pulling nails
- Magnetic nail starter for safer application
- Precise balance for better handling



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
16oz Hickory curved claw hammer	1	1	**4932478659**	4058546348526
20oz Hickory curved claw hammer	1	1	**4932478660**	4058546348533

Fiberglass engineers hammer

NEW

- Reinforced fiberglass handle
- Over moulded handle for increased grip and reduced vibration
- Reinforced head connection for added durability
- Precise balance for better handling
- DIN 1041



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
200g Fiberglass engineers hammer	1	1	**4932478661**	4058546348540
300g Fiberglass engineers hammer	1	1	**4932478662**	4058546348557
500g Fiberglass engineers hammer	1	1	**4932478663**	4058546348564
800g Fiberglass engineers hammer	1	1	**4932478664**	4058546348571
1000g Fiberglass engineers hammer	1	1	**4932478665**	4058546348588

Club hammer

- Duel Face Versatility: Milled face provides additional grip and minimizes movement of face when striking chisels or large nails, the smooth face prevents damage to struck objects.
- Reinforced Overstrike Protection: Increases durability in the most common failure point.
- Fiberglass handle with over molded grip: Provides durability with improved grip capacity and comfort.
- Lanyard Hole: Easily comply with safety regulations working at height.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
1.36 kg / 3 lbs club hammer	1	1	**4932478255**	4058546344320




Hex Keys

NEW

- Twist and lock case for easy access to keys.
- Ball end for up to 30° access to screw.
- Size identification to easily identify the key.
- Lanyard hole for easy attachment to the MILWAUKEE® lanyard range allowing use at height.





Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Hex Keys	9	1	**4932478621**	4058546348144



Tri-lobe screwdrivers

- Comfortable Tri-Lobe handle optimized for maximum user comfort and high torque applications.
- Permanent visible ID markings allows for quick tool identification.
- Landyard hole for easy attachment to a safety system.
- Hardened magnetic tips for maximum durability and fastener retention.
- Anti role, 3 sided collar on the handle
- Wrench ready shank allows extra leverage to be applied.












	Description	Pack quantity	Min. order quantity	Article Number	EAN Code
①	**Tri-lobe screwdriver set 1 (6 pc)** PZ1 / PZ2 / SL3 / SL4 / SL5.5 / SL6.5	6	1	**4932471806**	4058546297053
②	**Tri-lobe screwdriver set 2 (6 pc)** PH1 / PH2 / SL3 / SL4 / SL5.5 / SL6.5	6	1	**4932471807**	4058546297060
③	**Tri-lobe screwdriver set 3 (10 pc)** PZ1 / PZ2 / PH1 / PH2 / SL3 / SL5.5 / SL6.5 / SL6.5 / SL8	10	1	**4932471808**	4058546297077
④	**Tri-lobe screwdriver set 4 (12 pc)** PZ0 / PZ1 / PZ2 / PH0 / PH1 / PH2 / SL2.5 / SL4 / SL5.5 / SL6.5 / SL6.5 / SL8	12	1	**4932472003**	4058546323998
⑤	**Tri-lobe screwdriver Torx set (6 pc)** T10 / T15 / T20 / T25 / T30 / T40	6	1	**4932471809**	4058546297084
⑥	**Tri-lobe screwdriver stubby set (2 pc)** PZ2 x 45mm / SL6.5 x 45mm	2	1	**4932471810**	4058546297091



Tri-lobe demolition screwdriver

- Hammer ready strike caps.
- All metal core.
- Wrench ready shank.
- Comfortable Tri-Lobe handle.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Tri-lobe demolition screwdriver set PH2 / SL7.9 mm	2	1	**4932471872**	4058546297718

Demolition driver

- Hardened all metal core giving maximum shank durability.
- Multiple striking caps to give user more force when prying and chiseling.
- Duct piercing tip allows to pierce through sheet metal.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Demo driver	1	1	**4932471871**	4058546297701

Precision screwdrivers

- All metal core for improved durability.
- 360° rotating back cap.
- Chrome plated shanks increase tool life by reducing corrosion.
- Durable case with robust zipper included to store tools.
- Longer shanks for improved visibility and extended reach.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Precision screwdriver set (6 pc) PH00 / PH0, SL1.6 / SL2 / SL3.2 / SL4	6	1	**4932471869**	4058546297688
Torx precision screwdriver (6 pc) T6, T7, T8, T9, T10, T15	6	1	**4932471870**	4058546297695

8 in 1 compact ratcheting multi-bit screwdriver

- Full metal high torque ratchet for 2x driving speed and control.
- Chrome plated marine grade rust protected bits.
- Revolver style bit storage in handle.
- Precision hardened bit tips: Durable driving tips for secure fitment and long life.





Description	Pack quantity	Min. order quantity	Article Number	EAN Code
8 in 1 compact ratcheting multi-bit screwdriver PH1 / PH2 / PZ1 / PZ2 / TX15 / SL4.8 / SL6.4	1	1	**4932471868**	4058546297671

9 in 1 ratcheting multi-bit screwdriver

- Ergonomic 152 mm long screwdriver with 1/4″ Hex nut driver (in reception) and built in loop maker.
- Full metal high torque ratchet for 2x driving speed and control.
- 88 mm long power groove bits, power tool compatibility.
- Precision hardened bit tips: Durable driving tips for secure fitment and long life.
- Revolver style bit storage in handle.
- Chrome plated marine grade rust protected bits.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
9 in 1 ratchet multi-bit screwdriver - universal PH1 / PH2 / PZ1 / PZ2 / TX15 / TX20 / Slotted 0.8 x 5.5 mm	1	12	**4932471598**	4058546294977
9 in 1 ratchet multi-bit screwdriver - Hex Hex 1.5 mm / Hex 2 mm / Hex 2.5 mm / Hex 3 mm / Hex 4 mm / Hex 5 mm / Hex 6 mm	1	12	**4932471599**	4058546294984

HOLLOWCORE™ magnetic nut drivers

- HOLLOWCORE™ unlimited depth in long bolts and threaded rod applications (patent pending).
- Magnetic retention driver heads for secure fitment in fastening applications.
- Universal driver head fits 4x more fasteners - square, 12 point, 8 point, Hex.
- Removes rusted and stripped bolts.
- Colour coded ID markings allow for quick tool identification on jobsite.
- Wrench ready Hex shanks deliver additional leverage.
- Chrome plated for maximum durability.
- Forged steel shanks provide longer life and more durability.



	Size (mm)	Colour code	For anchor thread size	Pack quantity	Min. order quantity	Article Number	EAN Code
①	5	Black	-	1	1	**48222531**	045242294428
②	5.5	Brown	M3	1	1	**48222532**	045242294435
③	6	Red	M3.5	1	1	**48222533**	045242294442
④	7	Orange	M4	1	1	**48222534**	045242294459
⑤	8	Yellow	M5	1	1	**48222535**	045242294466
⑥	10	Blue	M6	1	1	**48222536**	045242294473
⑦	13	Orange	M8	1	1	**48222537**	045242294480



LIVE ELECTRIC SAFE.

VDE TRI-LOBE SCREWDRIVERS

- TESTED TO 10,000 VOLTS AND GUARANTEED TO 1,000 VOLTS
- TRI-LOBE ANTI ROLL HANDLE
- LASER ENGRAVED SIZES ON HANDLE AND END CAP FOR QUICK IDENTIFICATION
- LASER ENGRAVED SIZES ON HANDLE



PART OF THE **MILWAUKEE®** **ELECTRICIAN RANGE**

VDE CERTIFIED

VDE TESTED

- Tested to 10,000V and guaranteed to 1000V

LEARN MORE ABOUT THE VDE TRI-LOBE SCREWDRIVERS

COMFTABLE TRI-LOBE HANDLES


TRI-LOBE HANDLE

- High leverage handle
- Comfortably exert maximum leverage

EASY IDENTIFICATION

PERMANENT ID MARKING

- Will not wear away
- Allows users to accurately select correct driver



ELECTRICAL SLIM SHAFT

ELECTRIC SLIM SHAFT

- To allow access to tight holes

POUCHABLE HANDLE

- Ultimate Portability – Easily insert and remove from pouches

INTEGRATED LANYARD HOLE

- Ultimate Portability – Easily insert and remove from pouches

Tri-Lobe VDE screwdrivers

NEW

- VDE tested to 10, 000 V and guaranteed to 1,000 V.
- Slim shank diameter for access to low lying screw applications.
- Comfortable Tri-Lobe handle optimized for maximum user comfort and high torque applications.
- Permanent visible ID markings allows for quick tool identification.
- Anti role, 3 sided collar on the handle
- Landyard hole for easy attachment to a safety system.




	Description	Pack quantity	Min. order quantity	Article Number	EAN Code
	Tri-Lobe VDE screwdriver - slotted 0.4 x 2.5 x 75	1	1	**4932478712**	4058546349059
	Tri-Lobe VDE screwdriver - slotted 0.5 x 3 x 100	1	1	**4932478713**	4058546349066
	Tri-Lobe VDE screwdriver - slotted 0.6 x 3.5 x 100	1	1	**4932478714**	4058546349073
	Tri-Lobe VDE screwdriver - slotted 0.8 x 4 x 100	1	1	**4932478715**	4058546349080
	Tri-Lobe VDE screwdriver - slotted 1.0 x 5.5 x 125	1	1	**4932478716**	4058546349097
	Tri-Lobe VDE screwdriver - slotted 1.2 x 6.5 x 150	1	1	**4932478717**	4058546349103
	Tri-Lobe VDE screwdriver - slotted 1.6 x 8 x 175	1	1	**4932478718**	4058546349110
	Tri-Lobe VDE screwdriver PH0 x60	1	1	**4932478720**	4058546349134
	Tri-Lobe VDE screwdriver PH1 x80	1	1	**4932478721**	4058546349141
	Tri-Lobe VDE screwdriver PH2 x100	1	1	**4932478722**	4058546349158
	Tri-Lobe VDE screwdriver PH3 x150	1	1	**4932478723**	4058546349165
	Tri-Lobe VDE screwdriver PZ0 x60	1	1	**4932478724**	4058546349172
	Tri-Lobe VDE screwdriver PZ1 x80	1	1	**4932478725**	4058546349189
	Tri-Lobe VDE screwdriver PZ2 x100	1	1	**4932478726**	4058546360085
	Tri-Lobe VDE screwdriver PZ3 x150	1	1	**4932478727**	4058546360092
	Tri-Lobe VDE screwdriver T10 x60	1	1	**4932478728**	4058546360108
	Tri-Lobe VDE screwdriver T15 x75	1	1	**4932478729**	4058546360115
	Tri-Lobe VDE screwdriver T20 x100	1	1	**4932478730**	4058546360122
	Tri-Lobe VDE screwdriver T25 x100	1	1	**4932478731**	4058546360139
	Tri-Lobe VDE screwdriver T30 x100	1	1	**4932478732**	4058546360146
	Tri-Lobe VDE screwdriver PH/S L1 x80	1	1	**4932478733**	4058546360153
	Tri-Lobe VDE screwdriver PH/ SL2 x100	1	1	**4932478734**	4058546360160
	Tri-Lobe VDE screwdriver PZ/ SL1 x80	1	1	**4932478735**	4058546360177
	Tri-Lobe VDE screwdriver PZ/ SL2 x100	1	1	**4932478736**	4058546360184
	Voltage tester 0.5 x 3 x 65	1	1	**4932478719**	4058546349127
	Tri-Lobe VDE screwdriver set - 5 pc PZ1 / PZ2 / SL3 / SL4 and voltage tester	1	1	**4932478737**	4058546360191
	Tri-Lobe VDE screwdriver PZ set - 7 pc SL2.5 / SL3 / SL4, PH2, PZ1 / PZ2 and voltage tester	1	1	**4932478738**	4058546360207
	Tri-Lobe VDE screwdriver PH set - 7 pc SL2.5 / SL3 / SL4 / SL5.5 / PH1 / PH2 and voltage tester	1	1	**4932478739**	4058546360214
	Tri-Lobe VDE screwdriver 12 pc set SL2.5 / SL3 / SL4 / SL5.5 / PH1 / PH2 / PZ1 / PZ2 / T10 / T15 / T20 and voltage tester	1	1	**4932479095**	4058546368890

VDE pliers

- VDE (DIN EN/IEC 60900) certified tools. Tested to 10,000 volts and guaranteed to 1,000 volts. Tested against cold to -40°.
- Steel blades are fully forged , hardened and tempered for best durability . Grey titanium surface finish is non reflective and ensures maximum corrossion resistance.
- Induction hardened cutting edges to cut even the hardest of materials.
- Precision machined joint for maximum power transmission with optimum leverage for easy and effortless work.
- Ergonomic grip with softgrip for comfortable handling and good grip.



	Description	Total length (mm)	Cutting capacity in very hard wire 2300N/mm² (Max. Ø mm)	Cutting capacity in hard wire 1800N/mm² (Max. Ø mm)	Cutting capacity in soft wire 220N/mm² (Max. Ø mm)	Cutting capacity in cable Al and Cu (Max. Ø mm)	Capacity (mm)	Capacity pipe [Max. Ø mm]	Weight (g)	Pack quantity	Min. order quantity	Article Number	EAN Code
①	VDE cable cutter	160	-	-	-	16	-	-	185	1	1	**4932464562**	4058546225070
		210	-	-	-	25	-	-	315	1	1	**4932464563**	4058546225087
②	VDE long round nose plier	205	-	2.2	3.9	-	-	-	200	1	1	**4932464564**	4058546225094
③	VDE long 45 deg. round nose pliers	205	-	2.2	3.9	-	-	-	200	1	1	**4932464565**	4058546225100
④	VDE diagonal cutter	145	-	1.7	5	8	-	-	160	1	1	**4932464566**	4058546225117
		160	-	2	6	11	-	-	210	1	1	**4932464567**	4058546225124
		180	-	2.5	7	13	-	-	240	1	1	**4932464568**	4058546225131
⑤	VDE heavy duty diagonal cutter	180	2.2	2.6	7	13	-	-	250	1	1	**4932464569**	4058546225148
		200	2.5	2.8	8	15	-	-	305	1	1	**4932464570**	4058546225155
⑥	VDE combination plier	165	-	2	4	10	-	-	180	1	1	**4932464571**	4058546225162
		180	-	2.2	5.2	12	-	-	250	1	1	**4932464572**	4058546225179
⑦	VDE wire stripping plier	160	-	-	-	0.75мм² - 6мм²	-	-	180	1	1	**4932464573**	4058546225186
⑧	VDE water pump plier	240	-	-	-	-	50	50	395	1	1	**4932464574**	4058546225193
⑨	VDE plier set (3 pc) - Diagonal cutter (160 mm), long nose plier (205 mm), combi plier (180 mm)								660	3	1	**4932464575**	4058546225209



Nipping pliers

- Iron carbide edge: Longer blade life.
- Comfort grips: More comfortable than dipped plastic. Grips will not peel.
- Smooth head: Will not mark surface during pull / pry applications.
- Forged design: Tool durability in abusive environments.
- Rust protection: Black oxide finish protect from rust.





Description	Length (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
Nipping pliers	180	1	1	**48226407**	045242356096

7 in 1 wire stripping pliers

- Wire stripper : Strips wire sizes 0.75 mm², 1.0 mm², 1.5 mm², 2.5 mm², 4.0 mm², 6.0 mm².
- Wire cutter: With curved laser hardened cutting edges.
- Plier suitable for gripping and bending cables.
- Reaming head for smoothing 12 - 25 mm pipe.
- Loop maker: Built in loop maker function for wire.
- Integrated crimper.
- Integrated bolt cutter.
- One-handed swing lock: Easy one-handed use and remains locked while in pouch. Spring loaded for easy opening.
- Rust protection increases tool life by reducing corrosion.



Description	Stripping capacities (mm²)	Cutting capacity in hard wire 1800N/mm² (Max. Ø mm)	Cutting capacity in cable Al and Cu (Max. Ø mm)	Deburring head max. Ø (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
7 in 1 combination plier	0.75, 1.0, 1.5, 2.5, 4.0, 6.0	2.5	6.0	25	1	1	**4932478554**	4058546347475

Heavy Duty Lineman's pliers

- For universal gripping, cutting applications.
- High leverage design: Long handles for maximum cutting power and leverage.
- Deburrer: Deburring ribs on head for up to 25 mm pipe. No need for extra tools.
- Nail puller: Powerful gripping and high leverage.
- Laser hardened durable cutting edges: Cuts wire, bolts, screws and nails. Extra hardened jaws to 64 HRC.
- Serrated gripping zone for strong gripping and pulling.
- Made from Chrome Vanadium steel for best durability and good rust protection.
- Ergonomic and durable overmoulded grips add comfort and last longer.
- With crimping facility.





Cut cap. in hard wire (mm)	Cutting capacity soft wire (mm)	Total length (mm)	Weight (g)	Deburring head max. Ø (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
3.0	4.6	250	480	25	1	1	**48226100**	045242342228

Long nose pliers

- Long nose pliers: Specially suitable for gripping, bending and adjusting in restricted areas.
- Wire cutter: Cuts wires up to 2.5 mm.
- Deburrer: Deburring ribs on head for up to 20 mm pipe. No need for extra tools.
- Nail puller.
- Serrated jaws for better grip and excellent control.
- Laser hardened durable cutting edges. Extra hardened to 64 HRC.
- Made from Chrome Vanadium for best durability and good rust protection.
- Ergonomic and durable overmolded grips add comfort and last longer.





Total length (mm)	Cut cap. in hard wire (mm)	Cable diameter (mm)	Jaw length (mm)	Weight (g)	Deburring head max. Ø (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
210	2.5	6.0	51	255	18	1	1	**48226101**	045242342211

Diagonal pliers

- For all around cutting use.
- Tip protection: Tips are off set ground to protect cutting edges from damage when dropped.
- High leverage design: Long handles for maximum cutting power and leverage.
- Deburrer: Deburring ribs on head for up to 25 mm pipe. No need for extra tools.
- 15° offset head allows flush cutting, can be used as a nail puller for easier and quicker prying and pulling.
- Laser hardened durable cutting edges. Extra hardened to 64 HRC. Cuts wire, bolts, screws and nails.
- Made from forged alloy Chrome Vanadium steel for best durability and good rust protection.
- Ergonomic and durable overmoulded grips add comfort and last longer.



Total length (mm)	Cut cap. in hard wire (mm)	Cutting capacity soft wire (mm)	Jaw length (mm)	Weight (g)	Pack quantity	Min. order quantity	Article Number	EAN Code
160	2.5	4.0	22	195	1	1	**48226106**	045242342181
180	3.0	4.0	26	246	1	1	**48226107**	045242342198

Quick adjust water pump pliers

- For gripping, fastening and holding work pieces.
- One hand push button adjustment for fast and firm grip.
- Fine scale adjustment positions for precise grip. Less downtime and more efficiency.
- Self locking button for fast and firm adjustment.
- V-groove jaws with profile for firmer grip, more precise fit and reduced slipping. Special teeth hardening 60 HRC.
- Made from Nickel and Chrome forged alloy steel for best durability and good rust protection.
- Ergonomic and durable overmolded grips add comfort and last longer.
- Deburring head and handle design. No need for extra tools.
- Available in 3 lengths for optimum leverage.
- Ergonomic slim design to allow access in confined areas.







Total length (mm)	Total length (inch)	Max. nut size AF (mm)	Max. capacity tube & pipe Ø (mm)	Weight (g)	Deburring head max. Ø (mm)	Deburring handles max. Ø (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
200	8	30	32	250	38	25	1	1	**48226208**	045242342235
250	10	36	42	425	51	25	1	1	**48226210**	045242342242
300	12	50	60	660	70	25	1	1	**48226212**	045242342259

TORQUE LOCK™ locking pliers

- TORQUE LOCK™: Faster set up and easy release when clamping flat and round material. Extra force can be applied to the TORQUE LOCK™ screw for better and more secure grip. Can also be used for hanging / storage purposes.
- Hardened jaws: Better grip force on jobsite material.
- Rust protection: Chrome plated tool increases life by reducing corrosion.
- Lever release design: Traditional release lever for jobsite convenience.
- MAXBITE™ pliers have special jaw geometry for maximum grip.

	Total length (mm)	Total length (inch)	Jaw type	Jaw capacity flat (mm)	Jaw opening capacity for pipe (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
①	170	7	MAXBITE™	-	38	1	1	**4932471730**	4058546296292
②	250	10	MAXBITE™	-	50	1	1	**4932471729**	4058546296285
③	127	5	curved	-	26	1	1	**4932472263**	4058546339098
④	170	7	curved	-	38	1	1	**4932471732**	4058546296315
⑤	250	10	curved	-	51	1	1	**4932471725**	4058546296247
⑥	250	10	flat	30	-	1	1	**4932471726**	4058546296254
⑦	100	4	flat long nose	42	-	1	1	**4932472262**	4058546339081
⑧	150	6	flat long nose	52	-	1	1	**4932471731**	4058546296308
⑨	230	9	flat long nose	76	-	1	1	**4932471733**	4058546296322



TORQUE LOCK™ locking C clamps

- TORQUE LOCK™: Faster set up and easy release when clamping flat and round materials for welding. Extra force can be applied to the TORQUE LOCK™ screw for better and more secure grip. Can also be used for hanging / storage purposes.
- Hardened jaws: Better grip force on jobsite material.
- Rust protection: Chrome plated tool increases life by reducing corrosion.
- Lever release design: Traditional release lever for jobsite convenience.

	Total length (mm)	Total length (inch)	Jaw type	Jaw capacity flat (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
①	230	9	Deep reach regular pointed pads	114	1	1	**4932472257**	4058546339036
②	480	18	Deep reach regular pointed pads	170	1	1	**4932472259**	4058546339050
③	280	11	Regular pointed pads	90	1	1	**4932471728**	4058546296278
④	480	18	Regular pointed pads	170	1	1	**4932472260**	4058546339067
⑤	230	9	Deep reach swivel pads	114	1	1	**4932472258**	4058546339043
⑥	280	11	Swivel pads	100	1	1	**4932471727**	4058546296261
⑦	480	18	Swivel pads	170	1	1	**4932472261**	4058546339074





TORQUE LOCK™ seamer

- TORQUE LOCK™: Faster set up and easy release when clamping flat material. Extra force can be applied to the TORQUE LOCK™ screw for better and more secure grip. Can also be used for hanging / storage purposes.
- Hardened jaws: Better grip force on jobsite material.
- Rust protection: Chrome plated tool increases life by reducing corrosion.
- Lever release design: Traditional release lever for jobsite convenience.
- The seamer makes all kinds of bendings, forming, crimping tasks with ease.
- It is ideal for holding sheet metal parts.



Description	Total length (mm)	Total length (inch)	Jaw capacity flat (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
TORQUE LOCK™ seamer	200	8	42	1	1	**4932471734**	4058546296339

TORQUE LOCK™ chain wrench

- TORQUE LOCK™: Faster set up and easy release when clamping round material. Extra force can be applied to the TORQUE LOCK™ screw for better and more secure grip. Can also be used for hanging / storage purposes.
- Rust protection: Chrome plated tool increases life by reducing corrosion.
- Lever release design: Traditional release lever for jobsite convenience.
- Locking chain wrench holds and locks around any shape object.
- It adjusts quickly for ratchet action in either direction.



Description	Total length (mm)	Total length (inch)	Jaw opening capacity for pipe (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
TORQUE LOCK™ chain wrench	270	9	79	1	1	**48223542**	045242472727

Steel and aluminium pipe wrenches

- Overbite jaw for secure grip on pipes and fittings.
- Dual coil springs for maximum durability and tool life.
- Ergonomic handle for maximum comfort, won‘t dig into the palm.
- Hardened jaws for increased durability and better grip.
- Lanyard hole.



① 

Description	Total length (mm)	Total length (inch)	Jaw opening capacity for pipe (mm)	Jaw opening capacity for pipe (inch)	Weight (g)	Pack quantity	Min. order quantity	Article Number	EAN Code
Aluminium pipe wrench 250 mm	250	10	38	1.5	598	1	1	**48227210**	045242342372
Aluminium pipe wrench 300 mm	300	12	51	2	816	1	1	**48227212**	045242342389
Aluminium pipe wrench 350 mm	350	14	51	2	1076	1	1	**48227214**	045242342396
Aluminium pipe wrench 450 mm	450	18	63	2.5	1630	1	1	**48227218**	045242342419
Aluminium pipe wrench 600 mm	600	24	76	3	2644	1	1	**48227224**	045242342426

Cheater aluminium adjustable pipe wrench

NEW

- All in one adjustable sliding handle design between 450 mm & 600 mm.
- Removable handle to 250 mm length for access to tight spaces.
- Aluminium design for lighter weight.
- Overbite jaw for secure grip on pipes and fittings.
- Ergonomic round handle for maximum comfort, won‘t dig into the palm.
- Hardened jaws for increased durability and better grip.



Description	Total length (inch)	Jaw opening capacity for pipe (mm)	Jaw opening capacity for pipe (inch)	Weight (g)	Pack quantity	Min. order quantity	Article Number	EAN Code
Cheater aluminium adjustable pipe wrench	10 / 18 / 24	63	2.5	2019	1	1	**4932478672**	4058546348656

CHEATER - adaptable pipe wrench

- 3 handle design - 10″/ 250 mm mode for tight spaces, 18″/ 450 mm mode for general purpose, 24″/ 600 mm mode for maximum leverage and reach.
- Overbite jaw for secure grip on pipes and fittings.
- Dual coil springs for maximum durability and tool life.
- Ergonomic handle for maximum comfort, won‘t dig into the palm.
- Ergonomic hook jaw design - for easy detachment from the workpiece.
- Hardened jaws for increased durability and better grip.
- Lanyard hole.





Description	Total length (mm)	Total length (inch)	Jaw opening capacity for pipe (mm)	Jaw opening capacity for pipe (inch)	Weight (g)	Pack quantity	Min. order quantity	Article Number	EAN Code
Adaptable pipe wrench	250/450/600	10/18/24	63	2.5	3243	1	1	**48227314**	045242342402

Adjustable wrenches

- Precision adjustment screw with accurate threads and tight tolerances. The jaws won‘t back off during use.
- Chrome plating for best-in-class rust protection and increased durability.
- Ergonomic rounded handle design for a comfortable fit in the hand and less pressure points on the palm.
- Slim head design for reaching into tight spaces.
- Parallel jaws won‘t slip or damage finish surfaces.
- Permanent lasered inch and mm markings for accurate adjustment.
- 8″ adjustable wrench (48227508) has an extra wide jaw of 38 mm for increased jaw capacity in confined environments.
- Lanyard hole.



① 

② 

	Total length (mm)	Total length (inch)	Jaw opening capacity for pipe (mm)	Jaw thickness (mm)	Tip thickness (mm)	Weight (g)	Pack quantity	Min. order quantity	Article Number	EAN Code
①	150	6	24.5	11.5	7,7	186	1	1	**48227406**	045242356225
	200	8	30	14	8,7	353	1	1	**48227408**	045242356218
	200	8	40	14	8,1	385	1	1	**48227508**	045242356232
	250	10	36.5	16	9,9	535	1	1	**48227410**	045242356201
	300	12	42.5	17	10,8	748	1	1	**48227412**	045242356195
	380	15	46	22	13,5	1,470	1	1	**48227415**	045242356188
②	150 mm (48227406) + 250 mm (48227410)						2	1	**48227400**	045242358823

Basin wrench

- Ratchet-compatible design: Accepts 3/8″ ratchet.
- Hi-leverage design: Achieve break-away torque on stuck fasteners.
- Door-knob handle: More comfortable than square.
- Easy to adjust handle: Best-in-class adjustability.





Description	Jaw size (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
Basin wrench compact	10 - 32	1	1	**48227001**	045242366170
Basin wrench	32 - 65	1	1	**48227002**	045242366187

S Jaw pipe wrench

- Made of forged chrome vanadium steel and oil hardened for durability according to DIN 5234.
- Slim, S shaped 45° angled jaws for best reach in confined areas.
- Assymetric serrated induction hardened jaws for maximum grip.
- I-Beam handle design for maximum strength.



Total length (mm)	Capacity pipe [Max. Ø mm]	Weight (g)	Pack quantity	Min. order quantity	Article Number	EAN Code
340	52	965	1	1	**4932464576**	4058546225216
450	67	1570	1	1	**4932464577**	4058546225223
550	83	3000	1	1	**4932464578**	4058546225230

Fish tape

- High flexibility tape for easier feeding.
- Thicker tape for better pushing.
- Triple strand design, won’t kink.
- Low friction case for smooth pay out.
- Square inner grip for easier winding.

① 

② 

	Description	Length (m)	Pack quantity	Min. order quantity	Article Number	EAN Code
①	Steel fish tape 7.5 m	7.5	1	1	**4932472120**	4058546325169
	Steel fish tape 15 m	15	1	1	**4932472121**	4058546325176
②	Polyester fish tape 15 m	15	1	1	**4932472118**	4058546325145
	Polyester fish tape 30 m	30	1	1	**4932472119**	4058546325152

MAX BITE™ combination spanner

- MAX BITE™ open-end grip reduces rounding and stripping.
- Rounded I-Beam handle for comfortable handling grip.
- Ink-filled labels for better visibility.
- 15° offset box for better accessibility.



Description	Total length (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
6 mm MAX BITE™ combination spanner	128	1	1	**4932480197**	4058546404826
7 mm MAX BITE™ combination spanner	135	1	1	4932480198	4058546404833
8 mm MAX BITE™ combination spanner	140	1	1	**4932471516**	4058546294151
9 mm MAX BITE™ combination spanner	150	1	1	**4932471517**	4058546294168
10 mm MAX BITE™ combination spanner	158	1	1	**4932471518**	4058546294175
11 mm MAX BITE™ combination spanner	165	1	1	**4932471519**	4058546294182
12 mm MAX BITE™ combination spanner	172	1	1	**4932471520**	4058546294199
13 mm MAX BITE™ combination spanner	180	1	1	**4932471521**	4058546294205
14 mm MAX BITE™ combination spanner	190	1	1	**4932471522**	4058546294212
15 mm MAX BITE™ combination spanner	200	1	1	**4932471523**	4058546294229
16 mm MAX BITE™ combination spanner	210	1	1	**4932471524**	4058546294236
17 mm MAX BITE™ combination spanner	225	1	1	**4932471525**	4058546294243
18 mm MAX BITE™ combination spanner	235	1	1	**4932471526**	4058546294250
19 mm MAX BITE™ combination spanner	250	1	1	**4932471527**	4058546294267
20 mm MAX BITE™ combination spanner	262	1	1	**4932471528**	4058546294274
21 mm MAX BITE™ combination spanner	272	1	1	**4932471529**	4058546294281
22 mm MAX BITE™ combination spanner	295	1	1	**4932471530**	4058546294298
23 mm MAX BITE™ combination spanner	310	1	1	**4932480199**	4058546404840
24 mm MAX BITE™ combination spanner	315	1	1	**4932480200**	4058546404857
25 mm MAX BITE™ combination spanner	340	1	1	**4932480201**	4058546404864
26 mm MAX BITE™ combination spanner	340	1	1	**4932480202**	4058546404871
27 mm MAX BITE™ combination spanner	367	1	1	**4932480203**	4058546404888
28 mm MAX BITE™ combination spanner	367	1	1	**4932480204**	4058546404895
29 mm MAX BITE™ combination spanner	393	1	1	**4932480205**	4058546404901
30 mm MAX BITE™ combination spanner	393	1	1	**4932480206**	4058546404918
32 mm MAX BITE™ combination spanner	429	1	1	**4932480207**	4058546404925
36 mm MAX BITE™ combination spanner	513	1	1	**4932480208**	4058546404932

MAX BITE™ combination spanner sets

- MAX BITE™ open-end grip reduces rounding and stripping.
- Rounded I-Beam handle for comfortable handling grip.
- Optimised storage: 7 pc set with carry handle, 15 pc set in tray for easy storage and connection to tool roller cabinet drawers.
- Ink-filled labels for clear visibility.
- 15° offset box for better accessibility.
- Chrome alloy steel, chrome plated.

① 

② 

	Description	Pack quantity	Min. order quantity	Article Number	EAN Code
①	**MAX BITE™ metric combination spanner set (7 pc)** 8, 10, 12, 13, 14, 15, 17 mm	7	1	**4932464257**	4058546222024
②	**MAX BITE™ metric combination spanner set (15 pc)** 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm	15	1	**4932464258**	4058546222031

MAX BITE™ ratcheting combination spanner

- 144 Ratcheting teeth positions giving 2.5° arc swing allowing access in tighter spaces.
- Durable double stacked pawls for longer ratchet life.
- MAX BITE™ open-end grip reduces rounding and stripping.
- Rounded I-Beam handle for comfortable handling grip.
- Ink-filled labels for better visibility.
- Chrome alloy steel, chrome plated.



Description	Total length (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
6 mm MAX BITE™ ratcheting combination spanner	134	1	1	**4932480209**	4058546404949
7 mm MAX BITE™ ratcheting combination spanner	142	1	1	**4932480210**	4058546404956
8 mm MAX BITE™ ratcheting combination spanner	146	1	1	**4932471501**	4058546294007
9 mm MAX BITE™ ratcheting combination spanner	156	1	1	**4932471502**	4058546294014
10 mm MAX BITE™ ratcheting combination spanner	165	1	1	**4932471503**	4058546294021
11 mm MAX BITE™ ratcheting combination spanner	172	1	1	**4932471504**	4058546294038
12 mm MAX BITE™ ratcheting combination spanner	179	1	1	**4932471505**	4058546294045
13 mm MAX BITE™ ratcheting combination spanner	187	1	1	**4932471506**	4058546294052
14 mm MAX BITE™ ratcheting combination spanner	198	1	1	**4932471507**	4058546294069
15 mm MAX BITE™ ratcheting combination spanner	208	1	1	**4932471508**	4058546294076
16 mm MAX BITE™ ratcheting combination spanner	218	1	1	**4932471509**	4058546294083
17 mm MAX BITE™ ratcheting combination spanner	234	1	1	**4932471510**	4058546294090
18 mm MAX BITE™ ratcheting combination spanner	243	1	1	**4932471511**	4058546294106
19 mm MAX BITE™ ratcheting combination spanner	258	1	1	**4932471512**	4058546294113
20 mm MAX BITE™ ratcheting combination spanner	272	1	1	**4932471513**	4058546294120
21 mm MAX BITE™ ratcheting combination spanner	282	1	1	**4932471514**	4058546294137
22 mm MAX BITE™ ratcheting combination spanner	303	1	1	**4932471515**	4058546294144
24 mm MAX BITE™ ratcheting combination spanner	320	1	1	**4932480211**	4058546404963
25 mm MAX BITE™ ratcheting combination spanner	341	1	1	**4932480212**	4058546404970
27 mm MAX BITE™ ratcheting combination spanner	367	1	1	**4932480213**	4058546404987
30 mm MAX BITE™ ratcheting combination spanner	393	1	1	**4932480214**	4058546404994
32 mm MAX BITE™ ratcheting combination spanner	429	1	1	**4932480215**	4058546405007

MAX BITE™ ratcheting combination spanner sets

- 144 Ratcheting teeth positions giving 2.5° arc swing allowing access in tighter spaces.
- Durable double stacked pawls for long-lasting ratchet life.
- MAX BITE™ open-end grip reduces rounding and stripping.
- Ink-filled labels for clear visibility.
- Chrome alloy steel, chrome plated.
- Rounded I-Beam handle for comfortable handling grip.

① 

② 

	Description	Pack quantity	Min. order quantity	Article Number	EAN Code
①	**MAX BITE™ ratcheting metric combination spanner set (7 pc)** 8, 10, 12, 13, 14, 15, 17 mm	7	1	**4932464993**	4058546229382
②	**MAX BITE™ ratcheting metric combination spanner set (15 pc)** 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm	15	1	**4932464994**	4058546229399

MAX BITE™ flexible head ratcheting combination spanner

NEW

- 180° pivoting head for greater access to tight spaces.
- MAX BITE™ open-end grip reduces rounding and stripping.
- 144 ratcheting teeth positions giving 2.5° arc swing allowing access in tighter spaces.
- Durable double stacked pawls for longer ratchet life.
- Rounded I-Beam handle for comfortable handling grip.
- Ink-filled labels for better visibility.
- Chrome alloy steel, chrome plated.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
8 mm MAX BITE™ flexible head ratcheting combination spanner	1	1	**4932480181**	4058546404666
9 mm MAX BITE™ flexible head ratcheting combination spanner	1	1	**4932480182**	4058546404673
10 mm MAX BITE™ flexible head ratcheting combination spanner	1	1	**4932480183**	4058546404680
11 mm MAX BITE™ flexible head ratcheting combination spanner	1	1	**4932480184**	4058546404697
12 mm MAX BITE™ flexible head ratcheting combination spanner	1	1	**4932480185**	4058546404703
13 mm MAX BITE™ flexible head ratcheting combination spanner	1	1	**4932480186**	4058546404710
14 mm MAX BITE™ flexible head ratcheting combination spanner	1	1	**4932480187**	4058546404727
15 mm MAX BITE™ flexible head ratcheting combination spanner	1	1	**4932480188**	4058546404734
16 mm MAX BITE™ flexible head ratcheting combination spanner	1	1	**4932480189**	4058546404741
17 mm MAX BITE™ flexible head ratcheting combination spanner	1	1	**4932480190**	4058546404758
18 mm MAX BITE™ flexible head ratcheting combination spanner	1	1	**4932480191**	4058546404765
19 mm MAX BITE™ flexible head ratcheting combination spanner	1	1	**4932480192**	4058546404772
20 mm MAX BITE™ flexible head ratcheting combination spanner	1	1	**4932480193**	4058546404789
21 mm MAX BITE™ flexible head ratcheting combination spanner	1	1	**4932480194**	4058546404796
22 mm MAX BITE™ flexible head ratcheting combination spanner	1	1	**4932480195**	4058546404802

MAX BITE™ flexible head ratcheting combination spanner set

NEW

- 180° pivoting head for greater access to tight spaces.
- MAX BITE™ open-end grip reduces rounding and stripping.
- 144 ratcheting teeth positions giving 2.5° arc swing allowing access in tighter spaces.
- Durable double stacked pawls for longer ratchet life.
- Rounded I-Beam handle for comfortable handling grip.
- Ink-filled labels for better visibility.
- Chrome alloy steel, chrome plated.

① 

② 

	Description	Pack quantity	Min. order quantity	Article Number	EAN Code
①	**MAX BITE™ metric flexible head ratcheting combination spanner set (7 pc)** 8, 10, 12, 13, 14, 15, 17 mm	7	1	**4932478557**	4058546347505
②	**MAX BITE™ metric flexible head ratcheting combination spanner set (15 pc)** 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm	15	1	**4932478558**	4058546347512

1/4" drive chrome sockets

- FOUR FLAT™ sides on socket deter rolling.
- Wrench ready FOUR FLAT™ sides.
- Stamped sizes for easy visibility.
- Chrome finish.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
1/4" drive - 4 mm	1	1	**4932479992**	4058546377861
1/4" drive - 4.5 mm	1	1	**4932479993**	4058546377878
1/4" drive - 5 mm	1	1	**4932478312**	4058546345037
1/4" drive - 5.5 mm	1	1	**4932478313**	4058546345044
1/4" drive - 6 mm	1	1	**4932478314**	4058546345051
1/4" drive - 7 mm	1	1	**4932478315**	4058546345068
1/4" drive - 8 mm	1	1	**4932478316**	4058546345075
1/4" drive - 9 mm	1	1	**4932478317**	4058546345082
1/4" drive - 10 mm	1	1	**4932478318**	4058546345099
1/4" drive - 11 mm	1	1	**4932478319**	4058546345105
1/4" drive - 12 mm	1	1	**4932478320**	4058546345112
1/4" drive - 13 mm	1	1	**4932478321**	4058546345129
1/4" drive - 14 mm	1	1	**4932478322**	4058546345136
1/4" drive - 15 mm	1	1	**4932478323**	4058546345143
1/4" deep drive - 4 mm	1	1	**4932479994**	4058546377885
1/4" deep drive - 4.5 mm	1	1	**4932479995**	4058546377892
1/4" deep drive - 5 mm	1	1	**4932478324**	4058546345150
1/4" deep drive - 5.5 mm	1	1	**4932478325**	4058546345167
1/4" deep drive - 6 mm	1	1	**4932478326**	4058546345174
1/4" deep drive - 7 mm	1	1	**4932478327**	4058546345181
1/4" deep drive - 8 mm	1	1	**4932478328**	4058546345198
1/4" deep drive - 9 mm	1	1	**4932478329**	4058546345204
1/4" deep drive - 10 mm	1	1	**4932478330**	4058546345211
1/4" deep drive - 11 mm	1	1	**4932478331**	4058546345228
1/4" deep drive - 12 mm	1	1	**4932478332**	4058546345235
1/4" deep drive - 13 mm	1	1	**4932478333**	4058546345242
1/4" deep drive - 14 mm	1	1	**4932478334**	4058546345259
1/4" deep drive - 15 mm	1	1	**4932478335**	4058546345266



3/8" drive chrome sockets

- FOUR FLAT™ sides on socket deter rolling.
- Wrench ready FOUR FLAT™ sides.
- Stamped sizes for easy visibility.
- Chrome finish.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
3/8" drive - 6 mm	1	1	**4932478336**	4058546345273
3/8" drive - 7 mm	1	1	**4932478337**	4058546345280
3/8" drive - 8 mm	1	1	**4932478338**	4058546345297
3/8" drive - 9 mm	1	1	**4932478339**	4058546345303
3/8" drive - 10 mm	1	1	**4932478340**	4058546345310
3/8" drive - 11 mm	1	1	**4932478341**	4058546345327
3/8" drive - 12 mm	1	1	**4932478342**	4058546345334
3/8" drive - 13 mm	1	1	**4932478343**	4058546345341
3/8" drive - 14 mm	1	1	**4932478344**	4058546345358
3/8" drive - 15 mm	1	1	**4932478345**	4058546345365
3/8" drive - 16 mm	1	1	**4932478346**	4058546345372
3/8" drive - 17 mm	1	1	**4932478347**	4058546345389
3/8" drive - 18 mm	1	1	**4932478348**	4058546345396
3/8" drive - 19 mm	1	1	**4932478349**	4058546345402
3/8" drive - 20 mm	1	1	**4932479996**	4058546377908
3/8" drive - 21 mm	1	1	**4932479997**	4058546377915
3/8" drive - 22 mm	1	1	**4932479998**	4058546377922
3/8" drive - 23 mm	1	1	**4932479999**	4058546377939
3/8" drive - 24 mm	1	1	**4932480000**	4058546377946
3/8" deep drive - 6 mm	1	1	**4932478350**	4058546345419
3/8" deep drive - 7 mm	1	1	**4932478351**	4058546345426
3/8" deep drive - 8 mm	1	1	**4932478352**	4058546345433
3/8" deep drive - 9 mm	1	1	**4932478353**	4058546345440
3/8" deep drive - 10 mm	1	1	**4932478354**	4058546345457
3/8" deep drive - 11 mm	1	1	**4932478355**	4058546345464
3/8" deep drive - 12 mm	1	1	**4932478356**	4058546345471
3/8" deep drive - 13 mm	1	1	**4932478357**	4058546345488
3/8" deep drive - 14 mm	1	1	**4932478358**	4058546345495
3/8" deep drive - 15 mm	1	1	**4932478359**	4058546345501
3/8" deep drive - 16 mm	1	1	**4932478360**	4058546345518
3/8" deep drive - 17 mm	1	1	**4932478361**	4058546345525
3/8" deep drive - 18 mm	1	1	**4932478362**	4058546345532
3/8" deep drive - 19 mm	1	1	**4932478363**	4058546345549
3/8" deep drive - 20 mm	1	1	**4932480001**	4058546377953
3/8" deep drive - 21 mm	1	1	**4932480002**	4058546377960
3/8" deep drive - 22 mm	1	1	**4932480003**	4058546377977
3/8" deep drive - 23 mm	1	1	**4932480004**	4058546377984
3/8" deep drive - 24 mm	1	1	**4932480005**	4058546377991

1/2" drive chrome sockets

NEW

- FOUR FLAT™ sides on socket deter rolling.
- Wrench ready FOUR FLAT™ sides.
- Stamped sizes for easy visibility.
- Chrome finish.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
1/2" drive - 8 mm	1	1	**4932480006**	4058546378004
1/2" drive - 9 mm	1	1	**4932480007**	4058546378011
1/2" drive - 10 mm	1	1	**4932480008**	4058546378028
1/2" drive - 11 mm	1	1	**4932480009**	4058546378035
1/2" drive - 12 mm	1	1	**4932480010**	4058546378042
1/2" drive - 13 mm	1	1	**4932480011**	4058546378059
1/2" drive - 14 mm	1	1	**4932480012**	4058546378066
1/2" drive - 15 mm	1	1	**4932480013**	4058546378073
1/2" drive - 16 mm	1	1	**4932480014**	4058546378080
1/2" drive - 17 mm	1	1	**4932480015**	4058546378097
1/2" drive - 18 mm	1	1	**4932480016**	4058546378103
1/2" drive - 19 mm	1	1	**4932480017**	4058546378110
1/2" drive - 20 mm	1	1	**4932480018**	4058546378127
1/2" drive - 21 mm	1	1	**4932480019**	4058546378134
1/2" drive - 22 mm	1	1	**4932480020**	4058546378141
1/2" drive - 23 mm	1	1	**4932480021**	4058546378158
1/2" drive - 24 mm	1	1	**4932480022**	4058546378165
1/2" drive - 25 mm	1	1	**4932480023**	4058546378172
1/2" drive - 26 mm	1	1	**4932480024**	4058546378189
1/2" drive - 27 mm	1	1	**4932480025**	4058546378196
1/2" drive - 28 mm	1	1	**4932480026**	4058546378202
1/2" drive - 30 mm	1	1	**4932480027**	4058546378219
1/2" drive - 32 mm	1	1	**4932480028**	4058546378226
1/2" drive - 36 mm	1	1	**4932480029**	4058546378233
1/2" drive deep - 10 mm	1	1	**4932480030**	4058546378240
1/2" drive deep - 11 mm	1	1	**4932480031**	4058546378257
1/2" drive deep - 12 mm	1	1	**4932480032**	4058546378264
1/2" drive deep - 13 mm	1	1	**4932480033**	4058546420550
1/2" drive deep - 14 mm	1	1	**4932480034**	4058546376048
1/2" drive deep - 15 mm	1	1	**4932480035**	4058546376055
1/2" drive deep - 16 mm	1	1	**4932480036**	4058546376062
1/2" drive deep - 17 mm	1	1	**4932480037**	4058546376079
1/2" drive deep - 18 mm	1	1	**4932480038**	4058546376086
1/2" drive deep - 19 mm	1	1	**4932480039**	4058546376093
1/2" drive deep - 20 mm	1	1	**4932480040**	4058546376109
1/2" drive deep - 21 mm	1	1	**4932480041**	4058546376116
1/2" drive deep - 22 mm	1	1	**4932480042**	4058546403270
1/2" drive deep - 23 mm	1	1	**4932480043**	4058546403287
1/2" drive deep - 24 mm	1	1	**4932480044**	4058546403294
1/2" drive deep - 27 mm	1	1	**4932480045**	4058546403300
1/2" drive deep - 30 mm	1	1	**4932480046**	4058546403317
1/2" drive deep - 32 mm	1	1	**4932480047**	4058546403324
1/2" drive deep - 36 mm	1	1	**4932480048**	4058546403331

Ratchet and socket sets

- 90 tooth design with 4 °of arc swing for tight work spaces.
- Comes with a removable inner tray perfectly designed to be stored.
- Sockets are stamped with measurements on the flat side for easy-to-read visibility.
- All metal design for maximum durabilty.
- FOUR FLAT™ sides on socket deter rolling.
- Slim profile head with flush direction lever offers better accessibility.



	Description	Pack quantity	Min. order quantity	Article Number	EAN Code
①	**Metric 1/4″ ratchet + socket set (28 pc)**				
	Standard sockets: 5 mm, 5.5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm / Deep well sockets: 5 mm, 5.5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm	28	1	**4932464943**	4058546228880
②	**Metric & imperial 1/4″ ratchet + socket set (50 pc)**				
	Standard sockets: 5/32″, 3/16″, 7/32″, 1/4″, 9/32″, 5/16″, 11/32″, 3/8″, 7/16″, 1/2″, 9/16″, 5 mm, 5.5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm / Deep well socket: 5/32″, 3/16″, 7/32″, 1/4″, 9/32″, 5/16″, 11/32″, 3/8″, 7/16″, 1/2″, 9/16″5 mm, 5.5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm	50	1	**4932464944**	4058546228897
③	**Metric 3/8″ ratchet + socket set (32 pc)**				
	Standard sockets: 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm / Deep well sockets: 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm	32	1	**4932464945**	4058546228903
④	**Metric & imperial 3/8″ ratchet + socket set (56 pc)**				
	Standard sockets: 1/4″, 5/16″, 3/8″, 7/16″, 1/2″, 9/16″, 5/8″, 11/16″, 3/4″, 13/16″, 7/8″, 5/16″, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm / Deep well sockets: 1/4″, 5/16″, 3/8″, 7/16″, 1/2″, 9/16″, 5/8″, 11/16″, 3/4″, 13/16″, 7/8″, 5/16″, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm	56	1	**4932464946**	4058546228910
⑤	**Metric 1/2″ ratchet + socket set (28 pc)**				
	Standard sockets: 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm, 20 mm, 21 mm, 22 mm, 23 mm, 24 mm / Deep well sockets: 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm / 3″ extension, 5″ extension & removable storage tray	28	1	**4932471864**	4058546297633
⑥	**Metric 1/4″ ratchet + socket set (28 pc) in PACKOUT™ compact slim organiser**				
	Standard sockets: 5 mm, 5.5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm / Deep well sockets: 5 mm, 5.5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm	28	1	**4932478812**	4058546360948
⑦	**Metric 3/8″ ratchet + socket set (32 pc) in PACKOUT™ compact slim organiser**				
	Standard sockets: 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm / Deep well sockets: 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm	32	1	**4932478813**	4058546360955

① 

② 

③ 

④ 

⑤ 

⑥ 

⑦ 

Ratchets

- 90 tooth design with 4 degrees of arc swing for tight work spaces.
- Slim profile head with flush direction lever offers better accessibility.



Description	Length (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
1/4″ drive compact ratchet	76	1	1	**4932479646**	4058546374402
1/4″ drive long ratchet	229	1	1	**4932479647**	4058546374419
3/8″ drive compact ratchet	127	1	1	**4932479650**	4058546374440
3/8″ drive ratchet	216	1	1	**48229038**	045242513024
3/8″ drive long ratchet	305	1	1	**4932479651**	4058546374457
1/2″ drive ratchet	286	1	1	**4932471865**	4058546297640
1/2″ drive long ratchet	457	1	1	**4932479654**	4058546374488

1/2″ drive breaker bar

- Provides Extra leverage for tougher bolts.
- 180° swiveling head.



Description	Total length (mm)	Total length (inch)	Article Number	EAN Code
1/2″ drive breaker drive (15″)	380	15	**4932471866**	4058546297657
1/2″ drive breaker drive (24″)	610	24	**4932471867**	4058546297664

1/4“ Ratchet, driver & socket set

NEW

- 90 tooth design with 4 °of arc swing for tight work spaces.
- FOUR FLAT™ sides on socket deter rolling.
- Sockets are stamped with measurements on the flat side for easy-to-read visibility.
- Comfortable Tri-Lobe screwdriver handle optimised for maximum user comfort and high torque applications.
- SHOCKWAVE™ Screwdriver bits



	Description	Pack quantity	Min. order quantity	Article Number	EAN Code
	1/4“ Ratchet, Driver & Socket set				
	1/4 Ratchet , 1/4 Tri-lobe screwdriver handle, Standard sockets: 5.5 mm, 6 mm, 7 mm 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, Extensions: 76 mm, 152 mm, Shockwave Bits: SL4.5 / SL5.5 / SL6.5 / PH1 / PH2 / PH3 / PZ1 / PZ2 / PZ3 / HEX 3 / HEX 4 / HEX 5 / HEX 6 / HEX 8 / TR10 / TR15 / TR20 / TR25 / TR27 / TR30 / TR40, Uni joint, Socket adaptor, 1/ 4SQ-1/4 Hex socket	38	1	**4932479096**	4058546368906

Tradesman 3/8˝ ratchet set


- Pivoting ratchet head.
- Slim profile design for better access.
- Square shaped sockets compatible with combination spaners.
- Organised and portable storage solution.




Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Tradesman 3/8˝ ratchet set (12 pc)				
3/8˝ sockets: 10, 12, 13, 14, 15, 17, 18 and 19 mm. 3/8˝ ratchet. 152 mm extension. 1/4˝ to 3/8˝ adaptor and 3/8˝ to 1/4˝ adaptor	12	1	**48229001**	045242495078

Pry bar set

- I-Beam design for added durability.
- All-metal core for improved durability.
- Hammer-ready strike cap improves leverage when working in tight and tricky spaces.
- Comfortable Tri-Lobe handles for better grip.
- All-chrome shafts for increased durability.
- Curved claw design reduces damage when pulling nails.





Contents	Pack quantity	Min. order quantity	Article Number	EAN Code
200 mm - 300 mm - 450 mm - 600 mm	1	1	48229214	045242508099

Hook & pick set

- All-metal core for long-lasting durability and rust protection.
- Chrome-plated shanks reduce corrosion and provide rust protection.
- Comfort grip handle and precision knurling increase tool control and user comfort.
- Supplied in an easy-access storage tray for long-term tool storage.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Hook & pick set	4	1	**48229215**	045242508105

Nothing but HEAVY DUTY.™



STAY **SAFE.**
STAY **PRODUCTIVE**

Premium safety glasses with gasket



	Lens colour	Packaging style	Pack quantity	Min. order quantity	Article Number	EAN Code
①	Clear	Blister	1	1	**4932471885**	4058546297848
②	Polarised	Blister	1	1	**4932471886**	4058546297855

Performance safety glasses



- Durable anti-scratch lenses.
- Long lasting anti-fog lenses.
- Comfortable and flexible arms for extended comfort wear.
- Clear and tinted options offer eye protection whether working indoors or outdoors.
- European Certified: EN166 and EN170 / EN172.



	Lens colour	Packaging style	Pack quantity	Min. order quantity	Article Number	EAN Code
①	Clear	Blister packaging	1	1	**4932471883**	4058546297824
		Bulk Pack (48pcs)	48	1	**4932479027**	4058546363178
②	Tinted	Blister packaging	1	1	**4932471884**	4058546297831
		Bulk Pack (48pcs)	48	1	**4932479028**	4058546363185
③	Grey	Blister Packaging	1	1	**4932478908**	4058546361907
		Bulk Pack (48pcs)	48	1	**4932479029**	4058546363192
④	Yellow	Blister Packaging	1	1	**4932478928**	4058546362102

Enhanced safety glasses



- Light weight for extended comfort while wearing.
- Durable anti-scratch lenses.
- Long lasting anti-fog lenses.
- Comfortable and flexible arms for extended comfort wear.
- Clear and tinted options offer eye protection whether working indoors or outdoors.
- European Certified: EN166 and EN170 / EN172.





	Lens colour	Packaging style	Pack quantity	Min. order quantity	Article Number	EAN Code
①	Clear	Polybag	1	1	**4932478763**	4058546360450
		Bulk Pack (144pcs)	144	1	**4932479024**	4058546363147
②	Tinted	Polybag	1	1	**4932478764**	4058546360467
		Bulk Pack (144pcs)	144	1	**4932479025**	4058546363154
③	Grey	Polybag	1	1	**4932478907**	4058546361891
		Bulk Pack (144pcs)	144	1	**4932479026**	4058546363161
④	Yellow	Polybag	1	1	**4932478927**	4058546362096

Magnified safety glasses

NEW







- Magnified lenses - Offer users an optical correction to improve their eyesight for close application.
- 4 magnifying intensity: +1 / +1.5 / +2 / +2.5
- Light weight for extended comfort while wearing.
- Durable anti-scratch lenses.
- Comfortable and flexible arms for extended comfort wear.
- European Certified: EN166.

Description	Pack quantity	Min. order quantity	Article number	EAN Code
Clear Safety Glasses (+1)	1	1	**4932478909**	4058546361914
Clear Safety Glasses (+1.5)	1	1	**4932478910**	4058546361921
Clear Safety Glasses (+2)	1	1	**4932478911**	4058546361938
Clear Safety Glasses (+2.5)	1	1	**4932478912**	4058546361945



FFP2 Respirator

NEW

- FFP2 rating - filtering facepiece gives up to 94% protection.
- Flexible aluminum nose bridge - adjustable fit.
- Comfortable adjustable straps - easy fit.
- Anti-Clogging Inner Layer - Stay Cool all day long.
- Compatible with MILWAUKEE® Safety Eyewear.
- European Certified as FFP2 disposable respirator according to EN149: 2001/A1:2009.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
FFP2 Respirator - 20pc	20	1	**4932479237**	4058546370312

FFP2 Foldable Respirator

NEW

- FFP2 rating - filtering facepiece gives up to 94% protection.
- Foldable Respirator - Flat fold for easy carrying on job site.
- Flexible aluminium nose bridge - adjustable fit.
- Comfortable adjustable straps - easy fit.
- Compatible with MILWAUKEE® Safety Eyewear.
- European Certified as FFP2 disposable respirator according to EN149: 2001/A1:2009.



Description	Pack quantity	Min. order quantity	Article number	EAN Code
FFP2 Foldable Respirator - 20pc	20	1	4932479238	4058546370329

FFP3 Disposable Respirator with Valve

NEW

- FFP3 rating - highest filtering facepiece gives up to 99% protection (including asbestos & silica).
- One Way Valve - fog free and easy breathing.
- Exhalation Valve - easy breathing.
- Flexible aluminum nose bridge - adjustable fit.
- Comfortable adjustable straps - easy fit.
- Anti-Clogging Inner Layer - Stay Cool all day long.
- Comfortable tight sealed gasket - prevents dust and debris.
- Compatible with MILWAUKEE® Safety Eyewear.
- European Certified as FFP3 disposable respirator according to EN149: 2001/A1:2009.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
FFP3 Respirator w/ Gasket - 10pc	10	1	**4932471906**	4058546298050

FFP2 Respirator with Valve

NEW

- FFP2 rating - filtering facepiece gives up to 94% protection.
- One Way Valve - fog free and easy breathing.
- Exhalation Valve - easy breathing.
- Flexible aluminum nose bridge - adjustable fit.
- Comfortable adjustable straps - easy fit.
- Anti-Clogging Inner Layer - Stay Cool all day long.
- Compatible with MILWAUKEE® Safety Eyewear.
- European Certified as FFP2 disposable respirator according to EN149: 2001/A1:2009.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
FFP2 Respirator w/ Valve - 10pc	10	1	**4932478548**	4058546347413

FFP2 Foldable Respirator with Valve

NEW

- FFP2 rating - filtering facepiece gives up to 94% protection.
- Foldable Respirator - Flat fold for easy carrying on job site.
- One Way Valve - fog free and easy breathing.
- Exhalation Valve - easy breathing.
- Flexible aluminium nose bridge - adjustable fit.
- Comfortable adjustable straps - easy fit.
- Anti-Clogging Inner Layer - Stay Cool all day long.
- Compatible with MILWAUKEE® Safety Eyewear.
- European Certified as FFP2 disposable respirator according to EN149: 2001/A1:2009.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
FFP2 Foldable Respirator w/ Valve	15	1	**4932478801**	4058546360832

PREMIUM HIGH-VISIBILITY VEST

15 Storage Pockets
External:
2 Mic Tabs
1 Clear ID Holder
2 Chest Pockets
4 Reinforced Pen Pockets
2 Reinforced Barrel Pockets
1 Tablet Pocket

Internal:
1 Chest Pocket
2 Barrel Pockets



Premium high-visibility vest

- 15 pockets - increased carrying capacity.
- 1 clear ID badge holder - easy identification on the jobsite.
- 1 back pocket - ideal to carry tablet or notebook.
- Quick internal size adjustment - size up or size down for better fit.
- Padded collar - added comfort for extended wear.
- Harness tethering hole - ideal to fit over harness to add more safety on the jobsite.
- European Certified as Class 2 High Visibility Clothing according to EN ISO 20471: 2013/A1:2016.



Description	Colour	Pack quantity	Min. order quantity	Article Number	EAN Code
Premium high-visibility vest yellow - S/M	Yellow	1	1	**4932471895**	4058546297947
Premium high-visibility vest yellow - L/XL	Yellow	1	1	**4932471896**	4058546297954
Premium high-visibility vest yellow - 2XL/3XL	Yellow	1	1	**4932471897**	4058546297961

Premium high-visibility vest orange



Description	Colour	Pack quantity	Min. order quantity	Article Number	EAN Code
Premium high-visibility vest orange - S/M	Orange	1	1	**4932471898**	4058546297978
Premium high-visibility vest orange - L/XL	Orange	1	1	**4932471899**	4058546297985
Premium high-visibility vest orange - 2XL/3XL	Orange	1	1	**4932471900**	4058546297992

HIGH-VISIBILITY VEST

10 Storage Pockets
External:
2 Mic Tabs
1 Clear ID Holder
2 Chest Pockets
4 Reinforced Pen Pockets

Internal:
1 Chest Pocket



High-visibility vest

- 10 pockets - increased carrying capacity.
- 1 clear ID badge holder - easy identification on the jobsite.
- Quick internal size adjustment - size up or size down for better fit.
- Harness tethering hole - ideal to fit over harness to add more safety on the jobsite.
- European Certified as Class 2 High Visibility Clothing according to EN ISO 20471: 2013/A1:2016.



Description	Colour	Pack quantity	Min. order quantity	Article Number	EAN Code
High-visibility vest yellow - S/M	Yellow	1	1	**4932471889**	4058546297886
High-visibility vest yellow - L/XL	Yellow	1	1	**4932471890**	4058546297893
High-visibility vest yellow - 2XL/3XL	Yellow	1	1	**4932471891**	4058546297909

High-visibility vest orange



Description	Colour	Pack quantity	Min. order quantity	Article Number	EAN Code
High-visibility vest orange - S/M	Orange	1	1	**4932471892**	4058546297916
High-visibility vest orange - L/XL	Orange	1	1	**4932471893**	4058546297923
High-visibility vest orange - 2XL/3XL	Orange	1	1	**4932471894**	4058546297930



CUT RESISTANT GLOVES GUIDE



EN388:2016

Rating	4	3	4	3	C	X
Abrasion	1-4					
Cut (Coup Test)	1-5					
Tear	1-4					
Puncture	1-4					
Cut (TDM-100 Test)	A-F					
Impact Protection	P,F,X					

X= Not tested P= Pass F= Fail

FEATURES KEY

COMFORT · DEXTERITY · SMARTSWIPE™ · CUT RESISTANCE 1/A · CUT RESISTANCE 2/B · CUT RESISTANCE 3/C · CUT RESISTANCE 4/D · CUT RESISTANCE 5/E

HIGH VISIBILITY · BREATHABILITY · PUNCTURE RESISTANCE & GRIP PERFORMANCE · WINTER · LEATHER · IMPACT RESISTANT · REINFORCED PALM · DURABILITY · REINFORCED WITH ARMORTEX®

GLOVE TYPES

NITRILE CUT RESISTANT GLOVES



HI-VIS PU CUT RESISTANT GLOVES



WINTER CUT RESISTANT GLOVES



	CUT LEVEL 1/A	CUT LEVEL 2/B	CUT LEVEL 3/C	CUT LEVEL 4/D	CUT LEVEL 5/E	HI-VIS CUT LEVEL 1/A	HI-VIS CUT LEVEL 2/B	HI-VIS CUT LEVEL 3/C	HI-VIS CUT LEVEL 4/D	HI-VIS CUT LEVEL 5/E	WINTER CUT LEVEL 1/A	WINTER CUT LEVEL 3/C	WINTER CUT LEVEL 5/E
FEATURES													
EN 388 RATING	4121A	4242B	4343C	4X43D	4X44E	3121A	3242B	4442C	4X43D	4X43E	EN388: 1141A EN511: 01X	EN388: 2442C EN511: 02X	EN 388: 3X43E EN 511: X1X
APPLICATIONS													
AUTO MECHANICAL	–	✓	✓	–	–	–	✓	✓	✓	–	✓	✓	–
CONCRETE / STONE	–	–	✓	✓	–	–	–	–	✓	✓	–	–	✓
CONSTRUCTION WORK	–	✓	✓	✓	✓	–	✓	✓	✓	✓	✓	✓	✓
DEMOLITION	–	–	–	–	–	–	–	–	–	–	–	–	–
DRY WALL	✓	✓	✓	–	–	✓	✓	✓	–	–	–	–	–
GLASS HANDLING	–	–	–	–	✓	–	–	–	–	✓	–	–	✓
HVAC	–		✓	✓	✓	–	–	✓	✓	✓	–	✓	✓
MATERIAL HANDLING	✓	✓	–	–	–	✓	✓	✓	–	–	✓	–	–
OFF SHORE	–	–	–	✓	✓	–	–	–	✓	✓	✓	✓	✓
OIL & GAS	–	–	✓	✓	✓	–	–	–	✓	✓	✓	✓	✓
PAINTING	✓	✓	✓	–	–	✓	✓	✓	–	–	✓	–	–
PIPE THREADING	–	–	✓	✓	✓	–	–	✓	✓	✓	–	✓	✓
PLUMBING	✓	✓	–	–	–	✓	✓	✓	–	–	✓	–	–
RAILWORK	–	–	✓	✓	–	–	–	✓	✓	✓	–	✓	✓
ROOF INSULATION	–	✓	✓	–	✓	–	✓	✓	✓	–	–	✓	✓
SHEET METAL	–	–	–	–	✓	–	–	–	–	✓	–	–	✓
WET SURFACE	–	–	✓	✓	✓	–	–	–	–	–	✓	✓	✓
WIRE STRIPPING	–	–	✓	✓	✓	–	–	✓	✓	✓	–	✓	✓
WOOD WORKING	✓	✓	–	–	–	✓	✓	✓	–	–	✓	–	–
SILICON FREE	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SIZES													
SMALL / 7	4932479712	4932479906	4932479715	4932479911	4932479718	4932479916	4932479921	4932479721	4932479926	4932479931	4932479704	4932479707	4932479710
MEDIUM / 8	4932471416	4932479907	4932471420	4932479912	4932471424	4932479917	4932479922	4932478131	4932479927	4932479932	4932471343	4932471347	4932479558
LARGE / 9	4932471417	4932479908	4932471421	4932479913	4932471425	4932479918	4932479923	4932478132	4932479928	4932479933	4932471344	4932471348	4932479559
EXTRA LARGE / 10	4932471418	4932479909	4932471422	4932479914	4932471426	4932479919	4932479924	4932478133	4932479929	4932479934	4932471345	4932471349	4932479560
EXTRA EXTRA LARGE / 11	4932471419	4932479910	4932471423	4932479915	4932471427	4932479920	4932479925	4932478134	4932479930	4932479935	4932471346	4932471350	4932479561



WORK GLOVES GUIDE



EN388:2016



Rating		4	3	4	3	C	X
Abrasion	1-4						
Cut (Coup Test)	1-5						
Tear	1-4						
Puncture	1-4						
Cut (TDM-100 Test)	A-F						
Impact Protection	P,F,X						

X= Not tested P= Pass F= Fail

FEATURES KEY



GLOVE TYPES

WORK GLOVES



IMPACT GLOVES



LEATHER GLOVES



	FREE FLEX	FINGERLESS	DEMOLITION	WINTER DEMOLITION	IMPACT DEMOLITION	IMPACT CUT LEVEL 3/E	IMPACT CUT LEVEL 5/E	HYBRID LEATHER	LEATHER
FEATURES									
EN 388 RATING	2121X	2121X	2121X	EN 388:2122A EN 511: 14X	2121XP	4343CP	4X44EP	2122X	2122X
APPLICATIONS									
AUTO MECHANICAL	–	–	✓	–	✓	✓	–	–	–
CONCRETE / STONE	✓	–	✓	✓	✓	–	✓	✓	✓
CONSTRUCTION WORK	✓	✓	✓	✓	✓	✓	✓	✓	✓
DEMOLITION	–	–	✓	✓	✓	✓	✓	–	–
DRY WALL	✓	✓	–	–	–	–	–	✓	✓
GLASS HANDLING	–	–	–	–	–	–	✓	–	–
HVAC	✓	✓	✓	✓	–	–	✓	✓	✓
MATERIAL HANDLING	✓	✓	–	✓	–	–	–	✓	✓
OFF SHORE	–	–	–	✓	✓	✓	✓	–	–
OIL & GAS	✓	–	✓	✓	✓	✓	✓	–	–
PAINTING	–	✓	–	–	–	✓	✓	–	–
PIPE THREADING	–	–	✓	–	–	–	✓	✓	✓
PLUMBING	✓	✓	–	–	–	–	–	–	–
RAILWORK	–	–	–	✓	✓	–	–	✓	✓
ROOF INSULATION	–	–	–	–	–	–	–	✓	✓
SHEET METAL	–	–	–	–	–	–	✓	–	–
WET SURFACE	✓	–	✓	✓	✓	✓	✓	–	–
WIRE STRIPPING	–	–	–	–	–	–	✓	–	–
WOOD WORKING	–	✓	–	–	–	–	–	✓	✓
SILICON FREE	–	–	–	–	–	–	–	–	–
SIZES									
SMALL / 7	4932479729	4932479728	4932479730	4932479731	4932479723	4932479724	4932479725	4932479726	4932479727
MEDIUM / 8	48229711	48229741	48229731	4932479566	4932471908	4932478127	4932479570	4932471912	4932478123
LARGE / 9	48229712	48229742	48229732	4932479567	4932471909	4932478128	4932479571	4932471913	4932478124
EXTRA LARGE / 10	48229713	48229743	48229733	4932479568	4932471910	4932478129	4932479572	4932471914	4932478125
EXTRA EXTRA LARGE / 11	48229714	48229744	48229734	4932479569	4932471911	4932478130	4932479573	4932471915	4932478126

Cut resistant dipped gloves

NEW

Description	Colour code	Size	Pack quantity	Min. order quantity	Article Number	EAN Code
① Cut level 1/A dipped gloves	White	7 / S	1	1	**4932479712**	4058546375065
		7 / S	12	1	**4932479713**	4058546375072
		7 / S	144	1	**4932479714**	4058546375089
		8 / M	1	1	**4932471416**	4058546290443
		8 / M	12	1	**4932471614**	4058546295134
		8 / M	144	1	**4932479008**	4058546362980
		9 / L	1	1	**4932471417**	4058546290450
		9 / L	12	1	**4932471615**	4058546295141
		9 / L	144	1	**4932479009**	4058546362997
		10 / XL	1	1	**4932471418**	4058546290467
		10 / XL	12	1	**4932471616**	4058546295158
		10 / XL	144	1	**4932479010**	4058546363000
		11 / XXL	1	1	**4932471419**	4058546290474
		11 / XXL	12	1	**4932471617**	4058546295165
		11 / XXL	144	1	**4932479011**	4058546363017
② Cut level 2/B dipped gloves	Blue	7 / S	1	1	**4932479906**	4058546377007
		8 / M	1	1	**4932479907**	4058546377014
		9 / L	1	1	**4932479908**	4058546377021
		10 / XL	1	1	**4932479909**	4058546377038
		11 / XXL	1	1	**4932479910**	4058546377045
③ Cut level 3/C dipped gloves	Black	7 / S	1	1	**4932479715**	4058546375096
		7 / S	12	1	**4932479716**	4058546375102
		7 / S	144	1	**4932479717**	4058546375119
		8 / M	1	1	**4932471420**	4058546290481
		8 / M	12	1	**4932471618**	4058546295172
		8 / M	144	1	**4932479012**	4058546363024
		9 / L	1	1	**4932471421**	4058546290498
		9 / L	12	1	**4932471619**	4058546295189
		9 / L	144	1	**4932479013**	4058546363031
		10 / XL	1	1	**4932471422**	4058546290504
		10 / XL	12	1	**4932471620**	4058546295196
		10 / XL	144	1	**4932479014**	4058546363048
		11 / XXL	1	1	**4932471423**	4058546290511
		11 / XXL	12	1	**4932471621**	4058546295202
		11 / XXL	144	1	**4932479015**	4058546363055
④ Cut Level 4/D Dipped Gloves	Grey	7 / S	1	1	**4932479911**	4058546377052
		8 / M	1	1	**4932479912**	4058546377069
		9 / L	1	1	**4932479913**	4058546377076
		10 / XL	1	1	**4932479914**	4058546377083
		11 / XXL	1	1	**4932479915**	4058546377090
⑤ Cut level 5/E dipped gloves	Red	7 / S	1	1	**4932479718**	4058546375126
		7 / S	12	1	**4932479719**	4058546375133
		7 / S	144	1	**4932479720**	4058546375140
		8 / M	1	1	**4932471424**	4058546290528
		8 / M	12	1	**4932471622**	4058546295219
		8 / M	144	1	**4932479016**	4058546363062
		9 / L	1	1	**4932471425**	4058546290535
		9 / L	12	1	**4932471623**	4058546295226
		9 / L	144	1	**4932479017**	4058546363079
		10 / XL	1	1	**4932471426**	4058546290542
		10 / XL	12	1	**4932471624**	4058546295233
		10 / XL	144	1	**4932479018**	4058546363086
		11 / XXL	1	1	**4932471427**	4058546290559
		11 / XXL	12	1	**4932471625**	4058546295240
		11 / XXL	144	1	**4932479019**	4058546363093

Winter cut resistant gloves

NEW

Description	Colour code	Size	Pack quantity	Min. order quantity	Article Number	EAN Code
⑥ Winter cut level 1/A dipped gloves	White	7 / S	1	1	**4932479704**	4058546374983
		7 / S	12	1	**4932479705**	4058546374990
		7 / S	72	1	**4932479706**	4058546375003
		8 / M	1	1	**4932471343**	4058546289713
		8 / M	12	1	**4932471606**	4058546295059
		8 / M	72	1	**4932479000**	4058546362904
		9 / L	1	1	**4932471344**	4058546289720
		9 / L	12	1	**4932471607**	4058546295066
		9 / L	72	1	**4932479001**	4058546362911
		10 / XL	1	1	**4932471345**	4058546289737
		10 / XL	12	1	**4932471608**	4058546295073
		10 / XL	72	1	**4932479002**	4058546362928
		11 / XXL	1	1	**4932471346**	4058546289744
		11 / XXL	12	1	**4932471609**	4058546295080
		11 / XXL	72	1	**4932479003**	4058546362935
⑦ Winter cut level 3/C dipped gloves	Black	7 / S	1	1	**4932479707**	4058546375010
		7 / S	12	1	**4932479708**	4058546375027
		7 / S	72	1	**4932479709**	4058546375034
		8 / M	1	1	**4932471347**	4058546289751
		8 / M	12	1	**4932471610**	4058546295097
		8 / M	72	1	**4932479004**	4058546362942
		9 / L	1	1	**4932471348**	4058546289768
		9 / L	12	1	**4932471611**	4058546295103
		9 / L	72	1	**4932479005**	4058546362959
		10 / XL	1	1	**4932471349**	4058546289775
		10 / XL	12	1	4932471612	4058546295110
		10 / XL	72	1	**4932479006**	4058546362966
		11 / XXL	1	1	**4932471350**	4058546289782
		11 / XXL	12	1	**4932471613**	4058546295127
		11 / XXL	72	1	**4932479007**	4058546362973
⑧ Winter cut level 5/E dipped gloves	Red	7 / S	1	1	**4932479710**	4058546375041
		7 / S	12	1	**4932479711**	4058546375058
		8 / M	1	1	**4932479558**	4058546373528
		8 / M	12	1	**4932479562**	4058546373566
		9 / L	1	1	**4932479559**	4058546373535
		9 / L	12	1	**4932479563**	4058546373573
		10 / XL	1	1	**4932479560**	4058546373542
		10 / XL	12	1	**4932479564**	4058546373580
		11 / XXL	1	1	**4932479561**	4058546373559
		11 / XXL	12	1	**4932479565**	4058546373597



High visibility cut resistant gloves

NEW

	Description	Colour code	Size	Pack quantity	Min. order quantity	Article Number	EAN Code
①	Hi-vis cut level 1/A dipped gloves	White	7 / S	1	1	**4932479916**	4058546377106
			8 / M	1	1	**4932479917**	4058546377113
			9 / L	1	1	**4932479918**	4058546377120
			10 / XL	1	1	**4932479919**	4058546377137
			11 / XXL	1	1	**4932479920**	4058546377144
②	Hi-Vis Cut Level 2/B Gloves	Blue	7 / S	1	1	**4932479921**	4058546377151
			8 / M	1	1	**4932479922**	4058546377168
			9 / L	1	1	**4932479923**	4058546377175
			10 / XL	1	1	**4932479924**	4058546377182
			11 / XXL	1	1	**4932479925**	4058546377199
③	Hi-vis cut level 3/C dipped gloves	Black	7 / S	1	1	**4932479721**	4058546375157
			7 / S	144	1	**4932479722**	4058546375164
			8 / M	1	1	**4932478131**	4058546340643
			8 / M	144	1	**4932479020**	4058546363109
			9 / L	1	1	**4932478132**	4058546340650
			9 / L	144	1	**4932479021**	4058546363116
			10 / XL	1	1	**4932478133**	4058546340667
			10 / XL	144	1	**4932479022**	4058546363123
			11 / XXL	1	1	**4932478134**	4058546340674
			11 / XXL	144	1	**4932479023**	4058546363130
④	Hi-Vis Cut Level 4/D Gloves	Grey	7 / S	1	1	**4932479926**	4058546377205
			8 / M	1	1	**4932479927**	4058546377212
			9 / L	1	1	**4932479928**	4058546377229
			10 / XL	1	1	**4932479929**	4058546377236
			11 / XXL	1	1	**4932479930**	4058546377243
⑤	Hi-Vis Cut Level 5/E Gloves	Red	7 / S	1	1	**4932479931**	4058546377250
			8 / M	1	1	**4932479932**	4058546377267
			9 / L	1	1	**4932479933**	4058546377274
			10 / XL	1	1	**4932479934**	4058546377281
			11 / XXL	1	1	**4932479935**	4058546377298

① 

② 

③ 

④ 

⑤ 

Hybrid leather gloves

- Smartswipe™ - Allows the use of touch screen devices without removing the gloves on the index finger knuckle.
- Leather on the palm for extended durability and reinforced protection of hands.
- Synthetic leather on back of the hand to offer more dexterity and breathability while working.
- Reinforced palm for added comfort and protection while handling heavy objects.
- European Certified for cut resistance protection: EN ISO 21420 and EN388:2016 (2122X).





Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Hybrid Leather Gloves - S/7 - 1pc	1	1	**4932479726**	4058546375201
Hybrid Leather Gloves - M/8 - 1pc	1	1	**4932471912**	4058546298111
Hybrid Leather Gloves - L/9 - 1pc	1	1	**4932471913**	4058546298128
Hybrid Leather Gloves - XL/10 - 1pc	1	1	**4932471914**	4058546298135
Hybrid Leather Gloves - XXL/11 - 1pc	1	1	**4932471915**	4058546298142

Leather gloves

- Top grain goatskin leather gives extended durability and reinforced protection of hands.
- Reinforced palm provides added comfort and protection while handling heavy objects.
- Keystone thumb for comfortable fit and extended wear.
- Smartswipe™ - Allows the use of touch screen devices without removing the gloves on the index finger knuckle.
- European Certified for cut resistance protection: EN ISO 21420 and EN388:2016 (2122X).





Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Leather Gloves - 7/S - 1pc	1	1	**4932479727**	4058546375218
Leather Gloves - 8/M - 1pc	1	1	**4932478123**	4058546340568
Leather Gloves - 9/L - 1pc	1	1	**4932478124**	4058546340575
Leather Gloves - 10/XL - 1pc	1	1	**4932478125**	4058546340582
Leather Gloves - 11/XXL - 1pc	1	1	**4932478126**	4058546340599

Winter Demolition Gloves

NEW

- Winter insulation and dual acrylic liner to keep the hand warm while working in cold conditions.
- Water and windproof layer on the palm provide superior insolation in extreme environments.
- Padded palm and fingertips for increased durability and comfort.
- SMARTSWIPE™ index finger knuckle that allows to use touch screen devices without removing gloves or using dirty fingertips.
- Built in sweat wipe with terry cloth on the thumb, to easily clean the glasses.
- European Certified for cut and cold resistance protection: EN ISO 21420, EN388:2016 (2122A), EN511 (14X), UKCA.





Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Winter Demolition Gloves - S/7	1	1	**4932479731**	4058546375256
Winter Demolition Gloves - 8/M - 1pc	1	1	**4932479566**	4058546373603
Winter Demolition Gloves - 9/L - 1pc	1	1	**4932479567**	4058546373610
Winter Demolition Gloves - 10/XL - 1pc	1	1	**4932479568**	4058546373627
Winter Demolition Gloves - 11/XXL - 1pc	1	1	**4932479569**	4058546373634

Impact cut level 3/C gloves

- Impact resistant material on back of the hand and fingers reduces and absorbs shock.
- Reinforced nitrile coating with added protection between thumb and fingers.
- Excellent grip performance - nitrile material performs better than other materials in extreme temperatures and oily surfaces.
- SMARTSWIPE™ palm and fingertips - allows the use of touch screen devices without removing gloves.
- European Certified for cut resistance protection including impact testing: EN ISO 21420 and EN388:2016 (4343CP).



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Impact Cut Level 3 Gloves - S/7 - 1pc	1	1	**4932479724**	4058546375188
Impact Cut Level 3 Dipped Gloves - 8/M - 1pc	1	1	**4932478127**	4058546340605
Impact Cut Level 3 Dipped Gloves - 9/L - 1pc	1	1	**4932478128**	4058546340612
Impact Cut Level 3 Dipped Gloves - 10/XL - 1pc	1	1	**4932478129**	4058546340629
Impact Cut Level 3 Dipped Gloves - 11/XXL - 1pc	1	1	**4932478130**	4058546340636



Impact Cut Level 5/E Gloves

NEW

- Impact resistant material on back of the hand and fingers reduces and absorbs shocks.
- Double layer of nitrile for added durability and increased protection from sharp objects.
- Reinforced nitrile coating with added protection between thumb and fingers.
- Excellent grip performance - nitrile material performs better than other materials in extreme temperatures and oily surfaces.
- SMARTSWIPE™ palm and fingertips - allows the use of touch screen devices without removing gloves.
- European Certified for cut resistance protection including impact testing: EN ISO 21420 and EN388:2016 (4X44EP).



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Impact Cut Level 5 Gloves - S/7	1	1	**4932479725**	4058546375195
Impact Cut Level 5 Gloves - 8/M - 1pc	1	1	**4932479570**	4058546373641
Impact Cut Level 5 Gloves - 9/L - 1pc	1	1	**4932479571**	4058546373658
Impact Cut Level 5 Gloves - 10/XL - 1pc	1	1	**4932479572**	4058546373665
Impact Cut Level 5 Gloves - 11/XXL - 1pc	1	1	4932479573	4058546373672



Impact demolition gloves

- Impact resistant material, on back of hand and fingers, to reduce and absorb shock.
- ARMORTEX™ reinforced palms and finger tips: Increased durability and hand protection.
- Superior palm grip on oily and wet surfaces.
- European Certified for cut resistance protection including impact testing: EN ISO 21420 and EN388:2016 (2121XP).



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Impact Demolition Gloves - S/7 - 1pc	1	1	**4932479723**	4058546375171
Impact Demolition Gloves - M/8 - 1pc	1	1	**4932471908**	4058546298074
Impact Demolition Gloves - L/9 - 1pc	1	1	**4932471909**	4058546298081
Impact Demolition Gloves - XL/10 - 1pc	1	1	**4932471910**	4058546298098
Impact Demolition Gloves - XXL/11 - 1pc	1	1	**4932471911**	4058546298104



Demolition gloves

- ARMORTEX™ reinforced palms and finger tips: Increased durability and hand protection.
- SMARTSWIPE™ Knuckle: Capacitive knuckle allows to use touch screen devices without removing gloves or using dirty fingertips.
- Breathable tri-cot lining: Provides ultimate comfort and breathability.
- Knuckle protection: TPR pad provides knuckle protection.
- Terry cloth thumb: Built in sweat/brow wipe.
- Hook & Loop closure for secure fit.
- European Certified: CE Category 2, EN ISO 21420 and EN 388 (2121X).



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Demolition Gloves - S/7 -1 pc	1	1	**4932479730**	4058546375249
Demolition Gloves - M/8 - 1pc	1	1	**48229731**	045242479436
Demolition Gloves - L/9 - 1pc	1	1	**48229732**	045242479443
Demolition Gloves - XL/10 - 1pc	1	1	**48229733**	045242479450
Demolition Gloves - XXL/11 - 1pc	1	1	**48229734**	045242479467



Fingerless gloves

- Designed to provide ultimate dexterity when handling small objects.
- Reinforced palm and thumb seam.
- Lightweight, breathable backing.
- Moisture wicking lining provides all day comfort.
- Built-in sweat wipe.
- Hook & Loop closure for secure fit.
- European Certified: CE Category 2, EN ISO 21420 and EN 388 (2121X).



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Fingerless Gloves - S/7 - 1pc	1	1	**4932479728**	4058546375225
Fingerless Gloves - M/8 - 1pc	1	1	**48229741**	045242508730
Fingerless Gloves - L/9 - 1pc	1	1	**48229742**	045242508747
Fingerless Gloves - XL/10 - 1pc	1	1	**48229743**	045242508754
Fingerless Gloves - XXL/11 - 1pc	1	1	**48229744**	045242508761



FREE-FLEX work gloves

- SMARTSWIPE™ knuckle, palm and fingertips.
- Flexible and elastic gloves.
- Lightweight, breathable backing.
- Reinforced thumb seam.
- High dexterity finger tips.
- Built-in sweat wipe.
- European Certified: CE Category 2, EN ISO 21420 and EN 388 (2121X).



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
FREE-FLEX Gloves - S/7 - 1pc	1	1	**4932479729**	4058546375232
FREE-FLEX Gloves - M/8 - 1pc	1	1	**48229711**	045242508693
FREE-FLEX Gloves - L/9 - 1pc	1	1	**48229712**	045242508709
FREE-FLEX Gloves - XL/10 - 1pc	1	1	**48229713**	045242508716
FREE-FLEX Gloves - XXL/11 - 1pc	1	1	**48229714**	045242508723



TOOL DROP PREVENTION

MILWAUKEE® LANYARDS



WHY MILWAUKEE® LANYARDS?

A **FALLING OBJECT** IS THE **3RD HIGHEST** CAUSE OF **FATALITY** ON A JOBSITE.

(Peoplesafe.co.uk, 2019)

TOOL DROP PREVENTION

LOCKING TOOL LANYARDS

WRIST TOOL LANYARD

RETRACTABLE TOOL LANYARD

TOOL LANYARD ACCESSORIES



NAME	4.5 KG LOCKING TOOL LANYARD	4.5 KG QUICK CONNECT LOCKING TOOL LANYARD	6.8 KG LOCKING TOOL LANYARD	15.8 KG LOCKING TOOL LANYARD	WRIST LANYARD	QUICK CONNECT RETRACTABLE TOOL LANYARD	ANCHORING STRAP	D-RING WEB	SMALL QUICK CONNECT	SPLIT RINGS 38 mm / 50 mm	SELF-ADHERING TAPE 3.6 m
PART NUMBER	4932471351	4932471429	4932471352	4932471353	4932472107	4932472106	4932472105	4932471431	4932471430	4932471433 (38 mm) 4932471434 (50 mm)	48228860
WEIGHT CAPACITY	4.5 KG	4.5 KG	6.8 KG	15.8 KG	2.2 KG	2.2 KG	22.7 KG	2.2 KG	2.2 KG	1 KG	-
COLOUR CODING	RED	RED	BLACK	GREY	WHITE	WHITE	GREEN	WHITE	WHITE	-	-
TETHER MECHANISM										-	-
COMPATIBLE WITH	ANCHORING STRAP	ALL ACCESSORIES	ANCHORING STRAP	ANCHORING STRAP	-	ALL ACCESSORIES	ALL LOCKING TOOL LANYARDS	SELF-ADHERING TAPE & 4.5 KG QUICK CONNECT LOCKING TOOL LANYARD	4.5 KG QUICK CONNECT LOCKING TOOL LANYARD	4.5 KG QUICK CONNECT LOCKING TOOL LANYARD	D-RING WEB
INTEGRATED SWIVEL	✓	✓	✓	✓	-	✓	-	-	-	-	-
SUITABLE PRODUCTS*	DRILL DRIVER IMPACT DRIVER IMPACT WRENCH JIGSAW HACKZALL SAWZALL™ SHEARS	HANDTOOLS WITH LANYARD ACCESSORY ATTACHED	ANGLE GRINDER DRILL DRIVER IMPACT DRIVER IMPACT WRENCH SDS PLUS HACKZALL SAWZALL™ BANDSAWS	SDS PLUS SDS MAX MAG PRESS IMPACT WRENCH BANDSAWS CHAINSAW	DRILL DRIVERS IMPACT DRIVERS IMPACT WRENCH HANDTOOLS	DRILL DRIVERS IMPACT DRIVERS IMPACT WRENCH HANDTOOLS	ALL LOCKING TOOL LANYARDS	HANDTOOLS WITHOUT LANYARD HOLE HAMMERS CUTTERS PLIERS	HANDTOOLS WITH LANYARD HOLE SCREWDRIVERS TAPES PLIERS	HANDTOOL WITH LANYARD HOLE KNIVES TAPES PLIERS	D-RING WEB
APPLICATION											

*All product recommendations are only references and are not guaranteed!
Please make sure that the total weight of the tethered product (+ Battery) does not exceed the weight capacity of the tool lanyard!



Locking tool lanyards

- Superior shock absorption - gradually stop the tool if dropped.
- Double locking carabiner - ensures a secure connection that cannot become loose or slip off accidently.
- Integrated swivel - prevents twists and tangles allowing increased mobility.
- Colour coded weight rating - easy identification of lanyard weight capacity.
- High versatility - lanyard accessories can be added to connect all tools to the lanyards.



	Description	Bearing force (kg)	Colour code	Pack quantity	Min. order quantity	Article Number	EAN Code
①	4.5 kg locking tool lanyard	4.5	Red	1	1	**4932471351**	4058546289799
②	4.5 kg QUICK-CONNECT™ locking tool lanyard	4.5	Red	1	1	**4932471429**	4058546290573
③	6.8 kg locking tool lanyard	6.8	Black	1	1	**4932471352**	4058546289805
④	15.8 kg locking tool lanyard	15.8	Grey	1	1	**4932471353**	4058546289812



TOOL LANYARD ACCESSORIES

STAY SAFE. SECURE ANY TOOL.

EASILY CONNECT

- Creates a secure attachment point
- Different connection system (self-adhering tape or rings)

HIGH VERSATILITY

- Possibility to connect tools with or without lanyard holes
- Allows fast tool swap



Tool lanyard accessories

	Description	Colour code	Bearing force (kg)	Pack quantity	Min. order quantity	Article Number	EAN Code
①	2.2 kg small QUICK-CONNECT™ accessory	White	2.2	3	1	**4932471430**	4058546290580
②	2.2 kg D-ring web attachment	White	2.2	5	1	**4932471431**	4058546290597
③	3.6 m self-adhering tape	-	-	1	1	**48228860**	4058546290603
④	38 mm split ring	-	1	5	1	**4932471433**	4058546290610
⑤	50 mm split ring	-	1	5	1	**4932471434**	4058546290627
⑥	Anchoring strap	Green	22.7	1	1	**4932472105**	4058546325015

Retractable tool lanyard

NEW

- Automatically retracts, 127 cm when extended.
- Double locking carabiner - ensures a secure connection that cannot become loose or slip off accidently.
- Shuttle lock - greater control during use.
- Integrated swivel - prevents twists and tangles allowing increased mobility.
- Colour coded weight rating - easy identification of lanyard weight capacity.
- High versatility - lanyard accessories can be added to connect all tools to the lanyards.



Description	Colour code	Pack quantity	Min. order quantity	Article Number	EAN Code
2.2 kg Quick-Connect Retractable Tool Lanyard	White	1	1	**4932472106**	4058546325022

Wrist tool lanyard

- Secure and comfortable tools attachment to the wrist.
- Soft and adjustable strap - fits all wrist sizes with a hook and loop closure.
- Hang loop or quick-connect double locking carabiner to securely attach all kind of tools - power tools, tapes, screwdrivers, etc.
- Wrist lanyard allows an easy access to tools in a tight environment or in repetitive work.
- Colour coded weight rating - easy identification of lanyard weight capacity.



	Description	Bearing force (kg)	Colour code	Pack quantity	Min. order quantity	Article Number	EAN Code
①	Wrist lanyard	2.2	White	1	1	**4932472107**	4058546325039
②	Quick connect wrist lanyard	2.2	White	1	1	**4932472108**	4058546325046

Flexible knee pad

NEW

- Flexible, lightweight and comfortable foam padding.
- Water resistant cap.
- Debris guard to prevent debris from entering.
- Size adjustable straps for a custom fit.
- Buckles to quickly put on and off the knee pad.
- European Certified knee protectors: EN 14404 performance level 1.





Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Flexible knee pad - 1 pair	1	1	**4932478136**	4058546340698

Hard knee pad

NEW

- Thick comfortable foam padding with a supporting gel zone.
- Durable hard cap which withstands rough surfaces.
- Size adjustable double straps for a better hold and a custom fit.
- Buckles with metal rivets that withstand repeated fastenings.
- 1680D Ballistic Nylon for a long lifetime.
- European Certified knee protectors: EN 14404 performance level 2.





Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Hard knee pad - 1 pair	1	1	**4932478137**	4058546340704

Premium non-marking knee pad

NEW

- High density foam padding with a supporting premium gel injection.
- Non-marking coating to prevent scratches on sensitive surfaces.
- Comfortable and size adjustable double straps with a wider lower strap.
- Buckles with metal rivets that withstand repeated fastenings.
- 1680D Ballistic Nylon for a long lifetime.
- European Certified knee protectors: EN 14404 performance level 1.





Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Premium non-marking knee pad - 1 pair	1	1	**4932478139**	4058546340728

Performance Face Covering

NEW

- Structured Fit Design - Separates mask from mouth.
- 3 Soft and Breathable Layers - all day comfort for long time wear.
- Comfortable Adjustable Ear Loops - No pressure on the ears.
- Water Repellent Outer Layer.
- Flexible Nose Bridge - Adjustability for a better sealing and to reduce fog on glasses.
- Moisture Wicking Inner Layer - Stay Cool, Dry Fast.
- Machine Washable.





Description	Size	Article number
Performance Face Covering S/M - 3pcs	S / M	**4932478865**
Performance Face Covering L/XL - 3pcs	L / XL	**4932478866**

Banded ear plugs

NEW

- 3-point wear: above head, below chin and behind the neck.
- Pivoting arms to adjust and pivot the band to a secure and comfortable position while being worn.
- Earplugs can be worn continuously even if the wearing position is changed – permanent protection.
- Interchangeable foam earplugs and tpr flanged earplugs included.
- Durable and comfortable band for a long lifetime.
- European Certified hearing protectors: EN 352-2 (SNR TPR ear plugs = 32 dB; SNR Foam ear plugs = 33 dB).







	Description	Pack quantity	Min. order quantity	Article Number	EAN Code
①	Banded Ear Plugs	1	1	**4932478135**	4058546340681
②	Foam Replacement - 5 pairs	5	1	**4932478550**	4058546347437
③	TPR Replacement - 5 pairs	5	1	**4932478549**	4058546347420

Reusable Corded Ear Plugs

NEW

- Efficient jobsite noise attenuation of SNR = 31 dB.
- Corded solution for easy access - can be worn around the neck.
- Comfortable silicone - all day comfort.
- Quick-fit design to quickly insert and remove while achieving a secure seal.
- Storage box included - keep the ear plugs clean.
- European Certified hearing protectors: EN352-2 (SNR = 31 dB).



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Reusable corded ear plugs	3	1	**4932471904**	4058546298036

Packout First Aid Kit DIN 13157

NEW

- Quickly identifiable during an emergency due to red coloured PACKOUT™ Compact Organiser.
- Part of the PACKOUT™ modular storage system.
- Constructed with impact resistant polymers for jobsite durability.
- IP65 rated weather seal to keep out rain and jobsite debris.
- The interior features 5 removable & mountable bins.
- No-travel bins seals to prevent the bins contents from migrating between bins during transport.
- DIN 13157 compliant first aid kit.
- Contents: 1x Burn Dressing, DIN 13152-A, 60 x 80 cm; 4x Disposable gloves, vinyl; 2x Triangular bandage, DIN 13168 white, 96 x 96 x 136 cm; 3x First Aid Dressings, DIN 13151-M; 1x First Aid Dressing, DIN 13151-G; 1x First Aid Dressing, DIN 13151-K; 2x Conforming bandages, DIN 61634, 6 cm x 4 m; 2x Conforming bandages, DIN 61634, 8 cm x 4 m; 2x Eye compresses, oval, 50 x 70 mm; 1x Scissors, DIN 58279-B190 bent; 1x Rescue blanket, 210 x 160 cm, gold/silver; 1x Adhesive tape, DIN 13019, 2.5 cm x 5 m; 8x Adhesive dressings, DIN 13019, 10 cm x 6 cm; 5x Fleece ; 6x Compresses, 10 x 10 cm; 2x Film bags, resealable; 4x Fingertip dressings 12 x 2 cm; 4x Fingertip dressings 4 x 7 cm; 4x Plaster strips, DIN 13019, 19 x 72 mm; 8x Plaster strips, DIN 13019, 25 x 72 mm; 1x Instant cold compress; 1x First aid instructions; 1x List of contents DIN 13157





Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Packout First Aid Kit DIN 13157	1	1	**4932478879**	4058546361617

MILWAUKEE®
STEEL STORAGE

1. SOFT-CLOSE DRAWERS
2. ANTI-TILT PROTECTION
3. REINFORCED INDUSTRIAL CASTERS



30˝ / 78 cm 7-Drawer Steel Storage Rolling Cabinet

NEW

- 45 kg rated soft-close drawers.
- Bottom drawer rated at 90 kg.
- Anti-tilt protection allows only 1 drawer to be open at a time.
- Each drawer supplied with anti-slip mat inlay.
- Recessed ABS worktop with screwdriver holes and additional compartments.
- ABS corner bumpers prevent damages when moved around the garage.
- Magnetic power strip allows to charge batteries directly on the cabinet.
- Peg board with hooks and tool holders for an easy access to the most used tools.
- Additional side shelves for bottles and cans.
- Power tool organiser in the bottom drawer.
- 125 mm industrial casters (2x fixed, 2x swiveling with brakes).
- 800 kg total weight capacity.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
30“ / 78 cm 7-Drawer Steel Storage Rolling Cabinet	1	1	**4932478849**	4058546361310

30˝ / 78 cm 4-Drawer Steel Storage Top Chest

NEW

- 45 kg rated soft-close drawers.
- Anti-tilt protection allows only 1 drawer to be open at a time.
- Each drawer supplied with anti-slip mat inlay.
- ABS corner bumpers prevent damages when moved around the garage.
- Additional side shelves for bottles and cans.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
30“ / 78 cm 4-Drawer Steel Storage Top Chest	1	1	**4932478850**	4058546361327

40˝ / 102 cm Steel Work Cart

NEW

- 45 kg rated soft-close drawer.
- 90 kg rated sliding bottom shelf.
- Built-in storage compartments.
- 2 removable storage cups, which can be flipped upside down to create a flush surface or completely removed for vertical long tool storage.
- V-grooves to hold material when cutting or measuring.
- Foldable rear shelf with 22 kg weight capacity.
- 2 moveable shelves for storing bottles, sprays and other equipment.
- Rubber corner bumpers prevent damages when moved around the garage.
- Magnetic power strip allows to charge batteries directly on the cart.
- 125 mm industrial casters (2x fixed, 2x swiveling with brakes).
- 315 kg total weight capacity.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
40“ / 102 cm Steel Work Cart	1	1	**4932478856**	4058546361389

46˝ / 117 cm High Capacity 10-Drawer Steel Storage Rolling Cabinet

NEW

- 45 kg rated soft-close drawers.
- Bottom drawers rated at 90 kg.
- Each drawer supplied with anti-slip mat inlay.
- Rubber corner bumpers prevent damages when moved around the garage.
- Magnetic power strip allows to charge batteries directly on the cabinet.
- Foldable side shelf for bottles and cans.
- Integrated bottle opener.
- Power tool organiser in the bottom drawer.
- 150 mm industrial casters (2x fixed, 2x swiveling with brakes).
- 1360 kg total weight capacity.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
46“ / 117 cm High Capacity 10-Drawer Steel Storage Rolling Cabinet	1	1	**4932478852**	4058546361341

46˝ / 117 cm High Capacity 6-Drawer Steel Storage Top Chest

NEW

- 45 kg rated soft-close drawers.
- Each drawer supplied with anti-slip mat inlay.
- Work top drawer for writing or using a laptop.
- Independent locking safety drawer to securely store valuable items (phone, keys, documents).
- Rubber corner bumpers prevent damages when moved around the garage.
- Magnetic power strip allows to charge batteries directly on the chest.
- Peg board with hooks on the back wall for an easy access to the most used tools.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
46“ / 117 cm High Capacity 6-Drawer Steel Storage Top Chest	1	1	**4932478854**	4058546361365

Trilobe Screwdriver Foam Insert

NEW

- Comfortable Tri-Lobe handle optimized for maximum user comfort and high torque applications.
- Hardened magnetic tips for maximum durability and fastener retention.
- Wrench ready shank allows extra leverage to be applied.
- Anti-roll, 3 sided collar on the handle.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Trilobe Screwdriver Foam Insert	23	1	**4932479830**	4058546376246
SL 2.5 / SL 3 / SL 4 / SL 5.5 / SL 6 / SL 6.5 / SL 8, PH 0 / PH 1 / PH 2 / PH 2 / PH 3, PZ 0 / PZ 1 / PZ 2 / PZ 2 / PZ 3, T 10 / T 15 / T 20 / T 25 / T 30 / T 40				

1/4˝ Ratchet and Socket Set Foam Insert

NEW

- 90 tooth design with 4 °of arc swing for tight work spaces.
- FOUR FLAT™ sides on socket deter rolling.
- All metal design for maximum durabilty.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
1/4“ Ratchet and Socket Set Foam Insert	28	1	**4932479824**	4058546376185
Standard sockets: 5 mm, 5.5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm / Deep well sockets: 5 mm, 5.5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm / 762 mm extension, 152 mm extension				

3/8˝ Ratchet and Socket Set Foam Insert

NEW

- 90 tooth design with 4 °of arc swing for tight work spaces.
- FOUR FLAT™ sides on socket deter rolling.
- All metal design for maximum durabilty.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
3/8“ Ratchet and Socket Set Foam Insert	32	1	**4932479825**	4058546376192
Standard sockets: 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm / Deep well sockets: 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm / 762 mm extension, 152 mm extension / Universal hose adapter				

1/2˝ Ratchet and Socket Set Foam Insert

NEW

- 90 tooth design with 4 °of arc swing for tight work spaces.
- FOUR FLAT™ sides on socket deter rolling.
- All metal design for maximum durabilty.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
1/2“ Ratchet and Socket Set Foam Insert	28	1	**4932479826**	4058546376208
Standard sockets: 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm, 20 mm, 21 mm, 22 mm, 23 mm, 24 mm / Deep well sockets: 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm / 762 mm extension, 127 mm extension				

MAX BITE™ Flex Head Ratcheting Spanner Set Foam Insert

NEW

- 180° pivoting head for greater access to tight spaces.
- MAX BITE™ open-end grip reduces rounding and stripping.
- 144 ratcheting teeth positions giving 2.5° arc swing allowing access in tighter spaces.
- Durable double stacked pawls for longer ratchet life.
- Rounded I-Beam handle for comfortable handling grip.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
MAX BITE™ Flex Head Ratcheting Spanner Set Foam Insert	15	1	**4932479829**	4058546376239
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm				

MAX BITE™ Combination Spanner Set Foam Insert

NEW

- MAX BITE™ open-end grip reduces rounding and stripping.
- Rounded I-Beam handle for comfortable handling grip.
- 15° offset box for better accessibility.
- Chrome alloy steel, chrome plated.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
MAX BITE™ Combination Spanner Set Foam Insert	15	1	**4932479827**	4058546376215
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm				

MAX BITE™ Ratcheting Combination Spanner Set Foam Insert

NEW

- 144 Ratcheting teeth positions giving 2.5° arc swing allowing access in tighter spaces.
- Durable double stacked pawls for long-lasting ratchet life.
- MAX BITE™ open-end grip reduces rounding and stripping.
- Rounded I-Beam handle for comfortable handling grip.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
MAX BITE™ Ratcheting Combination Spanner Set Foam Insert	15	1	**4932479828**	4058546376222
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm				

PACKOUT™

The MILWAUKEE® PACKOUT™ modular storage system revolutionises tool transportation, organisation and storage. Designed to provide users with the ability to interchange and interlock a wide assortment of heavy duty tool boxes, organisers and storage totes in multiple different configurations.



OVER 100 POSSIBLE COMBINATIONS

PACKOUT™ 3 piece set

- 1 x PACKOUT™ trolley box
- 1 x PACKOUT™ large box
- 1 x PACKOUT™ box



Contents	Pack quantity	Min. order quantity	Article Number	EAN Code
1 x PACKOUT™ trolley box, 1 x PACKOUT™ large box, 1 x PACKOUT™ box	3	1	**4932464244**	4058546221898







PACKOUT™ starter set

NEW

- 1 x PACKOUT™ trolley box
- 1 x PACKOUT™ 2-drawers tool box
- 1 x PACKOUT™ slim organiser



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
PACKOUT™ starter set	3	1	**4932479957**	4058546377519

PACKOUT™ trolley box

- Part of the PACKOUT™ modular storage system.
- Constructed with impact resistant polymers for jobsite durability.
- 113 kg weight capacity.
- Industrial grade extension handle.
- Oversized Ø 228 mm all terrain wheels.
- IP65 rated weather seal to keep out rain and jobsite debris.
- Metal reinforced corners.
- Metal reinforced locking point.
- Interior organiser tray.
- Mounting location for the ONE-KEY™ TICK™.



Description	Dimensions (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
PACKOUT™ trolley box	560 x 410 x 480	1	1	**4932464078**	4058546220235







PACKOUT™ 2 wheeled cart

- 2 integrated PACKOUT™ mounting locations for additional storage options.
- Integrated holder for longer tools, such as levels.
- 180 kg weight capacity.
- 25 cm in-board wheels easily roll through doorways.
- Folding base plate for easy storage.
- Part of the PACKOUT™ modular storage system.
- Constructed with impact resistant polymers for jobsite durability.



Description	Dimensions (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
PACKOUT™ 2 wheeled cart	1200 x 510 x 290	1	1	**4932472131**	4058546325275







PACKOUT™ rolling tool chest

NEW

- Dual Stack Top allows to transport 2 PACKOUT™ stacks onto the jobsite.
- 23 cm all-terrain wheels for easy rolling through rough jobsite terrain.
- Industrial grade extension handle supports up to 113 kg.
- Protective lid seal helps prevent damage to the tools from water and jobsite debris.
- Extra storage capacity for large tools and jobsite materials.
- Constructed with impact resistant polymers for jobsite durability.
- Part of the PACKOUT™ modular storage system.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
PACKOUT™ rolling tool chest	1	1	**4932478161**	4058546340940







PACKOUT™ flat trolley

- 113kg weight capacity.
- Durable casters to easily roll with heavy load on a jobsite.
- Includes 1 locking brake and 2 side locks to stop the trolley and easily connect the PACKOUT™ boxes and bags.
- Part of the PACKOUT™ modular storage system.



Description	Dimensions (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
PACKOUT™ flat trolley	610 x 480 x 190	1	1	**4932471068**	4058546286965







PACKOUT™ boxes

- Part of the PACKOUT™ modular storage system.
- Constructed with impact resistant polymers for jobsite durability.
- IP65 rated weather seal to keep out rain and jobsite debris.
- Metal reinforced corners.
- Metal reinforced locking point.
- Interior organiser trays.
- Mounting location for the ONE-KEY™ TICK ™.
- Metal reinforced top handle for easier carrying (only on the large box).

① 

② 

	Description	Dimensions (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
①	PACKOUT™ large box	560 x 410 x 290	1	1	**4932464079**	4058546220242
②	PACKOUT™ box	560 x 410 x 170	1	1	**4932464080**	4058546220259







PACKOUT™ XL tool box

NEW

- Extra storage capacity for large power tools, such as band saws, angle grinders and hammers.
- 45 kg total weight capacity.
- Part of the PACKOUT™ modular storage system.
- Constructed with impact resistant polymers for jobsite durability.
- IP65 rated weather seal to keep out rain and jobsite debris.
- Metal reinforced corners.
- Interior organiser tray for smaller accessories.
- Mounting location for the ONE-KEY™ TICK ™.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
PACKOUT™ XL tool box	1	1	**4932478162**	4058546340957







PACKOUT™ 3 drawer tool box

NEW



- PACKOUT™ Drawer Tool Box allows for easy access to your tools, even when placed at the bottom of the PACKOUT™ stack.
- Steel ball bearing slides support up to 11 kg of weight per drawer.
- Locking security bar prevents an unwanted opening of drawers during transit and allows to shut the drawers with a padlock.
- Each box comes with a set of Quick-Adjust Dividers that let users fully customise the layout of the drawers for better organisation.
- Metal reinforced corners.
- Constructed with impact resistant polymers for jobsite durability.
- Part of the PACKOUT™ modular storage system.

Description	Pack quantity	Min. order quantity	Article Number	EAN Code
PACKOUT™ 3 drawer tool box	1	1	**4932472130**	4058546325268

PACKOUT™ 2 drawer tool box

NEW



- PACKOUT™ Drawer Tool Box allows for easy access to your tools, even when placed at the bottom of the PACKOUT™ stack.
- Steel ball bearing slides support up to 11 kg of weight per drawer.
- Locking security bar prevents an unwanted opening of drawers during transit and allows to shut the drawers with a padlock.
- Each box comes with a set of Quick-Adjust Dividers that let users fully customise the layout of the drawers for better organisation.
- Metal reinforced corners.
- Constructed with impact resistant polymers for jobsite durability.
- Part of the PACKOUT™ modular storage system.

Description	Pack quantity	Min. order quantity	Article Number	EAN Code
PACKOUT™ 2 drawer tool box	1	1	**4932472129**	4058546325251









PACKOUT™ organiser



- Part of the PACKOUT™ modular storage system.
- Constructed with impact resistant polymers for jobsite durability.
- The interior features 10 removable & mountable bins that can be mounted onto common jobsite materials for easy access.
- IP65 rated weather seal to keep out rain and jobsite debris.
- No-travel bins seals to prevent the bins contents from migrating between bins during transport.

Description	Dimensions (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
PACKOUT™ organiser	500 x 380 x 120	1	1	**4932464082**	4058546220273

PACKOUT™ compact organiser



- Part of the PACKOUT™ modular storage system.
- Constructed with impact resistant polymers for jobsite durability.
- The interior features 5 removable & mountable bins that can be mounted onto common jobsite materials for easy access.
- IP65 rated weather seal to keep out rain and jobsite debris.
- No-travel bins seals to prevent the bins contents from migrating between bins during transport.

Description	Dimensions (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
PACKOUT™ compact organiser	250 x 380 x 120	1	1	**4932464083**	4058546220280

PACKOUT™ slim organiser



- Part of the PACKOUT™ modular storage system.
- Constructed with impact resistant polymers for jobsite durability.
- Interior features 2 large bins and 8 small bins. All bins contain dividers.
- No travel bin seals to prevent the bins contents from migrating between bins during transportation.
- IP 65 rated weather seal to keep out rain and jobsite debris.

Description	Dimensions (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
PACKOUT™ slim organiser	500 x 380 x 65	1	1	**4932471064**	4058546286927

PACKOUT™ compact slim organiser



- Part of the PACKOUT™ modular storage system.
- Constructed with impact resistant polymers for jobsite durability.
- Interior features 1 large bin and 4 small bins. All bins contain dividers.
- No travel bin seals to prevent the bins contents from migrating between bins during transportation.
- IP 65 rated weather seal to keep out rain and jobsite debris.

Description	Dimensions (mm)	Min. order quantity	Pack quantity	Article Number	EAN Code
PACKOUT™ compact slim organiser	250 x 380 x 65	1	1	**4932471065**	4058546286934

PACKOUT™ deep organiser

NEW

- 50% higher than the standard PACKOUT™ organiser - ideal to store tools, batteries, chargers, larger fittings and other equipment.
- Quick Adjust Dividers allow users to customise storage to their needs.
- 22 kg total weight capacity.
- Part of the PACKOUT™ modular storage system.
- Constructed with impact resistant polymers for jobsite durability.
- IP 65 rated weather seal to keep out rain and jobsite debris.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
PACKOUT™ deep organiser	1	1	**4932478625**	4058546348182







PACKOUT™ compact tool box

- Quick-Adjust Dividers allow users to store and organize larger equipment and accessories, such as fittings, connectors or caulk.
- Enough storage capacity to fit power tools like circular saws, grinders, drill drivers.
- 34 kg weight capacity.
- Constructed with impact resistant polymers for jobsite durability.
- IP 65 rated weather seal to keep out rain and jobsite debris.
- Part of the PACKOUT™ modular storage system.



Description	Dimensions (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
PACKOUT™ compact tool box	411 x 254 x 330	1	1	**4932471723**	4058546292232







PACKOUT™ crate

- Versatile stacking options: vertical and horizontal.
- 22 kg weight capacity.
- Large storage capacity for all kind of tools.
- Other PACKOUT™ products can be stacked on top of the crate.
- Part of the PACKOUT™ modular storage system.



Description	Dimensions (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
PACKOUT™ crate	450 x 390 x 250	1	1	**4932471724**	4058546296230







PACKOUT™ hard cooler

- Double premium insulation keeps contents cold for up to 30 hours.
- IP 65 Food Grade Leak-Proof Liner prevents leakages and protects contents from debris and dust.
- Integrated bottle opener.
- Removable tray for separate storage of personal items to keep them elevated above icy water.
- 15 l capacity.
- Constructed with impact resistant polymers for jobsite durability.
- Part of the PACKOUT™ modular storage system.



Description	Dimensions (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
PACKOUT™ hard cooler	411 x 254 x 330	1	1	**4932471722**	4058546296216







PACKOUT™ racking system

NEW

- E-Track mounting rails can be mounted on the wall in vehicles, shops or garages for ultimate versatility.
- Quick release design for easy mounting, height adjustment and removal of the shelves.
- Each shelf supports up to 22 kg of weight.
- Metal reinforced frame.
- Impact resistant polymer construction.
- Part of the PACKOUT™ modular storage system.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
① PACKOUT™ racking system kit (2 shelves + E-track)	4	1	**4932472127**	4058546325237
② PACKOUT™ racking system - single shelf	1	1	**4932478711**	4058546349042
③ Vertical E-track for PACKOUT™ racking system 50 cm	2	1	**4932478996**	4058546362782

①




②



③











PACKOUT™ mounting plate

- Multiple mounting configurations.
- Turn the PACKOUT™ into a stationary storage.
- 4 5kg floor mounted weight capacity.
- 22 kg wall mounted weight capacity.
- Connects to all MILWAUKEE® PACKOUT™ modular storage.
- Impact resistant polymer construction.



Description	Dimensions (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
PACKOUT™ mounting plate	600 x 470 x 030	1	6	**4932471638**	4058546295370

PACKOUT™ customisable work surface

- Marine grade plywood top provides smooth surface for light assembly work, writing, sketching or working on a laptop.
- Fastener-ready surface allows for easy mounting of common jobsite materials and larger tools on top of a PACKOUT™ stack.
- 22 kg weight capacity.
- Part of the PACKOUT™ modular storage system.
- Constructed with impact resistant polymers for jobsite durability.



Description	Dimensions (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
PACKOUT™ customisable work surface	60 x 650 x 380	1	6	**4932472128**	4058546325244







PACKOUT™ adaptor HD box

Description	Pack quantity	Min. order quantity	Article Number	EAN Code
PACKOUT™ adaptor HD box	1	1	**4932464081**	4058546220266



PACKOUT™ foam inserts

- Fully customisable - foam Insert allows you to fully customise your storage by cutting out custom pockets to securely store and protect your tools.
- Durable construction provides increased protection for tools.
- Optimised storage - allows easy access to the tools.
- Ref. 4932471428: Designed to fit in two PACKOUT™ boxes - tool box (4932464080) & large tool box (4932464079).
- Ref. 4932471927: Designed to fit in the PACKOUT™ trolley box (4932464078).




Description	Pack quantity	Min. order quantity	Article Number	EAN Code
PACKOUT™ foam insert	2	1	**4932471428**	4058546290566
PACKOUT™ trolley foam insert	1	1	**4932471927**	4058546298265
Foam insert for PACKOUT™ drawer tool boxes	2	1	**4932479157**	4058546369514



PACKOUT™ inserts

- Removable inserts for PACKOUT™ boxes and organisers.
- Ref. 4932478298: Organisation tray designed to fit PACKOUT™ trolley box (4932464078) and large box (4932464079).
- Ref. 4932478299: Set of organisation trays designed to fit PACKOUT™ box (4932464080).
- Ref. 4932478300: Set of organisation boxes designed to fit PACKOUT™ organiser (4932464082) and compact organiser (4932464083).
- Ref. 4932478301: Set of organisation boxes designed to fit PACKOUT™ slim organiser (4932471064) and compact slim organiser (4932471065).

Description	Pack quantity	Min. order quantity	Article Number	EAN Code
① Removable tray for PACKOUT™ trolley box and large box	1	1	**4932478298**	4058546344757
② Removable trays for PACKOUT™ box	4	1	**4932478299**	4058546344764
③ Removable bins for PACKOUT™ slim organiser and compact slim organiser	5	1	**4932478301**	4058546344788
④ Removable bins for PACKOUT™ organiser and compact organiser	5	1	**4932478300**	4058546344771
⑤ Drawer dividers for PACKOUT™ 3 drawer tool box	8	1	**4932479104**	4058546368982
⑥ Drawer dividers for PACKOUT™ 2 drawer tool box	8	1	**4932479105**	4058546368999



PACKOUT™ tote toolbag

- Part of the PACKOUT™ modular storage system.
- 1680 ballistic material construction.
- Impact resistant molded base.
- All metal hardware.
- Durable overmolded handle.



Description	Dimensions (mm)	No. of pockets	Pack quantity	Min. order quantity	Article Number	EAN Code
① 25 cm tote toolbag	250 x 280 x 320	28	1	1	**4932464084**	4058546220297
② 40 cm tote toolbag	250 x 400 x 320	31	1	1	**4932464085**	4058546220303
③ 50 cm tote toolbag	250 x 500 x 320	32	1	1	**4932464086**	4058546220310



PACKOUT™ duffel bag

- Part of the PACKOUT™ modular storage system.
- Made from 1680D Ballistic Material for jobsite durability.
- Impact resistant polymer base protects contents from water, dirt and tear.
- Large storage capacity for larger tools.
- Cushioned shoulder strap, top and side handles for flexible carry.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
① 38 cm PACKOUT™ duffel bag	1	1	**4932471066**	4058546286941
② 50 cm PACKOUT™ duffel bag	1	1	**4932471067**	4058546286958



PACKOUT™ tech bag

- Part of the PACKOUT™ modular storage system.
- Made from 1680D ballistic material for jobsite durability.
- 58 total pockets. Hardshell protected instrument pocket.
- Secure and protected storage for laptops and tablets.
- Impact resistant polymer base protects contents from water, dirt and tear.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
PACKOUT™ tech bag	1	1	**4932471130**	4058546287580

PACKOUT™ backpack

- Part of the PACKOUT™ modular storage system.
- Made from 1680D ballistic material for jobsite durability.
- 48 total pockets including a hard-shell protected instrument pocket.
- Extra back padding, chest strap, attachment strap for rolling bags and heavy duty harness for ultimate jobsite comfort.
- Impact resistant polymer base protects contents from water and dirt and also allows backpack to stand up.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
PACKOUT™ backpack	1	1	**4932471131**	4058546287597

PACKOUT™ jobsite cooler

- Part of the PACKOUT™ modular storage system.
- 20l volume capacity with a dry compartment and a storage space for drinks.
- Extra insulation keeps contents cold for 24 hours.
- Impact resistant polymer base protects contents from water, dirt, and tear.
- Shoulder strap for easy transport.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
PACKOUT™ jobsite cooler	1	1	**4932471132**	4058546287603

Ultimate jobsite backpack

- Constructed with 1680D ballistic material and with rugged metal zippers to provide increased durability.
- Hard molded base allows backpack to stand up and reduces ingress of dirt and water.
- Adjustable chest strap and attachment strap for rolling bags.
- Padded and breathable load-bearing harness evenly distributes the weight for more comfort and jobsite performance.
- 48 total pockets including 2 hardshell pockets to protect electronics and equipment from impact.
- Backpack provides exceptional organisation.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Ultimate jobsite backpack	1	1	**4932464833**	4058546227784







Jobsite backpack

- Durable construction, made from 1680D ballistic nylon.
- Hard moulded base allows bag to stand-up and provides ultimate all-weather protection.
- Padded, breathable straps for ultimate comfort and jobsite performance.
- Large storage - 35 pockets in total.
- Fold down front pocket for easier access and storage of larger items. Side water bottle pocket.
- Vertical tool wall maximises storage space while allowing for bulk storage space.
- Laptop pocket allows protected storage for laptops/tablets and personal goods.
- Exterior daisy chains allow clip on storage.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Jobsite backpack	1	1	**48228200**	045242333943







Tradesman backpack

- Durable construction, made from 1680D ballistic nylon.
- Padded straps for more comfort and jobsite performance.
- Laptop pocket allows protected storage for laptops/tablets and personal goods.
- 18 organiser pockets allow variety of options.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Tradesman backpack	1	1	**4932464252**	4058546221973

Low profile backpack

- Constructed with 1680D ballistic material and with rugged metal zippers to provide increased durability.
- Reinforced base protects the packpack from being damaged by abusive jobsite conditions.
- Adjustable chest strap and attachment strap for rolling bags.
- Padded and breathable load-bearing harness evenly distributes the weight for more comfort and jobsite performance.
- 22 pockets including a padded electronic sleeve to provide ultimate organisation.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Low profile backpack	1	1	**4932464834**	4058546227791

Jobsite cooler

- Constructed with 1680D ballistic material and with rugged metal zippers to provide increased durability.
- Specifically designed to be durable enough to withstand tough jobsite conditions.
- Cooler utilises double insulation and a food-grade leak proof liner to keep ice cold for 24 hours without leaking.
- Tape measure clip with a bottle opener provides ultimate versatility.
- Padded shoulder strap with metal hardware for ultimate durability.
- Tech pocket and dry storage compartment for storing tablets and electronic devices.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Jobsite cooler	1	1	**4932464835**	4058546227807

Electricians pouch

- Robust construction, made from 1680D ballistic nylon.
- Double stitched with stronger riveted seams.
- Integrated handle allows easy transport and provides an easy mounting point on common jobsite materials.
- Solid base allows bag to stand-up, even when fully loaded.
- Integrated belt loops allow bag to be worn on a tool belt.
- Center mounted metal D-rings allow bag to hang evenly from shoulder strap.
- Metal tape measure clip securely stores tape for easy access.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Electricians pouch	1	1	**48228112**	045242509157

Contractor rig

- Robust construction, made from 1680D ballistic nylon.
- Double stitched with stronger riveted seams.
- Padded 4-point harness distributes weight for all day comfort.
- Padded, breathable belt for ultimate comfort and jobsite performance.
- Integrated handle allows easy transport of the pouch and provides easy mounting point on common jobsite materials.
- Metal suspender attachments allow suspenders to be added.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Contractor rig	1	1	**48228120**	045242333974

Padded rig

- Adjustable straps designed to fit all users.
- 1680D ballistic material construction.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Padded rig	1	1	**48228145**	045242358212

Work belt

- Metal hardware and 1680D ballistic nylon provide a lifetime of service.
- Up to 152 mm (6″) of padding and can accomodate waist sizes up to 143 mm (53″).



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Work belt	1	1	**48228140**	045242358168

Transport cases

Description			Metal/ Plastic	Pack quantity	Min. order quantity	Article Number	EAN Code
Transport case for wall chasers	WCE 30,WCS 45, DME 30,DME 45	MFE 1500, MFE 1305,MF 1900	Metal case	1	1	**4932383357**	4002395357390

HEAVY DUTY™ boxes

■ Cases supplied wih latches and foam.

HD Box Size	Dimensions (mm)	Pack quantity	Min. order quantity	Article Number	EAN Code
1	475 x 358 x 132	1	1	**4932453385**	4002395146376
3	475 x 358 x 230	1	1	**4932453386**	4002395143634
HD Box 1 universal - supplied with foam insert		1	1	**4932459751**	4058546029234
HD Box 1 universal - with FUEL logo - supplied with foam insert		1	1	**4932459206**	4002395287215
Spare latches		2	1	**4932373252**	4002395347247
PACKOUT™ adaptor HD box		1	1	**4932464081**	4058546220266





Notes

Nothing but **HEAVY DUTY.**™

Techtronic Industries UK Ltd.

Suite A, Second Floor
Marlow International
Parkway
Marlow
Bucks SL7 1YL
Tel: +44 (0) 1628 894400
Fax: +44 (0) 1628 894401

Distributed by:

All data incl. service and warranty conditions as well as product range are subject to change without notice. Pictures not binding. No liability for printing errors or mistakes.
4939 7264 11 – 01/22 – Copyright 2022 – Milwaukee Electric Tool