

# MILWAUKEE® PERSONAL PROTECTIVE EQUIPMENT









# SAFETY. TAKEN SERIOUSLY.

By designing cordless tools without compromise, and creating a range of PPE designed around user needs, at MILWAUKEE®, we're making the jobsite safer and more productive every day.

Today, we're proud to boast over 165 Cordless Tools on our M18 platform and over 80 Cordless Tools on our M12 platform, eliminating trip hazards from the jobsite. We've redefined the light equipment market with the launch of our MX Fuel range, preventing the need for petrol on the jobsite with the launch of key tools including the 14" Cut Off Saw, and Cordless Breaker.

Personal Protective Equipment has seen little innovation over the years, driving users to modify their gear to better meet their needs. By taking time to understand our users' needs, we have developed PPE from the ground up, enabling users to adapt to each job. This has paved the way for innovative solutions such as our new safety glasses that can be worn all day with lasting, fog-free lenses.

MILWAUKEE® is committed to creating innovative solutions that help users stay safe and stay productive on the jobsite.




(preventblindness.org, 2019)



(Manufacturing.net, 2019)



(Peoplesafe.co.uk, 2019)





#### **HAND PROTECTION** -

#### EN 388:2016

The EN 388 standard specifies requirements, test methods, marking and information to be supplied for protective gloves against the mechanical risks of abrasion, blade cut, tear, puncture and, if applicable, impact. The impact protection has to fully encompass the back of hand, including the fingers. This standard is intended to be used in conjunction with EN 420.

All Milwaukee hand protection solutions are certified according to both EN 420 and EN 388 standards, the rating given varies for each type of gloves.




#### **NEW MARKINGS**



	Rating
Abrasion	1-4
Cut (Coup Test)	1-5
Tear	1-4
Puncture	1-4
Cut (TDM-100 Test)	A-F
Impact Protection	P,F,X

EN 388




#### SAFETY GLASSES

#### EN 166, EN 170 & EN 172

The EN 166 standard specifies requirement for personal eye-protectors, used to combat various hazards as encountered across numerous industries which are likely to damage the eye or impair vision. The EN 170 standard specifies requirements for ultraviolet filters, while EN 172 refers to the sun glare filtration for industrial use.

All Milwaukee safety glasses are certified according to EN 166, to guarantee the eye protection and the resistance to impact. The clear safety glasses are EN 170 certified, to offer an UV protection, even with clear lenses, while the tinted and polarised safety glasses are EN 172 certified to offer a solar protection, ideal for the jobsite and also during leisure time.





- 2C-1.2 MT 1FT CE
- 2 = EN 170 (UV filters standard)
- C = Unimpaired color (clear lenses)
- 1.2 = Protection level (1.2 is the lightest)
- MT = Milwaukee Tool
- 1 = Optical class (avoid diziness)
- = Impact resistance (only F can apply to safety glasses, A & B are for safety goggles)
- T = extreme temperatures resistance (-5° / +55°)
- CE = European Certification



#### Same frame marking for all 6 SKUs

- MT 166 FT CE
- MT = Milwaukee Tool
- F = Impact resistance
  - (only F can apply to safety glasses, A & B are for safety goggles)
- T = extreme temperatures resistance (-5° / +55°)
- CE = European Certification

#### **HIGH VISIBILITY CLOTHING**

#### EN 20471



The EN 20471 standard specifies requirements for high visibility clothing to ensure it is capable of visually signaling the user's presence. High visibility clothing ensures the user can be seen in all light conditions and is divided into 3 performance classes depending on the requirements.

The Milwaukee high-visibility vests are intended for multiple applications and are class 2 certified.

	Class 1	Class 2	Class 3
Reflective Tape	0.10 sqm	0.13 sqm	0.20 sqm
Fluorescent Material	0.14 sqm	0.50 sqm	0.80 sqm
Level of visibility	Lowest	Intermediate	Highest



#### **RESISTANCE TO CUT AND ABRASION**

#### **CUT LEVEL 1**

Ideal for material handling and light constructions duty.

#### **CUT LEVEL 3**

Ideal for stripping wire or pipe threading and cutting.

#### **CUT LEVEL** 5

Double layer nitrile creates the ideal glove for handling sharp objects.



#### **HI-VIS CUT LEVEL 3 DIPPED GLOVES**



- 1, to cut and abrasion, ideal protection
- Reinforced nitrile coating with added protection between thumb and fingers
- Lightweight and extra thin gloves







4932478131

4932478132

4932478133

4932478134

#### **CUT LEVEL 1 DIPPED GLOVES**





Designed to provide dexterity when

SMARTSWIPE™ palm and fingertips -

European Certified for cut protection EN420 and EN388:2016 (3121A).







Description	Article Number
Cut Level 1 Dipped Gloves - M/8 - 1pc	4932471416
Cut Level 1 Dipped Gloves - L/9- 1pc	4932471417
Cut Level 1 Dipped Gloves - XL/10 - 1pc	4932471418
Cut Level 1 Dipped Gloves - XXL/11 - 1pc	4932471419

#### **CUT LEVEL 3** DIPPED GLOVES

Hi-Vis Cut Level 3 Dipped Gloves - M/8 - 1pc

Hi-Vis Cut Level 3 Dipped Gloves - L/9 - 1pc

Hi Vis Cut Level 3 Dipped Gloves - XL/10 - 1pc

Hi-Vis Cut Level 3 Dipped Gloves -11/XXL - 1pc

Description



- 1, to cut and abrasion, ideal protection for stripping wire or pipe threading
- material performs better than other materials in wide range of temperatures and oily surfaces
- Superior puncture resistance for sharp
- SMARTSWIPE™ palm and fingertips allows the use of touch screen devices without removing gloves.





Description	
Cut Level 5 Dipped Gloves - M/8 - 1pc	
Cut Level 5 Dipped Gloves - L/9 - 1pc	
Cut Level 5 Dipped Gloves - XL/10 - 1pc	
Cut Level 5 Dipped Gloves - XXL/11 - 1po	;



1w
1

Description	Article Number
Cut Level 3 Dipped Gloves - M/8 - 1pc	4932471420
Cut Level 3 Dipped Gloves - L/9 - 1pc	4932471421
Cut Level 3 Dipped Gloves - XL/10 - 1pc	4932471422
Cut Level 3 Dipped Gloves - XXL/11 - 1pc	4932471423

#### **CUT LEVEL 5 DIPPED GLOVES**



- Excellent grip performance, nitrile material performs better than other materials in wide range of · Proprietary knitting process for all day
- comfort and high breathability while working all day.
- SMARTSWIPE™ palm and fingertips -allows the use of touch screen devices







#### **WINTER CUT LEVEL 1 DIPPED GLOVES**



- Winter insulation will keep the hand warm while working in cold condition
- High dexterity while handling small
- Warm and dual liner for excellent warmth in coolest condition and for high breathability all day.
- European Certified for cut and







escription	Article Number
ut Level 1 Winter Dipped Gloves - M/8 - 1pc	4932471343
ut Level 1 Winter Dipped Gloves - L/9 - 1pc	4932471344
ut Level 1 Winter Dipped Gloves - XL/10 - 1pc	4932471345
ut Level 1 Winter Dipped Gloves - XXL/11 - 1pc	4932471346

#### **WINTER CUT LEVEL 3 DIPPED GLOVES**



Cut Level 3 Winter Dipped Glov Cut Level 3 Winter Dipped Glov Cut Level 3 Winter Dipped Glov

Cut Level 3 Winter Dipped Gloves - XXL/11 - 1pc

- Winter insulation will keep the hand warm while working in cold conditions
- Improved water resistance to keep hands from cold and wet environme
- due to a 3/4 double dipped latex European Certified for cut and
- cold resistance protection: EN420, EN388:2016 (2442C), EN511 (02X)







4932471350

	Article Number
res - M/8 - 1pc	4932471347
res - L/9 - 1pc	4932471348
res - XL/10 - 1pc	4932471349



#### **IMPACT CUT LEVEL 3 GLOVES**

- Impact resistant material on back of the hand and fingers reduces and absorbs shock.
- 1, to cut and abrasion, ideal protection for stripping wire or pipe threading and cutting
- Reinforced nitrile coating with added protection between thumb and fingers.
- Excellent grip performance nitrile material performs better than other materials in extreme temperatures and oily surfaces.
- SMARTSWIPE™ palm and fingertips allows the use of touch screen devices without removing gloves.
- European Certified for cut resistance protection including impact testing: EN420 and EN388:2016 (4342CP).











#### **IMPACT DEMOLITION GLOVES**

- Impact resistant material, on back of hand and fingers, to reduce and absorb shock.
- ARMORTEX™ reinforced palms and finger tips: Increased durability and hand
- Superior palm grip on oily and wet surfaces
- European Certified for cut resistance protection including impact testing: EN420 and EN388:2016 (2121XP).











Description	Article Number
Impact Demolition Gloves - M/8 - 1pc	4932471908
Impact Demolition Gloves - L/9 - 1pc	4932471909
Impact Demolition Gloves - XL/10 - 1pc	4932471910
Impact Demolition Gloves - XXL/11 - 1pc	4932471911

#### **LEATHER GLOVES**

- and protection while handling heavy objects.
- Smartswipe<sup>™</sup> Allows the use of touch screen devices without removing the gloves on the index finger knuckle.
- European Certified for cut resistance protection: EN420 and EN388:2016







Description	Article Number
Leather Gloves - 8/M - 1pc	4932478123
Leather Gloves - 9/L - 1pc	4932478124
Leather Gloves - 10/XL - 1pc	4932478125
Leather Gloves - 11/XXL - 1pc	4932478126

#### **HYBRID LEATHER GLOVES**

- Smartswipe<sup>™</sup> Allows the use of touch screen devices without removing the gloves on the index finger knuckle.
- and reinforced protection of hands.
- Synthetic leather on back of the hand to offer more dexterity and breathability while working.
- Reinforced palm for added comfort and protection while handling heavy objects.
- European Certified for cut resistance protection: EN420 and EN388:2016.

Hybrid Leather Gloves - XL/10 - 1pc

Hybrid Leather Gloves - XXL/11 - 1pc









Description



4932471914

4932471915







#### **HIGH PERFORMANCE SAFETY GLASSES WITH GASKET**

- Durable anti-scratch lenses
- Long lasting anti-fog lenses.
- Comfortable arms for extended wear.
- Clear and tinted options offer eye protection whether working indoors
- · Removable gasket protects against debris.
- European Certified: EN166 and EN170 / EN 172.

Description	Pack quantity	Min. order quantity	Article Number
Premium Clear Safety Glasses w/ Gasket -1pc	1	6	4932471885
Premium Tinted Safety Glasses w/ Gasket -1 pc	1	6	4932471886



AVAILABLE WITH POLARISED LENSES



REMOVABLE GASKET
PROTECTS AGAINST DEBRIS



#### **PERFORMANCE SAFETY GLASSES**

- Long lasting anti-fog lenses.
- · Clear and tinted options offer eye protection whether working indoors
- European Certified: EN166 and EN170 / EN172.



Description	Pack quantity	Min. order quantity	Article Number
Performance Clear Safety Glasses -1pc	1	6	4932471883
Performance Tinted Safety Glasses -1pc	1	6	4932471884



#### **SAFETY GLASSES**

- Light weight for extended comfort while wearing.
- Fully adjustable and removable nose bridge to fit comfortably all face
- Comfortable and flexible arms for extended comfort wear.
- Clear and tinted options offer eye protection whether working indoors
- European Certified: EN166 and EN170 / EN172.



Description	Pack quantity	Min. order quantity	Article Number
Clear Safety Glasses -1pc	1	6	4932471881
Tinted Safety Glasses -1pc	1	6	4932471882







### PREMIUM SAFETY G FETY GLASSES

#### **WITH GASKET**

The gasket places the glasses closer to the skin and avoids any dust or debris entering into the eye. This is the perfect replacement for safety goggles, as the glasses offer the same dust protection, without the discomfort.

The tinted premium safety glasses benefit from polarised lenses to protect from glare, and offer best-in-class UV protection.









REMOVABLE GASKET

#### **PERFORMANCE SAFETY GLASSES**

Performance Safety Glasses also benefit from Milwaukee's anti-scratch lenses, allowing for easy, care-free cleaning. The anti-fog coating on the lens makes the glasses compatible for use with a respirator and perfect for all-day wear, inside









LONG LASTING

**LONG LASTING ANTI-FOG** 



## **GLASSES**

Safety Glasses are the lightest within the range and are ideal for a long-time everyday wear. The possibility to remove the nose bridge makes them perfect to fit over respirators.





MILWAUKEETOOL.EU/PPE | 11









### **PREMIUM HIGH-VISIBILITY VEST** • 1 clear ID badge holder - easy identification Padded Collar 1 back pocket - ideal to carry tablet or Quick internal size adjustment - size up or size down for better fit. Internal Size Adjustment Rear Zippered Tablet Pocket Padded collar - added comfort for extended Harness tethering hole - ideal to fit over harness to add more safety on the jobsite. Secure Zippered European Certified as Class 2 High Visibility Clothing according to EN 20471: 2013/ A1:2016. BACK

FRONT

#### **PREMIUM HIGH-VIS VEST (YELLOW)**

Description	Pack quantity	Min. order quantity	Article Number
Premium Hi-Visibility Vest Yellow - S/M	1	12	4932471895
Premium Hi-Visibility Vest Yellow - L/XL	1	12	4932471896
Premium Hi-Visibility Vest Yellow - 2XL/3XL	1	12	4932471897

#### **PREMIUM HIGH-VIS VEST (ORANGE)**

iantity (	quantity	Article Number
1	12	4932471898
1	12	4932471899
1	12	4932471900
		antity quantity  12  12



#### **HIGH-VIS VEST (YELLOW)**

Description	Pack quantity	Min. order quantity	Article Number
Hi-Visibility Vest Yellow - S/M	1	12	4932471889
Hi-Visibility Vest Yellow - L/XL	1	12	4932471890
Hi-Visibility Vest Yellow - 2XL/3XL	1	12	4932471891

#### **HIGH-VIS VEST (ORANGE)**

Description	Pack quantity	Min. order quantity	Article Number	
Hi-Visibility Vest Orange - S/M	1	12	4932471892	
Hi-Visibility Vest Orange - L/XL	1	12	4932471893	
Hi-Visibility Vest Orange - 2XL/3XL	1	12	4932471894	



SUPERIOR SHOCK ABSORPTION

DOUBLE LOCKING CARABINER

3 INTEGRATED SWIVEL

QUICK-CONNECT SYSTEM

5 COLOUR CODED

6 HIGH VERSATILITY

### QUICK-CONNECT RED LANYARD

4.5 Kg Locking Tool Lanyard



#### LIGHTWEIGHT RED LANYARD

4.5 Kg Locking Tool Lanyard



#### MID-WEIGHT BLACK LANYARD

6.8 Kg Locking Tool Lanyard



#### HEAVYWEIGHT GREY LANYARD


15.8 Kg Locking Tool Lanyard



### ANCHORING STRAP



### WRIST TOOL LANYARD



### LOCKING TOOL LANYARDS

- Superior shock absorption gradually stop the tool if dropped.
- Double locking carabiner ensures a secure connection that cannot become loose or slip off accidently.
- Integrated swivel prevents twists and tangles allowing increased mobility.
- Colour coded weight rating easy identification of lanyard weight capacity.
- High versatility lanyard accessories can be added to connect all tools to the lanyards.



	Description	Colour code	Article Number
1	4.5 kg QUICK-CONNECT™ locking tool lanyard	Red	4932471429
2	4.5 kg locking tool lanyard	Red	4932471351
3	6.8 kg locking tool lanyard	Black	4932471352
1	15.8 kg locking tool lanyard	Grey	4932471353

### WRIST TOOL LANYARD

- Secure and comfortable tools attachment on the wrist.
- Soft and adjustable strap fit all wrist size with a hook and loop closure.
- Hang loop to securely attach all kind of tools power tools, tapes, screwdrivers, etc.
- Wrist lanyard allows an easy access to tools in a thigh environment or in repetitive work.
- Colour coded weight rating easy identification of lanyard weight capacity

\_\_\_\_

Description	Colour code	Article Number
Wrist lanyard	White	4932472107

### TOOL LANYARD ACCESSORIES

- High versatility lanyard accessories can be added to connect all tools to the lanyards.
- Easy and versatile connection to all the kind of tools.
- Strong and secure attachment.
- Jobsite performance for an utlimate t tethering.









	Description	Colour code	Pack quantity	Min. order quantity	Article Number
1	2.2 kg small QUICK-CONNECT™ accessory	White	3	1	4932471430
2	3.6 m self-adhering tape	-	1	1	48228860
3	2.2 kg D-ring web attachment	White	5	1	493247143
4	38 mm split ring	-	5	1	493247143
5	50 mm split ring	-	5	1	493247143
6	Anchoring Strap - 1pc	Green	1	1	493247210

MILWAUKEETOOL.EU/PPE | 17



# L4 FFL USB RECHARGEABLE FOLDING FLOOD LIGHT

- 550 Lumens of TRUEVIEW" high definition output delivers consistent beam, optimised colour temperature and true representation of colours & details
- Can be mounted with double magnet or hanging the light with an integrated carabiner hook gives more versatility
- Compact size allows easy storage in pocket
- IP54 rating, light is protected from dust and splashing water
- Impact and chemical resistant lens for more durability on the iobsite
- Fuel gauge allows fast checking of REDLITHIUM™ USB battery charge
- Conveniently charge REDLITHIUM™ USB battery internally with micro-USB cable from USB power source or AC outlet (wall plug not included)
- Jobsite tough micro-USB braided cable with metal ends
- Includes USB cable



Description	Article Number
USB rechargeable folding flood light	4933464821

#### L4 FL

### USB RECHARGEABLE POCKET FLOOD LIGHT

- 445 Lumens of TRUEVIEW<sup>™</sup> high definition output
- Can be mounted with double magnet and clipped on pockets
- Compact size allows easy storage in pocket
   IP54 rating, light is protected from dust and
- splashing water
- · Impact and chemical resistant lens
- Fuel gauge allows fast checking of REDLITHIUM™ USB battery charge
- Conveniently charge REDLITHIUM™ USB battery internally with micro-USB cable from USB power source or AC outlet (wall plug not included)
- Jobsite tough micro-USB braided cable with metal ends
- Includes USB cable



Description	Article Number
USB rechargeable pocket flood light	4933459442

#### **IPL-LED**

#### **ALKALINE PEN LIGHT**

- 100 Lumens of TRUEVIEW™ high definition light output deliver up to 30 m beam distance for inspection tasks
- Impact and corrosion resistant aircraft aluminium body with knurling grip for bes
- IP67 rated for submersion in up to 1 meter of water and protection from dust
- Features a protective rubber bite zone for occasional hands-free use
- Removable metal pocket clipOn/off and momentary-on button
- Includes (2) AAA batteries

### PROTECTIVE RUBBER BITE

FOR HANDS-FREE USE



#### L4 FMLED

### USB RECHARGEABLE 800L FIXED FLASHLIGHT

- 800 Lumens of TRUEVIEW™ high definition output with up to 175 m beam distance
- The flashlight features 2 modes and bullseye beam pattern, optimised for distance and un-close Illumination
- IP67 rated for submersion in up to 2 meter of water and protection from dust
- Momentary & constant power on button
- Removable clin for secure attachment
- Safety blinking feature allows end user to be informed of low battery status
- Conveniently charge REDLITHIUM\*\* USB battery internally with micro-USB cable from USB power source or AC outlet (wall plug not included)
- Jobsite tough micro-USB braided cable with metal ends
- Includes USB cable

**TRUE**VEW<sup>™</sup>



Article Number
4933478113





# **HEADLAMPS**

MILWAUKEE® headlamps deliver high output light while conveniently attaching and securing to hard hats with clips and a rubber grip. Our personal headlamps feature a variety of output modes and light intensities ensuring you have the light you need regardless of the task.

Built-in positioning head tilt allows users to direct the light wherever it is needed. All of the LED headlights feature TRUEVIEW™ High-Definition Output providing neutral. color-accurate light. Many of the personal headlamps feature our REDLITHIUMTM USB Rechargeable batteries allowing for all-day runtime.

**MILWAUKEE®** 

**HEADLAMPS** 

Milwaukee headlamps are tested to the most rigorous standards to ensure they hold their own not only against other leading headlamps, but in real world jobsite conditions. Conforming to international standard Ingress Protection rating IP53 ensures the light is fully sealed and protected from dust ingress, as well as being water-resistant. The range features an impact and chemical resistant lens to further

protect it from common elements whilst in use.

TRUEVIEW

### **ALKALINE SLIM** HEADLAMP

Description

Alkaline slim headlamp

- 350 Lumens of TRUEVIEW<sup>™</sup> high definition output
- Washable micro fiber sweat-absorbing strap for all
- Ultra compact and lightweight product
- 6-position tilt adjustment for directing light
- 4 mounting clips for securing to helmets



Article Number	Description	Article Number
4933471286	Alkaline spot flood headlamp	4933471388

**ALKALINE SPOT** 

FLOOD HEADLAMP

Ultra compact and lightweight product

6-position tilt adjustment for directing light

· 4 mounting clips for securing to helmets

350 Lumens of TRUEVIEW™ high definition output

Washable micro fiber sweat-absorbing strap for all

DLITHIUM USB

VISIBILITY

**PERSONAL ACTIVE** 

HIGH DEFINITION LIGHTING

**SAFETY DEVICE** 

L4 HL-VIS

INGRESS PROTECTION		52	52							
OUTPUT MODE	HIGH	MEDIUM	LOW	HYBRID	SPOT HIGH	FLOOD HIGH	FLOOD MED	FLOOD LOW		
LUMEN	350	150	25	450	350	350	150	25		
RUNTIME (HRS)	4	8.5	31	2	4	4	10	26		
BEAN (M)		100	100							
BATTERY	зх	AAA ALKA	3 X AAA ALKALINE							
BATTERY INDICATOR		YES				YES				
CHARGE TIME (MINS)		N/A	N/A							

#### WHAT IS A HAZARDOUS **LOCATION?**

A hazardous location is an area or environment where flammable liquids, gases or vapours, and/or combustible dusts exist in sufficient enough quantities to produce an explosion or fire.



#### WHAT MAKES A LIGHT **INTRINSICALLY SAFE?**

An Intrinsically Safe light is a light that will not cause ignition of hazardous material. It is important to know which ATEX zones your workplace is in.

**ZONE 0** 

Categorizes the various hazardous materials that may be present in a work space.

**ZONE 0,1,2** FLAMMABLE GASES, **VAPOR OR LIQUIDS** 

**MATERIAL** 

EXAMPLE: Acetylene, Hydrogen, Ethylene, Propane

**ENVIRONMENTS** 

EXAMPLE: Oil refinery, offshore oil rig, vault, spray booth, gasoline dispensing areas



Zone 2 Zone 1 Zone 0

#### Flammable liquid

#### ALKALINE **INTRINSICALLY SAFE** HEADLAMP

- 350 Lumens of TRUEVIEW™ high definition output
- Washable micro fiber sweat-absorbing strap for all day comfort on the head
- Ultra compact and lightweight product
- 4 mounting clips for securing to helmets



#### **USB RECHARGEABLE HEADLAMP**

- 350 Lumens of TRUEVIEW<sup>™</sup> high definition output · Washable micro fiber sweat-absorbing strap for all
- Ultra compact and lightweight product
- 6-position tilt adjustment for directing light



#### **USB RECHARGEABLE** HARD HAT HEADLAMP

- 350 Lumens of TRUEVIEW™ high definition output Washable micro fiber sweat-absorbing strap for all day comfort on the head
- Ultra compact and lightweight product



#### **USB RECHARGEABLE** HI-VIS HEADLAMP

ON ALL MILWAUKEE®

**HEADLAMPS** 

**HEAD LAMPS** 

- 350 Lumens of TRUEVIEW™ high definition output
- Washable micro fiber sweat-absorbing strap for all
- Ultra compact and lightweight product
- 6-position tilt adjustment for directing light
- 4 mounting clips for securing to helmets

<b>Description</b> Alkaline intrinsically safe headlamp	Article Number 4933478112	<b>Description</b> USB rechargeable headlamp	Article Number 4933459443	Description  USB RECHARGEABLE hard hat headlamp	Article Number 4933471390	Description USB rechargeable HI-VIS headlamp	Article Number np 4933471389	
64		53		54		53		
1 1 1 -		1 1 1		1	1	1 1 1		

		64					53				5		53					
HYBRID	FLOOD HIGH	SPOT HIGH	FLOOD MED	FLOOD LOW	HYBRID	SPOT HIGH	FLOOD HIGH	FLOOD MED	FLOOD LOW	HIGH	MEDIUM	LOW	EC0	HYBRID	SPOT HIGH	FLOOD HIGH	FLOOD MED	FLOOD LOW
310	235	155	155	25	475	300	300	150	25	600	350	125	25	600	400	400	150	25
4	6	8	10	40	2	4	4.5	8.5	31	2	6	10	25	2	4	4	8	20
	100				100					100				100				
3	X AA	A AL	KALIN	ΙE	R	REDLITHIUM™ USB REDLITHIUM™ USB				REDLITHIUM™ USB								
		YES					YES				YES YES							
N/A				120					120				120					

18 | MILWAUKEETOOL.EU/PPE MILWAUKEETOOL.EU/PPE | 19



Nothing but **HEAVY DUTY.**™

#### **Techtronic Industries GmbH**

Max-Eyth-Str. 10 D-71364 Winnenden Germany Tel. +49 7195 120 Fax +49 7195 666

Distributed by:

All data incl. service and warranty conditions as well as product range are subject to change without notice. Pictures not binding. No liability for printing errors or mistakes (4939 6986 00) – 01/20 – Copyright 2020 – Milwaukee Electric Tool



