



Nothing but **HEAVY DUTY**.™

NEWS

TRANSPORT EDITION



MAINTENANCE



SEE PAGES 2-12

ENGINE WORK



SEE PAGES 13-15

REPAIRS



SEE PAGES 16-22

BODY WORK



SEE PAGES 23-25



M12

PORTABLE PRODUCTIVITY.
TRADE FOCUSED.
SYSTEM WIDE.

ONE SYSTEM 115 SOLUTIONS

SEE THE FULL RANGE ONLINE ▶



M18

PERFORMANCE DRIVEN.
TRADE FOCUSED.
SYSTEM WIDE.

ONE SYSTEM 290 SOLUTIONS

SEE THE FULL RANGE ONLINE ▶



LIGHTING



86 SOLUTIONS

SEE THE FULL RANGE ONLINE ▶



PACKOUT™ MODULAR STORAGE SYSTEM

OVER
100 POSSIBLE
COMBINATIONS

SEE THE FULL RANGE ONLINE ▶



PERSONAL PROTECTIVE EQUIPMENT & WORKWEAR



OVER
850 SOLUTIONS

SEE THE FULL RANGE ONLINE ▶



STAY SAFE!
STAY PRODUCTIVE.



HAND TOOLS



OVER
1000 SOLUTIONS

SEE THE FULL RANGE ONLINE ▶



ACCESSORIES



OVER
3000 SOLUTIONS

SEE THE FULL RANGE ONLINE ▶



NEW
M18
REDLITHIUM™
FORGE™

MOST POWER | FASTEST CHARGING | LONGEST LIFE*



1 NEW LITHIUM CELL TECHNOLOGIES

New lithium cell technologies provide higher power, less heat generation and faster charging

2 NEXT GENERATION ELECTRONICS

Innovative next generation electronics maximise full power delivery and accelerate charge speed

3 MECHANICAL REDESIGN

With a laser welded, fully enclosed cell carrier, coupled with a rubber overmould, FORGE™ provides advanced thermal management and vibration protection

4 ADVANCED PROTECTION

With patented ingress coating to protect against water and debris, and resistant housing to protect against common oils, greases and solvents, FORGE™ boasts the longest life*

REDLITHIUM™
FORGE™
MOST POWER
FASTEST CHARGING
LONGEST LIFE

NEW

REDLITHIUM™
HIGH OUTPUT
MORE POWER

REDLITHIUM™



An active cooling system providing high speed cooling to COOL-CYCLE™ capable batteries. The cooling system improves thermal management, helping the battery packs cool while charging, decreasing downtime on the job.



M18 DBSC | ART.# 4932492531

M18 DUAL BAY SUPERCHARGER

15 MIN SUPERCHARGE TO 80%

SIMULTANEOUSLY CHARGES TWO M18™ BATTERIES

COMPATIBLE WITH ALL M18™ BATTERIES

REDLINK™ INTELLIGENCE, CHARGER COMMUNICATES WITH THE BATTERY PACK TO ENSURE OPTIMISED CHARGE SPEED AND PERFORMANCE



REDLITHIUM™

M18 FB6 | ART.# 4932492533

M18 FORGE BATTERY 6.0 AH

HIGH OUTPUT™ 12.0 AH POWER IN A SMALLER SIZE

LONGEST LIFE FOR THE MOST RECHARGES AND BEST PERFORMANCE OVER THE LIFE OF THE PACK

RESISTANT HOUSING DESIGNED TO PROVIDE INCREASED PROTECTION AGAINST COMMON OILS, SOLVENTS, AND GREASES

ENHANCED ONBOARD FUEL GAUGE WITH READABILITY IN DIRECT SUN LIGHT



REDLITHIUM™



VIEW THE MILWAUKEE® M18™ BATTERY AND CHARGER RANGE

CHARGING TIME COMPARISON

M18™ DUAL BAY SUPERCHARGER

M18 DBSC
ART.# 4932492531

M12™ - M18™ FASTCHARGER

M12-18 FC
ART.# 4932451079

M12™ - M18™ CHARGER

M12-18 C
ART.# 4932352959

	NEW								
	M18 FB6 4932479265	M18 HB12 4932464260	M18 HB8 4932471070	M18 HB5.5 4932464712	M18 HB3 4932471069	M18 B5-CR 4932479265	M18 B5 4932430483	M18 B4 4932430063	M18 B2 4932430062
M18™ DUAL BAY SUPERCHARGER	15 MIN	45 MIN	33 MIN	25 MIN	25 MIN	42 MIN	42 MIN	36 MIN	16 MIN
M12™ - M18™ FASTCHARGER	25 MIN	60 MIN	45 MIN	35 MIN	35 MIN	59 MIN	59 MIN	52 MIN	26 MIN
M12™ - M18™ CHARGER	60 MIN	130 MIN	87 MIN	60 MIN	36 MIN	59 MIN	59 MIN	52 MIN	26 MIN
	115 MIN	250 MIN	167 MIN	115 MIN	65 MIN	100 MIN	100 MIN	80 MIN	40 MIN

UP TO 80% CHARGED
UP TO 100% CHARGED
UP TO 100% CHARGED
UP TO 100% CHARGED

MAINTENANCE

NEW M18 FHIW2F12-502X | ART.# 4933492784

M18 FUEL 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING

1491 NM FASTENING TORQUE

2034 NM NUT BUSTING TORQUE

4-MODE DRIVE CONTROL

Mode 4 provides maximum nut busting torque and switches to 750 rpm after breakaway for maximum control

INCREASED GEARCASE DURABILITY

TRI-LED'S FOR INCREASED WORKSPACE VISIBILITY

COMPACT 193 MM BODY



ALSO AVAILABLE AS A BARE UNIT




M18 FHIW2F12-0X
ART.# 4933492782

KIT INCLUDES:



STAY SAFE. STAY PRODUCTIVE.

BANDED HEARING PROTECTION
SEE PAGE 37



REDLITHIUM™

NEW M18 BLHIWF12-502X | ART.# 4933498205

M18 1/2" BRUSHLESS HIGH TORQUE IMPACT WRENCH

1085 NM FASTENING TORQUE

1627 NM NUT BUSTING TORQUE

LED LIGHT

221 MM BODY



KIT INCLUDES:



Milwaukee PERFECTMATCH
1/2" IMPACT SOCKET SET STD-13PC
4932480456



REDLITHIUM™

GET THE RIGHT IMPACT WRENCH FOR THE JOB



MILWAUKEE®
IMPACT SOCKETS

SEE PAGE 6

COMPACT

MID TORQUE

HIGH PERFORMANCE

COMPACT			MID TORQUE	HIGH PERFORMANCE						
138 Nm M12*	339 Nm M16*	339 Nm M16*	745 Nm M20*	1085 Nm M33*	1356 Nm M33*	1491 Nm M36*	1627 Nm M33*	2033 Nm M42*	2576 Nm M42*	
M12 BIW12-202C ART.# 4933464616	M12 FWF12-622X ART.# 4933464617	M18 FHIW2F12-502X ART.# 4933478445	M18 FMTIW2F12-502X ART.# 4933478451	M18 BLHIWF12-502X ART.# 4933498205	M18 ONEFHWF12-502X ART.# 4933459728	M18 FHIW2F12-502X ART.# 4933471259	M18 ONEFHWF34-502X ART.# 4933459731	M18 ONEFHWF1-802X ART.# 4933459734	M18 ONEFHWF1D-121C ART.# 4933471756	M18 ONEFHWF12-503X ART.# 4933464770

*Recommended max bolt size

REDLITHIUM™

REDLITHIUM™
HIGH OUTPUT BATTERY TECHNOLOGY

NEW M18 BLPP2E-502B | ART.# 4933498206

M18

KIT CONTAINS

- M18 BLHIWF
- M18 BLSAG115XPD
- 2 x M18 B5
- M12-18 C
- Kit Bag



IN THIS KIT



M18 BLHIWF12
ART.# 4933498205

- 1085Nm fastening torque
- 1627Nm nut busting torque
- 221mm body
- LED light

11,000 RPM
Compact and Lightweight
Integrated Fixtec System

Non-lockable safety paddle switch with line-lock-out function

Safety clutch protects user the from kickback injuries



M18 BLSAG115XPD
ART.# 4933493911



RUBBER SLEEVE FOR M12 FWF
ART.# 4932478758



RUBBER SLEEVE FOR M18 FWF
ART.# 4932478770



RUBBER SLEEVE FOR M18 FMTIW2F
ART.# 4932478771



RUBBER SLEEVE FOR M18 FHIW2F12
ART.# 4932493560


REDLITHIUM™

M12 FPTR-202X | ART.# 4933480755 (Also available as 0-version)

M12 FUEL INSIDER™ PASS-THROUGH RATCHET



KIT INCLUDES:



M12 FHIR14LR-0 | ART.# 4933480790

M12 FUEL HIGH SPEED LONG REACH RATCHET 1/4"



KIT INCLUDES:



M12 FHIR38LR-0 | ART.# 4933480791

M12 FUEL HIGH SPEED LONG REACH RATCHET 3/8"



KIT INCLUDES:



M12 FHIR14-0 | ART.# 4933478171 (Available as 0-version only)

M12 FUEL 1/4" HIGH SPEED RATCHET



KIT INCLUDES:



Also available with 3/8" square reception:

M12 FHIR38-0 | ART.# 4933478172

M12 FUEL 3/8" HIGH SPEED RATCHET



KIT INCLUDES:



M12 ONEFTR38-201C | ART.# 4933464968 (Also available as 0-version)

M12 FUEL ONE-KEY™ 3/8" DIGITAL TORQUE WRENCH



KIT INCLUDES:



Also available with 1/2" reception



M12 ONEFTR12-201C ART.# 4933464971

M12 FRAIWF12-0 | ART.# 4933471699

M12 FUEL 1/2" RIGHT ANGLE IMPACT WRENCH




KIT INCLUDES:



PERFECT MATCH IMPACT RATED SOCKETS & IMPACT TOOLS



For the range of new SHOCKWAVE™ Impact Duty sockets see page 10



THE EXTENSIVE
SHOCKWAVE™
IMPACT DUTY
SOCKET RANGE
JUST GOT BIGGER



1/4" IMPACT SOCKETS



Hex socket rail + clips 1/4" 350 mm-1 pc

Hex socket rail extra clips 1/4"-10 pc

Hex socket ShW 1/4" deep set-12 pc

ART.#	4932480444	4932480445	4932480453
-------	------------	------------	------------

1/4" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP

SIZE (mm)	ART.#
4	4932480251
4.5	4932480252
5	4932480253
5.5	4932480254
6	4932480255
7	4932480256
8	4932480257
9	4932480258
10	4932480259
11	4932480260
12	4932480261
13	4932480262



3/8" IMPACT SOCKETS



3/8" SHOCKWAVE™ IMPACT DUTY socket set (9 pc) - standard

3/8" SHOCKWAVE™ IMPACT DUTY socket set (9 pc) - deep

ART.#	4932480454	4932480455
-------	------------	------------

INCLUDES 8 x STD sockets: 8,10,12,13,14,15,17,19 mm, 1 x adaptor 1/4" Hex - 3/8" square

8 x deep sockets: 8,10,12,13,14,15,17,19 mm, 1 x adaptor 1/4" Hex - 3/8" square

3/8" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - STANDARD

SIZE (mm)	ART.#
8	4932480265
10	4932480267
11	4932480268
12	4932480269
13	4932480270
14	4932480271
15	4932480272
16	4932480273
17	4932480274
18	4932480275
19	4932480276
21	4932480278
22	4932480279

3/8" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP

SIZE (mm)	ART.#
8	4932480282
10	4932480284
11	4932480285
12	4932480286
13	4932480287
14	4932480288
15	4932480289
16	4932480290
17	4932480291
18	4932480292
19	4932480293
21	4932480295
22	4932480296

1/2" IMPACT SOCKETS



ART.# 4932451568
INCLUDES 1/2" impact sockets: 17 / 19 / 21 mm

1/2" SHOCKWAVE™ IMPACT DUTY automotive impact socket set (3 pc)

ART.#	4932480456	4932480457
-------	------------	------------

INCLUDES 10 x STD sockets: 10,12,13,14,15,17,19,21,22,24, 1 x universal joint 15°, 1 x adaptor 1/4" Hex - 1/2" square, 1 x extension 150 mm

10 x deep sockets: 10, 11, 12, 13, 14, 17, 19, 21, 22, 24 mm

1/2" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - STANDARD

SIZE (mm)	ART.#
8	4932480302
10	4932480304
11	4932480305
12	4932480306
13	4932480307
14	4932480308
15	4932480309
16	4932480310
17	4932480311
18	4932480312
19	4932480313
21	4932480315
22	4932480316
24	4932480318
27	4932480321
30	4932480324
32	4932480325

1/2" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP

SIZE (mm)	ART.#
8	4932480326
10	4932480328
11	4932480329
12	4932480330
13	4932480331
14	4932480332
15	4932480333
16	4932480334
17	4932480335
18	4932480336
19	4932480337
21	4932480339
22	4932480340
24	4932480342
27	4932480345
30	4932480348
32	4932480349

3/4" IMPACT SOCKETS

SIZE (mm)	ART.#
17	4932480361
19	4932480362
21	4932480363
22	4932480364
23	4932480365
24	4932480366
27	4932480367
30	4932480368
32	4932480369
33	4932480370
34	4932480371
36	4932480372
38	4932480373
39	4932480374
41	4932480375
46	4932480376
50	4932480377

SIZE (mm)	ART.#
17	4932480378
19	4932480379
21	4932480380
22	4932480381
23	4932480382
24	4932480383
25	4932480384
26	4932480385
27	4932480386
28	4932480387
29	4932480388
30	4932480389
31	4932480390
32	4932480391
33	4932480392
34	4932480393
35	4932480394
36	4932480395
37	4932480396
38	4932480397
39	4932480398
40	4932480399
41	4932480400
46	4932480401
50	4932480402

ADAPTORS & EXTENSIONS

DRIVE SIZE	DESCRIPTION	ART.#
3/8"	Extension 3/8" - 150 mm	4932480297
3/8"	Extension 3/8" - 250 mm	4932480298
1/2"	Extension 1/2" - 150 mm	4932480352
1/2"	Extension 1/2" - 250 mm	4932480353
3/4"	Extension 3/4" - 175 mm	4932480403
3/4"	Extension 3/4" - 250 mm	4932480404
3/4"	Universal joint	4932480301
3/4"	Adaptor 3/4" - 1"	4932480406
3/4"	Reducer 3/4" - 1/2"	4932480405
3/4"	3/4" Security retaining ring	4932480450

VERSATILE
SOCKETS.
ANTI-ROLL
WRENCH READY.

1/4", 3/8" & 1/2" DRIVE SOCKETS



FOUR FLAT™ SIDES
Anti-roll, wrench-ready, Improved grip for hand tightening

STAMPED SIZES
Quick, easy size identification

CHROME-PLATED
Rust protection; professional look; easy cleaning

1/4" DRIVE SOCKETS, METRIC

SIZE (mm)	ART.#
4	4932479992
4.5	4932479993

1/4" DEEP DRIVE SOCKETS, METRIC

SIZE (mm)	ART.#
4	4932479994
4.5	4932479995

1/2" DRIVE SOCKETS, METRIC

SIZE (mm)	ART.#
8	4932480006
9	4932480007
10	4932480008
11	4932480009
12	4932480010
13	4932480011
14	4932480012
15	4932480013
16	4932480014
17	4932480015
18	4932480016
19	4932480017
20	4932480018
21	4932480019
22	4932480020
23	4932480021
24	4932480022
25	4932480023
26	4932480024
27	4932480025
28	4932480026
30	4932480027
32	4932480028
36	4932480029

1/2" DEEP DRIVE SOCKETS, METRIC

SIZE (mm)	ART.#
10	4932480030
11	4932480031
12	4932480032
13	4932480033
14	4932480034
15	4932480035
16	4932480036
17	4932480037
18	4932480038
19	4932480039
20	4932480040
21	4932480041
22	4932480042
23	4932480043
24	4932480044
27	4932480045
30	4932480046
32	4932480047
36	4932480048

3/8" DRIVE SOCKETS, METRIC

SIZE (mm)	ART.#
20	4932479996
21	4932479997
22	4932479998
23	4932479999
24	4932480000
10 pc 3/8" Drive Metric Chrome Sockets	4932492507

3/8" DEEP DRIVE SOCKETS, METRIC

SIZE (mm)	ART.#
20	4932480001
21	4932480002
22	4932480003
23	4932480004
24	4932480005
10 pc 3/8" Drive Metric Deep Chrome Sockets	4932492509

RATCHETS

	ART.#
① 1/4" Drive compact ratchet	4932479646
② 1/4" Drive long ratchet	4932479647
③ 3/8" Drive compact ratchet	4932479650
④ 3/8" Drive long ratchet	4932479651
⑤ 1/2" Drive long ratchet	4932479654



SCAN TO VIEW
THE SOCKETS & RATCHET RANGE



M12 UCL-0 | ART.# 4933478868 (Available as 0-version only)

M12 UNDERCARRIAGE LIGHT



3 light output modes with a 30 cm magnetic storage tray

Dual joints swivel 300° horizontally and 180° vertically for full under carriage illumination

Magnetic base for mounting applications

FEATURES:

- TRUEVIEW™ high definition lighting with up to 1200 lumens
- Up to 15 hours of run time on M12™ 4.0 Ah battery pack
- Designed for the on-the-go needs of automotive maintenance and service trades
- Dual joints swivel 300° horizontally and 180° vertically to ensure full undercarriage illumination coverage
- Magnetic base for mounting applications & 30 cm magnetic storage tray to hold nuts & bolts

KIT INCLUDES:



1200 LUMENS

High	1200 Lumens	5 hr
Medium	800 Lumens	8 hr
Low	600 Lumens	15 hr

REDLITHIUM™

L4 SL550-301 | ART.# 4933478869

USB RECHARGEABLE STICK LIGHT 550 LUMENS



4 light output modes with impact and chemical resistant lens

Versatile attachment with magnet or hang hook

220° vertical light head rotations

550 LUMENS

IP54

INSPECTION		
High	250 Lumens	2 hr
Low	100 Lumens	5 hr
DUAL PANEL		
High	550 Lumens	2 hr
Low	250 Lumens	5 hr
SINGLE PANEL		
High	550 Lumens	2 hr
Low	250 Lumens	5 hr

KIT INCLUDES:



REDLITHIUM™ USB

ENGINE WORK

M12 UHL-0 | ART.# 4933459432 (Available as 0-version only)

M12 LED UNDERHOOD LIGHT



UNDER HOOD

UNDER CARRIAGE

ANYWHERE ELSE

Perfect for work in the engine thanks to downward light and hands free use

Ability to be mounted or rested on the ground

A detachable light bar is useful inside the cabin for fleet modifications to new vehicles, wiring work, or for the exterior for finding scratches or dents in the body and many other applications

MOUNTING HOOKS EXTEND **119 CM - 196 CM (47" - 77")**

COVERING WIDE CARS AND TRUCKS.

KIT INCLUDES:



High	1350 Lumens	4 hr
Low	600 Lumens	6 hr

HANG ANYWHERE WITH **STAINLESS STEEL HOOK**

FISHGUARD™ HOOKS FOR LASTING PROTECTION

2X THE GRIPPING SURFACE

2000 LUMENS

IP54

REDLITHIUM™

L4 NL400-301 | ART.# 4933479898

USB RECHARGEABLE NECK LIGHT 400 LUMENS



130° vertical light head rotations for complete light head adjustability

Up to 400 lumens

Up to 8 hours of run time

IP50 rated for dust resistance and can withstand up to 2 m drops

Ergonomic, sweat resistant band for increased comfort

Resistance to most chemicals found in auto body shops

KIT INCLUDES:



REDLITHIUM™

NEW M12 ATB-0C | ART.# 4933480755
M12 AUTOMOTIVE TECHNICIAN BORESCOPE

4.3" LCD SCREEN

720 P RESOLUTION

Delivers crisp, clear images to be able to look for fine chips in engine block, hairline cracks in valves and small fuel or oil leaks

INTERCHANGEABLE CAMERA & CABLE

FRONT & SIDE VIEW CAMERA

KIT INCLUDES:



REDLITHIUM™

2267-40 | ART.# 4933451906
10:1 INFRARED TEMP-GUN™

FEATURES:

- 10:1 distance to spot ratio, a 1 m spot from 10 m away
- Up to -30°C to 400°C temperature range
- Premium LCD display for high readability
- Simplified buttons and setup for faster scanning
- Raised over-moulding protects lens and screen from direct impact

KIT INCLUDES:



FOR MOTOR HEALTH CHECKS



2212-20 | ART.# 4933447776
AUTO VOLTAGE / CONTINUITY TESTER

KIT INCLUDES:



2200-40 | ART.# 4932352561
VOLTAGE DETECTOR

KIT INCLUDES:



COMBINATION SPANNERS

SCAN TO VIEW
THE FULL COMBINATION SPANNER RANGE & SETS



MAXBITE™ COMBINATION SPANNERS

Description	Art.#
MAXBITE™ metric combination spanner - 6 mm	4932480197
MAXBITE™ metric combination spanner - 7 mm	4932480198
MAXBITE™ metric combination spanner - 23 mm	4932480199
MAXBITE™ metric combination spanner - 24 mm	4932480200
MAXBITE™ metric combination spanner - 25 mm	4932480201
MAXBITE™ metric combination spanner - 26 mm	4932480202
MAXBITE™ metric combination spanner - 27 mm	4932480203
MAXBITE™ metric combination spanner - 28 mm	4932480204
MAXBITE™ metric combination spanner - 29 mm	4932480205
MAXBITE™ metric combination spanner - 30 mm	4932480206
MAXBITE™ metric combination spanner - 32 mm	4932480207
MAXBITE™ metric combination spanner - 36 mm	4932480208

ROUNDED I-BEAM HANDLE

Comfortable in high torque applications

15° OFFSET BOX & 12 POINT BOX END

Improved accessibility in tight spaces

MAXBITE™ OPEN END

Up to 25% more torque

INK FILLED SIZE LABELS

Quick and easy size identification



CHROME FINISH
Professional look, easy cleaning

MAXBITE™ COMBINATION RATCHETING SPANNERS

Description	Art.#
MAXBITE™ ratcheting metric combination spanner - 6 mm	4932480209
MAXBITE™ ratcheting metric combination spanner - 7 mm	4932480210
MAXBITE™ ratcheting metric combination spanner - 24 mm	4932480211
MAXBITE™ ratcheting metric combination spanner - 25 mm	4932480212
MAXBITE™ ratcheting metric combination spanner - 27 mm	4932480213
MAXBITE™ ratcheting metric combination spanner - 30 mm	4932480214
MAXBITE™ ratcheting metric combination spanner - 32 mm	4932480215

ROUNDED I-BEAM HANDLE

Comfortable in high torque applications

DOUBLE STACKED PAWLS

Durable mechanism for longest ratchet life

MAXBITE™ OPEN END

Up to 25% more torque

144 TOOTH COUNT - 2.5° OF ARC SWING

More rotation, higher productivity



CHROME FINISH
Professional look, easy cleaning

INK FILLED SIZE LABELS
Quick and easy size identification

MAXBITE™ FLEXHEAD RATCHETING SPANNERS

Description	Art.#
MAXBITE™ flexhead ratcheting metric spanner - 8 mm	4932480181
MAXBITE™ flexhead ratcheting metric spanner - 9 mm	4932480182
MAXBITE™ flexhead ratcheting metric spanner - 10 mm	4932480183
MAXBITE™ flexhead ratcheting metric spanner - 11 mm	4932480184
MAXBITE™ flexhead ratcheting metric spanner - 12 mm	4932480185
MAXBITE™ flexhead ratcheting metric spanner - 13 mm	4932480186
MAXBITE™ flexhead ratcheting metric spanner - 14 mm	4932480187
MAXBITE™ flexhead ratcheting metric spanner - 15 mm	4932480188
MAXBITE™ flexhead ratcheting metric spanner - 16 mm	4932480189
MAXBITE™ flexhead ratcheting metric spanner - 17 mm	4932480190
MAXBITE™ flexhead ratcheting metric spanner - 18 mm	4932480191
MAXBITE™ flexhead ratcheting metric spanner - 19 mm	4932480192
MAXBITE™ flexhead ratcheting metric spanner - 20 mm	4932480193
MAXBITE™ flexhead ratcheting metric spanner - 21 mm	4932480194
MAXBITE™ flexhead ratcheting metric spanner - 22 mm	4932480195

ROUNDED I-BEAM HANDLE

Comfortable in high torque applications

DOUBLE STACKED PAWLS

Durable mechanism for longest ratchet life

MAXBITE™ OPEN END


Up to 25% more torque

ADJUSTABLE SET SCREW

For preferred flex head tension

144 TOOTH COUNT - 2.5° OF ARC SWING

More rotation, higher productivity



CHROME FINISH
Professional look, easy cleaning

INK FILLED SIZE LABELS
Quick and easy size identification

ART.# 48229215
HOOK & PICK SET

FEATURES:

- All-metal core for long-lasting durability and rust protection
- Chrome-plated shanks reduce corrosion and provide rust protection

ALSO AVAILABLE

Description	ART.#
Heavy Duty Hook & Pick Set (4 pc)	4932480568
8pc pick set	4932480569
Hose pick - flat tip	4932480570
Hose pick - hook	4932480571
Hose pick - bent 90 degrees	4932480572
Hose pick - bent 45 degrees	4932480573



ART.# 48229214
PRY BAR SET

FEATURES:


- Curved claw design reduces damage when pulling nails
- I-Beam design for added durability
- Hammer-ready strike cap improves leverage when working in tight and tricky spaces
- Comfortable Tri-Lobe handles for better grip
- All-chrome shafts for increased durability
- All-metal core for improved durability
- Includes: 200 mm - 300 mm - 450 mm - 600 mm



REPAIRS

M18 FDGRB-0 | ART.# 4933480952

M18 FUEL BRAKING DIE GRINDER GEN II



27,000 RPM

KIT INCLUDES:



M18 FDGRB



RECOMMENDED PPE

IMPACT CUT GLOVES - 9/L

4932479571



REDLITHIUM™

NEW M18 FSAGV115XPDB-0 | ART.# 4933478774

M18 FUEL 115 MM VARIABLE SPEED & BRAKING ANGLE GRINDER



3500-8500 RPM

KIT INCLUDES:



M18 FSAGV115XPDB

HD BOX

Milwaukee PERFECTMATCH

FLAP DISCS CERA TURBO™
4932472229

METAL GRINDING DISCS PRO+
4932451502

REDLITHIUM™

M12 FBFL10-0 | ART.# 4933480958

M12 FUEL BANDFILE 10 MM

TOOL- FREE BELT CHANGE

360° TOOL-FREE HEAD ADJUSTMENT

LED LIGHTS

REVERSE MODE FUNCTIONALITY

TRIGGER LOCK

7200-14.500 RPM & VARIABLE SPEED TRIGGER

KIT INCLUDES:



M12 FBFL10

BAND FILE ACCESSORIES

Size 10 x 330 mm	Grit	Pack Size	ART.#
Ceramic sanding belts	60	10	4932492874
Ceramic sanding belts	80	10	4932492875
Ceramic sanding belts	120	10	4932492876
Fleece belts	Coarse	5	4932492877
Fleece belts	Medium	5	4932492878
Fleece belts	Fine	5	4932492879
Polishing belt	Super Fine	3	4932492880

RECOMMENDED PPE

PACK HI-DEX CUT C GLOVES - 9/L - 12 PC

4932480513



REDLITHIUM™

M12 FBFL13-402B | ART.# 4933480962 (Also available as 0-version)

M12 FUEL BANDFILE 13 MM

TOOL- FREE BELT CHANGE

360° TOOL-FREE HEAD ADJUSTMENT

LED LIGHTS

REVERSE MODE FUNCTIONALITY

TRIGGER LOCK

7200-14.500 RPM & VARIABLE SPEED TRIGGER

KIT INCLUDES:



M12 FBFL13

M12 B4 x2

C12 C

TOOL BAG

BAND FILE ACCESSORIES

Size 10 x 330 mm	Grit	Pack Size	ART.#
Ceramic sanding belts	60	10	4932492881
Ceramic sanding belts	80	10	4932492882
Ceramic sanding belts	120	10	4932492883
Fleece belts	Coarse	5	4932492884
Fleece belts	Medium	5	4932492885
Fleece belts	Fine	5	4932492886
Polishing belt	Super Fine	3	4932492887

RECOMMENDED PPE

FFP2 RESPIRATOR W/ VALVE - 10 PC

4932478548



REDLITHIUM™

M18 FPD3-502X | ART.# 240v: 4933479861

M18 FUEL PERCUSSION DRILL

FEATURES:

- Higher power efficiency under load with outstanding torque of 158 Nm
- Extremely compact design of 175 mm length for access into tight spaces
- AUTOSTOP™ control mode offers enhanced safety for the operator by preventing over-rotation in a bind-up
- 13 mm metal chuck for quick bit changes and bit retention
- Fastest drilling and driving applications under load



OUTSTANDING TORQUE OF **158 Nm**

REDLITHIUM™

KIT INCLUDES:



M18 FID3-502X | ART.# 240v: 4933479866

M18 FUEL 1/4" HEX IMPACT DRIVER

FEATURES:

- Higher power efficiency under load with outstanding torque of 226 Nm
- Faster driving speed vs. previous model, up to 3900 rpm and 4400 ipm
- Extremely compact design, total length of just 113 mm for access into tight spaces
- DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility



REDLITHIUM™

KIT INCLUDES:



STEP DRILLS



Description	Shank diameter (mm)	Overall length (mm)	No. of steps	ART.#
4-12 mm/1	6	65	9	48899302
4-20 mm	8	65	9	48899320
6-35 mm	10	90	14	48899335
6-40.5 mm	10	90	17	48899340
① Step drill set (3 pc)				48899399
Includes 3 step drill bits: 4 - 12 mm/1, 4 - 20 mm, 6 - 35 mm				
② Step & drill bit combo set (10 pc)				48899350
Includes 2 x step drill bits: 4 - 12 mm/1, 4 - 20 mm. THUNDERWEB™ metal drill bits: 2 x 2 mm, 2 x 3 mm, 2 x 4 mm, 1 x 5 mm, 1 x 6 mm				

THUNDERWEB™ SETS



ART.#	
① THUNDERWEB™ HSS-G set (19 pc)	
4932352374	
Ø 1/1.5/2/2.5/3/3.5/4/4.5/5/5.5/6/6.5/7/7.5/8/8.5/9/9.5/10 mm	
② THUNDERWEB™ HSS-G set (25 pc)	
4932352376	
Ø 1/1.5/2/2.5/3/3.5/4/4.5/5/5.5/6/6.5/7/7.5/8/8.5/9/9.5/10/10.5/11/11.5/12/12.5/13 mm	

M12 FDD2-602X | ART.# 4933479970

M12 FUEL SUB COMPACT DRILL DRIVER

FEATURES:

- Most compact 12V hammer drill on the market
- Lightweight weighing less than 950g
- Shortest OAL with only 151mm (17mm shorter than the current generation)
- 45Nm of torque
- 13 settings for covering a range from 1.1Nm to 6.8Nm



KIT INCLUDES:



REDLITHIUM™

M18 FMDP-502C | ART.# 4933451013

M18 FUEL MAGNETIC DRILLING PRESS WITH PERMANENT MAGNET

FEATURES:

- AUTOSTOP™ lift-off detection: Detects excess rotation and automatically cuts power to the drill for best user protection
- Self-powered permanent magnet with 8,890 N of holding force
- Maximum drilling capacity of 38 mm with use of annual cutters and 13 mm straight shank twist drill bits
- Keyless 19 mm Weldon reception



KIT INCLUDES:



REDLITHIUM™

SHOCKWAVE™ STEP DRILLS

FEATURES:

- Designed to deliver best-in-class performance in impact drivers and also the versatility to be used in drill drivers
- The 1/4" Hex shank with an optimised SHOCKZONE™ ensures maximum durability by preventing early shank breaks
- New Titanium Aluminium Nitride coating helps to reduce heat generation
- RAPID STRIKE TIP™: Accurate start without walking and fast drilling without the need to pre-drill the material



Description	Shank diameter (mm)	Overall length (mm)	No. of steps	ART.#
4-12 mm/1"	1/4" Hex	83	9	48899261
4-12 mm/2"			5	48899262
4-20 mm			9	48899263
4-30 mm		95	12	48899265
SHOCKWAVE™ Impact Duty step drill set (3 pc)				48899266
Includes 3 SHOCKWAVE™ step drill bits: 4-12 mm/1, 4-20 mm, 4-30 mm				

SHOCKWAVE™ IMPACT DUTY SETS

Description	Contents	ART.#
SHOCKWAVE™ IMPACT DUTY drill/drive set (48 pc)	SHOCKWAVE™ screwdriving bits: 32 x 25 mm length: 2 x PH1/2 x PH2/1 x PH3, 2 x PZ1/3 x PZ2/1 x PZ3, 3 x TX10/3 x TX15/3 x TX20/3 x TX25/3 x TX30/1 x TX40, 1 x Hex 4 mm/1 x Hex 5 mm, 1 x SL 0.6 x 4.5/1 x SL 0.8 x 5.5/1 x SL 1.2 x 6.5, 8 x 50 mm length 1 x PH1/1 x PH2, 1 x PZ2, 1 x TX10/1 x TX15/1 x TX20/1 x TX25/1 x TX30, 3 x 90 mm length 1 x PZ2, 1 x TX20/1 x TX25, 1 x SHOCKWAVE™ magnetic bit holder 60 mm length, 4 x SHOCKWAVE™ 1/4" Hex drill bits: Ø 3/4/5/6 mm	4932472057
SHOCKWAVE™ IMPACT DUTY bit set (32 pc)	SHOCKWAVE™ screwdriving bits: 31 x 25 mm length: 1 x PH1/2 x PH2/1 x PH3, 1 x PZ1/2 x PZ2/1 x PZ3, 2 x TX10/2 x TX15/3 x TX20/2 x TX25/2 x TX30/1 x TX40, 1 x TX B07/1 x TX B08/1 x TX B09/1 x TX B010/1 x TX B015/1 x TX B020/1 x TX B025, 1 x Hex 3 mm/1 x Hex 4 mm/1 x Hex 5 mm/1 x Hex 6 mm, 1 x SHOCKWAVE™ locking bit holder 1/4" Hex reception 73 mm long	4932464240
SHOCKWAVE™ IMPACT DUTY bit set (40 pc)	SHOCKWAVE™ screwdriving bits: 25 x 25 mm length: 1 x PH1/2 x PH2, 1 x PZ1/3 x PZ2, 2 x TX10/2 x TX15/3 x TX20/2 x TX25/2 x TX30/1 x TX40/1 x TX50, 1 x Hex 4 mm/1 x Hex 5 mm, 1 x SL 0.6 x 4.5/1 x SL 0.8 x 5.5/1 x SL 1.2 x 6.5, 8 x 50 mm length 1 x PH2, 1 x PZ1/1 x PZ2, 1 x TX10/1 x TX15/1 x TX20/1 x TX25/1 x TX30, SHOCKWAVE™ magnetic bit holder: 1 x 60 mm length, 1 x 152 mm length, 3 x SHOCKWAVE™ 1/4" Hex drill bits: Ø 3/4/5 mm, 2 x SHOCKWAVE™ magnetic nut drivers: 48 mm length 1 x Hex 8 mm/1 x Hex 10 mm	4932430908

ART.# 4932471274

SHOCKWAVE™ RIGHT ANGLE ATTACHMENT

FEATURES:

- Very compact design: only 36 mm in height and a true 90° angle to allow access into confined spaces
- Impact rated: suitable to use with latest 18 V impact drivers as well as cordless drill drivers
- For all 1/4" Hex driving and drilling accessories



Includes
10 x screwdriving bits: PH2/ PZ1/ PZ2 x 2/ PZ3/ TX10/ TX15/ TX20/ TX25/ TX30.
1 x Right Angle Attachment

ART.# 4932459781

SHOCKWAVE™ KNUCKLE™ OFFSET ATTACHMENT

FEATURES:

- Offset attachment for heavy duty impact applications
- Impact rated: Can be used with both cordless and impact drills
- Very compact offset attachment
- Ideally suited to working in confined and limited spaces
- Solid metal construction to absorb impact action



Includes
10 x screwdriving bits: PH1/ PH2 x 2/ PZ1/ PZ2 x 2/ PZ3/ TX15/ TX20/ TX25.
1 x Knuckle™

M18 FSZ-501X | ART.# 4933478292

M18 FUEL SAWZALL™

FEATURES:

- Brushless POWERSTATE™ motor for up to 5x longer motor life and up to 30% faster cutting comparing to previous brushed model
- Patented gear protecting clutch - extends gear and motor life by absorbing high impact forces caused by sudden blade lock-ups
- Wear resistant lever actuated FIXTEC™ blade clamp provides fast and easy blade changes
- Metal reinforced battery connection provides improved durability and battery retention over life
- Durable metal rafter hang hook for work space management and safety
- Built-in LED light illuminates the work surface while cutting
- Adjustable shoe for optimised use of saw blades

KIT INCLUDES:



THE EXTREMELY DURABLE SAWZALL™

REDLITHIUM™

M18 FHZ-502X | ART.# 4933459886
(Also available as 0-version)

M18 FUEL HACKZALL™



- 22 mm stroke length
- No load stroke rate of 3000 spm

KIT INCLUDES:



M12 CHZ-602X | ART.# 4933451908
(Also available as 0-version)

M12 FUEL SUB COMPACT HACKZALL™



- 15.9 mm stroke length
- No load stroke rate of 3000 spm

KIT INCLUDES:



C12 HZ-202C | ART.# 4933441198
(Also available as 0-version)

M12 SUB COMPACT HACKZALL™



- 13 mm stroke length
- No load stroke rate of 3000 spm

KIT INCLUDES:



REDLITHIUM™

METAL: HEAVY DUTY TORCH™ CARBIDE TEETH



- Carbide teeth provide for long life in thick metals.
- Up to 50x more life compared to Bi-Metal blades

LENGTH	PACK QTY	ART.#
150 mm	1	48005201
230 mm	1	48005202
300 mm	1	48005203

METAL: HEAVY DUTY TORCH™ DEMOLITION BLADES

- Bi Metal, shatter resistant 1.06 mm thick blade for precise cuts in sheet metal and pipes

LENGTH	TPI	PACK QTY	ART.#
150 mm	18	5	48005784
Ice Edge 150 mm	18	5	48004784
230 mm	18	5	48005788
Ice Edge 230 mm	18	5	48004788
150 mm	14	5	48005782
Ice Edge 150 mm	14	5	48004782
230 mm	14	5	48005787
Ice Edge 230 mm	14	5	48004787

THE TORCH™



HACKZALL™ BLADES



HACKZALL™

- Especially engineered blades for exclusive use on 12 V HACKZALL™

10PC HACKZALL™ SET
ART.# 49220220



CHECK OUT THE **MULTI-TOOL RANGE**



	M18 FMT-522X	M18 BMT-421C	M12 FMT-422X	C12 MT-402B
Motor technology	FUEL™	Brushed	FUEL™	Brushed
Oscillation angle left/right (°)	2.1	1.7	1.8	1.5
No load speed (rpm)	10,000-20,000	12,000-18,000	10,000-20,000	5,000-20,000
Weight with battery pack (kg)	1.9	1.7	1.2	1.2
Kit included	1 x M18 B5, 1 X M18 B2 Battery packs, M12-18 FC Charger, HD Box	1 x M18 B4, 1 x M18 B2 Battery packs, M12-18 C Charger, Kitbox	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box	2 x M12 B4 Battery packs, C12 C Charger, Bag
ART.#	4933478493	4933446272	4933472240	4933441708

REDLITHIUM™

WOOD WITH NAILS 20 MM NARROW PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906000

MULTI MATERIAL 28 MM PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906031

MULTI MATERIAL 35 MM PLUNGE CUT CARBIDE TOOTHED BLADE FOR EXTRA LONG-LIFE
ART.# 48906040

MULTI MATERIAL 85 MM DIAMETER SEGMENTED FLUSH CUT BLADE
ART.# 48906038

WOOD WITH NAILS 65 MM PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906027

WOOD WITH NAILS 35 MM PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906021

MULTI MATERIAL 43 MM PLUNGE CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906035

MULTI MATERIAL 100 MM DIAMETER SEGMENTED FLUSH CUT BI-METAL BLADE FOR LONG-LIFE
ART.# 48906039

M12 BLROT-0 | ART.# 4933493591

M12 BRUSHLESS ROTARY TOOL

12 speed settings

3.2 mm collet

Soft grip and low vibration

5000 rpm to 27,500 rpm

0.36 KG



REDLITHIUM™

REPAIRS

TRANSPORT EDITION

REPAIRS



AUTO GLASS INSTALLATION



REMOTE SPEED DIAL AND VARIABLE SPEED TRIGGER
6 speed settings

QUICK CHANGE COLLAR, INTERCHANGEABLE TUBE HOLDERS

End-users selection between 4 different versions

HIGH POWER
Up to 4500 N of force

C18 PCG/600T-201B | ART.# 4933441810

M18 CAULK GUN WITH 600 ML TUBE

4500 N

KIT INCLUDES:



Also available with aluminium tube:

C18 PCG/600A-201B | ART.# 4933448758

KIT INCLUDES:



C18 PCG/400T-201B | ART.# 4933441814

M18 CAULK GUN WITH 400 ML TUBE



4500 N

KIT INCLUDES:



M12 PCG/600A-201B | ART.# 4933448764

M12 SUB COMPACT CAULK GUN WITH 600 ML TUBE



1780 N

KIT INCLUDES:



M12 PCG/400A-201B | ART.# 4933451225

M12 SUB COMPACT CAULK GUN WITH 400 ML TUBE



1780 N

KIT INCLUDES:



REDLITHIUM™

M12 FTB-0 | ART.# 4933472215 (Available as 0-version only)

M12 FUEL TYRE BUFFER

FEATURES:

- Two speed mode selector for reaming (1200 RPM) & buffing applications (2500 RPM)
- Ability to complete around 10 tyre patch repairs with one M12 B2 battery charge
- Optimal speed settings in order to avoid burning or damaging the tyre
- Variable speed trigger provides outstanding control of the tool
- Trigger lock-off extends the life of the tool and battery
- Pneumatic performance with cordless convenience for better accessibility and manoeuvrability in tight spaces

KIT INCLUDES:



SUSTAINED POWER WITHOUT BOGGING DOWN

REDLITHIUM™

BODYWORK

M18 FROP15-502X | ART.# 4933479823 (Also available as 0-version)

M18 FUEL RANDOM ORBITAL POLISHER WITH 15 MM STROKE

IDEAL FOR REMOVING SWIRLS AND LIGHT SCRATCHES

IMPROVED BATTERY POSITIONING

Battery 90° rotated to prevent the battery touching the paint during polishing

LARGE ERGONOMIC FRONT GRIP AREA WITH OVERMOLD



125 MM BACKING PAD

REMOVABLE DUST SCREEN

VARIABLE SPEED 2 FINGER TRIGGER
with locking function

KIT INCLUDES:



STAY SAFE. STAY PRODUCTIVE.

RESPIRATORY PROTECTION
SEE PAGE 37



AVAILABLE WITH 21 MM STROKE

FROP21-0X
ART.# 4933478836



REDLITHIUM™

M18 FAP180-502X | ART.# 4933451551

M18 FUEL POLISHER

EFFECTIVE AT TAKING OUT HEAVY SCRATCHES AND RESTORING A GREAT FINISH

RUBBER OVER MOLD



SIDE AND 3 POSITION BAIL HANDLE

REMOVABLE DUST SCREEN

8 POSITION VARIABLE SPEED DIAL

360 - 2200 rpm

VARIABLE SPEED 2 FINGER TRIGGER
with locking function

KIT INCLUDES:



POLISHING PADS

Supplied with M18 FAP180-502X

LAMBSWOOL POLISHING DISC



ART.# 4932430395

POLISHING SPONGE HARD



ART.# 4932430396

POLISHING SPONGE SOFT



ART.# 4932430397

REDLITHIUM™

M12 BPS-421X | ART.# 4933447802 (Also available as 0-version)

M12 SUB COMPACT POLISHER / SANDER

FOR ACCESSING SMALL AREAS WHERE A LARGER PAD WILL NOT FIT WELL

FEATURES:

- Compact design with only 130 mm allows access to hard areas
- Variable 2 speed selection (0–2800/0–8300 RPM)
- Large capacity of 76 mm polishing sponge and 50 mm sanding pad size

KIT INCLUDES:



SUPPLIED WITH M12 BPS-421X

POLISHING / SANDING BACKING PAD

Thread: M9 x 0.75. Hook and loop fixation. For use with polishing sponges and abrasive paper
ART.# 4932430488

FIBRE DISC BACKING PAD

Thread: M9 x 0.75 to affix to tool. Knurled thread to fix coated abrasives and surface finishing products for coarse sanding applications, such as rust removal
ART.# 4932430492

POLISHING SPONGE HARD (YELLOW)

Hard sponge for use with aggressive polish for removal of deep scratches. Hook and loop fixation. For use with polishing / sanding backing pad
ART.# 4932430489

POLISHING SPONGE SOFT (WHITE)

Soft sponge for use with light polish for removal of small scratches. Hook and loop fixation. For use with polishing / sanding backing pad
ART.# 4932430490

LAMBSWOOL POLISHING PAD

Hook and loop fixation. For use with polishing / sanding backing pad
ART.# 4932430838



REDLITHIUM™

MICROFIBRE CLOTH

ART.# 4932430398

M-CUT 1500

Cutting coarse
ART.# 4932430475

M-WAX 6000

Polishing / Finishing
ART.# 4932430476

SUITABLE FOR ALL POLISHERS

CLOTH / POLISHING COMPOUNDS

M12 CML-401 | ART.# 4933479367

M12 LED COLOUR MATCHING LIGHT

FEATURES:

- High definition lighting with up to 1000 lumens
- 98+ colour rendering index for use to identify accurate and reliable colour recognition
- Featuring 5 different colour temperatures, for end users to replicate real sunlight requirements
- Up to 14 hours of run time on M12™ 4.0 Ah battery pack
- IP54 rated for water and dust resistant and 2 m impact resistant
- Magnetic attachment for hands-free use

1000 LUMENS

IP54

KIT INCLUDES:



27	35	45	55	65
COLOUR				
High	1000 Lumens	4 hr		
Medium	600 Lumens	6 hr		
Low	300 Lumens	12 hr		

REDLITHIUM™

M18 BHG-502C | ART.# 4933459773 (Also available as 0-version)

M18 HEAT GUN

REACHES OPERATIONAL TEMPERATURE OF 470° IN LESS THAN 7 SECONDS

- Supplied with 2x nozzles: 1x reduction nozzle for heat intensity on a specific area, 1x reflector nozzle to apply heat around an object, such as pipes



KIT INCLUDES:



SMALL THIN WALL HEAT SHRINK



Damaged wire repair, bundling wires

Common Sizes: 6 mm, 9 mm, 12 mm

HEAT SHRINK CONNECTORS



Damaged wire repair

Common sizes: 16GA – 14GA (Blue)

REMOVING DECALS



Remove existing decals from vehicles

REDLITHIUM™

M18 ONEFPRT-202X | ART.# 4933478603

M18 FUEL RIVET TOOL WITH ONE-KEY™

ONE-KEY™

UNLOCKING THE DIGITAL JOBSITE.

PREMIUM STEEL ALLOY JAWS

ALL METAL GEARCASE

LANYARD RING

SEMI-CLEAR MANDREL COLLECTOR

RETENTION NOSE PIECES

Holds blind rivet in tool, in any orientation, after insertion

LED LIGHT

ON-BOARD NOSE PIECE & WRENCH STORAGE

PREMIUM RUBBER OVERMOLD

Protection against corrosive materials

BELT CLIP

KIT INCLUDES:



RETENTION NOSE PIECES SET FOR M18 FUEL™ RIVET TOOL WITH ONE-KEY™
ART.# 4932478961



ALSO AVAILABLE:

M12 BPRT-201X
ART.# 4933464406



REDLITHIUM™

VACUUM CLEANERS

Available as 0-version only

M18 FPOVL-0 | ART.# 4933478187

M18 FUEL PACKOUT™ WET/ DRY VACUUM



FEATURES:

- Max. air flow of 1416 l/min & 117 mbar
- Usable on and off the PACKOUT™ stack
- The DEK 26 power tool connector allows for efficient dust extraction from power tools
- HEPA filter

Available as 0-version only

M18 FCVL-0 | ART.# 4933478185

M18 FUEL COMPACT VACUUM L-CLASS



FEATURES:

- Max. air flow of 764 l/min & 184 mbar
- Dual cyclonic debris separation for larger jobsite debris
- HEPA filter

Available as 0-version only

M12 FVCL-0 | ART.# 4933478186

M12 FUEL WET/ DRY VACUUM



FEATURES:

- Max. air flow of 1275 l/min & 105 mbar
- The DEK 26 power tool connector allows for efficient dust extraction from power tools
- HEPA filter

Available as 0-version only

M12 AUN-0 | ART.# 4932479461

M12 AIR-TIP™ UTILITY NOZZLE



FEATURES:

- The universal reception fits to all MILWAUKEE® M12™ and M18™ cordless vacs and covers most common hose sizes (Ø 31.8 mm, 47.6 mm and 63.5 mm)

REDLITHIUM™

M12 SI-201C | ART.# 4933459762

M12 SUB COMPACT SOLDERING IRON

OUTSTANDING ACCESS, 3-STOP PIVOTING HEAD

TOOL FREE TIP CHANGE

HEATS QUICKLY & MAINTAINS OPTIMISED TEMPERATURE
Ready to use in 20-30 seconds




KIT INCLUDES:



PEN STYLE - 0°

INNOVATIVE 45° SETTING

GUN STYLE - 90°



Delivers user ability to choose the orientation of the tool depending on the application without the hassle of cords or butane exhaust.

REDLITHIUM™

GREASE GUNS

FEATURES:

- Extreme long run time - dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics - only 355 mm long and 3.2 kg
- Air bleeder valve - priming mechanism for quick flow
- Integrated hose storage and shoulder strap loop - added user convenience and reducing down time
- Three way loading - bulk, cartridge and suction capable
- Grease capacity 400 ml cartridge, 473 ml bulk



M12 GG-0 | ART.# 4933440435

M12 SUB COMPACT GREASE GUN



- Supplied with 914 mm x 14.4 mm high pressure flex hose with spring guard and grease coupler



M18 GG-0 | ART.# 4933440493

M18 GREASE GUN



- Supplied with 1219 mm high pressure flex hose with spring guard



REDLITHIUM™

M18 BI-0 | ART.# 4933478706

M18 INFLATOR

OPTIMISED FOR PASSENGER, LIGHT TRUCK, AND OTHER MEDIUM-DUTY TYRES

FEATURES:

- Rated to deliver max 10.34 bar pressure, the high efficiency motor top off 285/75R16 light truck tyres in under 1 minute
- TRUEFILL™ technology: auto pressure check feature activates to ensure bar target is achieved, automatic shut-off at selected bar prevents overinflation
- Features 4 bar memory slots, anti-vibration feet, a 920 mm hose with an all-brass schrader chuck, and an on-board hose and nozzle storage



KIT INCLUDES:



ALSO AVAILABLE:

M12 BI-0
ART.# 4933464124
For car, truck and off-road



REDLITHIUM™

STEEL STORAGE



ART.# 4932478851

78 CM (30") STEEL ROLLING CABINET

RECESSED, SMOOTH ABS WORKTOP

with screwdriver holes and additional storage compartments

PEG BOARD

with hooks and tool holders

30 KG RATED, SOFT-CLOSE DRAWERS

45 kg/90 kg on the bottom

SHOCK-ABSORBING CORNER BUMPERS

POWER TOOL ORGANISER



DEDICATED SPACE FOR MOUNTING ANY MILWAUKEE® M18™/M12™ CHARGER

compatible with all MILWAUKEE® chargers

MAGNETIC POWER CENTRE

ANTI-TILT PROTECTION

only 1 drawer can be open at a time

125 MM INDUSTRIAL CASTERS

2 x fixed, 2 x swivelling



ALSO AVAILABLE:

ART.# 4932478850

30" STEEL TOP CHEST

FEATURES:

- Integrated bottle storage
- Additional storage capacity



FOAM INSERTS

ART.# 4932479825

3/8" RATCHET AND SOCKET FOAM INSERT

CONTENTS:

- Standard & deep well sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- Accessories: 76 and 152 mm extension, 3/8" universal joint



	Pack quantity	ART.#
Trilobe Screwdriver Foam Insert	23	4932479830
1/4" Ratchet and Socket Set Foam Insert	28	4932479824
3/8" Ratchet and Socket Set Foam Insert	32	4932479825
1/2" Ratchet and Socket Set Foam Insert	28	4932479826
MAX BITE™ Combination Spanner Set Foam Insert	15	4932479827
MAX BITE™ Ratcheting Combination Spanner Set Foam Insert	15	4932479828
MAX BITE™ Flex Head Ratcheting Spanner Set Foam Insert	15	4932479829

ART.# 4932478853 + 4932478855

117 CM (46") HIGH CAPACITY STEEL CABINET & TOP CHEST

GLOSSY FINISH

easy to clean

WORK TOP DRAWER

for using a laptop or making notes

45 KG RATED, SOFT-CLOSE DRAWERS

(90 kg for the bottom drawer)

DURABLE ANGLE FRAME

1360 kg total load capacity

150 MM INDUSTRIAL CASTERS

2 x fixed, 2 x swivelling



PEG BOARD ON THE BACK WALL

allows for an easy access to the most used tools

SAFETY DRAWER

locked separately for storing personal items, keys, wallet, documents, etc.

2X IN-BUILT POWER CENTRE

for charging batteries directly on the cabinet

POWER TOOL & BATTERY ORGANISER

in bottom two drawers



ART.# 4932478853

46" HIGH CAPACITY STEEL CABINET

ART.# 4932478855

46" HIGH CAPACITY STEEL TOP CHEST

ART.# 4932478857

102 CM (40") STEEL WORK CART

BUILT-IN STORAGE COMPARTMENTS, SCREWDRIVER HOLDERS, STORAGE CUPS

ensure a good organisation and easy access to most used tools and parts

MAGNETIC POWER CENTRE

for charging batteries directly on the work cart

ADJUSTABLE STORAGE BAR

for paper towels, spool wires

CORNER BUMPERS

90 KG RATED SLIDING BOTTOM SHELF

for easier access to bulky items like air compressors or tool boxes



FOLDABLE REAR SHELF

22 kg weight capacity

V-GROOVES

to hold material when cutting or measuring

45 KG RATED SOFT CLOSE DRAWER

2X MOVEABLE SHELVES

for storing bottles, sprays and other equipment

125 MM INDUSTRIAL CASTERS

2 x fixed, 2 x swivelling

DURABLE ANGLE FRAME

315 kg total load capacity

PACKOUT™ MODULAR STORAGE SYSTEM SHOP STORAGE

OVER 25 POSSIBLE COMBINATIONS

VERSATILE, DURABLE

The MILWAUKEE® PACKOUT™ modular storage system revolutionises tool transportation, organisation and storage. Designed to provide users with the ability to interchange and interlock a wide assortment of heavy duty tool boxes, organisers and storage totes in multiple different configurations.



TRY OUR NEW **PACKOUT™ BUILDER** TO CREATE YOUR IDEAL KIT

packout.milwaukeeeetool.eu/uk

ART.# 4932492892

PACKOUT™ TRANSPORTATION KIT

FEATURES:

- 1 x PACKOUT™ Flat Trolley
- 1 x PACKOUT™ 2 Drawer Tool Box
- 1 x PACKOUT™ 3 Drawer Tool Box
- 1 x PACKOUT™ Customisable Work Surface

NEW ART.# 4932493620

PACKOUT™ SHOP STORAGE POWER TOOL STARTER KIT

INCLUDES:

- PACKOUT™ XL mounting plate 4932480622
- PACKOUT™ drill storage station 4932480712
- M18™ battery holder 4932480709
- M12™ battery holder 4932480708

NEW ART.# 4932493190

PACKOUT™ 2+1 DRAWER TOOL BOX

FEATURES:

- Steel ball bearing slides support up to 11 kg of weight per drawer
- Quick-Adjust Dividers in each drawer to fully customise the layout for better organisation
- Locking security bar prevents an unwanted opening of drawers during transit
- Allows to lock the drawers with a padlock for theft protection

NEW PACKOUT™ Magnetic Bin 10 x 10 cm 4932493380	NEW PACKOUT™ Magnetic Bin 10 x 20 cm 4932493381	NEW PACKOUT™ Small Single Straight Hook 4932493383	NEW PACKOUT™ Small Hook Row 4932493384	NEW PACKOUT™ Magnetic Rack 4932493378
NEW PACKOUT™ Wire Basket 4932493379	 PACKOUT™ Straight Utility Hook 4932480700	 PACKOUT™ Curved Utility Hook 4932480701	 PACKOUT™ Large Hook 4932480702	 PACKOUT™ Large S Hook 4932480703
 PACKOUT™ Small Straight Utility Hook 4932480704	 PACKOUT™ Small Curved Utility Hook 4932480705	 PACKOUT™ Cup Holder 4932480706	 PACKOUT™ Paper Towel Holder 4932480707	 PACKOUT™ M12 Battery Holder 4932480708
 PACKOUT™ M18 Battery Holder 4932480709	 PACKOUT™ Pliers Rack 4932480710	 PACKOUT™ Screwdriver Rack 4932480711	 PACKOUT™ Drill Storage Station 4932480712	 PACKOUT™ Small Shelf 4932480713
 PACKOUT™ 10 x 10 cm Nest Bin 4932480698	 PACKOUT™ 10 x 20 cm Nest Bin 4932480699	 PACKOUT™ XL Mounting Plate 4932480622	 PACKOUT™ Compact Mounting Plate 4932480621	 PACKOUT™ Mounting Plate 4932471638

EXPLORE THE FULL PACKOUT™ RANGE ONLINE



PACKOUT™

TRANSPORT EDITION

PACKOUT™



CORDLESS ESSENTIALS

M18 HOSALC-0 | ART.# 4933478117
M18 HIGH OUTPUT STAND AREA LIGHT CHARGER

MAX RUN TIME:
10 h with
M18 HB8



6000 LUMENS
IP34

M18 HOAL-0 | ART.# 4933478119
M18 HIGH PERFORMANCE AREA LIGHT

MAX RUN TIME:
12 h with M18 B5
4000 LUMENS



M12 AL-0 | ART.# 4933451394
M12 LED AREA LIGHT

Integrated magnets, clamping mechanism, and key hole for screws provide multiple mounting options.



MAX RUN TIME:
15 h with M12 B4

1000 LUMENS
IP54

M12 SL-0 | ART.# 4932430178
M12 LED STICK LIGHT

Adjustable metal hook allows for light to be hung in multiple orientations when being used.



MAX RUN TIME:
11 h with M12 B4

220 LUMENS
IP24

M18 PRCDAB+-0 | ART.# 4933472113
M18 PACKOUT™ RADIO-CHARGER



- DAB+ and AM/FM tuner
- BLUETOOTH® connectivity
- Built in charger

M18 RC-0 | ART.# 4933446647
M18 JOBSITE RADIO/CHARGER WITH BLUETOOTH™



- AC/DC versatility
- Built in charger function

M18 RADDAB+G2-0 | ART.# 4933492345
M18 JOBSITE RADIO DAB+™ **NEW**



- DAB+/FM Tuner
- Cordless and AC compatible
- USB-C power outlet

M12 RCDAB+-0 | ART.# 4933472115
M12 RADIO CHARGER

- DAB+ and AM/FM tuner
- BLUETOOTH® connectivity
- Built in charger



M12 JSSP-0 | ART.# 4933448380
M12 JOBSITE BLUETOOTH™ SPEAKER

Bluetooth® wireless range of up to 10 m



M12-18 JSSP-0 | ART.# 4933459275
M12 - M18 JOBSITE BLUETOOTH™ SPEAKER

Bluetooth® wireless range of up to 30 m



REDLITHIUM™

M18 HB12 | ART.# 4932464260
M18 HIGH OUTPUT™ 12.0 Ah BATTERY



REDLITHIUM™ HIGH OUTPUT BATTERY

M18 HB8 | ART.# 4932471070
M18 HIGH OUTPUT™ 8.0 Ah BATTERY



REDLITHIUM™ HIGH OUTPUT BATTERY

M18 FB6 | ART.# 4932492533
M18 FORGE™ 6.0 AH BATTERY **NEW**



REDLITHIUM™ FORGE

M18 HB5.5 | ART.# 4932464712
M18 HIGH OUTPUT™ 5.5 Ah BATTERY



REDLITHIUM™ HIGH OUTPUT BATTERY

M18 HB3 | ART.# 4932471069
M18 HIGH OUTPUT™ 3.0 Ah BATTERY



REDLITHIUM™ HIGH OUTPUT BATTERY

M18 B5 | ART.# 4932430483
M18 5.0 Ah BATTERY



M18 B4 | ART.# 4932430063
M18 4.0 Ah BATTERY



M18 B2 | ART.# 4932430062
M18 2.0 Ah BATTERY



M12 B6 | ART.# 4932451395
M12 6.0 Ah BATTERY



M12 B4 | ART.# 4932430065
M12 4.0 Ah BATTERY



M12 B3 | ART.# 4932451388
M12 3.0 Ah BATTERY



M12 B2 | ART.# 4932430064
M12 2.0 Ah BATTERY



L4 B3 | ART.# 4933478311
REDLITHIUM™ USB BATTERY



M12 HB5.0 | ART.# 4932480165
M12 HIGH OUTPUT™ 5.0AH BATTERY



M12 HB2.5 | ART.# 4932480164
M12 HIGH OUTPUT™ 2.5AH BATTERY



M12-18 SC | ART.# 4932471735
M12 - M18 SUPER CHARGER



M12-18 FC | ART.# 4932451080
M12 - M18 FAST CHARGER



M1418C6 | ART.# 4932430087
M14 - M18 MULTIBAY CHARGER



M18 DBSC | ART.# 4932492532
M18 DUAL BAY SUPER CHARGER **NEW**



M12 C4 | ART.# 4932430555
M12 4 BAY CHARGER



C12 C | ART.# 4932352069
M12 CHARGER






TRADE ESSENTIALS

INKZALL™ LIQUID PAINT MARKERS

Description	ART.#
INKZALL™ liquid paint marker - white	48223711
INKZALL™ liquid paint marker - yellow	48223721
INKZALL™ liquid paint marker - black	48223731
INKZALL™ liquid paint marker - red	4932492143
INKZALL™ liquid paint marker - blue	4932492144



SCAN TO EXPLORE THE
**INKZALL™
RANGE**



ART.# 4932471359 SLIDING UTILITY KNIFE



ART.# 4932471357 FASTBACK™ FLIP UTILITY KNIFE



- One handed blade opening - flip open the blade with one hand for easy activation
- Integrated gut hook - make cuts without exposing the blade
- Tool free blade change - less down time in the field for blade changes
- Wire stripper - eliminates the need to look for another tool

SCAN TO EXPLORE THE
**KNIFE
RANGE**



PLIERS



Description	ART.#
PLIERS 200 mm WP Plier - 1 pc Adjustable Water pump plier 180 mm	4932492458
PLIERS 250 mm WP Plier - 1 pc Adjustable Water pump plier 240 mm	4932492459
PLIERS 300 mm WP Plier - 1 pc Adjustable Water pump plier 300 mm	4932492460

PLIERS



Description	ART.#
PLIERS 160 mm Diagonal C - 1 pc Diagonal cutting plier 160 mm	4932492463
PLIERS 180 mm Diagonal C - 1 pc Heavy Duty Diagonal cutting plier 200 mm	4932492464

COMBINATIONS PLIERS



Description	ART.#
Combination Plier 165 mm	4932492461
Combination Plier 180 mm	4932492462

ART.# 48224533 METAL SNIPS SET (3 PC)

- INCLUDES:**
Left (red),
Right (green),
Straight (yellow)
aviation snips



DEADBLOW HAMMERS

Description	ART.#
450 g Ball Peen Hammer	4932492346
680 g Ball Peen Hammer	4932492347
450 g Dead Blow Ball Peen Hammer	4932492348
907 g Dead Blow Ball Peen Hammer	4932492349
790 g Dead Blow Hammer	4932492350
1360 g Dead Blow Hammer	4932492351



NEW CIRCLIP PLIERS



Description	ART.#
Small Circlip Plier - 0° - 0.9 mm tip	4932492487
Small Circlip Plier - 45° - 0.9 mm tip	4932492488
Small Circlip Plier - 90° - 0.9 mm tip	4932492489
Medium Circlip Plier - 0° - 1.2 mm tip	4932492490
Medium Circlip Plier - 45° - 1.2 mm tip	4932492491
Medium Circlip Plier - 90° - 1.2 mm tip	4932492492
Large Circlip Plier - 0° - 1.8 mm tip	4932492493
Large Circlip Plier - 45° - 1.8 mm tip	4932492494
Large Circlip Plier - 90° - 1.8 mm tip	4932492495

ART.# 4932471871 DEMOLITION DRIVER



- Hardened all metal core giving maximum shank durability
- Multiple striking caps to give user more force when prying and chiselling
- Duct piercing tip allows to pierce through sheet metal

ADJUSTABLE WRENCHES



Total length (mm)	Jaw opening capacity for pipe (mm)	Jaw thickness (mm)	Tip thickness (mm)	Weight (g)	ART.#
150	24.5	11.5	7.7	186	48227406
200	30	14	8.7	353	48227408
200	40	14	8.1	385	48227508
250	36.5	16	9.9	535	48227410
150 mm (48227406) + 250 mm (48227410)					48227400


ART.# 4932492399 COMPACT HEX KEY 9 PC SET

Sizes	ART.#
1.5 mm	4932492400
2 mm	4932492401
2.5 mm	4932492402
3 mm	4932492403
4 mm	4932492404
5 mm	4932492405
6 mm	4932492406
8 mm	4932492407
10 mm	4932492408



TRILOBE SETS

ART.# 4932471806 TRI-LOBE SCREWDRIVER SET 1 (6 PC)



Content: PZ1 / PZ2 / SL3 / SL4 / SL5.5 / SL6.5

ART.# 4932471807 TRI-LOBE SCREWDRIVER SET 2 (6 PC)



Content: PH1 / PH2 / SL3 / SL4 / SL5.5 / SL6.5

ART.# 4932471808 TRI-LOBE SCREWDRIVER SET 3 (10 PC)



Content: PZ1 / PZ2 / PH1 / PH2 / SL3 / SL5.5 / SL6.5 / SL6.5 / SL8

ART.# 4932471809 TRI-LOBE SCREWDRIVER TORX SET (6 PC)



Content: T10 / T15 / T20 / T25 / T30 / T40

ART.# 4932472003 TRI-LOBE SCREWDRIVER SET 4 (12 PC)



Content: PZ0 / PZ1 / PZ2 / PH0 / PH1 / PH2 / SL2.5 / SL4 / SL5.5 / SL6.5 / SL6.5 / SL8

WWLSG
**WARM WEATHER
LONG SLEEVE
SHIRT (GREY)**

SIZES:
from S to XXL



WTLSG
**WORK T-SHIRT
LONG SLEEVE
(GREY)**

SIZES:
from S to XXL



WHB
**WORK HOODIE
(BLACK)**

SIZES:
from S to XXL



WWSSG
**WARM WEATHER
SHORT SLEEVE
SHIRT (GREY)**

SIZES:
from S to XXL



WTSSG
**WORK T-SHIRT
SHORT SLEEVE
(GREY)**

SIZES:
from S to XXL



KNEE PADS



Description	Internal Padding	Straps	ART.#
① Premium non-marking knee pads - 1 pair	Gel	2	4932478584
② Hard knee pads - 1 pair	Gel	2	4932478585
③ Flexible knee pads - 1 pair	Foam	1	4932479936

L4 HBLB-301
**HEATED BASE
LAYER**



SIZES:
from S to XXL

SCAN TO
VIEW OUR
**HEATED
WORKGEAR
RANGE**



**NITRILE
DISPOSABLE
GLOVES**



Description	Art. #
Nitrile Disposable Glove Size 7 Small	4932493233
Nitrile Disposable Glove Size 9 Medium	4932493234
Nitrile Disposable Glove Size 9 Large	4932493235
Nitrile Disposable Glove Size 10 X Large	4932493236
Nitrile Disposable Glove Size 11 XXL Large	4932480080

**FULLY DIP CUT A
GLOVES**



SIZES:
from S to XXL

**HIGH DEXTERITY
GLOVES**

CUT B GLOVES

CUT C GLOVES

CUT D GLOVES



SIZES:
from S to XXL

BANDED EAR PLUGS

32dB SNR
ALL-DAY COMFORT
3 WEARING POSITIONS



Description	ART.#
Banded ear protection - 1pc	4932478135
5 pairs TPR replacement	4932478549
5 pairs foam replacement	4932478550
Reusable corded ear plugs - 3pcs	4932471904
Foam ear plugs 10 pairs	4932480464
Foam ear plugs 200 pairs	4932480465

CUT RESISTANT SLEEVES



Description	ART.#
Cut C sleeves - 40 cm	4932478584
Cut C sleeves - 45 cm	4932478585
Cut E sleeves - 40 cm	4932479936
Cut E sleeves - 45 cm	4932479937

L4 PWL-301 | ART.# 4933479765
**USB
RECHARGEABLE
PIVOTING WORK
LIGHT**



REDLITHIUM
USB

**MAX RUN
TIME:** 11.75 h
with L4 B3

**500
LUMENS**

IR FL500 | ART.# 4933478586
**INTERNAL USB
RECHARGEABLE
FLASHLIGHT**



RECHARGEABLE

**500
LUMENS**

IR HL450 | ART.# 4933478587
**INTERNAL USB
RECHARGEABLE
HEADLAMP**



RECHARGEABLE

**450
LUMENS**

ART.# 4932471883
CLEAR SAFETY GLASSES



Also available with gasket



ART.# 4932471885



TRANSPORTATION PPE KIT

CONTENTS:

- Enhanced Safety Glasses Clear - 1pc
- Banded Ear Plugs - 1pc
- Hi-vis cut B gloves



Description	ART.#
Transportation PPE Kit - G.9/L	4932492064
Transportation PPE Kit - G.10/XL	4932492065

L4 HLRP-301 | ART.# 4933479767
**USB
RECHARGEABLE
HARD HAT
HEADLAMP**




REDLITHIUM
USB

MAX RUN TIME:
28h with L4 B3

**600
LUMENS**

IP54

L4 FL-301 | ART.# 4933479763
**USB
RECHARGEABLE
POCKET FLOOD
LIGHT**



REDLITHIUM
USB

MAX RUN TIME:
12.5 h with L4 B3

**445
LUMENS**

IP54

L4 FFL-301 | ART.# 4933479766
**USB
RECHARGEABLE
FOLDING FLOOD
LIGHT**



REDLITHIUM
USB

MAX RUN TIME:
13.5 with L4 B3

**550
LUMENS**

IP54

IPL-LED | ART.# 4933459440
**ALKALINE PEN
LIGHT**



MAX RUN TIME:
3 h

**100
LUMENS**

IP67

ART.# 4932471906
**FFP3 RESPIRATOR
WITH VALVE (10 PC)**



**99%
FILTERING
EFFICIENCY**



ART.# 4932478548
**FFP2 RESPIRATOR
WITH VALVE (10 PC)**



**94%
FILTERING
EFFICIENCY**



ART.# 4932478801
**FFP2 RESPIRATOR
FOLDABLE WITH
VALVE (15 PC)**



**94%
FILTERING
EFFICIENCY**



FIND THE RIGHT TOOLS FOR YOUR TRADE

www.milwaukeetool.co.uk



WITH OUR AUTOMOTIVE TRADE ZONE

We work directly with our core trades every day to produce the tools you need to improve the way you work.



TRANSPORT

 **WATCH OUR TRANSPORT TRADE VIDEOS AT**
youtube.com/milwaukeetool europe



MILWAUKEE® Tool UK,
Suite A, Second Floor, Marlow International, Parkway, Marlow, SL7 1YL

Tel: +44(0) 1628 894400
Fax: +44(0) 1628 894401

www.milwaukeetool.co.uk

**LIFETIME
GUARANTEE**
MILWAUKEE® HANDTOOLS

2
YEAR
WARRANTY
RE LITHIUM
BATTERIES

Milwaukee
AUTHORISED
DISTRIBUTOR

3
YEAR
WARRANTY
MILWAUKEE
POWER TOOLS