



Nothing but **HEAVY DUTY**.™

NEWS

TRANSPORT EDITION



MAINTENANCE



SEE PAGES 8-16

ENGINE WORK



SEE PAGES 17-19

REPAIRS



SEE PAGES 20-27

BODY WORK



SEE PAGES 28-31

ALWAYS BUY FROM*




BENEFIT FROM
 EXTENDED GUARANTEE
 OUTSTANDING SERVICE
 PROFESSIONAL ADVICE

LOOK OUT FOR THE LOGO
 TO ALSO QUALIFY FOR EXTENDED GUARANTEE

LIFETIME GUARANTEE
 MILWAUKEE® HANDTOOLS

2 YEAR GUARANTEE
 REDLITHIUM™ BATTERIES

3 YEAR GUARANTEE
 MILWAUKEE® POWER TOOLS



FIND YOUR NEAREST
AUTHORISED DISTRIBUTOR



* From 1st February 2024 the extended guarantee for eligible MILWAUKEE® power tool(s), outdoor power equipment and REDLITHIUM™ batteries will only be granted if the product is new and purchased via an Authorised MILWAUKEE® Distributor. Rights already established before 1st February 2024 shall remain unaffected.



REPAIRS BY
QUALIFIED SPECIALISTS

USING **ORIGINAL SPARE PARTS**

WITH
FREE PICK UP & DROP OFF

**PROFESSIONAL REPAIR.
 COMPLETE TRACKING.**




We don't stop caring once you've purchased our products. With MILWAUKEE® E-Service, you have access to a professional end to end repair service, includes online request for collection and real time repair tracking giving you peace of mind and full confidence that your tools will be back in working condition in no time.



TRACK YOUR REPAIR FROM START TO FINISH.

HOW DOES IT WORK?



**GET THE BEST SERVICE USING E-SERVICE,
 SAVING YOU TIME & EFFORT**



Visit uk.milwaukeetool.eu/service to find out more

terms and conditions apply

TRANSPORT EDITION



M12™

PORTABLE PRODUCTIVITY.
TRADE FOCUSED.
SYSTEM WIDE.

ONE SYSTEM 120 SOLUTIONS

SEE THE FULL RANGE ONLINE ▶



M18™

PERFORMANCE DRIVEN.
TRADE FOCUSED.
SYSTEM WIDE.

ONE SYSTEM 315 SOLUTIONS

SEE THE FULL RANGE ONLINE ▶



LIGHTING



53 SOLUTIONS

SEE THE FULL RANGE ONLINE ▶



PACKOUT™

MODULAR STORAGE SYSTEM & TOOLGUARD

OVER **180** POSSIBLE COMBINATIONS

SEE THE FULL RANGE ONLINE ▶



PERSONAL PROTECTIVE EQUIPMENT & WORKWEAR



OVER **1000** SOLUTIONS

SEE THE FULL RANGE ONLINE ▶



STAY SAFE!
STAY PRODUCTIVE.

HAND TOOLS



OVER **1400** SOLUTIONS

SEE THE FULL RANGE ONLINE ▶



ACCESSORIES



OVER **3000** SOLUTIONS

SEE THE FULL RANGE ONLINE ▶



NEW M18 REDLITHIUM™ FORGE™

MOST POWER | FASTEST CHARGING | LONGEST LIFE*

WHAT MAKES REDLITHIUM™ FORGE™?



NEW LITHIUM CELL TECHNOLOGIES



- ▶ Up to 50% higher power
- ▶ Up to 45% less heat generation
- ▶ Up to 6X faster charging
- ▶ Up to 50% lower electrical resistance

NEXT GENERATION ELECTRONICS



- ▶ Maximise full power delivery to tool
- ▶ Accelerate charge speed
- ▶ Full system backwards compatibility

MECHANICAL REDESIGN



- ▶ Advanced thermal management
- ▶ Vibration protection
- ▶ Built to withstand harsh jobsite environments
- ▶ Laser welding

ADVANCED PROTECTION



- ▶ Patented polymer ingress coating: protection against water and debris
- ▶ Resistant housing: protection against common oils, greases and solvents

* Vs other cell technologies



ACTIVE COOLING SYSTEM


WORK DONE WITH 80% CHARGE



18 cuts of 400 mm hard wood with 2 x M18 FB12 (M18 F2CHS50)



553 cuts in 50 x 100 mm soft wood with M18 FB12 (M18 FCS66)



THREE BENEFITS OF COOL-CYCLE™ ACTIVE COOLING SYSTEM

COOL-CYCLE™ CAPABLE PACKS:

1. BEGIN CHARGING RAPIDLY
2. COME OFF THE CHARGER COOLER, RESULTING IN MORE WORK DONE PER DAY
3. HAVE LONGER LIFE

MULTI BAY CHARGERS



| | M18 MPC6 | M18 MDBSC | M18 PC6 | M1418 C6 | M18 DFC | M18 DBSC |
|-----------------|--------------|--------------|--------------|------------|--------------|--------------|
| Battery types | 18 V | 18 V | 18 V | 14/18 V | 18 V | 18 V |
| Bays | 6 | 2 | 6 | 6 | 2 | 2 |
| Charging | Simultaneous | Simultaneous | Simultaneous | Sequential | Simultaneous | Simultaneous |
| Charging rate | 3 A/6 A | 18 A | 6 A | 3A | 6 A | 18 A |
| Energy source | AC | AC | AC | AC | AC | AC |
| Weight | 3.9 kg | 2.57 kg | 3.65 kg | 1.92 kg | 1.76 kg | 2.5 kg |
| Air cooling | x | ✓ | x | x | x | ✓ |
| Transport rated | ✓ | ✓ | x | x | x | x |
| Wall mountable | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| ART.# | 4932498552 | 4932498558 | 4932480163 | 4932430310 | 4932472074 | 4932492532 |

M18 DBSC | ART.# 4932492532

M18 DUAL BAY SUPER CHARGER

FEATURES:

- Benefits all REDLITHIUM™ batteries
- Simultaneous adaptive charging maximises productivity: Batteries ≤ 5.0 Ah are charged simultaneously with the same charge rate. Batteries > 5.0 Ah are charged simultaneously but first pack attached has priority and gets charged with higher charge rate
- Charge FORGE™ up to 6x faster
- Charge HIGH OUTPUT™ up to 4 x faster
- Charge REDLITHIUM™ up to 2 x faster



M18™ FORGE™ 6.0 AH BATTERY

M18 FB6
ART.# 4932492533



M18™ FORGE™ 8.0 AH BATTERY

M18 FB8
ART.# 4932492131



M18™ FORGE™ 12.0 AH BATTERY

M18 FB12
ART.# 4932492651



MOST POWERFUL. FASTEST CHARGING. LONGEST LIFE.

* Run times are based on a fully-charged battery. These given guidelines are indicative only and may not be replicated due to the varying usage conditions. Results can vary depending on the user and the application.
† Using 2 batteries.

TRANSPORT EDITION

MAINTENANCE

M12 FUEL

COMPACT IMPACT WRENCHES GEN 3

EXCEPTIONAL POWER

746 NM OF NUT-BUSTING TORQUE

LIGHTER WEIGHT

1 KG WITHOUT BATTERY

FASTEST APPLICATION SPEED

3,000 RPM



M12 FCIWF38G3-502X | ART.# 4933493453 (Also available as 0-version)

M12 FUEL 3/8" COMPACT IMPACT WRENCH WITH FRICTION RING



PERFECT MATCH

3/8" SHOCKWAVE™ IMPACT DUTY SOCKET STANDARD RAIL SET (9 PC)

4932480454

- KIT INCLUDES:**
- M12 FCIWF38G3
 - M12 HB5 x2
 - C12 C
 - HD BOX

REDLITHIUM™

M12 FCIWF12G3-502X | ART.# 4933493456 (Also available as 0-version)

M12 FUEL 1/2" COMPACT IMPACT WRENCH WITH FRICTION RING



PERFECT MATCH

1/2" SHOCKWAVE™ IMPACT DUTY SOCKET SET STD (13 PC)

4932480456

RECOMMENDED PPE

CLEAR SAFETY GLASSES

- KIT INCLUDES:**
- M12 FCIWF12G3
 - M12 HB5 x2
 - C12 C
 - HD BOX

REDLITHIUM™

3/4" AND 1" IMPACT SOCKET TRUCK AND BUS SETS



| | Contents | Art.# |
|---|---|------------|
| 1 | 3/4" Socket set STD-5 pcs 27 mm, 30 mm, 32 mm, 33 mm, 36 mm + safety ring | 4932498749 |
| 2 | 3/4" Socket set deep-5 pcs 27 mm, 30 mm, 32 mm, 33 mm, 36 mm + safety ring | 4932498750 |
| 3 | 1" Socket set STD-5 pcs 27 mm, 30 mm, 32 mm, 33 mm, 36 mm + safety ring | 4932498751 |
| 4 | 1" Socket set deep-5 pcs 27 mm, 30 mm, 32 mm, 33 mm, 36 mm + safety ring | 4932498752 |



1/2" SHOCKWAVE™ IMPACT DUTY AUTOMOTIVE IMPACT HEX SOCKETS



| | Art.# |
|---|------------|
| 1 17 mm | 4932493371 |
| 2 19 mm | 4932493372 |
| 3 21 mm | 4932493373 |
| 4 22 mm | 4932493374 |
| 5 1/2" automotive Hex sockets 17/ 19/ 21 mm supplied on a magnetic rail | 4932493370 |



SHOCKWAVE™ IMPACT DUTY

COLOUR CODED FOR EASY IDENTIFICATION
MADE FROM HIGH QUALITY ALLOY STEEL FOR STRENGTH AND DURABILITY
THE AUTOMOTIVE SOCKETS ARE THIN-WALLED FOR EASY ACCESS IN TIGHT WHEEL ASSEMBLIES

MAINTENANCE

TRANSPORT EDITION


MAINTENANCE

M12 FPTR-202X | ART.# 4933499412 (Also available as 0-version)

M12 FUEL INSIDER™ PASS-THROUGH RATCHET



KIT INCLUDES:



M12 FHIR14LR-0 | ART.# 4933480790

M12 FUEL HIGH SPEED LONG REACH RATCHET 1/4"



KIT INCLUDES:



M12 FHIR38LR-0 | ART.# 4933480791

M12 FUEL HIGH SPEED LONG REACH RATCHET 3/8"



KIT INCLUDES:



M12 FHIR14-0 | ART.# 4933478171 (Available as 0-version only)

M12 FUEL 1/4" HIGH SPEED RATCHET



KIT INCLUDES:



Also available with 3/8" square reception:

M12 FHIR38-0 | ART.# 4933478172

M12 FUEL 3/8" HIGH SPEED RATCHET



KIT INCLUDES:



M12 ONEFTR38-201C | ART.# 4933464968 (Also available as 0-version)

M12 FUEL ONE-KEY™ 3/8" DIGITAL TORQUE WRENCH



KIT INCLUDES:



Also available with 1/2" reception

ONE-KEY



M12 ONEFTR12-201C ART.# 4933464971

M12 FRAIWF12-0 | ART.# 4933471699

M12 FUEL 1/2" RIGHT ANGLE IMPACT WRENCH



KIT INCLUDES:



PERFECT MATCH IMPACT RATED SOCKETS & IMPACT TOOLS



SHOCKWAVE IMPACT DUTY

IMPACT SOCKETS SEE PAGE 12



REDLITHIUM™

REDLITHIUM™ BATTERY TECHNOLOGY

THE EXTENSIVE
SHOCKWAVE™
IMPACT DUTY
SOCKET RANGE
JUST GOT BIGGER

SHOCKWAVE
IMPACT DUTY



1/4" IMPACT SOCKETS



Hex socket rail + clips 1/4" 350 mm-1 pc

Hex socket rail extra clips 1/4" -10 pc

Hex socket ShW 1/4" deep set-12 pc

| ART.# | 4932480444 | 4932480445 | 4932480453 |
|-------|------------|------------|------------|
|-------|------------|------------|------------|

1/4" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP

| SIZE (mm) | ART.# |
|-----------|------------|
| 4 | 4932480251 |
| 4.5 | 4932480252 |
| 5 | 4932480253 |
| 5.5 | 4932480254 |
| 6 | 4932480255 |
| 7 | 4932480256 |
| 8 | 4932480257 |
| 9 | 4932480258 |
| 10 | 4932480259 |
| 11 | 4932480260 |
| 12 | 4932480261 |
| 13 | 4932480262 |



3/8" IMPACT SOCKETS



3/8" SHOCKWAVE™ IMPACT DUTY socket set (9 pc) - standard

3/8" SHOCKWAVE™ IMPACT DUTY socket set (9 pc) - deep

| ART.# | 4932480454 | 4932480455 |
|-------|------------|------------|
|-------|------------|------------|

INCLUDES 8 x STD sockets: 8,10,12,13,14,15,17,19 mm, 1 x adaptor 1/4" Hex - 3/8" square

8 x deep sockets: 8,10,12,13,14,15,17,19 mm, 1 x adaptor 1/4" Hex - 3/8" square

3/8" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - STANDARD

| SIZE (mm) | ART.# |
|-----------|------------|
| 8 | 4932480265 |
| 10 | 4932480267 |
| 11 | 4932480268 |
| 12 | 4932480269 |
| 13 | 4932480270 |
| 14 | 4932480271 |
| 15 | 4932480272 |
| 16 | 4932480273 |
| 17 | 4932480274 |
| 18 | 4932480275 |
| 19 | 4932480276 |
| 21 | 4932480278 |
| 22 | 4932480279 |

3/8" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP

| SIZE (mm) | ART.# |
|-----------|------------|
| 8 | 4932480282 |
| 10 | 4932480284 |
| 11 | 4932480285 |
| 12 | 4932480286 |
| 13 | 4932480287 |
| 14 | 4932480288 |
| 15 | 4932480289 |
| 16 | 4932480290 |
| 17 | 4932480291 |
| 18 | 4932480292 |
| 19 | 4932480293 |
| 21 | 4932480295 |
| 22 | 4932480296 |

1/2" IMPACT SOCKETS



ART.# 4932493370
INCLUDES 1/2" impact sockets: 17 / 19 / 21 mm

1/2" SHOCKWAVE™ IMPACT DUTY automotive impact socket set (3 pc)
1/2" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - STANDARD

| SIZE (mm) | ART.# |
|-----------|------------|
| 8 | 4932480302 |
| 10 | 4932480304 |
| 11 | 4932480305 |
| 12 | 4932480306 |
| 13 | 4932480307 |
| 14 | 4932480308 |
| 15 | 4932480309 |
| 16 | 4932480310 |
| 17 | 4932480311 |
| 18 | 4932480312 |
| 19 | 4932480313 |
| 21 | 4932480315 |
| 22 | 4932480316 |
| 24 | 4932480318 |
| 27 | 4932480321 |
| 30 | 4932480324 |
| 32 | 4932480325 |

1/2" SHOCKWAVE™ IMPACT DUTY SQUARE SOCKETS - DEEP

| SIZE (mm) | ART.# |
|-----------|------------|
| 8 | 4932480326 |
| 10 | 4932480328 |
| 11 | 4932480329 |
| 12 | 4932480330 |
| 13 | 4932480331 |
| 14 | 4932480332 |
| 15 | 4932480333 |
| 16 | 4932480334 |
| 17 | 4932480335 |
| 18 | 4932480336 |
| 19 | 4932480337 |
| 21 | 4932480339 |
| 22 | 4932480340 |
| 24 | 4932480342 |
| 27 | 4932480345 |
| 30 | 4932480348 |
| 32 | 4932480349 |

3/4" IMPACT SOCKETS

| SIZE (mm) | ART.# |
|-----------|------------|
| 17 | 4932480361 |
| 19 | 4932480362 |
| 21 | 4932480363 |
| 22 | 4932480364 |
| 23 | 4932480365 |
| 24 | 4932480366 |
| 27 | 4932480367 |
| 30 | 4932480368 |
| 32 | 4932480369 |
| 33 | 4932480370 |
| 34 | 4932480371 |
| 36 | 4932480372 |
| 38 | 4932480373 |
| 39 | 4932480374 |
| 41 | 4932480375 |
| 46 | 4932480376 |
| 50 | 4932480377 |

| SIZE (mm) | ART.# |
|-----------|------------|
| 17 | 4932480378 |
| 19 | 4932480379 |
| 21 | 4932480380 |
| 22 | 4932480381 |
| 23 | 4932480382 |
| 24 | 4932480383 |
| 25 | 4932480384 |
| 26 | 4932480385 |
| 27 | 4932480386 |
| 28 | 4932480387 |
| 29 | 4932480388 |
| 30 | 4932480389 |
| 31 | 4932480390 |
| 32 | 4932480391 |
| 33 | 4932480392 |
| 34 | 4932480393 |
| 35 | 4932480394 |
| 36 | 4932480395 |
| 37 | 4932480396 |
| 38 | 4932480397 |
| 39 | 4932480398 |
| 40 | 4932480399 |
| 41 | 4932480400 |
| 46 | 4932480401 |
| 50 | 4932480402 |

ADAPTORS & EXTENSIONS

| DRIVE SIZE | DESCRIPTION | ART.# |
|------------|------------------------------|------------|
| 3/8" | Extension 3/8" - 150 mm | 4932480297 |
| 3/8" | Extension 3/8" - 250 mm | 4932480298 |
| 1/2" | Extension 1/2" - 150 mm | 4932480352 |
| 1/2" | Extension 1/2" - 250 mm | 4932480353 |
| 3/4" | Extension 3/4" - 175 mm | 4932480403 |
| 3/4" | Extension 3/4" - 250 mm | 4932480404 |
| 3/4" | Universal joint | 4932480301 |
| 3/4" | Adaptor 3/4" - 1" | 4932480406 |
| 3/4" | Reducer 3/4" - 1/2" | 4932480405 |
| 3/4" | 3/4" Security retaining ring | 4932480450 |

VERSATILE
SOCKETS.
ANTI-ROLL
WRENCH READY.

1/4", 3/8" & 1/2" DRIVE SOCKETS



FOUR FLAT™ SIDES
Anti-roll, wrench-ready, Improved grip for hand tightening

STAMPED SIZES
Quick, easy size identification

CHROME-PLATED
Rust protection; professional look; easy cleaning

1/4" DRIVE SOCKETS, METRIC

| SIZE (mm) | ART.# |
|-----------|------------|
| 4 | 4932479992 |
| 4.5 | 4932479993 |

1/4" DEEP DRIVE SOCKETS, METRIC

| SIZE (mm) | ART.# |
|-----------|------------|
| 4 | 4932479994 |
| 4.5 | 4932479995 |

1/2" DRIVE SOCKETS, METRIC

| SIZE (mm) | ART.# |
|-----------|------------|
| 8 | 4932480006 |
| 9 | 4932480007 |
| 10 | 4932480008 |
| 11 | 4932480009 |
| 12 | 4932480010 |
| 13 | 4932480011 |
| 14 | 4932480012 |
| 15 | 4932480013 |
| 16 | 4932480014 |
| 17 | 4932480015 |
| 18 | 4932480016 |
| 19 | 4932480017 |
| 20 | 4932480018 |
| 21 | 4932480019 |
| 22 | 4932480020 |
| 23 | 4932480021 |
| 24 | 4932480022 |
| 25 | 4932480023 |
| 26 | 4932480024 |
| 27 | 4932480025 |
| 28 | 4932480026 |
| 30 | 4932480027 |
| 32 | 4932480028 |
| 36 | 4932480029 |

1/2" DEEP DRIVE SOCKETS, METRIC

| SIZE (mm) | ART.# |
|-----------|------------|
| 10 | 4932480030 |
| 11 | 4932480031 |
| 12 | 4932480032 |
| 13 | 4932480033 |
| 14 | 4932480034 |
| 15 | 4932480035 |
| 16 | 4932480036 |
| 17 | 4932480037 |
| 18 | 4932480038 |
| 19 | 4932480039 |
| 20 | 4932480040 |
| 21 | 4932480041 |
| 22 | 4932480042 |
| 23 | 4932480043 |
| 24 | 4932480044 |
| 27 | 4932480045 |
| 30 | 4932480046 |
| 32 | 4932480047 |
| 36 | 4932480048 |

3/8" DRIVE SOCKETS, METRIC

| SIZE (mm) | ART.# |
|--|------------|
| 20 | 4932479996 |
| 21 | 4932479997 |
| 22 | 4932479998 |
| 23 | 4932479999 |
| 24 | 4932480000 |
| 10 pc 3/8" Drive Metric Chrome Sockets | 4932492507 |

3/8" DEEP DRIVE SOCKETS, METRIC

| SIZE (mm) | ART.# |
|---|------------|
| 20 | 4932480001 |
| 21 | 4932480002 |
| 22 | 4932480003 |
| 23 | 4932480004 |
| 24 | 4932480005 |
| 10 pc 3/8" Drive Metric Deep Chrome Sockets | 4932492509 |

RATCHETS

| | ART.# |
|------------------------------|------------|
| ① 1/4" Drive compact ratchet | 4932479646 |
| ② 1/4" Drive long ratchet | 4932479647 |
| ③ 3/8" Drive compact ratchet | 4932479650 |
| ④ 3/8" Drive long ratchet | 4932479651 |
| ⑤ 1/2" Drive long ratchet | 4932479654 |



SCAN TO VIEW
THE SOCKETS & RATCHET RANGE

NEW ART.# 4932499474

MASTER FOAM INSERT SET AUTOMOTIVE 172PC

SET INCLUDES

- ① 28 pc 1/4" Ratchet and socket set foam insert (4932479824)
- ② 28 pc 1/2" Ratchet and socket set foam insert (4932479826)
- ③ MAX BITE™ Combination spanner set foam insert (4932479827)
- ④ 8 pc T-bar handle set foam insert (4932499113)
- ⑤ 23 pc Trilobe screwdriver foam insert (4932479830)
- ⑥ 3 pc Pliers set foam insert (4932493256)
- ⑦ 2 pc Engineer and dead blow hammer set foam insert (4932493253)
- ⑧ 3 PC Circlip Pliers Foam Insert Set (4932493632)
- ⑨ 1/2" SHOCKWAVE™ IMPACT DUTY automotive impact socket set (4932451568)
- ⑩ Metal drill HSSG ThW D338 Set 19 pc (4932493869)
- ⑪ SHOCKWAVE™ IMPACT DUTY bit set 40 pc (4932492004)



NEW ART.# 4932498721

38 PC METRIC TAP & DIE PACKOUT™ SET WITH HEX-LOK™ 2 IN 1 HANDLE

PACKOUT™

BETTER CONTROL, SMOOTHER THREADING.

ALL METAL CONSTRUCTION

For durability and tool-free die and collet changing

HEX-LOK™

A versatile threading solution, compatible with both 1" hex dies and the MILWAUKKEE® tap collet for internal and external threading

ERGONOMIC GRIP

Ultimate user comfort while cutting threads

PERFORMANCE DESIGNED

Optimised for maximum balance and control when threading



1/2" DRIVE TORX BIT SOCKETS

| | Art.# |
|-------------------------------------|------------|
| 1/2" Drive T20 Torx Bit Socket | 4932480812 |
| 1/2" Drive T25 Torx Bit Socket | 4932480813 |
| 1/2" Drive T27 Torx Bit Socket | 4932480814 |
| 1/2" Drive T30 Torx Bit Socket | 4932480815 |
| 1/2" Drive T40 Torx Bit Socket | 4932480816 |
| 1/2" Drive T45 Torx Bit Socket | 4932480817 |
| 1/2" Drive T50 Torx Bit Socket | 4932480818 |
| 1/2" Drive T55 Torx Bit Socket | 4932480819 |
| 1/2" Drive T60 Torx Bit Socket | 4932480820 |
| 1/2" Drive T70 Torx Bit Socket | 4932480821 |
| 9 pc 1/2" Drive Torx Bit Socket Set | 4932480822 |



1/2" DRIVE HEX BIT SOCKETS

| | Art.# |
|--|------------|
| 1/2" Drive 4 mm Hex Bit Socket | 4932480842 |
| 1/2" Drive 5 mm Hex Bit Socket | 4932480843 |
| 1/2" Drive 6 mm Hex Bit Socket | 4932480844 |
| 1/2" Drive 7 mm Hex Bit Socket | 4932480845 |
| 1/2" Drive 8 mm Hex Bit Socket | 4932480846 |
| 1/2" Drive 9 mm Hex Bit Socket | 4932480847 |
| 1/2" Drive 10 mm Hex Bit Socket | 4932480848 |
| 1/2" Drive 12 mm Hex Bit Socket | 4932480849 |
| 1/2" Drive 14 mm Hex Bit Socket | 4932480850 |
| 1/2" Drive 17 mm Hex Bit Socket | 4932480851 |
| 1/2" Drive 19 mm Hex Bit Socket | 4932480852 |
| 10 pc 1/2" Drive Metric Hex Bit Socket Set | 4932480853 |



T-BAR HANDLES

| | Art.# |
|---|------------|
| 7 PC T-bar handle with swivel socket Set | 4932492674 |
| T-bar handle with swivel socket Hex 8 mm | 4932492677 |
| T-bar handle with swivel socket Hex 10 mm | 4932492679 |
| T-bar handle with swivel socket Hex 11 mm | 4932492680 |
| T-bar handle with swivel socket Hex 12 mm | 4932492681 |
| T-bar handle with swivel socket Hex 13 mm | 4932492682 |
| T-bar handle with swivel socket Hex 14 mm | 4932492683 |
| T-bar handle with swivel socket Hex 15 mm | 4932492684 |
| T-bar handle with swivel socket Hex 16 mm | 4932492685 |
| T-bar handle with swivel socket Hex 17 mm | 4932492686 |
| T-bar handle with swivel socket Hex 18 mm | 4932492687 |
| T-bar handle with swivel socket Hex 19 mm | 4932492688 |
| T-bar handle with swivel socket Hex 20 mm | 4932492689 |
| T-bar handle with swivel socket Hex 21 mm | 4932492690 |
| T-bar handle with swivel socket Hex 22 mm | 4932492691 |
| T-bar handle with swivel socket Hex 24 mm | 4932492692 |



M18 ABL-0 | ART.# 4933478868 (Available as 0-version only)

M18 AREA BOOM LIGHT



3 light output modes to manage runtime and output

3 point articulation and long reach design for full undercarriage illumination

Magnetic base for mounting applications

Up to 2500 Lumens of high performance light

3 point articulation

2500 LUMENS

Up to 12 hours of runtime on one M18 5 Ah battery

Impact resistant

KIT INCLUDES:



REDLITHIUM™

L4 SL550-301 | ART.# 4933478869

USB RECHARGEABLE STICK LIGHT 550 LUMENS



4 light output modes with impact and chemical resistant lens

220° vertical light head rotations

Versatile attachment with magnet or hang hook

550 LUMENS

IP54

KIT INCLUDES:



| INSPECTION | | |
|--------------|------------|------|
| High | 250 Lumens | 2 hr |
| Low | 100 Lumens | 5 hr |
| DUAL PANEL | | |
| High | 550 Lumens | 2 hr |
| Low | 250 Lumens | 5 hr |
| SINGLE PANEL | | |
| High | 550 Lumens | 2 hr |
| Low | 250 Lumens | 5 hr |

REDLITHIUM™ USB

ENGINE WORK

M12 UHL-0 | ART.# 4933459432 (Available as 0-version only)

M12 LED UNDERHOOD LIGHT



UNDER HOOD

UNDER CARRIAGE

ANYWHERE ELSE

Perfect for work in the engine thanks to downward light and hands free use

Ability to be mounted or rested on the ground

A detachable light bar is useful inside the cabin for fleet modifications to new vehicles, wiring work, or for the exterior for finding scratches or dents in the body and many other applications

MOUNTING HOOKS EXTEND

119 CM - 196 CM
(47" - 77")

COVERING WIDE CARS AND TRUCKS.



HANG ANYWHERE WITH **STAINLESS STEEL HOOK**

FISHGUARD™ HOOKS FOR LASTING PROTECTION

2X THE GRIPPING SURFACE

2000 LUMENS

IP54

KIT INCLUDES:



| | | |
|------|-------------|------|
| High | 1350 Lumens | 4 hr |
| Low | 600 Lumens | 6 hr |

REDLITHIUM™

L4 NL400-301 | ART.# 4933479898

USB RECHARGEABLE NECK LIGHT 400 LUMENS



130° vertical light head rotations for complete light head adjustability

Up to 400 lumens

Up to 8 hours of run time

IP50 rated for dust resistance and can withstand up to 2 m drops

Ergonomic, sweat resistant band for increased comfort

Resistance to most chemicals found in auto body shops

KIT INCLUDES:



REDLITHIUM™

M12 ATB-0C | ART.# 4933480755

M12 AUTOMOTIVE TECHNICIAN BORESCOPE

4.3" LCD SCREEN

720 P RESOLUTION

Delivers crisp, clear images to be able to look for fine chips in engine block, hairline cracks in valves and small fuel or oil leaks

INTERCHANGEABLE CAMERA & CABLE

FRONT & SIDE VIEW CAMERA

KIT INCLUDES:



Milwaukee
PERFECTMATCH
5.0 MM DIGITAL CABLE FOR M12 ATB
4932492938



REDLITHIUM™

2267-40 | ART.# 4933451906

10:1 INFRARED TEMP-GUN™

FEATURES:

- 10:1 distance to spot ratio, a 1 m spot from 10 m away
- Up to -30°C to 400°C temperature range
- Premium LCD display for high readability
- Simplified buttons and setup for faster scanning
- Raised over-moulding protects lens and screen from direct impact

FOR MOTOR HEALTH CHECKS



KIT INCLUDES:



2212-20 | ART.# 4933447776

AUTO VOLTAGE / CONTINUITY TESTER



KIT INCLUDES:



2225-20 | ART.# 4932498859

NON-CONTACT VOLTAGE DETECTOR WITH LASER THERMOMETER



KIT INCLUDES:



COMBINATION SPANNERS

SCAN TO VIEW
THE FULL COMBINATION SPANNER RANGE & SETS



MAXBITE™ COMBINATION SPANNERS

| Description | Art.# |
|---|------------|
| MAXBITE™ metric combination spanner - 6 mm | 4932480197 |
| MAXBITE™ metric combination spanner - 7 mm | 4932480198 |
| MAXBITE™ metric combination spanner - 23 mm | 4932480199 |
| MAXBITE™ metric combination spanner - 24 mm | 4932480200 |
| MAXBITE™ metric combination spanner - 25 mm | 4932480201 |
| MAXBITE™ metric combination spanner - 26 mm | 4932480202 |
| MAXBITE™ metric combination spanner - 27 mm | 4932480203 |
| MAXBITE™ metric combination spanner - 28 mm | 4932480204 |
| MAXBITE™ metric combination spanner - 29 mm | 4932480205 |
| MAXBITE™ metric combination spanner - 30 mm | 4932480206 |
| MAXBITE™ metric combination spanner - 32 mm | 4932480207 |
| MAXBITE™ metric combination spanner - 36 mm | 4932480208 |

ROUNDED I-BEAM HANDLE

Comfortable in high torque applications

15° OFFSET BOX & 12 POINT BOX END

Improved accessibility in tight spaces

MAXBITE™ OPEN END

Up to 25% more torque

INK FILLED SIZE LABELS

Quick and easy size identification



CHROME FINISH
Professional look, easy cleaning

MAXBITE™ COMBINATION RATCHETING SPANNERS

| Description | Art.# |
|--|------------|
| MAXBITE™ ratcheting metric combination spanner - 6 mm | 4932480209 |
| MAXBITE™ ratcheting metric combination spanner - 7 mm | 4932480210 |
| MAXBITE™ ratcheting metric combination spanner - 24 mm | 4932480211 |
| MAXBITE™ ratcheting metric combination spanner - 25 mm | 4932480212 |
| MAXBITE™ ratcheting metric combination spanner - 27 mm | 4932480213 |
| MAXBITE™ ratcheting metric combination spanner - 30 mm | 4932480214 |
| MAXBITE™ ratcheting metric combination spanner - 32 mm | 4932480215 |

ROUNDED I-BEAM HANDLE

Comfortable in high torque applications

DOUBLE STACKED PAWLS

Durable mechanism for longest ratchet life

MAXBITE™ OPEN END

Up to 25% more torque

144 TOOTH COUNT - 2.5° OF ARC SWING

More rotation, higher productivity



CHROME FINISH
Professional look, easy cleaning

INK FILLED SIZE LABELS
Quick and easy size identification

MAXBITE™ FLEXHEAD RATCHETING SPANNERS

| Description | Art.# |
|---|------------|
| MAXBITE™ flexhead ratcheting metric spanner - 8 mm | 4932480181 |
| MAXBITE™ flexhead ratcheting metric spanner - 9 mm | 4932480182 |
| MAXBITE™ flexhead ratcheting metric spanner - 10 mm | 4932480183 |
| MAXBITE™ flexhead ratcheting metric spanner - 11 mm | 4932480184 |
| MAXBITE™ flexhead ratcheting metric spanner - 12 mm | 4932480185 |
| MAXBITE™ flexhead ratcheting metric spanner - 13 mm | 4932480186 |
| MAXBITE™ flexhead ratcheting metric spanner - 14 mm | 4932480187 |
| MAXBITE™ flexhead ratcheting metric spanner - 15 mm | 4932480188 |
| MAXBITE™ flexhead ratcheting metric spanner - 16 mm | 4932480189 |
| MAXBITE™ flexhead ratcheting metric spanner - 17 mm | 4932480190 |
| MAXBITE™ flexhead ratcheting metric spanner - 18 mm | 4932480191 |
| MAXBITE™ flexhead ratcheting metric spanner - 19 mm | 4932480192 |
| MAXBITE™ flexhead ratcheting metric spanner - 20 mm | 4932480193 |
| MAXBITE™ flexhead ratcheting metric spanner - 21 mm | 4932480194 |
| MAXBITE™ flexhead ratcheting metric spanner - 22 mm | 4932480195 |

ROUNDED I-BEAM HANDLE

Comfortable in high torque applications

DOUBLE STACKED PAWLS

Durable mechanism for longest ratchet life

MAXBITE™ OPEN END

Up to 25% more torque

ADJUSTABLE SET SCREW

For preferred flex head tension

144 TOOTH COUNT - 2.5° OF ARC SWING

More rotation, higher productivity



CHROME FINISH
Professional look, easy cleaning

INK FILLED SIZE LABELS
Quick and easy size identification

ART.# 4932499471

HOOK & PICK SET

FEATURES:

- All-metal core for long-lasting durability and rust protection
- Chrome-plated shanks reduce corrosion and provide rust protection

ALSO AVAILABLE

| Description | ART.# |
|-----------------------------------|------------|
| Heavy Duty Hook & Pick Set (4 pc) | 4932480568 |
| 8pc pick set | 4932480569 |
| Hose pick - flat tip | 4932480570 |
| Hose pick - hook | 4932480571 |
| Hose pick - bent 90 degrees | 4932480572 |
| Hose pick - bent 45 degrees | 4932480573 |



ART.# 48229214

PRY BAR SET

FEATURES:

- Curved claw design reduces damage when pulling nails
- I-Beam design for added durability
- Hammer-ready strike cap improves leverage when working in tight and tricky spaces
- Comfortable Tri-Lobe handles for better grip
- All-chrome shafts for increased durability
- All-metal core for improved durability
- Includes: 200 mm - 300 mm - 450 mm - 600 mm



REPAIRS

M12 FUEL™

MOST COMPACT

MORE CAPABLE

FASTER APPLICATION SPEED VS PREVIOUS MODELS

BRUSHLESS RANGE



NEW M12 BLDDRC-202C | ART.# 4933499687

M12 BRUSHLESS DRILL DRIVER


40 NM

0.7 KG

132 MM



KIT INCLUDES:



Milwaukee PERFECT MATCH

MULTI MATERIAL DRILL BIT SET (8 PC)
4932493871

RECOMMENDED PPE
ENHANCED SAFETY GLASSES CLEAR
4932478763

Ø 4 x 100 mm,
Ø 5/5/6/6 x 108 mm,
Ø 8/10 x 120 mm,
Ø 12 x 150 mm

REDLITHIUM™

NEW M12 BLIDRC-202C | ART.# 4933499691 (Also available as 0-version)

M12 1/4" BRUSHLESS HEX IMPACT DRIVER


148 NM

0.56 KG

109 MM



KIT INCLUDES:



Milwaukee PERFECT MATCH

SHOCKWAVE™ HSS-G TIN RED HEX DRILL BIT SET (19 PC)
4932493866

RECOMMENDED PPE
CONTRACTOR HIGH-VISIBILITY VEST YELLOW
4932493995

Ø 2/2.5/2 x 3/3.5/
2 x 4/4.5/5/5.5/6/
6.5/7/7.5/8/8.5/
9/9.5/10 mm

REDLITHIUM™

NEW M18 FBS127DO-0C | ART.# 4933498311

M18 FUEL DUAL-TRIGGER DEEP CUT BAND SAW WITH ONE-KEY™

FASTEST CUTTING BAND SAW IN IT'S CLASS AND 30% FASTER THAN PREVIOUS MODEL

CUT-STOP TECHNOLOGY

The tool shuts off automatically after the cut for increased user safety

INTEGRATED BLADE COVER

Protects user from injuries by preventing any access to the blade

TOOL-FREE BLADE LOCKING MECHANISM

For quick and easy saw blade changes

DUAL TRIGGER ACTIVATION

requires the user to always have both hands on the tool

MAXIMUM CONTROL FOR ANY MATERIAL

4-step speed mode & variable speed trigger

LARGE CUTTING CAPACITY

Up to 127 x 127 mm material diameter



ALSO AVAILABLE

M18 FUEL DEEP CUT BAND SAW GEN 2
M18 FBS127-0
4933498309

KIT INCLUDES:



ALSO AVAILABLE

M18 FBS85-202C | ART.# 4933471498 (Also available as 0-version)

M18 FUEL COMPACT BAND SAW

MAX. CUTTING CAPACITY
RECTANGULAR STOCK 85 MM

KIT INCLUDES:



REDLITHIUM™

M12 BS-402C | ART.# 4933446135 (Also available as 0-version)

M12 SUB COMPACT BANDSAW

MAX. CUTTING CAPACITY
RECTANGULAR STOCK 41 MM

KIT INCLUDES:



REDLITHIUM™

M12 FBS64-402C | ART.# 4933478442 (Also available as 0-version)

M12 FUEL SUB COMPACT BAND SAW WITH 64 MM CUTTING CAPACITY

MAX. CUTTING CAPACITY
RECTANGULAR STOCK 64 MM

KIT INCLUDES:



REDLITHIUM™

VIEW THE BAND SAW BLADE RANGE



M18 FUEL HIGH PERFORMANCE BRAKING GRINDERS

M18 HIGH OUTPUT™ ANGLE GRINDERS DELIVERING

M18 FUEL HIGH PERFORMANCE 125 MM BRAKING GRINDER WITH PADDLE SWITCH

M18 FUEL HIGH PERFORMANCE 125 MM BRAKING GRINDER WITH VARIABLE SPEED AND ONE-KEY™

M18 FHSAG125XPDB2-0X | ART.# 4933493417

M18 FUEL HIGH PERFORMANCE 125 MM BRAKING GRINDER WITH PADDLE SWITCH



M18 FHSAGO125VXPDB2-0X | ART.# 4933493419

M18 FUEL HIGH PERFORMANCE 125 MM BRAKING GRINDER WITH VARIABLE SPEED AND ONE-KEY™

MAXIMUM CONTROL FOR EVERY APPLICATION

With 4-mode push button, ideal for working with stainless steel and aluminium & for rust and paint removal



NON-LOCKABLE SAFETY PADDLE SWITCH

With line-lock-out function to prevent automatic start up

ONE-KEY UNLOCKING THE DIGITAL JOBSITE. **RAPID STOP**

KIT INCLUDES:



Milwaukee
PERFECT MATCH
SG 27 / 125 X 6 X 22 MM - 1 PC
4932451502

REDLITHIUM™

M18 FHSAGO180VXPDB2-0X | ART.# 4933498942

M18 FUEL HIGH PERFORMANCE 180 MM BRAKING GRINDER WITH VARIABLE SPEED & ONE-KEY™ GEN 2

MAXIMUM CONTROL FOR EVERY APPLICATION

With 4-mode push button, ideal for working with stainless steel and aluminium & for rust and paint removal



NON-LOCKABLE SAFETY PADDLE SWITCH

With line-lock-out function to prevent automatic start up

KIT INCLUDES:



ONE-KEY UNLOCKING THE DIGITAL JOBSITE. **RAPID STOP**



Milwaukee
PERFECT MATCH
FIXTEC NUT M14 UNIVERSAL
4932352473

REDLITHIUM™

RAPIDSTOP™

For fastest disc brake in less than 2 seconds and best user protection

ANTI-VIBRATION SIDE HANDLE

For lower vibration

SLIM HANDLE DESIGN

INTEGRATED FIXTEC™

System for tool-free wheel change



REMOVABLE DUST SCREEN

To prevent debris entrance, prolonging motor life

KEYLESS GUARD

For great cutting capacity and fast guard adjustment without using a key

Milwaukee
PERFECT MATCH
SCS 42 / 125 X 0.8 PRO+ CUTTING WHEEL
4932498201

REDLITHIUM™

KIT INCLUDES:



M18 FPD3-502X | ART.# 4933479861 (Also available as 0-version)

M18 FUEL PERCUSSION DRILL

FEATURES:

- Higher power efficiency under load with outstanding torque of 158 Nm
- Extremely compact design of 175 mm length for access into tight spaces
- AUTOSTOP™ control mode offers enhanced safety for the operator by preventing over-rotation in a bind-up
- 13 mm metal chuck for quick bit changes and bit retention
- Fastest drilling and driving applications under load



OUTSTANDING TORQUE OF **158 Nm**

REDLITHIUM™

KIT INCLUDES:



M18 FID3-502X | ART.# 4933479866 (Also available as 0-version)

M18 FUEL 1/4" HEX IMPACT DRIVER

FEATURES:

- Higher power efficiency under load with outstanding torque of 226 Nm
- Faster driving speed vs. previous model, up to 3900 rpm and 4400 ipm
- Extremely compact design, total length of just 113 mm for access into tight spaces
- DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility



REDLITHIUM™

KIT INCLUDES:



STEP DRILLS



| Description | Shank diameter (mm) | Overall length (mm) | No. of steps | ART.# |
|---|---------------------|---------------------|--------------|----------|
| 4-12 mm/1 | 6 | 65 | 9 | 48899302 |
| 4-20 mm | 8 | 65 | 9 | 48899320 |
| 6-35 mm | 10 | 90 | 14 | 48899335 |
| 6-40.5 mm | 10 | 90 | 17 | 48899340 |
| ① Step drill set (3 pc) | | | | 48899399 |
| Includes 3 step drill bits: 4 - 12 mm/1, 4 - 20 mm, 6 - 35 mm | | | | |
| ② Step & drill bit combo set (10 pc) | | | | 48899350 |
| Includes 2 x step drill bits: 4 - 12 mm/1, 4 - 20 mm. THUNDERWEB™ metal drill bits: 2 x 2 mm, 2 x 3 mm, 2 x 4 mm, 1 x 5 mm, 1 x 6mm | | | | |

NEW

THUNDERWEB™ SETS



| ART.# |
|------------------------------------|
| ① RED COBALT HSSGROUND SET (8 PC) |
| 4932499256 |
| ② THUNDERWEB HSSGROUND SET (19 PC) |
| 4932493869 |

M12 FDD2-602X | ART.# 4933479970

M12 FUEL SUB COMPACT DRILL DRIVER

FEATURES:

- Most compact 12V hammer drill on the market
- Lightweight weighing less than 950g
- Shortest OAL with only 151mm (17mm shorter than the current generation)
- 45Nm of torque
- 13 settings for covering a range from 1.1Nm to 6.8Nm



KIT INCLUDES:



REDLITHIUM™

M18 FMDP-502C | ART.# 4933451013

M18 FUEL MAGNETIC DRILLING PRESS WITH PERMANENT MAGNET

FEATURES:

- AUTOSTOP™ lift-off detection: Detects excess rotation and automatically cuts power to the drill for best user protection
- Self-powered permanent magnet with 8,890 N of holding force
- Maximum drilling capacity of 38 mm with use of annual cutters and 13 mm straight shank twist drill bits
- Keyless 19 mm Weldon reception



KIT INCLUDES:



REDLITHIUM™

NEW 1/4" HSS-G COMBI DRILL TAPS

ALWAYS USE A SUITABLE CUTTING OIL

3 IN 1 COMBINATION HSS-G DRILL BIT

Drilling, threading and deburring in one single operation

RECEPTION: 1/4" HEX, E6.3

IMPACT RATED

Suitable for use with cordless impact drivers when keeping to recommended drilling speed

SUITABLE FOR DRILLING IN PLASTICS, SHEET STEEL AND NON-ALLOYED MATERIAL UP TO 800/MM²



DESIGNED FOR USE IN PACKOUT™

| ART.# | |
|--|------------|
| M3 x 52 mm | 4932498261 |
| M4 x 52 mm | 4932498262 |
| M5 x 57 mm | 4932498263 |
| M6 x 57 mm | 4932498264 |
| M8 x 57 mm | 4932498265 |
| M10 x 58 mm | 4932498266 |
| 1/4" HSS-G Combi Drill Tap Set-6 pc M3, M4, M5, M6, M8, M10. Supplied in PACKOUT™ ready box | 4932498267 |

3 IN 1 COMBINATION DRILLS: DRILLING, TAPPING & DEBURRING

M18 FSZ-501X | ART.# 4933478292

M18 FUEL SAWZALL™

FEATURES:

- Brushless POWERSTATE™ motor for up to 5x longer motor life and up to 30% faster cutting comparing to previous brushed model
- Patented gear protecting clutch - extends gear and motor life by absorbing high impact forces caused by sudden blade lock-ups
- Wear resistant lever actuated FIXTEC™ blade clamp provides fast and easy blade changes
- Metal reinforced battery connection provides improved durability and battery retention over life
- Durable metal rafter hang hook for work space management and safety
- Built-in LED light illuminates the work surface while cutting
- Adjustable shoe for optimised use of saw blades

KIT INCLUDES:



THE EXTREMELY DURABLE SAWZALL™

REDLITHIUM™

M18 FHZ-502X | ART.# 4933459886

(Also available as 0-version)

M18 FUEL HACKZALL™



- 22 mm stroke length
- No load stroke rate of 3000 spm

KIT INCLUDES:



M12 CHZ-602X | ART.# 4933451908

(Also available as 0-version)

M12 FUEL SUB COMPACT HACKZALL™



- 15.9 mm stroke length
- No load stroke rate of 3000 spm

KIT INCLUDES:



C12 HZ-202C | ART.# 4933441198

(Also available as 0-version)

M12 SUB COMPACT HACKZALL™



- 13 mm stroke length
- No load stroke rate of 3000 spm

KIT INCLUDES:



REDLITHIUM™

METAL: HEAVY DUTY TORCH™ CARBIDE TEETH



THE TORCH™ CARBIDE TEETH

- Carbide teeth provide for long life in thick metals.
- Up to 50x more life compared to Bi-Metal blades

| LENGTH | PACK QTY | ART.# |
|--------|----------|----------|
| 150 mm | 1 | 48475201 |
| 230 mm | 1 | 48475202 |
| 300 mm | 1 | 48475203 |

METAL: HEAVY DUTY TORCH™ DEMOLITION BLADES

- Bi Metal, shatter resistant 1.06 mm thick blade for precise cuts in sheet metal and pipes



| LENGTH | TPI | PACK QTY | ART.# |
|--------|-----|----------|----------|
| 150 mm | 18 | 5 | 48475784 |
| 230 mm | 18 | 5 | 48475788 |
| 150 mm | 14 | 5 | 48475782 |
| 230 mm | 14 | 5 | 48475787 |

HACKZALL™ BLADES



HACKZALL™

- Especially engineered blades for exclusive use on 12 V HACKZALL™

10PC HACKZALL™ SET
ART.# 49220220



AUTO GLASS INSTALLATION

REMOTE SPEED DIAL AND VARIABLE SPEED TRIGGER

6 speed settings



QUICK CHANGE COLLAR, INTERCHANGEABLE TUBE HOLDERS

End-users selection between 4 different versions

HIGH POWER

Up to 4500 N of force

C18 PCG/600T-201B | ART.# 4933441810

M18 CAULK GUN WITH 600 ML TUBE



4500 N

KIT INCLUDES:



Also available with aluminium tube:

C18 PCG/600A-201B | ART.# 4933448758



KIT INCLUDES:



C18 PCG/400T-201B | ART.# 4933441814

M18 CAULK GUN WITH 400 ML TUBE



4500 N

KIT INCLUDES:



M12 PCG/600A-201B | ART.# 4933448764

M12 SUB COMPACT CAULK GUN WITH 600 ML TUBE



1780 N

KIT INCLUDES:



M12 PCG/400A-201B | ART.# 4933451225

M12 SUB COMPACT CAULK GUN WITH 400 ML TUBE



1780 N

KIT INCLUDES:



REDLITHIUM™

M12 FTB-0 | ART.# 4933472215 (Available as 0-version only)

M12 FUEL TYRE BUFFER

FEATURES:

- Two speed mode selector for reaming (1200 RPM) & buffing applications (2500 RPM)
- Ability to complete around 10 tyre patch repairs with one M12 B2 battery charge
- Optimal speed settings in order to avoid burning or damaging the tyre
- Variable speed trigger provides outstanding control of the tool
- Trigger lock-off extends the life of the tool and battery
- Pneumatic performance with cordless convenience for better accessibility and manoeuvrability in tight spaces

KIT INCLUDES:



SUSTAINED POWER WITHOUT BOGGING DOWN

REDLITHIUM™

BODYWORK

M18 FROP15-502X | ART.# 4933479823 (Also available as 0-version)

M18 FUEL RANDOM ORBITAL POLISHER WITH 15 MM STROKE

IDEAL FOR REMOVING SWIRLS AND LIGHT SCRATCHES

LARGE ERGONOMIC FRONT GRIP AREA WITH OVERMOLD

IMPROVED BATTERY POSITIONING

Battery 90° rotated to prevent the battery touching the paint during polishing

125 MM BACKING PAD

VARIABLE SPEED 2 FINGER TRIGGER

with locking function

REMOVABLE DUST SCREEN

KIT INCLUDES:



STAY SAFE. PRODUCTIVE.

RESPIRATORY PROTECTION SEE PAGE 43

AVAILABLE WITH 21 MM STROKE

FROP21-0
ART.# 4933478836



REDLITHIUM™

M18 FAP180-502X | ART.# 4933451551

M18 FUEL POLISHER

EFFECTIVE AT TAKING OUT HEAVY SCRATCHES AND RESTORING A GREAT FINISH

RUBBER OVER MOLD

8 POSITION VARIABLE SPEED DIAL

360 - 2200 rpm

SIDE AND 3 POSITION BAIL HANDLE

REMOVABLE DUST SCREEN

VARIABLE SPEED 2 FINGER TRIGGER

with locking function

KIT INCLUDES:



POLISHING PADS

Supplied with M18 FAP180-502X

LAMBSWOOL POLISHING DISC

ART.# 4932430395

POLISHING SPONGE HARD

ART.# 4932430396

POLISHING SPONGE SOFT

ART.# 4932430397

REDLITHIUM™

NEW

M12 FROS2.5-502X | ART.# 4933493649 (Also available as 0-version)

M12 FUEL 150 MM RANDOM ORBITAL SANDER WITH 2.5 MM ORBIT

IDEAL TO DELIVER A PAINT-READY FINISH ON PRIMER

DELIVERS THE POWER TO CONFIDENTLY SAND CLEAR COAT, ULTIMATE SANDING CONTROL

UP TO 10 DOORS OF RUN TIME WHEN SANDING PRIMER ON A M12™ REDLITHIUM™ HIGH OUTPUT™ 5.0 AH BATTERY PACK

LOCK-ON BUTTON

VARIABLE SPEED TRIGGER

3,200 - 12,000 RPMs

ERGONOMIC PALM GRIP SHAPE

TOOL-FREE BACKING PAD CHANGE

UNIVERSAL HOOK AND LOOP SANDING PAD

8-SPEED DIAL

LEFT & RIGHT DUST PORT

KIT INCLUDES:



KIT INCLUDES:



ALSO AVAILABLE WITH 5.0 MM ORBIT FOR EFFICIENT BODY FILLER REMOVAL

M12 FROS5-502X | ART.# 4933493652

(Also available as 0-version)

BACKING PADS

| | | ART.# |
|-------------|---|------------|
| FROSBPSH150 | Backing pad for M12 FUEL™ 150 mm Random Orbital Sander - Soft and Hook and Loop | 4932499244 |
| FROSBPHH150 | Backing pad for M12 FUEL™ 150 mm Random Orbital Sander - Hard and Hook and Loop | 4932499245 |
| FROSBPSP150 | Backing pad for M12 FUEL™ 150 mm Random Orbital Sander - Soft and Pressure Sensitive Adhesive (PSA) | 4932499246 |
| FROSBPHP150 | Backing pad for M12 FUEL™ 150 mm Random Orbital Sander - Hard and Pressure Sensitive Adhesive (PSA) | 4932499247 |

HOOK & LOOP SANDING SHEETS

| | Grit | Pack qty | ART.# |
|-----------------------------|------|------------|------------|
| Sanding disc HP 150/6 HL | 80 | 50 | 4932492234 |
| | 120 | 50 | 4932492235 |
| | 150 | 50 | 4932499979 |
| | 180 | 50 | 4932492236 |
| | 240 | 50 | 4932492237 |
| | 280 | 50 | 4932499983 |
| | 320 | 50 | 4932499984 |
| Sanding disc PG Mesh 150 HL | 400 | 50 | 4932499985 |
| | 500 | 50 | 4932499986 |
| | 600 | 50 | 4932499987 |
| | 800 | 50 | 4932499988 |
| | 80 | 50 | 4932492238 |
| | 120 | 50 | 4932492239 |
| | 180 | 50 | 4932492240 |
| 240 | 50 | 4932492241 | |

ALSO AVAILABLE IN THE RANGE

| | M18 FROP15-502X (Also available as 0-version) | M18 FROP21-0X | M18 FAP180-502X (Also available as 0-version) |
|------------------------|---|--|--|
| Recommended for | Polishing cars | Polishing bigger vehicles, boats, tractors | Cordless detailing |
| No load speed (RPM) | 2,650 - 5,100 | 2,400 - 4,500 | 360 - 2,200 |
| Diameter of orbit (mm) | 15 | 21 | - |
| Disc diameter (mm) | 125 | 150 | 180 |
| Standard equipment | 125 mm backing pad, dust screen | 150 mm backing pad, dust screen | Polishing backing pad, polishing sponge white, polishing sponge orange, lambswool, dust screen, bail handle, AVS side handle |
| Kit includes | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box | HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| ART.# | 4933479823 | 4933478836 | 4933451551 |

M12 BPS-421X | ART.# 4933447802 (Also available as 0-version)

M12 SUB COMPACT POLISHER / SANDER

FOR ACCESSING SMALL AREAS WHERE A LARGER PAD WILL NOT FIT WELL

FEATURES:

- Compact design with only 130 mm allows access to hard areas
- Variable 2 speed selection (0–2800/0–8300 RPM)
- Large capacity of 76 mm polishing sponge and 50 mm sanding pad size

KIT INCLUDES:



SUPPLIED WITH M12 BPS-421X

POLISHING / SANDING BACKING PAD

Thread: M9 x 0.75. Hook and loop fixation. For use with polishing sponges and abrasive paper
ART.# 4932430488

FIBRE DISC BACKING PAD

Thread: M9 x 0.75 to affix to tool. Knurled thread to fix coated abrasives and surface finishing products for coarse sanding applications, such as rust removal
ART.# 4932430492

POLISHING SPONGE HARD (YELLOW)

Hard sponge for use with aggressive polish for removal of deep scratches. Hook and loop fixation. For use with polishing / sanding backing pad
ART.# 4932430489

POLISHING SPONGE SOFT (WHITE)

Soft sponge for use with light polish for removal of small scratches. Hook and loop fixation. For use with polishing / sanding backing pad
ART.# 4932430490

LAMBSWOOL POLISHING PAD

Hook and loop fixation. For use with polishing / sanding backing pad
ART.# 4932430838



REDLITHIUM™

MICROFIBRE CLOTH

ART.# 4932430398

M-CUT 1500

Cutting coarse
ART.# 4932430475

M-WAX 6000

Polishing / Finishing
ART.# 4932430476

SUITABLE FOR ALL POLISHERS

CLOTH / POLISHING COMPOUNDS

M12 CML-401 | ART.# 4933479367

M12 LED COLOUR MATCHING LIGHT

FEATURES:

- High definition lighting with up to 1000 lumens
- 98+ colour rendering index for use to identify accurate and reliable colour recognition
- Featuring 5 different colour temperatures, for end users to replicate real sunlight requirements
- Up to 14 hours of run time on M12™ 4.0 Ah battery pack
- IP54 rated for water and dust resistant and 2 m impact resistant
- Magnetic attachment for hands-free use

1000 LUMENS

IP54

KIT INCLUDES:



| COLOUR | High | 1000 Lumens | 4 hr |
|----------------|--------|-------------|-------|
| 27 35 45 55 65 | Medium | 600 Lumens | 6 hr |
| | Low | 300 Lumens | 12 hr |

REDLITHIUM™

M18 BHG-502C | ART.# 4933459773 (Also available as 0-version)

M18 HEAT GUN

REACHES OPERATIONAL TEMPERATURE OF 470° IN LESS THAN 7 SECONDS

- Supplied with 2x nozzles: 1x reduction nozzle for heat intensity on a specific area, 1x reflector nozzle to apply heat around an object, such as pipes



KIT INCLUDES:



SMALL THIN WALL HEAT SHRINK



Damaged wire repair, bundling wires
Common Sizes: 6 mm, 9 mm, 12 mm

HEAT SHRINK CONNECTORS



Damaged wire repair
Common sizes: 16GA – 14GA (Blue)

REMOVING DECALS



Remove existing decals from vehicles

REDLITHIUM™

M18 ONEFPRT-202X | ART.# 4933478603

M18 FUEL RIVET TOOL WITH ONE-KEY™

ONE-KEY™
UNLOCKING THE DIGITAL JOBSITE.

PREMIUM STEEL ALLOY JAWS

ALL METAL GEARCASE

LANYARD RING

SEMI-CLEAR MANDREL COLLECTOR

RETENTION NOSE PIECES

Holds blind rivet in tool, in any orientation, after insertion

LED LIGHT

ON-BOARD NOSE PIECE & WRENCH STORAGE

PREMIUM RUBBER OVERMOLD
Protection against corrosive materials

BELT CLIP

KIT INCLUDES:



RETENTION NOSE PIECES SET FOR M18 FUEL™ RIVET TOOL WITH ONE-KEY™
ART.# 4932478961

ALSO AVAILABLE:

M12 BPRT-201X
ART.# 4933464406



REDLITHIUM™

VACUUM CLEANERS

Available as 0-version only

M18 FPOVCL-0 | ART.# 4933478187

M18 FUEL PACKOUT™ WET/ DRY VACUUM



FEATURES:

- Max. air flow of 1416 l/min & 117 mbar
- Usable on and off the PACKOUT™ stack
- The DEK 26 power tool connector allows for efficient dust extraction from power tools
- HEPA filter

Available as 0-version only

M18 CV-0 | ART.# 4933459204

M18 HAND VAC



FEATURES:

- HEPA filter
- Lock on switch
- Up to 23 minutes of continuous run time on a 5 Ah battery

Available as 0-version only

M12 FVCL-0 | ART.# 4933478186

M12 FUEL WET/ DRY VACUUM



FEATURES:

- Max. air flow of 1275 l/min & 105 mbar
- The DEK 26 power tool connector allows for efficient dust extraction from power tools
- HEPA filter

Available as 0-version only

M12 AUN-0 | ART.# 4932479461

M12 AIR-TIP™ UTILITY NOZZLE



FEATURES:

- The universal reception fits to all MILWAUKEE® M12™ and M18™ cordless vacs and covers most common hose sizes (Ø 31.8 mm, 47.6 mm and 63.5 mm)

REDLITHIUM™

M12 SI-201C | ART.# 4933459762 (Also available as 0-version)

M12 SUB COMPACT SOLDERING IRON

OUTSTANDING ACCESS, 3-STOP PIVOTING HEAD

TOOL FREE TIP CHANGE

HEATS QUICKLY & MAINTAINS OPTIMISED TEMPERATURE
Ready to use in 20-30 seconds




KIT INCLUDES:



PEN STYLE - 0°

INNOVATIVE 45° SETTING

GUN STYLE - 90°



Delivers user ability to choose the orientation of the tool depending on the application without the hassle of cords or butane exhaust.

REDLITHIUM™

GREASE GUNS

FEATURES:

- Extreme long run time - dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics - only 355 mm long and 3.2 kg
- Air bleeder valve - priming mechanism for quick flow
- Integrated hose storage and shoulder strap loop - added user convenience and reducing down time
- Three way loading - bulk, cartridge and suction capable
- Grease capacity 400 ml cartridge, 473 ml bulk



M12 GG-0 | ART.# 4933440435

M12 SUB COMPACT GREASE GUN



- Supplied with 914 mm x 14.4 mm high pressure flex hose with spring guard and grease coupler



M18 GG-0 | ART.# 4933440493

M18 GREASE GUN



- Supplied with 1219 mm high pressure flex hose with spring guard



REDLITHIUM™

M18 BI-0 | ART.# 4933478706

M18 INFLATOR

OPTIMISED FOR PASSENGER, LIGHT TRUCK, AND OTHER MEDIUM-DUTY TYRES

FEATURES:

- Rated to deliver max 10.34 bar pressure, the high efficiency motor top off 285/75R16 light truck tyres in under 1 minute
- TRUEFILL™ technology: auto pressure check feature activates to ensure bar target is achieved, automatic shut-off at selected bar prevents overinflation
- Features 4 bar memory slots, anti-vibration feet, a 920 mm hose with an all-brass schrader chuck, and an on-board hose and nozzle storage



KIT INCLUDES:



ALSO AVAILABLE:

M12 BI-0
ART.# 4933464124
For car, truck and off-road



REDLITHIUM™

OTHER

TRANSPORT EDITION

OTHER

STEEL STORAGE



ART.# 4932498186

FILLED 30"/78 CM STEEL STORAGE ROLLING CABINET PREMIUM VERSION

1/4, 3/8, 1/2 RATCHET & SOCKET FOAM SET

4 PC PLIERS FOAM INSERT SET

15 PC MAXBITE RAT MET COMB SPAN SET

10 PC DOUBLE OPEN END SPANNER FOAM INSERT SET

3 PC CIRCLIP PLIERS FOAM INSERT SET

2 PC ENGINEER AND DEAD BLOW HAMMER FOAM INSERT

3 PC CUTTING AND MEASURING SET FOAM INSERT

M18 FIW2F12-0 COMPACT IMPACT WRENCH

SAFETY GLASSES CLEAR


27 PC MAXBITE METRIC COMBINATION SPANNER FOAM SET

23 PC TRILOBE SCREWDRIVER FOAM INSERT

M18™ RESISTANT 5.0 AH BATTERY

M12-18 FC

REUSABLE CORDED EAR PLUGS - 3 PCS



ALSO AVAILABLE:

ART.# 4932478851

30"/78 CM 7-DRAWER STEEL STORAGE ROLLING CABINET



ALSO AVAILABLE:

ART.# 4932478850

30" STEEL TOP CHEST FEATURES:

- Integrated bottle storage
- Additional storage capacity



ALSO AVAILABLE:

ART.# 4932498187

FILLED 30"/78 CM 7-DRAWER STEEL STORAGE ROLLING CABINET STANDARD VERSION



STEEL STORAGE

TRANSPORT EDITION

ART.# 4932478853 + 4932478855

117 CM (46") HIGH CAPACITY STEEL CABINET & TOP CHEST

GLOSSY FINISH

easy to clean

WORK TOP DRAWER

for using a laptop or making notes

45 KG RATED, SOFT-CLOSE DRAWERS


(90 kg for the bottom drawer)

DURABLE ANGLE FRAME

1360 kg total load capacity

150 MM INDUSTRIAL CASTERS

2 x fixed, 2 x swivelling



PEG BOARD ON THE BACK WALL

allows for an easy access to the most used tools

SAFETY DRAWER

locked separately for storing personal items, keys, wallet, documents, etc.

2X IN-BUILT POWER CENTRE

for charging batteries directly on the cabinet

POWER TOOL & BATTERY ORGANISER

in bottom two drawers



ART.# 4932478853

46" HIGH CAPACITY STEEL CABINET



ART.# 4932478855

46" HIGH CAPACITY STEEL TOP CHEST



ART.# 4932478857

102 CM (40") STEEL WORK CART

BUILT-IN STORAGE COMPARTMENTS, SCREWDRIVER HOLDERS, STORAGE CUPS

ensure a good organisation and easy access to most used tools and parts

MAGNETIC POWER CENTRE

for charging batteries directly on the work cart

ADJUSTABLE STORAGE BAR

for paper towels, spool wires

CORNER BUMPERS

90 KG RATED SLIDING BOTTOM SHELF

for easier access to bulky items like air compressors or tool boxes



FOLDABLE REAR SHELF

22 kg weight capacity

V-GROOVES

to hold material when cutting or measuring

45 KG RATED SOFT CLOSE DRAWER

2X MOVEABLE SHELVES

for storing bottles, sprays and other equipment

125 MM INDUSTRIAL CASTERS

2 x fixed, 2 x swivelling

DURABLE ANGLE FRAME

315 kg total load capacity

STEEL STORAGE

PACKOUT™ MODULAR STORAGE SYSTEM SHOP STORAGE

OVER 25 POSSIBLE COMBINATIONS

VERSATILE, DURABLE

The MILWAUKEE® PACKOUT™ modular storage system revolutionises tool transportation, organisation and storage. Designed to provide users with the ability to interchange and interlock a wide assortment of heavy duty tool boxes, organisers and storage totes in multiple different configurations.



TRY OUR NEW
PACKOUT™ BUILDER
TO CREATE YOUR IDEAL KIT

packout.milwaukeetool.eu/uk

ART.# 4932492892

PACKOUT™ TRANSPORTATION KIT

FEATURES:

- 1 x PACKOUT™ Flat Trolley
- 1 x PACKOUT™ 2 Drawer Tool Box
- 1 x PACKOUT™ 3 Drawer Tool Box
- 1 x PACKOUT™ Customisable Work Surface



ART.# 4932493620

PACKOUT™ SHOP STORAGE POWER TOOL STARTER KIT

INCLUDES:

- PACKOUT™ XL mounting plate 4932480622
- PACKOUT™ drill storage station 4932480712
- M18™ battery holder 4932480709
- M12™ battery holder 4932480708



ART.# 4932493190

PACKOUT™ 2+1 DRAWER TOOL BOX

FEATURES:

- Steel ball bearing slides support up to 11 kg of weight per drawer
- Quick-Adjust Dividers in each drawer to fully customise the layout for better organisation
- Locking security bar prevents an unwanted opening of drawers during transit
- Allows to lock the drawers with a padlock for theft protection



| | | | | |
|--|--|---|---|---|
| | | | | |
| PACKOUT™ Magnetic Bin 10 x 10 cm 4932493380 | PACKOUT™ Magnetic Bin 10 x 20 cm 4932493381 | PACKOUT™ Small Single Straight Hook 4932493383 | PACKOUT™ Small Hook Row 4932493384 | PACKOUT™ Magnetic Rack 4932493378 |
| | | | | |
| PACKOUT™ Wire Basket 4932493379 | PACKOUT™ Straight Utility Hook 4932480700 | PACKOUT™ Curved Utility Hook 4932480701 | PACKOUT™ Large Hook 4932480702 | PACKOUT™ Large S Hook 4932480703 |
| | | | | |
| PACKOUT™ Small Straight Utility Hook 4932480704 | PACKOUT™ Small Curved Utility Hook 4932480705 | PACKOUT™ Cup Holder 4932480706 | PACKOUT™ Paper Towel Holder 4932480707 | PACKOUT™ M12 Battery Holder 4932480708 |
| | | | | |
| PACKOUT™ M18 Battery Holder 4932480709 | PACKOUT™ Pliers Rack 4932480710 | PACKOUT™ Screwdriver Rack 4932480711 | PACKOUT™ Drill Storage Station 4932480712 | PACKOUT™ Small Shelf 4932480713 |
| | | | | |
| PACKOUT™ 10 x 10 cm Nest Bin 4932480698 | PACKOUT™ 10 x 20 cm Nest Bin 4932480699 | PACKOUT™ XL Mounting Plate 4932480622 | PACKOUT™ Compact Mounting Plate 4932480621 | PACKOUT™ Mounting Plate 4932471638 |

EXPLORE THE FULL
PACKOUT™ RANGE
ONLINE ▶



IMPACT RESISTANT BASE™ **IP65 RATED PROTECTION™** **FULLY CUSTOMISE YOUR STORAGE™**

PACKOUT™

TRANSPORT EDITION

PACKOUT™

CORDLESS ESSENTIALS

AUTOMOTIVE & TRANSPORTATION

M18 HOSALC-0 | ART.# 4933478117
M18 HIGH OUTPUT STAND AREA LIGHT CHARGER

MAX RUN TIME:
10 h with
M18 HB8



6000 LUMENS
IP34

M18 HOAL-0 | ART.# 4933478119
M18 HIGH PERFORMANCE AREA LIGHT

MAX RUN TIME:
12 h with M18 B5
4000 LUMENS



M12 AL-0 | ART.# 4933451394
M12 LED AREA LIGHT

Integrated magnets, clamping mechanism, and key hole for screws provide multiple mounting options.



MAX RUN TIME:
15 h with M12 B4

1000 LUMENS
IP54

M12 SL-0 | ART.# 4932430178
M12 LED STICK LIGHT

Adjustable metal hook allows for light to be hung in multiple orientations when being used.



MAX RUN TIME:
11 h with M12 B4

220 LUMENS
IP24

M18 PRCDAB+-0 | ART.# 4933472113
M18 PACKOUT™ RADIO-CHARGER



- DAB+ and AM/FM tuner
- BLUETOOTH® connectivity
- Built in charger

M18 RC-0 | ART.# 4933446647
M18 JOBSITE RADIO/CHARGER WITH BLUETOOTH™



- AC/DC versatility
- Built incharger function

M18 RADDAB+G2-0 | ART.# 4933492345
M18 JOBSITE RADIO DAB+



- DAB+/FM Tuner
- Cordless and AC compatible
- USB-C power outlet

M18 AFG2-0 | ART.# 4933493443
M18 AIR FAN

- optimised air flow up to 1.444 m³/h
- Variable speed setting
- 300° ROTATING HEAD
- 3 hour run time on High Mode with M18 B5



PACKOUT™

M18 SPEJSG2-0 | ART.# 4933493530
M18 JOBSITE SPEAKER



Connect 2 or more speakers simultaneously

M12 SPEJSG2-0 | ART.# 4933498433
M12 JOBSITE SPEAKER



Intergrated PACKOUT™ mounting base

PACKOUT™

REDLITHIUM™

M18 FB12 | ART.# 4932492651
M18 FORGE™ 12.0 Ah BATTERY



REDLITHIUM™ FORGE

M18 FB8 | ART.# 4932492131
M18 FORGE™ 8.0 Ah BATTERY



REDLITHIUM™ FORGE

M18 FB6 | ART.# 4932492533
M18 FORGE™ 6.0 Ah BATTERY



REDLITHIUM™ FORGE

M18 HB5.5 | ART.# 4932464712
M18 HIGH OUTPUT™ 5.5 Ah BATTERY



REDLITHIUM™ HIGH OUTPUT

M18 HB3 | ART.# 4932471069
M18 HIGH OUTPUT™ 3.0 Ah BATTERY



REDLITHIUM™ HIGH OUTPUT

M18 B5 | ART.# 4932430483
M18 5.0 Ah BATTERY



M18 B4 | ART.# 4932430063
M18 4.0 Ah BATTERY



M18 B2 | ART.# 4932430062
M18 2.0 Ah BATTERY



M12 B6 | ART.# 4932451395
M12 6.0 Ah BATTERY



M12 B4 | ART.# 4932430065
M12 4.0 Ah BATTERY



M12 B3 | ART.# 4932451388
M12 3.0 Ah BATTERY



M12 B2 | ART.# 4932430064
M12 2.0 Ah BATTERY



L4 B3 | ART.# 4933478311
REDLITHIUM™ USB BATTERY



M12 HB5.0 | ART.# 4932480165
M12 HIGH OUTPUT™ 5.0 Ah BATTERY



M12 HB2.5 | ART.# 4932480164
M12 HIGH OUTPUT™ 2.5 Ah BATTERY



M12-18 SC | ART.# 4932471735
M12 - M18 SUPER CHARGER



M12-18 FC | ART.# 4932451080
M12 - M18 FAST CHARGER



M1418C6 | ART.# 4932430087
M14 - M18 MULTIBAY CHARGER



M18 DBSC | ART.# 4932492532
M18 DUAL BAY SUPER CHARGER



M12 C4 | ART.# 4932430555
M12 4 BAY CHARGER



C12 C | ART.# 4932352069
M12 CHARGER





TRADE ESSENTIALS

INKZALL™ LIQUID PAINT MARKERS

| Description | ART.# |
|---------------------------------------|------------|
| INKZALL™ liquid paint marker - white | 48223711 |
| INKZALL™ liquid paint marker - yellow | 48223721 |
| INKZALL™ liquid paint marker - black | 48223731 |
| INKZALL™ liquid paint marker - red | 4932492143 |
| INKZALL™ liquid paint marker - blue | 4932492144 |



SCAN TO EXPLORE THE
**INKZALL™
RANGE**



ART.# 4932471359 SLIDING UTILITY KNIFE



ART.# 4932471357 FASTBACK™ FLIP UTILITY KNIFE



- One handed blade opening - flip open the blade with one hand for easy activation
- Integrated gut hook - make cuts without exposing the blade
- Tool free blade change - less down time in the field for blade changes
- Wire stripper - eliminates the need to look for another tool

SCAN TO EXPLORE THE
**KNIFE
RANGE**



PLIERS



| Description | ART.# |
|--|------------|
| PLIERS 200 mm WP Plier - 1 pc Adjustable Water pump plier 180 mm | 4932492458 |
| PLIERS 250 mm WP Plier - 1 pc Adjustable Water pump plier 240 mm | 4932492459 |
| PLIERS 300 mm WP Plier - 1 pc Adjustable Water pump plier 300 mm | 4932492460 |

PLIERS



| Description | ART.# |
|--|------------|
| PLIERS 160 mm Diagonal C - 1 pc Diagonal cutting plier 160 mm | 4932492463 |
| PLIERS 180 mm Diagonal C - 1 pc Heavy Duty Diagonal cutting plier 200 mm | 4932492464 |

COMBINATIONS PLIERS



| Description | ART.# |
|--------------------------|------------|
| Combination Plier 165 mm | 4932492461 |
| Combination Plier 180 mm | 4932492462 |

ART.# 4932499020 METAL SNIPS SET (3 PC)

- INCLUDES:**
Left (red),
Right (green),
Straight (yellow)
aviation snips



DEADBLOW HAMMERS

| Description | ART.# |
|----------------------------------|------------|
| 450 g Ball Peen Hammer | 4932492346 |
| 680 g Ball Peen Hammer | 4932492347 |
| 450 g Dead Blow Ball Peen Hammer | 4932492348 |
| 907 g Dead Blow Ball Peen Hammer | 4932492349 |
| 790 g Dead Blow Hammer | 4932492350 |
| 1360 g Dead Blow Hammer | 4932492351 |



CIRCLIP PLIERS



| Description | ART.# |
|---|------------|
| Small Circlip Plier - 0° - 0.9 mm tip | 4932492487 |
| Small Circlip Plier - 45° - 0.9 mm tip | 4932492488 |
| Small Circlip Plier - 90° - 0.9 mm tip | 4932492489 |
| Medium Circlip Plier - 0° - 1.2 mm tip | 4932492490 |
| Medium Circlip Plier - 45° - 1.2 mm tip | 4932492491 |
| Medium Circlip Plier - 90° - 1.2 mm tip | 4932492492 |
| Large Circlip Plier - 0° - 1.8 mm tip | 4932492493 |
| Large Circlip Plier - 45° - 1.8 mm tip | 4932492494 |
| Large Circlip Plier - 90° - 1.8 mm tip | 4932492495 |

ART.# 4932471871 DEMOLITION DRIVER



- Hardened all metal core giving maximum shank durability
- Multiple striking caps to give user more force when prying and chiselling
- Duct piercing tip allows to pierce through sheet metal

ADJUSTABLE WRENCHES



| Total length (mm) | Jaw opening capacity for pipe (mm) | Jaw thickness (mm) | Tip thickness (mm) | Weight (g) | ART.# |
|---------------------------------------|------------------------------------|--------------------|--------------------|------------|----------|
| 150 | 24.5 | 11.5 | 7.7 | 186 | 48227406 |
| 200 | 30 | 14 | 8.7 | 353 | 48227408 |
| 200 | 40 | 14 | 8.1 | 385 | 48227508 |
| 250 | 36.5 | 16 | 9.9 | 535 | 48227410 |
| 150 mm (48227406) + 250 mm (48227410) | | | | | 48227400 |


ART.# 4932492399 COMPACT HEX KEY 9 PC SET

| Sizes | ART.# |
|--------|------------|
| 1.5 mm | 4932492400 |
| 2 mm | 4932492401 |
| 2.5 mm | 4932492402 |
| 3 mm | 4932492403 |
| 4 mm | 4932492404 |
| 5 mm | 4932492405 |
| 6 mm | 4932492406 |
| 8 mm | 4932492407 |
| 10 mm | 4932492408 |



TRILOBE SETS

ART.# 4932471806 TRI-LOBE SCREWDRIVER SET 1 (6 PC)



Content: PZ1/PZ2/SL3/SL4/SL5.5/SL6.5

ART.# 4932471807 TRI-LOBE SCREWDRIVER SET 2 (6 PC)



Content: PH1/PH2/SL3/SL4/SL5.5/SL6.5

ART.# 4932471808 TRI-LOBE SCREWDRIVER SET 3 (10 PC)



Content: PZ1/PZ2/PH1/PH2/SL3/SL5.5/SL6.5/SL6.5/SL8

ART.# 4932471809 TRI-LOBE SCREWDRIVER TORX SET (6 PC)



Content: T10/T15/T20/T25/T30/T40

ART.# 4932472003 TRI-LOBE SCREWDRIVER SET 4 (12 PC)



Content: PZ0/PZ1/PZ2/PH0/PH1/PH2/SL2.5/SL4/SL5.5/SL6.5/SL6.5/SL8

M12 HPJBL2-0
MENS HEATED PUFFER JACKET

SIZES:
from S to XXL



M12 HJBL5-0
MENS HEATED TOUGHSELL JACKET

SIZES:
from S to XXL



WHB
WORK HOODIE (BLACK)

SIZES:
from S to XXL



M12 HPVBL2-0
MENS HEATED TOUGHSELL VEST

SIZES:
from S to XXL



M12 HHBL4-0
MENS HEATED HOODIE

SIZES:
from S to XXL



KNEE PADS



| Description | Internal Padding | Straps | ART.# |
|--|------------------|--------|------------|
| ① Premium non-marking knee pads - 1 pair | Gel | 2 | 4932478584 |
| ② Hard knee pads - 1 pair | Gel | 2 | 4932478585 |
| ③ Flexible knee pads - 1 pair | Foam | 1 | 4932479936 |

L4 HBLB-301
HEATED BASE LAYER



SIZES:
from S to XXL

SCAN TO VIEW OUR
HEATED WORKGEAR RANGE



L4 PWL-301 | ART.# 4933479765
USB RECHARGEABLE PIVOTING WORK LIGHT



MAX RUN TIME: 11.75 h with L4 B3

500 LUMENS

IR FL500 | ART.# 4933478586
INTERNAL USB RECHARGEABLE FLASHLIGHT



500 LUMENS

IR HL450 | ART.# 4933478587
INTERNAL USB RECHARGEABLE HEADLAMP



450 LUMENS

L4 HLRP-301 | ART.# 4933479767
USB RECHARGEABLE HARD HAT HEADLAMP



MAX RUN TIME: 28h with L4 B3

600 LUMENS
IP54

L4 FL-301 | ART.# 4933479763
INTERNAL RECHARGEABLE FLOOD LIGHT



MAX RUN TIME: 12.5 h with L4 B3

445 LUMENS
IP54


IRFFL | ART.# 4933493528
USB RECHARGEABLE FOLDING FLOOD LIGHT



MAX RUN TIME: 12 h from one charge

500 LUMENS
IP54

IPL-LED | ART.# 4933459440
ALKALINE PEN LIGHT



MAX RUN TIME: 3 h

100 LUMENS
IP67

L4 RLEPB-301 | ART.# 4933478750
USB RECHARGEABLE HEARING ASSIST EARPLUGS WITH BLUETOOTH®

CERTIFIED TO EN352-2

JOBSITE AWARE MODE

PHONE CALL CAPABILITY

REMOVEABLE EAR WINGS

Includes small, medium and large wings

PASSIVE HEARING PROTECTION

Provided by removable foam and silicone ear tips

USB-A TO USB-C CHARGING CORD

CASE POWERED BY REMOVABLE REDLITHIUM™ USB BATTERY

PREMIUM IN-EAR AUDIO

Provides powerful and balanced sound



COMING SOON

NITRILE DISPOSABLE GLOVES



| Description | Art. # |
|--|------------|
| Nitrile Disposable Glove Size 7 Small | 4932493233 |
| Nitrile Disposable Glove Size 9 Medium | 4932493234 |
| Nitrile Disposable Glove Size 9 Large | 4932493235 |
| Nitrile Disposable Glove Size 10 X Large | 4932493236 |
| Nitrile Disposable Glove Size 11 XXL Large | 4932480080 |

FULLY DIP CUT A GLOVES



SIZES:
from S to XXL

HIGH DEXTERITY GLOVES

CUT B GLOVES

CUT C GLOVES

CUT D GLOVES

SIZES:
from S to XXL

ART.# 4932471883

CLEAR SAFETY GLASSES



Also available with gasket



ART.# 4932471885



COMFORT



LIGHTWEIGHT

ART.# 4932493439

OTG SAFETY GLASSES



FEATURES:

- Anti-scratch lenses
- Fog-free lenses
- Rubber nose bridge
- Fits over most standard prescription eyeglasses

NEW PERFORMANCE GLASSES



| | ART.# |
|--|------------|
| Performance glasses mirror af - 1 pc | 4932498366 |
| Performance glasses transition as - 1 pc | 4932498367 |

NEW ENHANCED GLASSES



| | ART.# |
|--|------------|
| Enhanced glasses mirror as - 1 pc | 4932498365 |
| Enhanced safety glasses red mirror tinted lens af - 1 pc | 4932498548 |

NEW LOW PROFILE GOGGLES



| | ART.# |
|---|------------|
| Vented clear low-profile goggle - 1 pc | 4932493433 |
| Vented tinted low-profile goggle - 1 pc | 4932493434 |

NEW



**ROLLCAGE™
HEEL STABILIZER**



**REFLECTIVE
HEEL LOOP**

**LACE
POCKET**



**STEP
RELEASE™**

**ENERGY
FOAM**

**SITS ABOVE ANTI-
PUNCTURE PLATE
FOR MAXIMUM
COMFORT**

**LIGHTWEIGHT
COMPOSITE
TOE CAP**



**VIEW THE MILWAUKEE®
FLEXTRED™ RANGE**

**FLEXTRED™ S1PS SAFETY
TRAINERS BLACK 1L110133
ESD FO SR**



MATERIAL TEXTILE 1

**FLEXTRED™ S1PS SAFETY
TRAINERS BLACK
B1L110133ESD FO SR**



MATERIAL TEXTILE 2

**FLEXTRED™ S1PS SAFETY
BOOTS BLACK 1M110133
ESD FO SR**



MATERIAL TEXTILE 3

**FLEXTRED™ S1PS SAFETY
BOOTS BLACK B1M110133
ESD FO SR**



MATERIAL TEXTILE 4

**FLEXTRED™ S3S SAFETY
TRAINERS BLACK 1L110133
ESD SC FO SR**



MATERIAL NUBUCK 5

**FLEXTRED™ S3S SAFETY
TRAINERS BLACK
B1L110133 ESD SC FO SR**



MATERIAL NUBUCK 6

**FLEXTRED™ S3S SAFETY
BOOTS BLACK 1M110133
ESD SC FO SR**



MATERIAL NUBUCK 7

**FLEXTRED™ S3S SAFETY
BOOTS BEIGE 1M171311
ESD FO SR**



MATERIAL NUBUCK 8

**FLEXTRED™ S3S SAFETY
BOOTS BLACK B1M110133
ESD SC FO SR**



MATERIAL NUBUCK 9

| | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 |
|---|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| 1 FLEXTRED™ S1PS SAFETY TRAINERS BLACK 1L110133 ESD FO SR | 4932493688 | 4932493689 | 4932493690 | 4932493691 | 4932493692 | 4932493693 | 4932493694 | 4932493695 | 4932493696 | 4932493697 | 4932493698 | 4932493699 | 4932493700 |
| 2 FLEXTRED™ S1PS SAFETY TRAINERS BLACK B1L110133 ESD FO SR | 4932498080 | 4932498081 | 4932498082 | 4932498083 | 4932498084 | 4932498085 | 4932498086 | 4932498087 | 4932498088 | 4932498089 | 4932498090 | 4932498091 | 4932498092 |
| 3 FLEXTRED™ S1PS SAFETY BOOTS BLACK 1M110133 ESD FO SR | 4932493701 | 4932493702 | 4932493703 | 4932493704 | 4932493705 | 4932493706 | 4932493707 | 4932493708 | 4932493709 | 4932493710 | 4932493711 | 4932493712 | 4932493713 |
| 4 FLEXTRED™ S1PS SAFETY BOOTS BLACK B1M110133 ESD FO SR | 4932498093 | 4932498094 | 4932498095 | 4932498096 | 4932498097 | 4932498098 | 4932498099 | 4932498100 | 4932498101 | 4932498102 | 4932498103 | 4932498104 | 4932498105 |
| 5 FLEXTRED™ S3S SAFETY TRAINERS BLACK 1L110133 ESD SC FO SR | 4932493714 | 4932493715 | 4932493716 | 4932493717 | 4932493718 | 4932493719 | 4932493720 | 4932493721 | 4932493722 | 4932493723 | 4932493724 | 4932493725 | 4932493726 |
| 6 FLEXTRED™ S3S SAFETY TRAINERS BLACK B1L110133 ESD SC FO SR | 4932498106 | 4932498107 | 4932498108 | 4932498109 | 4932498110 | 4932498111 | 4932498112 | 4932498113 | 4932498114 | 4932498115 | 4932498116 | 4932498117 | 4932498118 |
| 7 FLEXTRED™ S3S SAFETY BOOTS BLACK 1M110133 ESD SC FO SR | 4932493727 | 4932493728 | 4932493729 | 4932493730 | 4932493731 | 4932493732 | 4932493733 | 4932493734 | 4932493735 | 4932493736 | 4932493737 | 4932493738 | 4932493739 |
| 8 FLEXTRED™ S3S SAFETY BOOTS BEIGE 1M171311 ESD FO SR | 4932493740 | 4932493741 | 4932493742 | 4932493743 | 4932493744 | 4932493745 | 4932493746 | 4932493747 | 4932493748 | 4932493749 | 4932493750 | 4932493751 | 4932493752 |
| 9 FLEXTRED™ S3S SAFETY BOOTS BLACK B1M110133 ESD SC FO SR | 4932498119 | 4932498120 | 4932498121 | 4932498122 | 4932498123 | 4932498124 | 4932498125 | 4932498126 | 4932498127 | 4932498128 | 4932498129 | 4932498130 | 4932498131 |

NEW

Milwaukee
ARMOURTRED™

**HEAVY DUTY
ALUMINIUM
TOE CAP**



**REFLECTIVE
HEEL LOOP**

**LACE
POCKET**

**SHOCK
SHIELD**



**STEP
RELEASE™**

**ENERGY
FOAM**
SITS ABOVE ANTI-
PUNCTURE PLATE
FOR MAXIMUM
COMFORT

ROLLCAGE™
HEEL STABILIZER



**VIEW THE MILWAUKEE®
ARMOURTRED™ RANGE**

**ARMOURTRED™ S3S SAFETY TRAINERS
BLACK 1L110111W ESD HRO SC FO LG SR**



MATERIAL LEATHER

1

**ARMOURTRED™ S3S SAFETY BOOTS
BLACK 1M110111W ESD HRO SC FO LG SR**



MATERIAL LEATHER

2

**ARMOURTRED™ S7S
SAFETY BOOTS BLACK
1H110111W CI AN HRO
SC FO LG SR**



MATERIAL LEATHER

3

**ARMOURTRED™ S3S
SAFETY TRAINERS BLACK
B1L110111W ESD HRO SC
FO LG SR**



MATERIAL MICROFIBRE

4

**ARMOURTRED™ S7S
SAFETY BOOTS BLACK
B1M110111W CI HRO SC
FO LG SR**



MATERIAL MICROFIBRE

5

| | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 |
|---|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| 1 ARMOURTRED™ S3S SAFETY TRAINERS BLACK 1L110111W ESD HRO SC FO LG SR | 4932493753 | 4932493754 | 4932493755 | 4932493756 | 4932493757 | 4932493758 | 4932493759 | 4932493760 | 4932493761 | 4932493762 |
| 2 ARMOURTRED™ S3S SAFETY TRAINERS BLACK B1L110111W ESD HRO SC FO LG SR | 4932493783 | 4932493784 | 4932493785 | 4932493786 | 4932493787 | 4932493788 | 4932493789 | 4932493790 | 4932493791 | 4932493792 |
| 3 ARMOURTRED™ S7S SAFETY BOOTS BLACK 1H110111W CI AN HRO SC FO LG SR | 4932493773 | 4932493774 | 4932493775 | 4932493776 | 4932493777 | 4932493778 | 4932493779 | 4932493780 | 4932493781 | 4932493782 |
| 4 ARMOURTRED™ S3S SAFETY BOOTS BLACK 1M110111W ESD HRO SC FO LG SR | 4932493763 | 4932493764 | 4932493765 | 4932493766 | 4932493767 | 4932493768 | 4932493769 | 4932493770 | 4932493771 | 4932493772 |
| 5 ARMOURTRED™ S7S SAFETY BOOTS BLACK B1M110111W CI HRO SC FO LG SR | 4932493793 | 4932493794 | 4932493795 | 4932493796 | 4932493797 | 4932493798 | 4932493799 | 4932493800 | 4932493801 | 4932493802 |

NEW

FREEFLEX™ SOFTSHELL HOODED JACKET BLACK



| | Art.# |
|---|------------|
| Freeflex Softshell Hooded Jacket Black S | 4932498271 |
| Freeflex Softshell Hooded Jacket Black M | 4932498272 |
| Freeflex Softshell Hooded Jacket Black L | 4932498273 |
| Freeflex Softshell Hooded Jacket Black XL | 4932498274 |
| Freeflex Softshell Hooded Jacket Black XXL | 4932498275 |
| Freeflex Softshell Hooded Jacket Black XXXL | 4932498276 |

NEW

FREEFLEX™ WORK JACKET BLACK



| | Art.# |
|---------------------------------|------------|
| Freeflex Work Jacket Black S | 4932498277 |
| Freeflex Work Jacket Black M | 4932498278 |
| Freeflex Work Jacket Black L | 4932498279 |
| Freeflex Work Jacket Black XL | 4932498280 |
| Freeflex Work Jacket Black XXL | 4932498281 |
| Freeflex Work Jacket Black XXXL | 4932498282 |

NEW

WORKSKIN™ COLD WEATHER BASE LAYER LONG SLEEVE BLACK



| | Art.# |
|---|------------|
| WORKSKIN Cold Weather Base Layer Long Sleeve Black S | 4932498283 |
| WORKSKIN Cold Weather Base Layer Long Sleeve Black M | 4932498284 |
| WORKSKIN Cold Weather Base Layer Long Sleeve Black L | 4932498285 |
| WORKSKIN Cold Weather Base Layer Long Sleeve Black XL | 4932498286 |
| WORKSKIN Cold Weather Base Layer Long Sleeve Black XXL | 4932498287 |
| WORKSKIN Cold Weather Base Layer Long Sleeve Black XXXL | 4932498288 |

NEW

WORKSKIN™ COLD WEATHER BASE LAYER TROUSERS BLACK



| | Art.# |
|---|------------|
| WORKSKIN Cold Weather Base Layer Pants Black S | 4932498289 |
| WORKSKIN Cold Weather Base Layer Pants Black M | 4932498290 |
| WORKSKIN Cold Weather Base Layer Pants Black L | 4932498291 |
| WORKSKIN Cold Weather Base Layer Pants Black XL | 4932498292 |
| WORKSKIN Cold Weather Base Layer Pants Black XXL | 4932498293 |
| WORKSKIN Cold Weather Base Layer Pants Black XXXL | 4932498294 |

THE EASIEST WAY TO KEEP TRACK OF YOUR INVENTORY

ONE-KEY™
UNLOCKING THE DIGITAL JOBSITE™

Bluetooth LOCATION

GET STARTED IN 2 MINUTES

STEP 1

DOWNLOAD THE MILWAUKEE® ONE-KEY™ APP FOR FREE



STEP 2

REGISTER YOUR PROFILE FAST & EASY

STEP 3

DONE! YOU ARE NOW READY TO USE ONE-KEY™

AIDT

ONE-KEY™ ASSET ID TAGS



| | Art.# |
|-------------------------|------------|
| 1 Small plastic surface | 4932480559 |
| 2 Large plastic surface | 4932480560 |
| 3 Small metal surface | 4932480561 |
| 4 Large metal surface | 4932480562 |



TIME AND LOCATION DATA

are recorded in the ONE-KEY™ app when tag is scanned



MACHINE-READABLE 2D DATA MATRIX CODE

allows for quick, reliable identification with every scan



EASY INVENTORY CHECK-IN AND CHECK-OUT

Quick in-field and warehouse audits



SELF ADHESIVE

for quick attachment

MILWAUKEE® ONE-KEY™ BLUETOOTH® TRACKING TAG - BTT



| | |
|------------------|------------------|
| 1 pcs | 10 pcs |
| ART.# 4933478640 | ART.# 4933478643 |



BLUETOOTH® ENABLED

for community tracking



TRACK POWERTOOLS AND EQUIPMENT



MULTIPLE ATTACHMENT OPTIONS



IDENTIFY YOUR EQUIPMENT

even when out of sight, with a new built-in speaker



THE QR CODE ALLOWS FOR 2 STEP ACTIVATION

tracking when Bluetooth® isn't working and quickly identify specific item within the ONE-KEY™ software




FIND THE RIGHT TOOLS FOR YOUR TRADE

www.milwaukeetool.co.uk



WITH OUR AUTOMOTIVE TRADE ZONE

We work directly with our core trades every day to produce the tools you need to improve the way you work.



TRANSPORT

WATCH OUR TRANSPORT TRADE VIDEOS AT
youtube.com/milwaukeetool europe



MILWAUKEE® Tool UK,
Suite A, Second Floor, Marlow International, Parkway, Marlow, SL7 1YL

Tel: +44(0) 1628 894400
Fax: +44(0) 1628 894401

www.milwaukeetool.co.uk

**LIFETIME
GUARANTEE**
MILWAUKEE® HANDTOOLS

2
YEAR WARRANTY
MILWAUKEE® LITHIUM
BATTERIES

Milwaukee
AUTHORISED
DISTRIBUTOR

3
YEAR WARRANTY
MILWAUKEE
POWER TOOLS