

Nothing but **HEAVY DUTY.**™

# Transport \* RAIL \*


# 2022

## TRANSPORT CATALOGUE













ONE-KEYTM



**COMPACT** 

**MID TORQUE** 

### **HIGH PERFORMANCE**





For the full range of MILWAUKEE® impact wrenches and sockets visit milwaukeetool.co.uk

\*Recommended max bolt size

**REDLITHIUM**<sup>™</sup>



## ONETKEY UP TO 30m ☑ <a>Bluetooth</a> ☑ 🕄 Bluetooth **☑ Q** LOCATION

### **BUILD A MORE CONNECTED JOBSITE**

With 40 connected tools and counting, MILWAUKEE® is the world leader in smart solutions, dedicated to moving jobs forward.

Download ONE-KEY™APP for free via the APP store, or Google Play Store, or simply use your browser







TOOL TRACKING





CONNECTED TOOLS

### **PLACES MANAGEMENT** • Manage your inventory based on where it is stored

**CREW MANAGEMENT** 

**MULTI-USER** 

and inventory

access to

Invite employees to your

 Integrated role assignments decide what they'll have

Import contacts from your

phone book or add new ones to a virtual address

• Call, text, or email people

right from the app

account and let them manage your equipment

- · Quick access of all your jobs in one clean view
- Visualise what's on-hand to cut back on hoarding, or get something where it needs to be
- Audit anywhere, the quickest way to verify what you have on-hand
- Transfers, fill a shopping cart of items to send to a site, auto-generate a pick-list for accountability



### **DIGITAL INVENTORY**

ONE-KEY™ lets you manage your assets from your computer, tablet, or smartphone. On the jobsite, in the office - access your inventory, wherever you go with our cloud-based solution.





### THE INVENTORY DASHBOARD:

- Helps you draw quick insight
- Smart filters display essential information like recent transfers from jobsites



### ITEM DETAIL:

- Seamlessly manage details
- Increase accountability across jobs with visibility of tools
- Know where the tools are assigned to



### **TOOL HISTORY:**

• Build a digital breadcrumb trail with accessible history of when, where and how your tools have been used



### SERVICE REMINDER:

 Set service reminders on vour equipment and ONE-KEY™ will notify you when attention is needed

### **TOOL TRACKING**

With community Bluetooth®\* tracking, barcode scanning, and geo-fencing, staying on top of your tools and equipment is easy. ONE-KEY shows the last seen location of your connected tools. Mark one missing and our network, made up of hundreds of thousands, helps find it.







Versatile Bluetooth®\* tracker that can or straps on anything. It provides location updates (last seen date, time and location) when it comes within a 30 m range of any phone with the ONE-KEY™ App.

\*The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by (TTI corporate name) is under license. Other trademarks and

### **CONNECTED TOOLS**

- Track and lock tools, remote tool lockout makes stolen tools useless to thieves
- Dial in performance, set up your tools for the work you do
- Utilisation data, verify that tools are performing tasks to specification
- Ultimate control, maximise tool performance and accessory life
- Reporting, generate detailed reports on how your equipment is performing and send them to anyone that needs to know



FUEL TM

TECHNOLOGY


TRANSPORT CATALOGUE

# NEW FUELT PERFORMANCE DRIVEN REDESIGN.

FUEL™ is engineered for the most demanding tradesmen in the world. FUEL™ delivers extreme performance in a compact structure and features three MILWAUKEE® exclusive innovations - the POWERSTATE™ brushless motor, REDLITHIUM™ battery pack and REDLINK PLUS™ intelligence hardware and software - that deliver incredible power, run time and durability.

Simply put, FUEL™ offers the best, full system technology that drives, protects and powers your cordless tools.







**EFFICIENCY\*** 

NEW **EXTREME\* COMPACT DESIGN** 

**HIGHER POWER** 

**UNDER LOAD** 



- Milwaukee Tool designed and built
- Lasts longer and delivers





### **REDLINK PLUS™** INTELLIGENCE

- Individual cell monitoring to optimise tool run time and ensure long term pack durability
- Advanced system electronics with unique digital performance enhancement
- Total system communication with overload protection increases tool life



### **REDLITHIUM**" **BATTERY PACKS**

- Total system communication with overload protection increases tool life
- Fade-free performance to deliver more
- Fuel gauge displays remaining charge
- Operates down to -20°C



LITHIUM

## REDLITHIUM™ AND REDLITHIUM™ HIGH OUTPUT™ SUPERIOR PACK CONSTRUCTION

### IT LASTS LONGER, THINKS FASTER & WORKS HARDER\*



Prevents water from entering pack through the latch buttons

### WATER PROTECTION BARRIER

Routes water away from the electronics and out of the battery pack

## **ELECTRONIC**

Protects the electronics from

### TEMP CONTROL **CELL FRAME**

Provides a strong structure and transfers energy efficiently for maximum life

### REDLITHIUM™ **BATTERY CELLS**

Provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life

\*Compared with previous MILWAUKEE® battery technology. Results dependent on voltage, tool and application.

Protects cells and pack

during drops and provides














# **NEW GENERATION**

**REDLITHIUM**<sup>™</sup>





# **HIGH OUTPUT™ BATTERIES**



# IF IT'S M18 IT FITS

ONE KEY

M18™ SYSTEM

## M18 PERFORMANCE DRIVEN TRADE FOCUSED - SYSTEM WIDE



#MILWAUKEETOOL f @ MILWAUKEETOOL.CO.UK



# ONE SYSTEM OVER 215 TOOLS


















## M12 **PORTABLE PRODUCTIVITY TRADE FOCUSED SYSTEM** WIDE



M12 CHZ-602X 4933451908














M12 BRAID-0 4933451247

















# MAINTENANCE

M18 ONEFHIWF1D-121C | ART.# 4933471757

M18 FUEL ONE-KEY™ 1" HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL

### **FEATURES:**

- The M18 FUEL™ D-Handle high torque impact wrench with a 150 mm extended anvil delivers 2576 Nm of fastening torque replacing AC, petrol or pneumatic solutions
- Delivers up to 2711 Nm of nut-busting torque that enables bolts up to M42 to be unfastened
- The 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility
- The integrated blow counting sensor enhances the consistent repeatability of the chosen torque setting
- ONE-KEY™ tool control enables wireless tool customisation for increased productivity and consistent results, and tracking & security which offers a cloud-based inventory management platform that supports both location tracking and theft prevention
- Lug Nut Mode when enabled through ONE-KEY™ will automatically shut the tool off when it comes into the range of 475 Nm - 610 Nm to prevent over-tightening of lug nuts

### KIT INCLUDES:











M18 ONEFHIWF1-802X | ART.# 4933459734

### M18 FUEL ONE-KEY™ 1" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING

TRANSPO

P

0

ATALOGUE

- World's first cordless 18V 1"high torque impact wrench replacing AC, petrol and pneumatic wrenches
- The M18 FUEL™ high torque impact wrench delivers 2033 Nm of fastening torque at half the size and weight of AC, petrol or pneumatic solutions
- Delivers up to 2400 Nm of nut-busting torque that enables bolts up M42 to open
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility
- The integrated blow counting sensor enhances the consistent repeatability of the chosen torque setting
- ONE-KEY<sup>™</sup> tool control enables wireless tool customisation for increased productivity and consistent results
- ONE-KEY<sup>™</sup> tool tracking & security offers a cloud-based inventory management platform that supports both location tracking and theft prevention

### KIT INCLUDES:











M18 ONEFHIWF34-502X | ART.# 4933459731

### M18 FUEL ONE-KEY™ 3/4" HIGH TORQUE **IMPACT WRENCH WITH FRICTION RING**

### **FEATURES:**

- The M18 FUEL™ high torque impact wrench with ONE-KEY™ technology delivers 1627 Nm of fastening torque in a compact size of 213 mm, which gives more access in tight spaces
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility
- Mode 4 bolt removal, provides a maximum nutbusting torque of 2034 Nm then shifts to 750 rpm for outstanding control when removing fasteners
- The integrated blow counting sensor enhances the consistent repeatability of the chosen torque setting
- ONE-KEY<sup>™</sup> tool customisation allows the user to optimise their tool for specific applications
- ONE-KEY<sup>™</sup> tool tracking & security offers a cloud-based inventory management platform that supports both location tracking and theft prevention

### KIT INCLUDES:











M18 ONEFHIWF12- 502X | ART.# 4933459728

### M18 FUEL ONE-KEY™ 1/2" HIGH TORQUE **IMPACT WRENCH WITH FRICTION RING**

### **FEATURES:**

- The M18 FUEL™ high torque impact wrench with ONE-KEY™ technology delivers 1356 Nm of fastening torque in a compact size of 213 mm, which gives more access in tight spaces
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility
- Mode 4 bolt removal, provides a maximum nutbusting torque of 1898 Nm then shifts to 750 rpm for outstanding control when removing fasteners
- The integrated blow counting sensor enhances the consistent repeatability of the chosen torque setting
- ONE-KEY<sup>™</sup> tool customisation allows the user to optimise their tool for specific applications
- ONE-KEY™ tool tracking & security offers a cloud-based inventory management platform that supports both location tracking and theft prevention

### KIT INCLUDES:











**REDLITHIUM**<sup>™</sup>

### M18 FUEL 1/2" COMPACT IMPACT WRENCH WITH FRICTION RING

### **FEATURES:**

- The most compact cordless impact wrench in its class, delivering the most access in tight spaces, with performance at 339 Nm of fastening torque
- Incredibly compact design for this performance level, with only 124 mm overall length ideal for applications in tight spaces
- 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility
- Bolt removal control delivers full torque output, then decreases RPMs once the bolt is loosened to prevent fastener drops
- Auto shut-off control applies no more than 34 Nm of torque for hand-tight fastening applications to prevent overtightening Tri-LEDs that surround the anvil to deliver you brighter light
- with fewer shadows
- ½" square friction ring
- Reversible belt hook

**RUBBER SLEEVE** FOR M18 FIW2F ART.# 4932478770





KIT INCLUDES:

MAINTENANCE

TRANSPO

P

0

**ATALOGUE** 











M18 FMTIW2F12-502X | ART.# **4933478451** 

### M18 FUEL ½" MID-TORQUE IMPACT WRENCH WITH FRICTION RING

### **FEATURES:**

- Most versatile cordless impact wrench in the MILWAUKEE® impressive rsenal with an industry-leading performance at 881 Nm of nut-busting torque and 745 Nm of fastening torque
- Incredibly compact design for this performance level, with only 152 mm overall length ideal for applications in tight spaces
- 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility
- Bolt removal control delivers full torque output, then decreases RPMs once the bolt is loosened to prevent fastener drops
- Auto shut-off control applies no more than 34 Nm of torque for hand-tight fastening applications to prevent overtightening
- Tri-LEDs deliver high definition lighting to increase workspace visibility with less shadows
- ½" square friction ring
- Reversible belt hook













RUBBER SLEEVE REDLITHIUM" M12 FIWF12-622X | ART.# 4933464617 (Also available as 0-version: 4933464615)

### M12 FUEL SUB COMPACT 1/2" IMPACT WRENCH

### **FEATURES:**

- More power, more compact, more control
- Up to 339Nm of maximum torque
- ½" anvil with friction ring for quick and easy socket changes
- Brushless POWERSTATE™ motor delivers more power in a more compact size
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load
- REDLITHIUM™ battery pack provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability
- Better access in tight spaces with an overall length of only 124.5 mm
- 4-Mode DRIVE CONTROL with auto-shut off mode, offers the user precise control
- Bright LED workspace illumination

### KIT INCLUDES:



6.0. ME **RED**LITHIUM<sup>™</sup>

M12 FIW38-622X | ART.# 4933464614 (Also available as 0-version: 4933464612)

### M12 FUEL SUB COMPACT %"IMPACT WRENCH

### **FEATURES:**

- More power, more compact, more control
- Up to 339 Nm of maximum torque
- 3/6" anvil with friction ring for quick and easy socket changes ■ Brushless POWERSTATE™ motor delivers more power in a
- more compact size
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load
- REDLITHIUM™ battery pack provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability
- Better access in tight spaces with an overall length of only 124.5 mm
- 4-Mode DRIVE CONTROL with auto-shut off mode, offers the user precise control
- Bright LED workspace illumination

### KIT INCLUDES:
















REDLITHIUM"

PAGE 14

MAINTENANCE

### M12 FUEL SUB COMPACT 1/4" IMPACT WRENCH

### **FEATURES:**

- More power, more compact, more control
- Up to 115 Nm of maximum fastening torque
- Up to 136 Nm of maximum nut busting torque
- ¼" anvil with friction ring for quick and easy socket changes
- Better access in tight spaces with an overall length of only 129.5 mm
- 4-Mode DRIVE CONTROL with auto-shut off mode, offers the user precise control
- Bright LED workspace illumination



MAINTENANCE

TRANSPO

Ä

0

ATALO

Ğ

Ш



M12 BIW12-202C | ART.# 4933447187 (Also available as 0-version: 4933447134)

### M12 SUB COMPACT 1/2" IMPACT WRENCH

### **FEATURES:**

- High performance sub compact impact wrench measures 171 mm in length making it ideal for working within confined spaces
- Delivers torque up to 138 Nm
- REDLINK<sup>™</sup> overload protection electronics in tool and battery pack deliver best in class system durability
- Heavy duty full metal gearbox and gears for superior durability and maximum torque
- ½" square drive with pin detent for use with universal sockets
- Optimised handle for better control and improved grip

### KIT INCLUDES:



x2







M12 BIW38-202C | ART.# **4933443899** (Also available as 0-version: 4933441985)

### M12 SUB COMPACT %" IMPACT WRENCH

### **FEATURES:**

- High performance sub compact impact wrench measures 165 mm in length making it ideal for working within confined spaces
- Deliver torque up to 135 Nm
- REDLINK<sup>™</sup> overload protection electronics in tool and battery pack deliver best in class system durability
- Heavy duty full metal gearbox and gears for superior durability and maximum torque
- %" square drive with friction ring for use with universal sockets
- Optimised handle for better control and improved grip

### KIT INCLUDES











FULL METAL GEAR **BOX FOR ULTIMATE DURABILITY** 

REDLITHIUM'

M18 BRAIW-0 | ART.# 4933447899 (Available as 0-version only)

### M18 3/6" RIGHT ANGLE IMPACT WRENCH

### **FEATURES:**

- Compact right angle impact wrench measures 307 mm in length making it ideal for working within confined spaces
- Delivers torque up to 76 Nm.
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Full metal gearbox and gears for superior durability and maximum torque
- Compact 53 mm head design
- Multi-handle design for multiple hand positions and maximum comfort
- %" square drive for use with universal sockets
- 2 speed settings for wider range of applications



KIT INCLUDES: A CONTRACTOR OF THE PARTY OF TH M18 BRAIW

M12 BRAID-0 | ART.# **4933451247** (Available as 0-version only)

### M12 SUB COMPACT RIGHT ANGLE **IMPACT DRIVER**

### **FEATURES:**

- Compact right angle impact driver measures 287 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics delivers best in class system durability
- Full metal gearbox and gears for superior durability and maximum torque of 68 Nm
- Compact head design with diameter of 35.6 mm
- Multi-handle design for multiple hand positions and maximum comfort
- 1/4" Hex chuck for quick easy one handed bit change
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability



KIT INCLUDES: M12 BRAID

PAGE 16

**MAINTENANCE** 



WITH UP TO **54 NM OF MAX TORQUE** AND **250 RPM'S,** THIS TOOL IS THE IDEAL FASTENING SOLUTION FOR AUTOMOTIVE MECHANICS, MAINTENANCE AND REPAIR PROFESSIONALS.



Also available with 1/4" reception M12 FIR14LR-0 ART.# 4933471499

KIT INCLUDES:

M12 FIR38LR

MAINTENANCE

%" EXTENDED REACH RATCHET **COMMON APPLICATIONS** 

- Suspension
- Brake replacements
- Lug nuts in wheel well
- Under carriage
- Body work

### 1/4" EXTENDED REACH RATCHET COMMON APPLICATIONS

300

- Engine work
- Thermostat replacement
- Dashboard
- Transmission
- Radiator





USE ON VARIOUS KINDS OF IMPACT TOOLS

STANDARDS ON THE JOBSITE

**RELIABLE COMBINATION TO MEET SAFETY** 

203.3 Nm

TORQUE

RANGE

# **PERFECT MATCH:**

**IMPACT RATED SOCKETS & IMPACT TOOLS** 



200

745 Nm 1356 Nm

700

1000

3/8 RECEPTION

1627 Nm

2576 Nm 2500

NEW

FEDLITHIUM™ BATTERY TECHNOLOGY

1500

**REDLITHIUM**<sup>®</sup>

TRANSPORT

CATALOGUE

For the range of new SHOCKWAVE™ Impact Duty sockets see page 14

PAGE 18

**TORQUE** 

PAGE 19

Nm

### M12 FUEL %" EXTENDED REACH RATCHET

- With up to 75 Nm of max torque and 200 rpm's, this tool is the ideal fastening solution for automotive mechanics, maintenance and repair professionals
- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user
- Extended reach ratchet adding additional 82 mm of length for access into tight spaces
- Variable speed trigger provides ultimate control of the tool
- The LED light illuminates the work area while the on-board fuel gauge displays remaining run time

KIT INCLUDES: -M12 FIR38LR

MAINTENANCE

TRANSPO

Ä

0

ATALO

Ğ

Ш



M12 FIR14LR-0 | ART.# **4933471499** (Available as 0-version only)

### M12 FUEL 1/4" EXTENDED REACH RATCHET

### **FEATURES:**

- With up to 54 Nm of max torque and 250 rpm's, this tool is the ideal fastening solution for automotive mechanics, maintenance and repair professionals
- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user
- Extended reach ratchet adding additional 82 mm of length for access into tight spaces
- Variable speed trigger provides ultimate control of the tool
- The LED light illuminates the work area while the on-board fuel gauge displays remaining run time

KIT INCLUDES: 

M12 FIR14LR



M12 FIR12-0 | ART.# **4933459800** (Available as 0-version only)

### M12 FUEL SUB COMPACT 1/2" RATCHET

### **FEATURES:**

- With up to 81 Nm of max torque and 175 rpm's, this tool is the ideal fastening solution for automotive mechanics, maintenance and repair professionals
- Low profile head design allows users better access in tight spaces
- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional
- Variable speed metal trigger provides ultimate control of the tool
- The LED light illuminates the work area while the on-board fuel gauge displays remaining run time

KIT INCLUDES: ---M12 FIR12



M12 FIR38-201B | ART.# 4933459799 (Also available as 0-version: 4933459797)

### M12 FUEL SUB COMPACT %" RATCHET

- With up to 75 Nm of max torque and 200 rpm's, this tool is the ideal fastening solution for automotive mechanics, maintenance and repair professionals
- Low profile head design allows users better access in tight spaces
- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional
- Variable speed metal trigger provides ultimate control of the tool
- The LED light illuminates the work area while the on-board fuel gauge displays

KIT INCLUDES:









M12 FHIR38-201B | ART.# 4933478809 (Also available as 0-version: 4933478172)

### M12 FUEL 36" HIGH SPEED RATCHET

### **FEATURES:**

- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user
- With up to 47 Nm of max torque and 450 rpm's, this tool delivers faster application speed and increased productivity for the professional user
- 19 mm low profile head design allows users better access in tight spaces
- Variable speed metal trigger provides ultimate control of the tool
- Premium rubber overmold withstands corrosive materials and provides increased comfort when in use
- The LED light illuminates the work area while the on-board fuel gauge displays remaining run time
- Fastening and removing of 210 bolts (M8 x 30 mm) with one battery charge (2.0 Ah) for all day work











M12 IR-201B | ART.# 4933448110 (Also available as 1/4" version: 4933451019)

### M12 SUB COMPACT %" RATCHET


### **FEATURES:**

- Pneumatic performance with cordless convenience, 47 Nm of torque and no load speed of 250 rpm
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Reinforced housing provides high durability similar to steel ratchets
- Compact design ideal for tight spaces and small engine bays
- Variable speed metal paddle switch trigger provides greater user control during application
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability

KIT INCLUDES:







**REDLITHIUM™** 

PAGE 20

MAINTENANCE



| SC | OCKETS |
|----|--------|
|    |        |
| -  |        |
|    |        |
|    |        |
|    |        |

% IMPACT SOCKETS

1/4" IMPACT

### ART.# 4932472283 4932472284 **DESCRIPTION** ¼"SHOCKWAVE™ IMPACT DUTY socket set (21pc) 4932472285 4932478288 12 x ½" sockets: 4/4.5/5/5.5/6/7/8/9 /10/11/12/13 mm. 50 mm total length. 6 x screwdriving bits 25 mm in length: PH 2/PZ 2/TX 15/TX 20/TX 25/TX 30.1 x socket adaptor: ½" Hex - ½" square drive. 1 x bit adaptor: ½" Hex - ½" Square drive. 1 x bit

|               | SIZE (mm) | ART.#      |                    | SIZE (mm) | ART.#      |
|---------------|-----------|------------|--------------------|-----------|------------|
|               | 8         | 4932478008 |                    | 8         | 4932478021 |
|               | 10        | 4932478009 |                    | 10        | 4932478022 |
|               | 11        | 4932478010 | >                  |           | 4932478023 |
|               | 12        | 4932478011 | )<br>TTUG          | 12        | 4932478024 |
|               | 13        | 4932478012 | Ë                  | 13        | 4932478025 |
|               | 14        | 4932478013 | E SA               | 14        | 4932478026 |
|               | 15        | 4932478014 | IMPACT<br>S - DEEP |           | 4932478027 |
|               | 16        | 4932478015 | ET3                | 16        | 4932478028 |
| IMPACT SOCKET | 17        | 4932478016 | ĕ₹                 | 17        | 4932478029 |
| Š             | 18        | 4932478017 | XS.                | 18        | 4932478030 |
| 5             | 19        | 4932478018 | %"SHOCKWAVE"I      | 19        | 4932478031 |
| 1             | 21        | 4932478019 | PA                 | 21        | 4932478032 |
| ≧ 📉           | 22        | 4932478020 |                    | 22        | 4932478033 |

|            |           | Adaptor %"SQ - 1/2" SC |
|------------|-----------|------------------------|
|            | 3%‴       | Adaptor %"SQ - 1/4" SQ |
|            | ½″<br>Hex | Adaptor ¼" Hex - %" SO |
|            |           | Extension 3/8" – 150 m |
|            |           | Extension %" – 250 mm  |
|            |           | Adaptor ½" SQ - ¾" SQ  |
|            |           | Extension ½" – 150 mm  |
| 021<br>022 |           | Extension ½" – 250 mm  |
| 023        | 3/4"      | Adaptor ¾" SQ - ½" SQ  |
| 024        |           | Adaptor 1"SQ - ¾"SQ    |
| 025<br>026 |           | Auaptor i Su - 74 Su   |
| 027        | 3/4"      | Adaptor ¾"SQ - 1"SQ    |
| 028        |           | Extension ¾" – 150 mm  |
| 029        |           | Extension ¾" – 250 mm  |
| 030<br>031 |           |                        |
| 031        |           | Extension 1" – 175 mm  |
| 033        |           | Extension 1" – 300 mm  |
|            |           |                        |
|            |           |                        |

#MILWAUKEETOOL f @ MILWAUKEETOOL.CO.UK

**ADAPTORS &** 

**EXTENSIONS** 

ART.#

4932478054

4932478055 4932478056

4932478053

DRIVE SIZE DESCRIPTION





|        | 1/2" SHOCKWAVE™<br>IMPACT DUTY socket<br>set (11 pc)                                                                            | ½" SHOCKWAVE™<br>IMPACT DUTY socket<br>set (10 pc)                                   | ½" SHOCKWAVE™ IMPACT<br>DUTY automotive impact<br>socket set (3 pc) |
|--------|---------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------|
| RT.#   | 4932478290                                                                                                                      | 4932352861                                                                           | 4932451568                                                          |
| CLUDES | 9 x impact sockets: 10<br>/ 12 / 13 / 16 / 17 / 18 /<br>19 / 21 / 24 mm. 1 x 150<br>mm extension. 1 x ¼"<br>Hex - ½" SQ adaptor | 10 x deep impact<br>sockets: 8 / 10 / 11 /<br>12 / 13 / 14 / 16 / 17 /<br>19 / 21 mm | ½" impact sockets:<br>17 / 19 / 21 mm                               |

|    | 4932478034                                                                       |
|----|----------------------------------------------------------------------------------|
| 10 | 4932478035                                                                       |
| 11 | 4932478036                                                                       |
| 12 | 4932478037                                                                       |
| 13 | 4932478038                                                                       |
| 14 | 4932478039                                                                       |
| 15 | 4932478040                                                                       |
| 16 | 4932478041                                                                       |
| 17 | 4932478042                                                                       |
| 18 | 4932478043                                                                       |
| 19 | 4932478044                                                                       |
| 21 | 4932478045                                                                       |
| 22 | 4932478046                                                                       |
| 24 | 4932478047                                                                       |
| 27 | 4932478048                                                                       |
| 30 | 4932478049                                                                       |
| 32 | 4932478050                                                                       |
|    |                                                                                  |
|    | 10<br>11<br>12<br>13<br>14<br>15<br>16<br>17<br>18<br>19<br>21<br>22<br>24<br>27 |

|                   | OILL (IIIII) | AILLIAT    |
|-------------------|--------------|------------|
|                   | 8            | 4932352847 |
|                   | 10           | 4932352848 |
|                   | 11           | 4932352849 |
|                   | 12           | 4932352850 |
|                   | 13           | 4932352851 |
| ≥                 | 14           | 4932352852 |
| PUTY              | 15           | 4932471737 |
| <u> </u>          | 16           | 4932352853 |
| 88                | 17           | 4932352854 |
| IMPACT I          | 18           | 4932471738 |
| - S               | 19           | 4932352855 |
| 불품                | 21           | 4932352856 |
| 88                | 22           | 4932471166 |
| Šě                | 24           | 4932352857 |
| 1/2"SHOCKWAVE"" I | 27           | 4932352858 |
| S. ₹              | 30           | 4932352859 |
| ₽≈≥               | 32           | 4932352860 |
|                   |              |            |

| 3/4"          | MPACT SO  | CKETS      | 1‴ IN | IPACT SO  | CKETS  |
|---------------|-----------|------------|-------|-----------|--------|
|               | SIZE (mm) | ART.#      |       | SIZE (mm) | ART.   |
|               | 17        | 4932471642 |       | 27        | 493247 |
| 끰             | 19        | 4932471643 | PUTY  | 30        | 493247 |
| 눉구            | 21        | 4932471644 |       | 32        | 493247 |
| ξŞ            | 22        | 4932471645 | MPACT | 33        | 493247 |
| 투슈            | 24        | 4932471646 | € .   | 36        | 493247 |
| - <u>5</u> 5  | 27        | 4932471647 | = o   | 41        | 493247 |
| ₽ S           | 30        | 4932471648 | KEŢ.  | 46        | 493247 |
| KWA           | 32        | 4932471649 | ₹Š    | 50        | 493247 |
| OCKW,<br>MPAC | 33        | 4932471650 | KWAV  | 55        |        |
| ᅙ불            | 36        | 4932471651 |       |           | 493247 |
| ¥ =           | 41        | 4932471652 | ACT   | 60        | 493247 |
| 太子            |           |            |       |           | 400047 |

| SIZE | DESCRIPTION                      | ART.#     |
|------|----------------------------------|-----------|
| 1/2" | ½" Impact Hex bit socket HEX5    | 493247806 |
| 1/2" | ½" Impact Hex bit socket HEX6    | 493247806 |
| 1/2‴ | ½" Impact Hex bit socket HEX8    | 493247806 |
| 1/2" | ½" Impact Hex bit socket HEX10   | 493247806 |
| 1/2" | 1/2" Impact Hex bit socket HEX12 | 493247806 |
| 1/2" | ½" Impact TX bit socket TX30     | 493247805 |
| 1/2" | ½" Impact TX bit socket TX40     | 493247806 |
| 1/2" | ½" Impact TX bit socket TX45     | 493247806 |
| 1/2" | ½" Impact TX bit socket TX50     | 493247806 |



1/4", 3/8" & 1/2" DRIVE SOCKETS







|                          | SIZE (IIIII) | AKI.#      |
|--------------------------|--------------|------------|
|                          | 5            | 4932478312 |
| ပ                        | 5.5          | 4932478313 |
| Ē                        | 6            | 4932478314 |
| Ξ                        |              | 4932478315 |
| T.S.                     | 8            | 4932478316 |
| S                        | 9            | 4932478317 |
| တ္တ                      | 10           | 4932478318 |
| 2                        | 11           | 4932478319 |
| %" DRIVE SOCKETS, METRIC | 12           | 4932478320 |
| <u>'</u> 2               | 13           | 4932478321 |
|                          | 14           | 4932478322 |
|                          | 15           | 4932478323 |
|                          |              |            |

| ~                               | · · | 400E4100E4 |
|---------------------------------|-----|------------|
| Ĕ                               | 5.5 | 4932478325 |
| Σ                               | 6   | 4932478326 |
| Š,                              | 7   | 4932478327 |
| Χ̈́                             | 8   | 4932478328 |
| 300                             | 9   | 4932478329 |
| VE:                             | 10  | 4932478330 |
| 띰                               | 11  | 4932478331 |
| 1/4" DEEP DRIVE SOCKETS, METRIC | 12  | 4932478332 |
| <u> </u>                        | 13  | 4932478333 |
| <u>'</u> 4                      | 14  | 4932478334 |
|                                 | 15  | 4932478335 |
|                                 |     |            |
|                                 | ·   |            |

Transport



| DESCRIPTION                                 | ART.#      |   |
|---------------------------------------------|------------|---|
| %″ Drive ratchet                            | 48229038   |   |
| %" Drive 32 pc ratchet & socket set -metric | 4932464945 |   |
| %" Drive 56 pc ratchet & socket set -metric | 4932464946 | · |

|          | SIZE (mm) | ART.#      |          | SIZE (mm) | AR    |
|----------|-----------|------------|----------|-----------|-------|
|          | 6         | 4932478336 |          | 6         | 49324 |
|          | 7         | 4932478337 |          | 7         | 49324 |
|          | 8         | 4932478338 | <u>ڀ</u> | 8         | 49324 |
| 8        | 9         | 4932478339 | METRIC   | 9         | 49324 |
| METRIC   | 10        | 4932478340 |          | 10        | 49324 |
|          | 11        | 4932478341 | SOCKETS, | 11        | 49324 |
| SOCKETS, | 12        | 4932478342 | ğ        | 12        | 49324 |
| ğ        | 13        | 4932478343 |          | 13        | 49324 |
|          | 14        | 4932478344 | DRIVE    | 14        | 49324 |
| DRIVE    | 15        | 4932478345 |          | 15        | 49324 |
|          | 16        | 4932478346 | PEEP     | 16        | 49324 |
| 3/8"     | 17        | 4932478347 | Ö        | 17        | 49324 |
|          | 18        | 4932478348 | 3/8″     | 18        | 49324 |
|          | 19        | 4932478349 | <u> </u> | 19        | 49324 |
|          |           |            | _        |           |       |



ENGINE

WORK

TRANSPO

P

CATALOGUE

# **ENGINE WORK**

M12 UHL-0 | ART.# **4933459432** (Available as 0-version only)

M12 LED UNDERHOOD LIGHT



MOUNTING HOOKS EXTEND

119 CM - 196 CM

COVERING WIDE CARS AND TRUCKS.

# TRUEVEW

|                       | High mode | Low mode |
|-----------------------|-----------|----------|
| Light output (Lumens) | 600       | 1350     |
| Run time (M12 B4) (h) | 8         | 4        |





M12 IC-201C (S) | ART.# 4933451024

### M12 SUB COMPACT M-SPECTOR™ 360° CAMERA

### **FEATURES:**

KIT INCLUDES

- 270 degrees rotating screen providing the user fluid image control
- Optimised 68.6 mm LCD: digital image and large screen delivers crisp, clear picture
- 9 mm 640 x 480 digital image sensor: outstanding image quality in nearly half the size
- 4 surround LED lights: best in class brightness without shadow or glare
- Enhanced cable: aluminium head and improved flexibility delivers unmatched durability and pipe maneuverability
- Accessories: hook, magnet, and mirror attachments help to inspect and solve







0.9 m cable length 17 mm cable diameter



2267-40 | ART.# **4933451906** 

### 10:1 INFRARED TEMP-GUN™

### FEATURES:

- 10:1 distance to spot ratio, a 1 m spot from 10 m away
- Up to -30°C to 400°C temperature range
- Premium LCD display for high readability
- Simplified buttons and setup for faster scanning
- Raised overmolding protects lens and screen from direct impact





2212-20 | ART.# **4933447776** 

### **AUTO VOLTAGE/CONTINUITY TESTER**

KIT INCLUDES

- Automatically determines the need for voltage or continuity tests and display all measurements with proper resolution
- Compatible with accessories for carrying or mounting
- LED worklight for low lit areas
- Dual LED and audible indicators for fast and convenient
- Replaceable test leads for greater flexibility









MAX BITE OPEN END GRIP **DELIVERS UP TO** 25% MORE TORQUE THE IMPROVED GRIP REDUCES

**ROUNDED AND STRIPPED BOLTS** 



ENGINE

WORK

TRANSPO

Ä

O

ATALO

GUE

### **INK FILLED** ROUNDED **SIZE LABELS I-BEAM HANDLE 12 - POINT BOX END** Easy, quick size Comfortable in Accessibility in tight spaces identification high-torque applications 17 . **CHROME FINISH** 15° OFFSET BOX **MAX BITE OPEN END** Improved accessibility Professional look, Up to 25% more torque in tight spaces easy cleaning

### MAX BITE™ COMBINATION SPANNER

| JAW SIZE (mm) | 8          | 9          | 10         | 11         | 12         | 13         | 14         | 15         | 16         | 17         | 18         | 19         | 20         | 21         | 22         |
|---------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| ART.#         | 4932471516 | 4932471517 | 4932471518 | 4932471519 | 4932471520 | 4932471521 | 4932471522 | 4932471523 | 4932471524 | 4932471525 | 4932471526 | 4932471527 | 4932471528 | 4932471529 | 4932471530 |

### MAX BITE™ RATCHETING METRIC COMBINATION SPANNER

4932471502 4932471503 4932471504 4932471505 4932471506 4932471507 4932471508 4932471509 4932471510

111111

ART.# 4932464993

**7 PC MAXBITE™ RATCHET METRIC COMBINATION SPANNER SET** 

### FEATURES:

- Ink-filled labels for clear visibility
- Chrome alloy steel, chrome plated
- 144 Ratcheting teeth positions giving 2.5° arc swing allowing access in tighter spaces
- Rounded I-Beam handle for comfortable handling grip
- Durable double stacked pawls for long-lasting ratchet life
- MAX BITE™ open-end grip reduces rounding and stripping

15 PC MAXBITE™ RATCHET METRIC **COMBINATION SPANNER SET** 

### **FEATURES:**

- Ink-filled labels for clear visibility
- Chrome alloy steel, chrome plated
- MAX BITE™ open-end grip reduces rounding and stripping
- 144 Ratcheting teeth positions giving 2.5° arc swing allowing access in tighter spaces
- Durable double stacked pawls for long-lasting ratchet life
- Rounded I-Beam handle for comfortable handling grip

ART# 48229215

**HOOK & PICK SET** 

### **FEATURES:**

- All-metal core for long-lasting durability and rust protection
- Chrome-plated shanks reduce corrosion and provide rust protection
- Comfort grip handle and precision knurling increase tool control and user comfort
- Supplied in an easy-access storage tray for long-term tool storage

ART# 48229214

**PRY BAR SET** | Includes 200 mm - 300 mm - 450 mm - 600 mm

### **FEATURES:**

- Curved claw design reduces damage when pulling nails
- I-Beam design for added durability
- Hammer-ready strike cap improves leverage when working in tight and tricky spaces
- Comfortable Tri-Lobe handles for better grip
- All-chrome shafts for increased durability
- All-metal core for improved durability

# REPAIRS





C18 PCG/400T-201B | ART.# **4933441814** 

4500 N

M18 CAULK GUN WITH

**400 ML TUBE** 

### REMOTE SPEED DIAL AND VARIABLE SPEED TRIGGER





### M12 SUB COMPACT **CAULK GUN WITH 600 ML TUBE**



| KIT INCLUDES: | Also available in 0-ver |       |     |  |
|---------------|-------------------------|-------|-----|--|
|               | B                       | 60    |     |  |
| M12 PCG/600A  | M12 B2                  | C12 C | BAG |  |

### C18 PCG/600T-201B | ART.# **4933441810** M18 CAULK GUN WITH **600 ML TUBE**













M12 FTB-0 | ART.# 4933472215 (Available as 0-version only)

Also available in 0-version

M12 FUEL TYRE BUFFER

### **FEATURES:**

- Two speed mode selector for reaming (1800 RPM) & buffing applications (3000 RPM)
- Ability to complete around 10 tyre patch repairs with one M12 B2 battery charge
- Optimal speed settings in order to avoid burning or damaging the tyre
- Variable speed trigger provides outstanding control of the tool Trigger lock-off extends the life of the tool and battery
- Pneumatic performance with cordless convenience for better
- accessibility and manoeuvrability in tight spaces





**REDLITHIUM**<sup>™</sup>

TRANSPO

P

0

ATALO

Ğ

Ш

■ Brushless POWERSTATE<sup>™</sup> motor delivers more power in a

■ REDLINK PLUS™ intelligence system delivers an advanced

digital overload protection for tool and battery and uniquely

REDLITHIUM™ battery pack provides superior pack construction, electronics and fade-free performance to deliver



KIT INCLUDES:

x2 M12 B6





**=**DLITHIUM<sup>™</sup>

## M18 FUEL ONE-KEY™ PERCUSSION DRILL

### ■ Higher power efficiency under load - outstanding torque of 135 Nm

- Extremely compact design of 175 mm length for access into tight spaces
- Advanced heavy duty chuck providing increased bit grip
- Connect via Bluetooth® with the ONE-KEY™ app

M18 ONEPD2-502X | ART.# **4933464528** 

- Customise anti-kickback control via ONE-KEY™ app
- ONE-KEY<sup>™</sup> tool tracking & security offers a cloud-based inventory management platform that supports both location tracking and theft prevention
- Save up to 4 custom settings to the tools memory for fast selection on the jobsite
- Configure to any application choosing optimum tool settings for repeatable precision
- Control speed, torque, start and end speeds, anti-kickback functions and LED



FEATURES:

more compact size



M12 FUEL SUB COMPACT

enhances the tool performance under load

**PERCUSSION DRILL** 









M12 FPD-602X | ART.# 4933459807 M18 FMDP-502C | ART.# **4933451013** 

### M18 FUEL MAGNETIC DRILLING PRESS WITH PERMANENT MAGNET

REDLITHIUM™

### FEATURES:

- AUTOSTOP™ lift-off detection: Detects excess rotation and automatically cuts power to the drill for best user protection
- Self-powered permanent magnet with 8,890 N of holding force prevents accidental magnet deactivation for improved user protection and easy alignment
- 2 speed gear box for optimised drilling speed with 400 and 690 rpm's when using annual cutters or twist drill bits
- Maximum drilling capacity of 38 mm with use of annual cutters and 13 mm straight shank twist drill bits
- Keyless 19 mm Weldon reception




KIT INCLUDES







**DLITHIUM**™



ART# 48899399 **SHOCKWAVE** STEP DRILL SET (3 PC)



3 x step drill bits: 1 x 4 - 12 mm / 1 x 4 - 20 mm / 1 x 6 - 35 m

ART.# 48894760

### **SHOCKWAVE** HSS-G TIN RED HEX **DRILL BITS SET (19 PC)**

**19 x drill bits:** Ø 2 / 2.5 / 3 / 3 / 3.5 / 4 / 4 / 4.5 / 5 / 5.5 / 6 / 6.5 / 7 / 7.5 / 8 /

### SHOCKWAVE" **IMPACT DUTY 32 PC TORX BIT SET**



**31** x screwdriving bits **25** mm in length : TX10 x 2 / TX15 x 4/TX20 x 5 / TX25 x 5 / TX30 x 5 / TX40 x 2 / TX50 / TX B07 / TX B08 / TX B09 / TX B10 / TX B15 / TX B020 / TX B025.

### **SHOCKWAVE™ IMPACT DUTY 75 PC BIT SET**

ng bits, 25 mm in length : PH1 / PH2 x 2 / PZ1 / PZ2 x 3 / PZ3 / TX10 x 2 / TX15 x 4 / TX20 x 12 / TX25 x 12 / TX30 x 12 / TX40 x 2 / TX50 / TX B07 / TX B08 / TX B09 / TX B010 / TX B015

 $\textbf{12} \textbf{ x screwdriving bits, 50 mm in length:} PH2 / PZ1 / PZ2 / TX10 / TX15 \times 2 / TX20 \times 2 / TX25 \times 2 / TX30 \times 2$ 2 x SHOCKWAVE™ nut drivers 48 mm length; HEX 8 mm / 10 mm 1 x SHOCKWAVE™ magnetic bit holder 60 mm length

### RT# **4932471587**

### **SHOCKWAVE™ IMPACT DUTY 70 PC BIT SET**

**55 x screwdriving bits, 25 mm in length :** PH1 / PH2 x 2 / PZ1 x 3 / PZ2 x 31 / PZ3 x 5 / TX10 / TX15 / X20 x 2 / TX25 x 2 / TX30 x 2 / TX40 / Hex 3 mm / Hex 4 mm / Hex 5 mm / Hex 6 mm.

**12 x screwdriving bits, 50 mm in length :** PH1 / PH2 / PZ1 / PZ2 x 4 / PZ3 / TX15 / TX20 / TX25 / TX30

x SHOCKWAVE™ mannetic hit holder 60 mm length

### **SHOCKWAVE™** IMPACT DUTY BIT HOLDERS

FOR THE FULL RANGE OF BIT HOLDERS PLEASE VISIT THE MILWAUKEE WEBSITE

ART.# 4932472067 | LOCKING BIT HOLDER 152 MM - LONG SERIES

ART.# 4932472068 | LOCKING BIT HOLDER 305 MM - LONG SERIES

ART.# 4932471274

### SHOCKWAVE™ RIGHT **ANGLE ATTACHMENT**

### **FEATURES:**

- Very compact design: only 36 mm in height and a true 90° angle to allow access into confined spaces
- Impact rated: suitable to use with latest 18V impact drivers as well as cordless drill drivers
- For all 1/4" Hex driving and drilling accessories
- Internal SHOCK ZONE™ and advanced gear design for excellent power transmission and impact durability
- Ergonomic rubber overmold for secure and comfortable handling

10 x screwdriving bits: PH2 / PZ1 / PZ2 x 2 / PZ3 / TX10 / TX15 / TX20 / TX25 / TX30. 1 x Right Angle Attachment

### SHOCKWAVE™ KNUCKLE™ **OFFSET ATTACHMENT**

### **FEATURES:**

- Offset attachment for heavy duty impact applications
- Impact rated: Can be used with both cordless and impact drills
- Very compact offset attachment
- Ideally suited to working in confined and limited spaces
- Solid metal construction to absorb impact action
- 0° and 30° positions.
- 1/4" Hex shank fits directly into the chuck preventing slippage
- Suitable for use with 1/4" Hex impact drivers up to
- \*Height when 30° tilted 40 mm

 $\textbf{10 x screwdriving bits: } \ \mathsf{PH1} \ / \ \mathsf{PH2} \ \mathsf{x} \ \mathsf{2} \ / \ \mathsf{PZ1} \ / \ \mathsf{PZ2} \ \mathsf{x} \ \mathsf{2} \ / \ \mathsf{PZ3} \ / \ \mathsf{TX15} \ / \ \mathsf{TX20} \ / \ \mathsf{TX25}.$ 1 x Knuckle<sup>T</sup>

PAGE 28 PAGE 29

# REPAIRS



# **GET THE RIGHT** ANGLE GRINDER **FOR THE JOB**



## 









**Ø115 MM BRAKING GRINDER** with **PADDLE SWITCH** 

GRINDER with ONE TKEY





**Ø125 MM BRAKING GRINDER** with **PADDLE SWITCH** 













with PADDLE SWITCH and ONE TKEY Equivalent to 2,200 W Equivalent to 2,200 W



Scan here to view compatible cutting



M12 FCOT-622X | ART.# **4933464620** (Also available as 0 version: 4933464618)

### M12 FUEL SUB COMPACT MULTI-MATERIAL CUT-OFF TOOL

### IDEAL FOR **METAL CUTTING FEATURES:** ■ Fast accurate cutting with up to 20,000 RPM

Optimised ergonomic design for easy control and one-handed use. Only 1.1 kg and 226 mm in length

 Multi-material cutting capability with variety of blades available (metal cut-off wheel, carbide abrasive blade and diamond tile blade included)

- 76 mm blade offers up to 16.3 mm depth of cut
- Easily adjustable guard and unique forward/reverse selectable blade rotation direction to protect user from debris in various cutting positions

### KIT INCLUDES:









SHEET METAL (0.5 - 1.5 MM) THREADED ROD (10 - 13 MM)
METAL CONDUIT / EMT MISC. METAL CUT OFF

**FD**LITHIUM<sup>™</sup>

PERFECT FOR

M12 FDGA-422B | ART.# 4933471440 (Also available as 0-version: 4933471438)

### M12 FUEL ANGLED DIE GRINDER

### **FEATURES:**

- Compact size (only 119 mm long) to help fit in tight places and offers great mobility and access
- Performance to remove rust, sealant and prepare welding, surface & to cut metal off
- Features a 4-mode speed control and responsive variable speed trigger enabling outstanding control
- To be used with discs up to Ø 50 mm
- Supplied with 6 and 8 mm collets

### KIT INCLUDES











M12 FDGS-422B | ART.# 4933471437 (Also available as 0-version: 4933471435)

### M12 FUEL STRAIGHT DIE GRINDER

### **FEATURES:**

- The first cordless in-line die grinder that delivers more power vs. pneumatic models
- Best-in-class size (262 mm long) to help reach in tight places, and offers great mobility and access
- Features a 3-mode speed control and responsive variable speed trigger enabling outstanding control
- To be used with discs up to Ø 50 mm
- Supplied with 6 and 8 mm collets

### KIT INCLUDES:













- Patented gear protecting clutch extends gear and motor life by absorbing high impact forces caused by sudden blade lock-ups
- Wear resistant lever actuated FIXTEC™ blade clamp provides fast and easy
- Metal reinforced battery connection provides improved durability and battery retention over life
- Durable metal rafter hang hook for work space management and safety
- Built-in LED light illuminates the work surface while cutting
- Adjustable shoe for optimised use of saw blades

KIT INCLUDES



REPAIRS

TRANSPO

P

0

ATALO

GUE









**FDLITHIUM**<sup>™</sup>

M18 FHZ-502X | ART.# **4933459886** Also available as 0-version: 4933459887

**HACKZALL**<sup>TM</sup>



- 22 mm stroke length
- No load stroke rate of 3000 spm

C18 HZ-0 | ART.# **4933416785** Available as 0-version only)

M18 HACKZALL™



- 20 mm stroke length
- No load stroke rate of 3000 spm

M12 CHZ-602X | ART.# **4933451908** | C12 HZ-202C | ART.# **4933441198** Also available as 0-version: 4933446960

M12 FUEL **SUB COMPACT** 



- 15.9 mm stroke length

HACKZALL™



- No load stroke rate of 3000 spm

| KIT INCLUDES: |              |       |        |
|---------------|--------------|-------|--------|
| M12 CHZ       | x2<br>M12 B6 | C12 C | HD BOX |



- 13 mm stroke length
  - No load stroke rate of 3000 spm

Also available as 0-version: 4933411925)

M12 SUB

COMPACT

**HACKZALL™** 



## **REDLITHIUM**<sup>™</sup>

**METAL:** HEAVY **DUTY TORCH™ CARBIDE TEETH** 



- Carbide teeth provide for long life in thick metals.
- Up to 50x more life compared to Bi-Metal blades

**CARBIDE TEETH** 

| LENGTH | PACK QTY | ART.#    |
|--------|----------|----------|
| 150 mm | 1        | 48005201 |
| 230 mm | 1        | 48005202 |
|        |          |          |

### **METAL: HEAVY DUTY TORCH™ DEMOLITION BLADES**



■ Bi Metal, shatter resistant 1.06 mm thick blade for precise cuts in sheet metal and pipes

|        |     | PACK |          |
|--------|-----|------|----------|
| LENGTH | TPI | QTY  | ART.#    |
| 150 mm | 14  |      | 48005782 |
| 230 mm | 14  | 5    | 48005787 |
| 150 mm | 18  | 5    | 48005784 |
| 230 mm | 18  | 5    | 48005788 |
| 300 mm | 18  | 5    | 48005789 |

### **METAL: THIN KERF BLADES**



■ Bi Metal, shatter resistant thin 0.9 mm thick blade for fast cuts in sheet metal and pipes

| LENGTH | TPI | QTY | ART.#    |
|--------|-----|-----|----------|
| 150 mm | 14  | 5   | 48005182 |
| 230 mm | 14  |     | 48005187 |
| 150 mm | 18  | 5   | 48005184 |
| 230 mm | 18  | 5   | 48005188 |
| 300 mm | 18  | 5   | 48005189 |

### HACKZALL™ BLADES



## HACKZALL.

Especially engineered blades for exclusive use on 12V HACKZALL™

10PC HACKZALL™ SET

MILWAUKEE® OMT

ART.# 48906035

MUI TI MATERIAI

43 MM PLUNGE

**CUT BI-METAL** 

**BLADE FOR** 

LONG-LIFE

**FULLY-STACKED** 

RANGE

ART.# 48906031

**BLADE FOR** 

**LONG-LIFE** 

**MULTI MATERIAL** 

**28 MM PLUNGE** 

**CUT BI-METAL** 

**COMPREHENSIVE** 

ACCESSORY RANGE

**LONG LIFETIME** 

& DURABILTY

ART.# **48906040** 

**LONG-LIFE** 

**MULTI MATERIAL** 

30X MORE LIFE THAN

STANDARD BLADES

35 MM PLUNGE CUT

**CARBIDE TOOTHED** 

**BLADE FOR EXTRA** 

# CHECK MULTI-TOOL RANGE

M12 NEW M18 FLEL M18 M12 FUEL

|                                  | M18 FMT-522X                                                          | M18 BMT-421C                                                         | M12 FMT-422X                                                      | C12 MT-402B                                        |
|----------------------------------|-----------------------------------------------------------------------|----------------------------------------------------------------------|-------------------------------------------------------------------|----------------------------------------------------|
| Motor technology                 | FUEL™                                                                 | Brushed                                                              | FUEL™                                                             | Brushed                                            |
| Oscillation angle left/right (°) | 2.1                                                                   | 1.7                                                                  | 1.8                                                               | 1.5                                                |
| No load speed (rpm)              | 10,000-20,000                                                         | 12,000-18,000                                                        | 10,000-20,000                                                     | 5,000-20,000                                       |
| Weight with battery pack (kg)    | 1.9                                                                   | 1.7                                                                  | 1.2                                                               | 1.2                                                |
| Kit included                     | 1 x M18 B5, 1 x M18 B2<br>Battery packs, M12-18 FC<br>Charger, HD Box | 1 x M18 B4, 1 x M18 B2<br>Battery packs, M12-18 C<br>Charger, Kitbox | 1 x M12 B4, 1 x M12 B2<br>Battery packs, C12 C<br>Charger, HD Box | 2 x M12 B4<br>Battery packs,<br>C12 C Charger, Bag |
| ART.#                            | 4933478493                                                            | 4933446272                                                           | 4933472240                                                        | 4933441708                                         |

REDLITHIUM™

**OMT BLADES** 



# ONE UNIVERSAL

- No components or adaptors required
- Fast blade changes
- 100% Power transmission from tool to accessory



**MULTI MATERIAL** 

**85 MM DIAMETER** 

ART.# 48906038

SEGMENTED

ALL-TRADE

SOLUTIONS

**FOCUSED** 

ART.# 48906039 **MULTI MATERIAL 100 MM DIAMETER** SEGMENTED FLUSH **CUT BI-METAL BLADE** FOR LONG-LIFE



PAGE 32

**EPAIRS** 

P

O

ATALOGUE

# CUTTING

M18 FBS85-202C | ART.# **4933471498** (Also available as 0-version: 4933471496)

### M18 FUEL COMPACT BAND SAW

### **FEATURES:**

- 20% faster cutting compared to previous model
- Large cutting capacity up to a diameter of 85 mm
- Variable speed trigger for quick & easy speed adjustments
- Band saw cover protects user from injuries by preventing any access to the blade - tool-free installation and removal
- Tool-free blade locking mechanism for quick and easy saw blade changes
- Dual action trigger to prevent accidental trigger actuation
- Tool-free & lockable adjustable shoe
- Solid metal rafter hook for easy jobsite storage
- Integrated LED light for workspace illumination
- Supplied with band saw covers and 12/14 TPI premium blade

KIT INCLUDES:













M18 CBS125-502C | ART.# **4933448198** (Also available as 0-version: 4933447150)

### M18 FLIEL DEEP CUT BAND SAW

- Largest cutting capacity up to 125 x 125 mm material diameter
- 5 step variable speed selection from 0-116 m/min
- Tool-free blade locking mechanism for quick and easy saw blade changes
- Solid metal rafter hook for quick and easy jobsite storage
- Slim full metal motor housing design and LED work surface illumination for best cut visibility
- Brushless POWERSTATE™ motor provides corded cutting performance with up to 10x more motor life and up to 2x more run time compared to other cordless solutions
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load

KIT INCLUDES:











M12 FBS64-402C | ART.# 4933478442 (Also available as 0-version: 4933478440)

### M12 FUEL SUB COMPACT BAND SAW

### **FEATURES:**

- First 12V band saw with 64 mm cutting capacity on the market
- Compact light weight design, especially for cutting overhead with one hand in existing installations and in tight spaces
- Variable speed trigger for quick & easy speed adjustments
- Integrated blade cover protects user from injuries by preventing any access to the blade - tool-free installation and removal within seconds
- Tool-free blade locking mechanism for quick and easy saw blade changes ■ Dual action trigger to prevent accidental trigger actuation
- Lockable adjustable shoe

2022 TRANSPORT CATALOGUE

Solid metal rafter hook for easy jobsite storage

KIT INCLUDES:











M18 BMS12-0 | ART.# 4933447925 (Available as 0-version only)

### M18 METAL SHEAR

### **FEATURES:**

- Accurate cuts with maximum cutting depth of 1.2 mm in steel
- Unique 360° tool-free rotating head with 12 locking positions to access tight spaces and increasing user comfort
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability
- In-Line wrist design for increased control during cutting
- Variable speed trigger for extra control during cutting





M18 BMS20-0 | ART.# 4933447935 (Available as 0-version only)

### M18 METAL SHEAR

### FEATURES:

- Accurate cuts with maximum cutting depth of 2.0 mm in steel
- Unique 360° tool-free rotating head with 12 locking positions to access tight spaces and increasing user comfort
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability
- In-Line wrist design for increased control during cutting Variable speed trigger for extra control during cutting





M18 FAP180-502X | ART.# **4933451551** (Also available as a 0-version: 4933451549)

TRANSPO

Ä

CATALOGUE



M18 FMCS66-0C | ART.# **4933472110** (Available as 0-version only)

### M18 FUEL 66 MM METAL CIRCULAR SAW

### Shoe designed to connect directly on MILWAUKEE® guide rail (sold separately). This allows the user to make straight and accurate cuts with minimum setup time

- First 18V cordless metal circular saw with 66 mm cutting depth and 1800 W corded performance
- Faster cutting speed compared to corded unit
- Dry-cutting technology provides fast, clean and burr-free metal cutting
- Performance light indicates when the device is pushed to hard
- Electric break stops blade in under 1 sec
- Large metal chip collector captures debris produced while cutting and provides needed visibility
- Dual-action trigger prevents any accidental start up
- Tool-free cutting depth adjustment and plunge lever for fast and effective plunge cuts
- Supplied with 42 tooth blade for ferrous metal cutting







DLITHIUM

M18 FMCS-502X ART.# **4933459194** (Also available as a 0-version: 4933459191)

### M18 FUEL 57 MM METAL CIRCULAR SAW

### **FEATURES:**

- Brushless POWERSTATE™ motor for fast cutting, longest tool life and up to 370 cuts in ¾" EMT
- REDLINK PLUS™ intelligence system
- Increased cutting speed, 3900 RPM for higher productivity
- Cold cuts reduces sparks for increased jobsite safety
- Tool-free depth adjustment, quickly and easily adjusts cutting depth from 0 to 57 mm
- Integrated rafter hook for easy storage between uses
- On board allen key storage for easy access and preventing losing the key
- Supplied with 150 mm 34 teeth metal cutting blade

### KIT INCLUDES











### **COMPATIBLE WITH:**

150 X 20 MM 34 TOOTH METAL SAW BLADE

Cutting width: 1.6 mm







M-WAX 6000

4932430476

M12 BPS-421X | ART.# 4933447802 (Also available as 0-version: 4933447791)

A LARGER PAD WILL NOT FIT WELL

M-CUT 1500

4932430475

### M12 SUB COMPACT POLISHER /SANDER



### **FEATURES:**

4932430398

- Compact design with only 130 mm allows access to hard areas
- Variable 2 speed selection (0-2800/0-8300 RPM)
- Large capacity of 76 mm polishing sponge and 50 mm sanding pad size





Hard sponge for use with ressive polish for removal of ep scratches. Hook and loop fixation. For use with polishing ART.# 4932430489

SOFT (WHITE)

**POLISHING SPONGE** Soft sponge for use with light polish for removal of small scratches. Hook and loop fixation. For use with polish sanding backing pad ART.# **4932430490** 

**LAMBSWOOL POLISHING PAD** 

CLOTH / POLISHING COMPOUNDS OPTIONAL FOR BOTH POLISHERS

> fixation. For use with backing pad ART# 4932430838

**REDLITHIUM**<sup>™</sup>

M18 HEAT GUN

SMALL THIN

M18 BHG-502C | ART.# **4933459773** (Also available as 0-version: 4933459771)

P

CATALOGUE

### M12 BPRT-201X | ART.# **4933464406** (Also available as 0-version: 4933464404)

### M12 SUB COMPACT RIVET TOOL

### **FEATURES:**

- Up to 325 x 4.8 mm stainless steel rivets on a single charge with a 2.0 Ah battery pack
- Suitable for all aluminium, steel, stainless steel and copper rivets up to 4.8 mm
- 20.32 mm stroke length
- Retention nose pieces hold rivets in any orientation
- Tool-free access to easily clean jaws. On-board nose piece storage and removal tool for user convenience





**NOT TIED TO HOSE.** NO COMPRESSOR. NO MAINTENANCE.

NEW M12 CML-401 | ART.# 4933479367

### M12 LED COLOUR MATCHING LIGHT

### **FEATURES:**

- High definition lighting with up to 1000 lumens
- 98+ colour rendering index for use to identify accurate and reliable colour recognition
- Featuring 5 different colour temperatures, for end users to replicate real sunlight requirements
- Up to 12 hours of run time on M12<sup>™</sup> 4.0 Ah battery pack
- IP54 rated for water and dust resistant and 2 m impact resistant
- Magnetic attachment for hands-free use

### KIT INCLUDES





NEW

M12 UCL-0 | ART.# 4933478868

### M12 UNDERCARRIAGE LIGHT

### **FEATURES:**

- TRUEVIEW<sup>™</sup> high definition lighting with up to 1200 lumens
- Up to 15 hours of run time on M12<sup>™</sup> 4.0 Ah battery pack
- Designed for the on-the-go needs of automotive maintenance and service trades
- Dual joints swivel 300° horizontally and 180° vertically to ensure full undercarriage illumination coverage
- Magnetic base for mounting applications & 30 cm magnetic storage tray to hold nuts & bolts
- Highly durable and impact resistant design to withstand drops up to 2 m
- Resistances to most common chemicals found in auto shops





**1200** LUMENS

M12 UHL-0 | ART.# **4933459432** 

### M12 LED UNDERHOOD LIGHT

### **FEATURES:**

- Mounting hooks extend 119 cm 196 cm (47" - 77") covering wide cars and trucks
- Rubber gripping surface for maximum hold
- FINISHGUARD™ hooks provide lasting protection against scratches to a vehicle's finish
- Stainless hook allows to hang the light bar independently from the carrier



DLITHIUM"

Common Sizes: 6 mm, 9 mm, 12 mm

Damaged wire repair,

bundling wires

HEAT SHRINK Damaged wire repair

Common sizes: 16GA - 14GA (Blue)

Remove existing decals from vehicles

### REACHES OPERATIONAL TEMPERATURE OF 470° IN **LESS THAN 7 SECONDS**

- High performance heat coil allows the tool to reach 470 °C
- Reaches operational temperature in six seconds allowing the user to quickly complete his application
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability
- Durable ladder hook for work space management and safety
- Supplied with 2x nozzles: 1x reduction nozzle for heat intensity on a specific area, 1x reflector nozzle to apply heat around an object, such as pipes
- Integrated LED light to illuminate the work area
- REDLITHIUM™ battery pack provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life
- Flexible battery system: works with all MILWAUKEE® M18™ batteries
- Supplied with 2x nozzles: 1x reduction nozzle for heat intensity on a specific area,
- 1x reflector nozzle to apply heat around an object, such as pipes





**REDLITHIUM**<sup>™</sup>

# **OTHER VACUUM CLEANERS**

M18 FPOVCL-0 | ART.# 4933478187 (Available as 0-version only)

### M18 FUEL PACKOUT™ WET/DRY VACUUM

### FFATURES:

- The M18 FUEL™ PACKOUT™ wet/ dry vacuum is fully compatible with the MILWAUKEE® PACKOUT™ Modular Storage System
- Usable on and off the PACKOUT<sup>™</sup> stack makes this wet/ dry cleanup solution most portable and versatile
- The highly efficient HEPA filter collects 99.97% of airborne particles down to 0.3 microns
- Delivers up to 30 minutes of run time on a HIGH OUTPUT™ 8.0 Ah battery pack in high mode and over 50 minutes in low mode
- Internal accessory and hose storage allows all attachments to be carried with the tool avoiding loss of equipment
- The DEK 26 power tool connector allows for efficient dust extraction from power tools
- Extendable hose up to 1.6 m for extended reach and versatility



**LITHIUM**™

OTHER

TRANSPO

 Image: Control of the property o

CATALOGUE

M18 FCVL-0 | ART.# 4933478185 (Available as 0-version only)

### M18 FLIEL COMPACT VACUUM L-CLASS

- Powerful POWERSTATE™ brushless motor with dual cyclonic debris separation for larger jobsite debris
- More efficient clean up thanks to an additional powered floor tool for residential and workshop floors
- The highly efficient HEPA filter collects 99.97% of airborne particles down to 0.3 microns
- Removable 0.95 I canister for easy emptying of debris on or off tool
- Delivers up to 17 minutes of run time on a M18™ 5.0 Ah battery pack
- Quick change accessories for upright use at ground level, waist level, or for use overhead with ease
- On-board accessory holder provided for flexible hose, crevice tool, utility tool, and brush tool
- Extendable hose up to 1.2 m for extra reach and versatility
- Fully equipped with an extension wand, powered floor tool, floor tool, flexible hose, crevice tool, utility tool, brush tool, accessory holder, HEPA filter, and foam pre-filter



KIT INCLUDES

90



M12 FVCL-0 | ART.# **4933478186** (Available as a 0-version only)

### M12 FUEL WET/DRY VACUUM

### **FEATURES:**

- Powerful M12 FUEL™ motor with a maximum air flow of 1275 I/min & 105 mbar provides 18V performance for both wet and dry clean up applications
- With a 6.0 Ah battery the vacuum provides 14 minutes of run time on high and 26 minutes on the low setting, this compact vacuum is ideal for spot and service focused wet/ dry quick clean up needs
- The highly efficient HEPA filter collects 99.97 % of airborne particles down to 0.3 microns
- Internal accessory and hose storage allows all attachments to be carried with the tool avoiding loss of equipment
- The DEK 26 power tool connector allows for efficient dust extraction from power tools
- Stackable tool box design for added portability and easier storage
- Wall mount hanging plate included for increased storage options
- On board blower for moving debris away from the work area



**PLITHIUM**<sup>™</sup>

SUCTION



M18 BI-0 | ART.# **4933478706** (Available as 0-version only)

### M<sub>18</sub> BODY INFLATOR

**COMING SOON** 

### **FEATURES:**

- The fastest 18 volt cordless tyre inflator on the market
- Able to top off 285/75R16 light truck tyres in under a minute and is equipped with TRUEFILL<sup>TM</sup> technology to provide speed and accuracy.
- In addition to the outstanding performance, the inflator has the versatility to save up to four bar memory presets.
- Built with more durable and versatile onboard attachments such as the inflator hose and nozzle storage, decreasing the hassle when going from job to job.
- 100% more run time on an M18 5.0Ah VS M12 Inflator
- IP54 Rating
- 2m drop rating
- internal cooling and filter extend the life of the tool





REPLITHIUM"

M12 BI-0 | ART.# **4933464124** (Available as 0-version only)

M12 SUB COMPACT INFLATOR



**REDLITHIUM**<sup>™</sup>

PAGE 40

OTHER

## **GREASE GUNS**



- Extreme long run time dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics only 355 mm long and 3.2 kg
- Air bleeder valve primingmechanism for quick flow
- Integrated hose storage and shoulder strap loop added user convenience and reducing down time
- Three way loading bulk, cartridge and suction capable
- Grease capacity 400 ml cartridge, 473 ml bulk

M12 GG-0 ART.# **4933440435** (Available as a 0-version only)

### M12 SUB COMPACT GREASE GUN

OTHER

- Powerful 12 V motor delivers over 562 bar max operating pressure
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Extreme long run time dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics only 355 mm long and 3.2 kg
- Air bleeder valve priming mechanism for quick flow
- Integrated hose storage & shoulder strap loop added user convenience and reducing down time
- Three way loading bulk, cartridge and suction capable
- Grease capacity 400 ml cartridge, 473 ml bulk
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability
- On board fuel gauge and LED light life
- Supplied with 914 mm x 14.4 mm high pressure flex hose with spring guard and grease coupler



M18 GG-0 | ART.# **4933440493** (Available as a 0-version only)

### M<sub>18</sub> GREASE GUN

### **FEATURES:**

TRANSPO

Ä

CATALOGUE

- Powerful 18V motor delivers over 690 bar max. operating pressure
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Extreme long run time dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics only 355 mm long and 3.9 kg
- Air bleeder valve priming mechanism for quick flow
- Integrated hose storage, shoulder strap loop & LED fuel gauge added user convenience and reducing down time
- Three way loading bulk, cartridge and suction capable
- Grease capacity 400 ml cartridge, 473 ml bulk
- Supplied with 1219 mm high pressure flex hose with





2022 TRANSPORT CATALOGUE

M18 FAC-0 | ART.# **4933472166** (Available as 0-version only) M18 FUEL AIR COMPRESSOR



ONLY 68 DB(A), THE QUIETEST **CORDLESS COMPRESS** ON THE MARKET



9.3 bar Max Pressure Weight 14 kg



**QUIET PUMP -ONLY 68 dBA** 

### **OUICK CONNECT** COUPLER

**ALL STEEL ROLE CAGE** Added durability to protect

critical components during jobsite use and transportation

Quickly attached and change hoses for increased productivity

**COMPATIBLE WITH ALL** M18™ REDLITHIUM™ PACKS

Compatible with all M18™ REDLITHIUM™ batteries for better work flow and less downtime

**REDLITHIUM**<sup>™</sup>

FUEL

PAGE 42

OTHER





NEW

ART.# 4932478851 + 4932478850

### 78 CM (30") STEEL ROLLING CABINET & TOP CHEST



**DEDICATED SPACE FOR MOUNTING ANY MILWAUKEE®** M18™/M12™ CHARGER

compatible with all MILWAUKEE® chargers

**MAGNETIC POWER CENTRE** 

**ANTI-TILT PROTECTION** 

only 1 drawer can be open at a time

125 MM INDUSTRIAL CASTERS

2 x fixed, 2 x swivelling



ART.# 4932478851

30" STEEL ROLLING CABINET

ART.# **4932478850** 

**30" STEEL TOP CHEST** 

## NEW

TRANSPORT

CATALOGUE

### **FOAM INSERTS**



| Diamond Max                                              | Pack<br>quantity | ART.#      |
|----------------------------------------------------------|------------------|------------|
| Trilobe Screwdriver Foam Insert                          | 23               | 4932479830 |
| 1/4" Ratchet and Socket Set Foam Insert                  | 28               | 4932479824 |
| ½" Ratchet and Socket Set Foam Insert                    | 28               | 4932479826 |
| MAX BITE™ Flex Head Ratcheting Spanner Set Foam Insert   | 15               | 4932479829 |
| MAX BITE™ Combination Spanner Set Foam Insert            | 15               | 4932479827 |
| MAX BITE™ Ratcheting Combination Spanner Set Foam Insert | 15               | 4932479828 |
|                                                          |                  |            |

NEW

ART.# 4932478853 + 4932478855

### 117 CM (46") HIGH CAPACITY STEEL CABINET & TOP CHEST



**STEEL CABINET** 


**46" HIGH CAPACITY STEEL TOP CHEST** 

ART.# 4932478855



ART.# 4932478857

### 102 CM (40") STEEL WORK CART



TRANSPO

P

CATALOGUE



# OVER **85** SOLUTIONS

## **VERSATILE, DURABLE**

The MILWAUKEE® PACKOUT™ modular storage system revolutionises tool transportation, organisation and storage. Designed to provide users with the ability to interchange and interlock a wide assortment of heavy duty tool boxes, organisers and storage totes in multiple different configurations.



## **TRY OUR NEW** PACKOUT BUILDER TO CREATE YOUR IDEAL KIT

milwaukeetool.co.uk/packout



ART.# 4932472131

PACKOUT™ 2 WHEELED CART



- 2 integrated PACKOUT™ mounting locations for additional storage options.
- Integrated holder for longer tools, such as levels.
- 180 kg weight capacity.
- 25 cm in-board wheels easily roll through doorways.
- Folding base plate for easy storage.
- Part of the PACKOUT™ modular storage system.
- Constructed with impact resistant polymers for jobsite durability.





PACKOUT™ CUSTOMISABLE WORK SURFACE



- Marine grade plywood top provides smooth surface for light assembly work, writing, sketching or working on a laptop
- Fastener-ready surface allows for easy mounting of common jobsite materials and larger tools on top of a PACKOUT™ stack
- Part of the PACKOUT™ modular storage system
- Constructed with impact resistant polymers for
- jobsite durability 22 kg weight capacity













PACKOUT™ Tote toolbag 25 cm





PACKOUT™ Tote toolbag 50 cm



Backpack



PACKOUT™ Duffel bag 15"/38 cm



PACKOUT™ Duffel bag 20"/50 cm



PACKOUT™



PACKOUTT



PACKOUT™



PACKOUT™ Compact organ



PACKOUT™ Compact slim org



PACKOUT™



PACKOUT™



Large box





PACKOUT™ Foam insert 4932471428



PACKOUT™ Foam Trolley insert





Flat Trolley





Hard Cooler



PACKOUT™



Compact Tool Box 4932471723







PAGE 46 PAGE 47

**M12** 

700 LUMENS

**M12** 

IP24

M18 IL-0 4932430564

300

**M18** 

4000 LUMENS

**HEADLAMPS** 

220 LUMENS

**M12** 

3000 LUMENS

IP24

IP54

**FLASH** 

and strobe.

**FLOOD** 

LIGHTS

are versatile to adapt to any job site, they stick, clamp or hang on almost anything and can be carried to cast light in multiple orientations

**LIGHTS** 

feature sliding beam

focus, adjustable and

rotating head, various light output modes including spot, flood,

Ŏ

0

ATALO

GUE





















M18 M12 HEDLITHIUM USB

YouTube WATCH OUR LIGHTING VIDEOS AT



provide maximum 360 degrees coverage regardless of whether task, area or overhead site lighting is required.







750 LUMENS

**M12** 

1000 LUMENS

**M12** 

IP24

M12 SLED-0 4933451261

IP54

IP54

M12 MLED-0 4933451899

IP54

IP54







1250 LUMENS

**M18** 

1500 LUMENS

**M18** 

IP54

M18 SLED-0 4933459159

IP54



M18 POALC-0 4933478121





120 LUMENS

**M12** 

1500 LUMENS

IP54

M18 TLED-0 4932430361

IP24

IP54

IP54





L4 TMLED-201

### **TASK** LIGHTS

**TOWER** 

**LIGHTS** 

deploy in seconds

overhead to reduce

and provide light

shadows in the

workspace.

are specifically built to tackle challenging task and tradespecific lighting demands without compromising light quality and durability















LIGHTING

M18 HB12 | ART.# **4932464260** 

12.0 Ah BATTERY

**HIGH OUTPUT™** 

M18 B5 | ART.# 4932430483

M12 B4 | ART.# **4932430065** 

M12

4.0 Ah

**BATTERY** 

M18 5.0 Ah

**BATTERY** 

M18 HB8 | ART.# **4932471070** 

**HIGH OUTPUT™** 

M18 B4 | ART.# **4932430063** 

M12 B3 | ART.# 4932451388

M12

3.0 Ah

**BATTERY** 

M18 4.0 Ah

**BATTERY** 

8.0 Ah BATTERY

M18

M18

M12

NEW

6.0 Ah

**BATTERY** 

M18 HB5.5 | ART.# **4932464712** 

**HIGH OUTPUT™** 

M18 B2 | ART.# **4932430062** 

M12 B2 | ART.# **4932430064** 

ME

M12

2.0 Ah

**BATTERY** 

M18 2.0 Ah

**BATTERY** 

**5.5 Ah BATTERY** 

M18 HB3 | ART.# **4932471069** 

**HIGH OUTPUT™** 

M12 B6 | ART.# **4932451395** 

L4 B3 | ART.# **4933478311** 

**REDLITHIUM™ USB BATTERY** 

3.0 Ah BATTERY





M12 JSSP-0 | ART.# **4933448380** 

M12 JOBSITE

M12-18JSSP-0 | ART.# **4933459275** M12 - M18 **BLUETOOTH SPEAKER** 



Bluetooth® wireless range of up to 30 m

**REDLITHIUM**'

M18 FAC-0 | ART.# 4933472166

### **AIR COMPRESSOR**

- Only 68 DB(A), the quietest compressor on the market
- Maximum air pressure of 9.3 bar and 48l/m at 2.8 bar
- Weighs just 14 Kg and equipped with two carry handles



M18 FMCS66-0C | ART.# 4933472110

### M18 FUEL 66 MM **METAL CIRCULAR SAW**

- First 18V cordless 66mm metal circular saw
- Dry-cutting technology for fast, burr-free metal cutting
- Supplied with 42 tooth blade

ransport



### M18 FMCS-502X | ART.# **4933459194** M18 FUEL METAL

- **CIRCULAR SAW** Cold cuts - reduces sparks for
- increased jobsite safety ■ Tool-free depth adjustment



### M18 PRCDAB+-0 | ART.# 4933472113 M18 PACKOUT **RADIO-CHARGER**

- DAB+ and AM/FM
- BLUETOOTH® connectivity
- Built in charger

M12 RCDAB+-0 | ART.# **4933478839** 

■ DAB+ and AM/FM tuner ■ BLUETOOTH® connectivity

Built in charger

M12 RADIO CHARGER

M18 RC-0 | ART.# **4933446647** 

### M18 JOBSITE **RADIO/CHARGER** WITH BLUETOOTH

- AC/DC versatility
- Built in charger function



M18 JSR DAB+-0 ART.# **4933451252** 

### M<sub>18</sub> JOBSITE **RADIO DAB+**



DAB+/FM tuner

M18 JSR-0 ART.# **4933451473** M18 JOBSITE



RADIO



AM/FM tuner

NEW

M12-18 SC | ART.# **4932471735** M12 - M18 SUPER



M12-18 FC | ART.# **4932451080** M12 - M18 FAST

MEET





M12-18 AC | ART.# 4932459205

M12 - M18 **CAR CHARGER** 



M1418C6 | ART.# **4932430310** 

M14 - M18 **MULTIBAY CHARGER** 



M18 DFC | ART.# **4932472074** M18 DUAL BAY **RAPID CHARGER** 



M12 C4 | ART.# **4932430555** M12 4 BAY **CHARGER** 





C12 C | ART.# **4932352069** 

M12 CHARGER



PAGE 50

**ESSENTIALS** 

CORDLESS

**DIAGONAL PLIERS** 

ESSENTIALS, Transport

ART.# 48223711 ART.# **4932471359** 

**MARKER - WHITE** 

**METAL SNIPS SET** 

ART.# 48224533

(3 PC)

**INCLUDES:** 

Left (red), Right (green), Straight (yellow) aviation snips

**INKZALL™ LIQUID PAINT SLIDING UTILTY** KNIFE

ART.# **48226101** 

**LONG NOSE PLIERS** 



■ One handed blade opening - flip open the blade with one hand for easy activation

**FASTBACK™ FLIP** 

**UTILITY KNIFE** 

■ Integrated gut hook - make cuts without exposing the blade

ART.# **493247135**6

- Tool free blade change less down time in the field for blade changes
- Wire stripper eliminates the need to look for another tool

ART.# 4932471810

TRI-LOBE **SCREWDRIVER** STUBBY SET (2PC)

### **INCLUDES:** PZ2 x 45mm /



- Comfortable Tri-lobe handle
- Visible ID markings allows for quick tool identification
- Lanyard hole
- Magnetic tips

NEW WWLSG



**SIZES:** from S to XXL

NEW wwssg **WARM WEATHER SHORT SLEEVE SHIRT (GREY)** 



SIZES: from S to XXL

NEW WTLSG **WORK T-SHIRT LONG SLEEVE** (GREY)



SIZES: from S to XXL

NEW WTSSG **WORK T-SHIRT SHORT SLEEVE** (GREY)



**SIZES:** from S to XXL

**FINGERLESS** 

**GLOVES** 

NEW L4 HBLB-301 **HEATED BASE LAYER** 



**SIZES:** from S to XXL

NEW WHB **WORK HOODIE** (BLACK)



**SIZES:** from S to XXL

**CUT LEVEL 1 DIPPED GLOVES** 





ART.# 48223721



















INKZALL™ FINE **POINT MARKER WITH STYLUS** 



ART.# 4932471554

INKZALL™ BLACK **L CHISEL TIP** MARKER (3PC)



ART.# **48223100** 

**INKZALL™ FINE POINT MARKER** (36PC)





TRANSPORT CATALOGUE

**ESSENTIALS** 

**TRADE** 

TRADE

**ESSENTIALS** 






| DESCRIPTION | Premium clear safety<br>glasses with gasket | Premium polarised safety glasses with gasket | Performance clear<br>safety glasses | Performance tinted safety glasses | Clear safety glasses | Tinted safety glasses |
|-------------|---------------------------------------------|----------------------------------------------|-------------------------------------|-----------------------------------|----------------------|-----------------------|
| ART.#       | 4932471885                                  | 4932471886                                   | 4932471883                          | 4932471884                        | 4932478763           | 4932478764            |
|             | 7                                           | 9007                                         |                                     |                                   |                      |                       |







#MILWAUKEETOOL f @ MILWAUKEETOOL.CO.UK



**BE SCREWDRIVER RANGE** 

## **REACH OUT WITH MILWAUKEE® TAPE MEASURES**



| AUTOLOCK |              | Milandari<br>8m |
|----------|--------------|-----------------|
| •        | LENGTH       | ART.#           |
|          | 5 m          | 4932464663      |
|          | 5 m/16 ft    | 4932464665      |
|          | 3 111/ 10 11 | 4332404003      |
|          | 8 m          | 4932464664      |









PAGE 54

**ESSENTIALS** 

TRADE

**MILWAUKEE®:** THE NUMBER

Milwaukee tools are relied on by professionals from all corners of transport focused trades, from agriculture to racing teams. We work directly with the transport industries every day to produce the tools you rely on to

improve the way you work.

At MILWAUKEE® we offer the largest and most flexible range of 12 volt and 18 volt tools combined with best

in class accessories and hand tools ideally suited for the transport sector. Our ranges combine power, weight, performance and reliability. The perfect match for automotive, aeronautical, agricultural and rail workers.

TRANSPORT M18 100+ TRANSPORT SOLUTIONS

2000+ ACCESSORY AND HAND TOOL SOLUTIONS

WHAT THE PROS SAY

Justin Hall - Ford and Slater

environment within the workshop."

ONE TRANSPORT CHOICE





## **SONIC RAIL SERVICES**

"Using the MILWAUKEE® M18™ platform has been a great advantage, as it means having the versatility of having multiple tools along with their batteries to hand when doing a task on site. Milwaukee's M18™ GG grease gun, great bit of kit - no more air locks or cartridges flying out when reloading the gun! The adjustment that allows you to select the number of pumps required is a game changer, no more guessing or overfilling of grease.'

Attie VanBelkum - Sonic Rail Services





### **BABCOCK**

'Over the years we have had tools from all the major providers but Milwaukee tools have proven to be the best in filling our demand, both in versatility and durability. MILWAUKEE® offer a wide range of hand tools. Power tools and equipment, when it comes to cordless tools it is in a league of its own. We mainly use the M18 FUEL™ range of tools on site.'

M18 CAG125XPDB

**NAUTICAL** 

James Marvin - Babcock



**AUTOMOTIVE** 

WHAT THE

**PROS** 

ATALOGUE

### PEBLEY BEACH - HYUNDAI

"Cordless against corded, it's very much like Wi-Fi against plug-in networks, everyone's going Wi-Fi nowadays, likewise with portable tools they have to be cordless. If you think about the cables running around the workshops and all the health and safety issues that brings, it's just critical we don't have that anymore. You can get into tight spots, you are not dragging an air line behind you and they're not that heavy so it's a bit easier on the wrist and arm when you're trying to work at heights."

Dominic Threlfall - Pebley Beach Hyundai



### VIRGIN ATLANTIC ENGINEERING

"Virgin Atlantic Engineering love the Milwaukee M18 TAL-0 Task Area work light. It's no fun working in a dark main landing gear bay or an APU bay with extension leads tripping you up, this light has proved to be perfect for any task our engineers have carried out on our fleet of Boeing and Airbus aircraft.

The versatile light that has never let us down. Build quality is first class, reliable and very robust, our engineers have very high standards but they've been really impressed with this work light."



Jeff Morrison - Virgin Atlantic Engineering



**AEROSPACE** 



**WATCH OUR TRANSPORT VIDEOS ON YOUTUBE: Milwaukee Tool EU** 

### **MULTIHOG**

"Our increasing workforce needed the tools required to produce the quality product our customers demanded and deserved. The highest recommendation of all is that of our engineers. One tool in particular, the ½" impact wrench was very impressive, easily completing tasks the competition was struggling with."

Niall Donnelly - Multihog





## **BMW MOTORRAD WORLDSBK TEAM**

"We originally used a power cord or air line which was clumsy and heavy. We started using Milwaukee tools in 2015, the big gun is a lot smoother and doesn't rattle as much as the old air guns. When we're in a race situation flag to flag in the pits the race never gets stopped so when the bike comes in you have to get the wheels changed as quick as possible. The Milwaukee tools make this a lot easier to do.

Ian Campbell - BMW MOTORRAD WORLDSBK TEAM



## MILWAUKEE® DRIVING THE CORDLESS JOBSITE

THE CHALLENGES SOLVED BY THE MILWAUKEE® TRANSPORT RANGE





















To learn more visit: milwaukeetool.co.uk/trades/transport

PAGE 56 PAGE 57


# FIND THE RIGHT TOOLS FOR YOUR TRADE

milwaukeetool.co.uk/trades/transport



# WITH OUR NEW TRANSPORT TRADE ZONE

We work directly with our core trades every day to produce the tools you need to improve the way you work.





MILWAUKEE® TOOL UK - Suite A, Second Floor, Marlow International, Parkway, Marlow, SL7 1YL Tel: +44(0) 1628 894400 Fax: +44(0) 1628 894401

milwaukeetool.co.uk