

Milwaukee®

Nothing but **HEAVY DUTY.**™



2024/25

TO DEVELOP AND PRODUCE **NOTHING BUT HEAVY DUTY™ POWER TOOLS** IS ONLY ONE PART OF THE **MILWAUKEE® PROMISE.**

These tools need to last day in and day out. For this reason, serviceability is incorporated into every tool produced.

All power tools leave the factory with a complete documentation package including instructions for use, listing of customer service centres and safety instructions. MILWAUKEE® has a worldwide service network.

Should a problem arise requiring assistance or support at short notice, you can rely on our service centres/agents worldwide.

The global network ensures that our customers' needs and requirements are shared to influence future product development.

Expertise and competence gained over many years ensures a fast and efficient professional repair service.



MILWAUKEE® strive to meet and surpass all international and European standards and directives for both design and safety. Constant research and development programs aim to anticipate and fulfil future market trends in all regulatory and efficiency requirements. MILWAUKEE® is, amongst others, an active member of EPTA (European Power Tool Association) and so is proudly aligned to all industry measurement standards agreed by the organisation.

EXPERIENCE THE HEAVY DUTY DIFFERENCE

TOOLS BUILT TO DO THE JOB BETTER.

At MILWAUKEE® Heavy Duty is more than just a slogan. It is a promise to offer the best to professional users. Engineers at MILWAUKEE® don't just design tools.

They design tools to get the job done better, faster, reliably and safely.

www.milwaukeetool.eu



ALL YOU HAVE TO DO TO TAKE ADVANTAGE OF OUR EXTRA GUARANTEE OFFER IS TO REGISTER ONLINE. NOTHING BUT HEAVY DUTY™

NOTHING BUT HEAVY DUTY GUARANTEE:



*From 1st of February 2024 the extended guarantee for MILWAUKEE® power tool(s), outdoor power equipment and REDLITHIUM™ batteries will only be granted if the product is new and purchased via an Authorised MILWAUKEE® Distributor. The same applies to the guarantee for MILWAUKEE® hand tool(s) as well. Rights already established before 1st of February 2024 shall remain unaffected.



For full terms and conditions for each of the above mentioned guarantees, please see the link below; <https://www.milwaukeetool.eu/service/>



MILWAUKEE® power tool(s), outdoor power equipment & batteries come with a standard 1 year guarantee. Guarantee extensions are available by visiting www.milwaukeetool.eu.

MILWAUKEE® power tool(s) and outdoor power equipment guarantee can be extended from 1 year to a maximum of 3 years (1 + 2). With the exception of MX FUEL™ tools for which the guarantee can be extended from 1 year to a maximum of 2 years (1 + 1).

All MILWAUKEE® REDLITHIUM™ batteries including MX FUEL™ batteries come with a standard 1 year guarantee which can be extended to a maximum of 2 years (1 + 1).

All guarantee extensions are subject to registering online within 30 days of the purchase date.

Every MILWAUKEE® is tested according to a comprehensive certified process before leaving the factory and is guaranteed to

be **NOTHING BUT HEAVY DUTY™** qualified. At MILWAUKEE® we take great pride in the products and services we offer to our professional customers.

The guarantee extension is only available in those countries listed on our warranty registration website. The extended guarantee offer excludes products used in the hire industry, battery chargers and accessories supplied.

MILWAUKEE® hand tool lifetime guarantee

Certain MILWAUKEE® hand tools come with a lifetime guarantee which means they can be replaced or repaired free of charge should they break during normal usage due to material or manufacturing fault.*

MILWAUKEE® Levels - 30 year accuracy guarantee

The following MILWAUKEE® levels are sold with a 30 year accuracy guarantee: MILWAUKEE® BACKBONE™; Compact box levels; and the Block Torpedo level.*

MILWAUKEE® Levels - 10 year accuracy guarantee

The following MILWAUKEE® levels are sold with a 10 year accuracy guarantee: MILWAUKEE® Slim box level; REDCAST™ level; Minibox level; Billet Torpedo; and I-Beam level.*

*For full terms and conditions for each of the above mentioned guarantees, please see the link below; <https://www.milwaukeetool.eu/service/>

ZERO EMISSIONS.* ZERO COMPROMISE.

ENSURING OUR USERS CAN WORK SAFELY,
SUSTAINABLY, AND PRODUCTIVELY.


THE EU AIMS TO BE
CLIMATE-NEUTRAL
BY 2050**



**PETROL
EQUIVALENT
PERFORMANCE**



**LOW
NOISE**



**NO PETROL
OR EMISSIONS**



**LESS
DOWNTIME**



**ENHANCE
JOB SITE SAFETY**



**INCREASED
PRODUCTIVITY**

*Zero emissions when product in use

** Information sourced from European commission press release, available: Making the EU climate-neutral by 2050 (europa.eu)



MXF PSC MX FUEL™ SCREED



- The MX FUEL™ Screed is the ideal solution when working on larger areas, delivering petrol like performance without petrol headaches
- Power to pull blades up to 4.9 m
- The push-button start delivers instant power, eliminating the repetitive motions of a pull start and reducing downtime, allowing you to get jobs done faster without sacrificing the power and run time you expect

| | MXF PSC-0 | MXF PSC-302 | MXF PSCKIT-302 |
|--------------------|---|---|---|
| Standard equipment | - | - | 3 m blade |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x MXF CP203 Battery packs, MXF C Charger, No kitbox or bag supplied | 2 x MXF CP203 Battery packs, MXF C Charger, No kitbox or bag supplied |
| Article Number | 4933479771 | 4933479772 | 4933479774 |
| EAN Code | 4058546375652 | 4058546375669 | 4058546375683 |

SCAN TO VIEW OUR ACCESSORIES FOR CONCRETE VIBRATORS



MXF CVBP MX FUEL™ BACKPACK CONCRETE VIBRATOR



- The MX FUEL™ Backpack Concrete Vibrator is the ideal solution when working on larger areas, delivering AC like performance without the hassle of laying cables or having the need for an AC socket on the jobsite
- It has the power to push up to Ø63 mm head at over 11,200 VPM for optimal consolidation, even in the stiffest concrete

| | MXF CVBP-0 | MXF CVBP-602 | MXF CVBPKIT-602 |
|--------------------|---|---|---|
| Standard equipment | Remote control | Remote control | Remote control, 2 m vibrator shaft, 38 mm vibrator head |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied | 2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied |
| Article Number | 4933479595 | 4933479591 | 4933479593 |
| EAN Code | 4058546373894 | 4058546373856 | 4058546373870 |

MXF CVBC MX FUEL™ BRIEFCASE CONCRETE VIBRATOR



- Compact and slim design for increased mobility suiting stationary as well as mobile applications
- Carrying strap and handle for increased flexibility on site and easy transport
- Equipped with a ring for easy attachment of the vibrator to the scaffolding or the formwork

| | MXF CVBC-0 | MXF CVBC-602 | MXF CVBCKIT-602 |
|--------------------|---|---|---|
| Standard equipment | Remote control | Remote control | Remote control, 4 m vibrator shaft, 38 mm vibrator head |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied | 2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied |
| Article Number | 4933479607 | 4933479608 | 4933479610 |
| EAN Code | 4058546374013 | 4058546374020 | 4058546374044 |

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR MX FUEL™ DIAMOND CORE DRILL



MXF DCD150 MX FUEL™ 150 MM DIAMOND CORE DRILL



- Core with confidence by delivering AC performance with a maximum core diameter capacity of 152 mm wet & dry
- 2 speed gearing for a wide range of applications, with laser etched speed and capacity markings into the metal body
- Speed 1: up to 75 mm diameter wet & dry coring at 1600 rpm
- Speed 2: 76 to 152 mm diameter wet & dry coring 800 rpm

| | MXF DCD150-0C | MXF DCD150-302C | MXF DCD150-302C KIT |
|--------------------|--|--|---|
| Standard equipment | Trigger lock-on, side handle | Trigger lock-on, side handle | Trigger lock-on, side handle, MXF DR255TV drill stand |
| Kit included | No batteries supplied, No charger supplied, Kitbox | 2 x MXF CP203 Battery packs, MXF C Charger, Kitbox | 2 x MXF CP203 Battery packs, MXF C Charger, Kitbox |
| Article Number | 4933478986 | 4933464887 | 4933471835 |
| EAN Code | 4058546362683 | 4058546228323 | 4058546297343 |

MXF DCD350 MX FUEL™ 350 MM DIAMOND CORE DRILL



- Rig-mounted diamond coring up to 350 mm diameter. Core with confidence by delivering AC performance
- 4 speed gearing for a wide range of applications, with laser etched speed and capacity markings into the metal body
- Speed 1: up to 51 mm / Speed 2: 51 - 76 mm / Speed 3: 76 - 152 mm / Speed 4: 152 - 350 mm

| | MXF DCD350 KIT-0 | MXF DCD350 KIT-122 |
|--------------------|---|--|
| Standard equipment | MXF DCD350 DR rig stand | MXF DCD350 DR rig stand |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x MXF HD812 Battery packs, MXF SC Charger, No kitbox or bag supplied |
| Article Number | 4933493142 | 4933493143 |
| EAN Code | 4058546480134 | 4058546480141 |

MXF DR255TV PREMIUM DIAMOND DRILLING STAND FOR MX FUEL™ DIAMOND CORE DRILL



- Height-adjustable insulated drive handle and easy to reach depth adjustment handle to facilitate one-handed operation
- Universal hinged motor clamp with 60 mm collar diameter
- Tool-free machine and water tank attachment compatible with M18™ SWITCH TANK™ 15 l water supply

| | MXF DR255TV |
|----------------|---------------|
| Article Number | 4933472247 |
| EAN Code | 4058546338930 |

SCAN TO VIEW OUR CUT- OFF SAW DISCS



MXF COS350G2 MX FUEL™ 350 MM CUT-OFF SAW



- Battery powered, it can be used indoors due to zero fume emissions
- Anti-kickback system prevents users from being injured in case of a kickback
- RAPID STOP™ / blade brake: blade stops within < 3 sec
- Petrol equivalent performance with a maximum no load speed of 5370 rpm and a full 125 mm depth of cut

| | MXF COS350G2-0 | MXF COS350G2-802 |
|--------------------|---|--|
| Standard equipment | HUDD 350mm SPEEDCROSS™ diamond blade (4932471985) & contractor bag | HUDD 350mm SPEEDCROSS™ diamond blade (4932471985) & contractor bag |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x MXF XC608 Battery packs, MXF SC Charger, No kitbox or bag supplied |
| Article Number | 4933480478 | 4933480480 |
| EAN Code | 4058546407636 | 4058546407650 |

MXF COSCG2 MX FUEL™ CUT-OFF SAW CART



- 350 mm cut-off saw cart to maintain straight cuts with full 125 mm depth of cut capacity
- Height-adjustable drive handle and easy to reach depth adjustment handle to facilitate one-handed operation
- Tool-free machine and water tank attachment compatible with the M18™ SWITCH TANK™ interchangeable sprayer and water supply system

| | MXF COSCG2 |
|----------------|---------------|
| Article Number | 4933493264 |
| EAN Code | 4058546481353 |

MXF DH2528H MX FUEL™ 25 KG CLASS 28 MM HEX DEMOLITION HAMMER



- The industry's first cordless 28 mm Hex demolition hammer, delivering the power of petrol, corded and pneumatic
- Heavy Duty hammer provides 64 blow Joules of impact energy for toughest demolition applications
- Floating body anti-vibration technologies allows the user to work all day without reaching dangerous exposure levels

| | MXF DH2528H-0 | MXF DH2528H-602 |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied |
| Article Number | 4933478985 | 4933464877 |
| EAN Code | 4058546362676 | 4058546228224 |

MXF PTR2 MX FUEL™ PIPE THREADING MACHINE 2" WITH ONE-KEY™



- Threading capacity from 1/8" all the way up to 2"
- One stop shop: Cut, Ream and Thread with one tool
- Outstanding performance with 2 speed settings of 39 RPM and 59 RPM matching corded speed
- Maximum mobility thanks to foldable wheel cart with tool free setup
- Integrated auto oil system with oil pump and reservoir

| | MXF PTR2-0 | MXF PTR2-601 |
|--------------------|---|--|
| Standard equipment | 1/2"-3/4" BSPT HS die set, 1"-2" BSPT HS die set | 1/2"-3/4" BSPT HS die set, 1"-2" BSPT HS die set |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x MXF XC406 Battery pack, MXF C Charger, No kitbox or bag supplied |
| Article Number | 4933498324 | 4933492100 |
| EAN Code | 4058546521936 | 4058546414672 |

MXF LSDP MX FUEL™ LARGE SEWER DRUM MACHINE WITH POWERTREDZ™



- The MX FUEL™ large sewer drum machine with integrated POWERTREDZ™, requires one person only to move the sewer machine in and out of the service van, up and down building stairs
- World's first battery powered large drum machine that uses MILWAUKEE® 16 mm and 20 mm inner core spirals in drains from 75 mm up to 200 mm, with the power to clear roots up to 60 m down the line

| | MXF LSDP-301 |
|--------------------|---|
| Standard equipment | 1 x 20 mm x 15.2 m inner core cable, 1 x 20 mm x 7.6 m inner core cable, 1 x 9 pc head attachment kit |
| Kit included | 1 x MXF CP203 Battery pack, MXF C Charger, No kitbox or bag supplied |
| Article Number | 4933471851 |
| EAN Code | 4058546297503 |

MXF TL MX FUEL™ TOWER LIGHT



- TRUEVIEW™ high definition light output with up to 27,000 lumens in AC and up to 20,000 lumens in DC mode for both task and area lighting
- Has the ability to manoeuvre the light heads in multiple orientations, allowing the user to direct light to wherever it's needed

| | MXF TL-601 |
|----------------|---|
| Kit included | 1 x MXF XC406 Battery pack, Integrated charger, No kitbox or bag supplied |
| Article Number | 4933471844 |
| EAN Code | 4058546297435 |

MXF DHT BREAKER TROLLEY FOR MX FUEL™ DEMOLITION HAMMER



- Lightweight demolition hammer cart with large rubber wheels for easy transport across uneven terrain
- Integrated demolition hammer retention strap and full-metal fastening locations
- On-board spring-loaded storage locations for 4 chisels
- Battery & charger storage dock with charger cable hook for transport

| | MXF DHT |
|----------------|---------------|
| Article Number | 4933464879 |
| EAN Code | 4058546228248 |

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR MX FUEL™ PIPE THREADING MACHINE 2" WITH ONE-KEY™

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR MX FUEL™ LARGE SEWER DRUM MACHINE WITH POWERTREDZ™

MXF PS MX FUEL™ POWER SUPPLY



- Building on the strengths of the FUEL™ technology, MX FUEL™ system reaches new levels of cordless performance. Focused on petrol, corded and pneumatic performance, these tools deliver without the hazards associated with emissions, noise, vibration, tripping hazards and the frustrations of complex maintenance

| | MXF PS-0 | MXF PS-602 |
|----------------|--|--|
| Kit included | No batteries supplied, Integrated charger, No kitbox or bag supplied | 2 x MXF XC406 Battery packs, Integrated charger, No kitbox or bag supplied |
| Article Number | 4933493922 | 4933479266 |
| EAN Code | 4058546510824 | 4058546370602 |

MX FUEL™ BATTERIES



| | MXF HD812 | MXF XC608 | MXF XC406 | MXF XC-2406 | MXF CP203 | MXF CP-2203 |
|----------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| System | MX FUEL™ | MX FUEL™ | MX FUEL™ | MX FUEL™ | MX FUEL™ | MX FUEL™ |
| Battery pack capacity (Ah) | 12.0 | 8.0 | 6.0 | 6.0 | 3.0 | 3.0 |
| No. of batteries supplied | 1 | 1 | 1 | 2 | 1 | 2 |
| Charge time MXF C charger | 160 min | 110 min | 90 min | 90 min | 45 min | 45 min |
| Charge time MXF SC charger | 65 min | 45 min | 45 min | 45 min | 45 min | 45 min |
| Weight (kg) | 5.9 | 4.5 | 4.8 | 4.8 | 2.7 | 2.7 |
| Supplied in | No kitbox or bag supplied | No kitbox or bag supplied | No kitbox or bag supplied | No kitbox or bag supplied | No kitbox or bag supplied | No kitbox or bag supplied |
| Article Number | 4932492128 | 4932492130 | 4933471837 | 4933479162 | 4933471838 | 4933479161 |
| EAN Code | 4058546414955 | 4058546414979 | 4058546297367 | 4058546369569 | 4058546297374 | 4058546369552 |

MX FUEL™ CHARGERS



| | MXF SC | MXF C |
|----------------|---------------------------|---------------------------|
| Charging ports | 1 x MX FUEL™ | 1 x MX FUEL™ |
| Charge type | Single | Single |
| Power source | AC | AC |
| Carry handle | Yes | Yes |
| Wall mountable | No | Yes |
| Weight (kg) | 8.9 | 2.7 |
| Supplied in | No kitbox or bag supplied | No kitbox or bag supplied |
| Article Number | 4932492848 | 4933471839 |
| EAN Code | 4058546477196 | 4058546297381 |

MX FUEL™ BATTERIES AND CHARGER KITS



| | MXF NRG-406 | MXF FORGENRG-802 | MXF FORGENRG-122 |
|----------------|---|--|--|
| Kit included | 2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied | 2 x MXF XC608 Battery packs, MXF SC Charger, No kitbox or bag supplied | 2 x MXF HD812 Battery packs, MXF SC Charger, No kitbox or bag supplied |
| Article Number | 4933479160 | 4933493548 | 4933493549 |
| EAN Code | 4058546369545 | 4058546484194 | 4058546484200 |

NEXT GENERATION

M18 FUEL
DRIVEN TO OUTPERFORM.™

LIMITS REDEFINED.

M18 FUEL™ NEXT GENERATION. MORE COMPACT. UNRIVALLED ACCURACY. REDEFINED PERFORMANCE.

M18™ Next Generation FUEL™, packs a mighty punch in a smaller package. More compact, yet more powerful, the range is perfect for those hard to reach areas, and ideal for working at height, due to the reduced size and weight, better balance and easier handling.

Put M18™ Next Generation FUEL™ to the test, and reset your expectations of 18 V tools.

- 1 **POWERSTATE™ BRUSHLESS MOTOR**
- 2 **REDLINK PLUS™ INTELLIGENCE**
- 3 **REDLITHIUM™ BATTERY PACKS**



MORE COMPACT. UNRIVALED ACCURACY. REDEFINED PERFORMANCE.



NEXT GENERATION

THE EASIEST WAY TO KEEP TRACK OF YOUR INVENTORY



ONE-KEY™
UNLOCKING THE DIGITAL JOBSITE.™

Bluetooth LOCATION

TRACK. MANAGE. CUSTOMISE.

With ONE-KEY™ you can add tools and equipment no matter the brand to your inventory and get a full overview of ALL your assets. Add unlimited users for free, assign tools to different employees and see which tools that are currently in use, ready for use or perhaps at the service centre.

Follow a digital trace of when, where and how your tools have been used to optimise efficiency and usage, or use it to track and lock your tools and equipment if it's missing.

Print professional reports and get documentation on the tool quality and usage.

All of this and much more **FOR FREE!**



GET STARTED IN 2 MINUTES

STEP 1

DOWNLOAD THE MILWAUKEE® ONE-KEY™ APP FOR FREE

Download on the App Store | ANDROID APP ON Google play

STEP 2

REGISTER YOUR PROFILE FAST & EASY

STEP 3

DONE! YOU ARE NOW READY TO USE ONE-KEY™

GET THE RIGHT HAMMER FOR THE JOB

1 For the more demanding, heavy duty applications. Including dry coring and medium duty chipping in both concrete block and reinforced concrete

2 For heavy duty applications, ideal for plumbing or formwork

3 Excellent performance, ideal for repetitive and fast drilling

4 Balanced performance weight ratio, ideal for light chiseling applications

5 Fixing hammers, ideal for tight spaces and all day use

SDS-MAX

| | Battery system | Technology | Feature | ONE-KEY™ | Blow energy (EPTA)(J) | Full load hammer action (bpm) | No load speed (rpm) | Optimised drilling capacity in concrete (mm) | Vibration drilling (m/s ²) | Vibration chiseling (m/s ²) | Weight with battery pack (EPTA) (kg) | Fits MILWAUKEE® Dust Extractors |
|----|----------------|------------|--------------|-----------|-----------------------|-------------------------------|---------------------|--|--|---|--------------------------------------|---------------------------------|
| 1. | M18 FHM-121C | M18 FUEL™ | HIGH OUTPUT™ | AUTOSTOP™ | ONE-KEY™ | 11.0 | 0 - 2900 | 0 - 380 | 20 - 40 | 9.4 | 10.2 (M18 HB12) | PHDE72 |
| 1. | M18 CHM-0C | M18 FUEL™ | - | - | - | 6.1 | 0 - 3000 | 0 - 450 | 16 - 32 | 10.6 | 7.1 (M18 HB12) | PHDE72 |

SDS-PLUS

| | Battery system | Technology | ONE-KEY™ | FIXTEC™ | Blow energy (EPTA)(J) | Max. percussion rate (bpm) | No load speed (rpm) | Optimised drilling capacity in concrete (mm) | Vibration drilling (m/s ²) | Vibration chiseling (m/s ²) | Weight with battery pack (EPTA) (kg) | Fits MILWAUKEE® Dust Extractors |
|----|-------------------|------------|-----------|---------|-----------------------|----------------------------|---------------------|--|--|---|--------------------------------------|---------------------------------|
| 2. | M18 ONEFHP-0X | M18 FUEL™ | ONE-KEY™ | - | 5.0 | 0 - 4600 | 0 - 800 | 8 - 24 | 6.9 | 7.4 | 5.0 (M18 HB5.5) | M18 FPDDEXL |
| 2. | M18 ONEFHPX-552X | M18 FUEL™ | ONE-KEY™ | ✓ | 5.0 | 0 - 4600 | 0 - 800 | 8 - 24 | 6.9 | 7.4 | 5.2 (M18 HB5.5) | M18 FPDDEXL |
| 2. | M18 FHACOD32-0C | M18 FUEL™ | ONE-KEY™ | - | 4.9 | 0 - 4600 | 0 - 800 | 8 - 24 | 10.5 | 9.4 | 5.9 (M18 HB5.5) | M18 FDEDEL32 |
| 3. | M18 FH-0X | M18 FUEL™ | - | - | 2.5 | 0 - 4800 | 0 - 1330 | 8 - 24 | 12.9 | 14.2 | 4.3 (M18 HB5.5) | M18 FCDDEXL/ M18 FDDEXL |
| 3. | M18 FHX-552X | M18 FUEL™ | - | ✓ | 2.5 | 0 - 4800 | 0 - 1330 | 6 - 20 | 12.9 | 14.2 | 4.4 (M18 HB5.5) | M18 FCDDEXL/ M18 FDDEXL |
| 3. | M18 ONEFH-0X | M18 FUEL™ | ONE-KEY™ | - | 2.5 | 0 - 4800 | 0 - 1330 | 6 - 20 | 12.9 | 14.2 | 4.3 (M18 HB5.5) | M18 FCDDEXL/ M18 FDDEXL |
| 3. | M18 ONEFHPX-552X | M18 FUEL™ | ONE-KEY™ | ✓ | 2.5 | 0 - 4800 | 0 - 1330 | 6 - 20 | 12.9 | 14.2 | 4.5 (M18 HB5.5) | M18 FCDDEXL/ M18 FDDEXL |
| 4. | M18 BLH-502X | M18™ | Brushless | - | 2.3 | 0 - 5100 | 26/ 13/ 26 | 6 - 18 | 8.9 | 9.5 | 3.3 (M18 B5) | M18 CDEX |
| 4. | M18 BLHX-502X | M18™ | Brushless | ✓ | 2.3 | 0 - 4900 | 26/ 13/ 26 | 6 - 18 | 8.9 | 9.5 | 3.5 (M18 B5) | M18 CDEX |
| 4. | M18 BLHACD26-402X | M18™ | Brushless | - | 2.6 | 0 - 4600 | 28/ 13/ 26 | 6 - 18 | 13.9 | 13.2 | 3.1 (M18 B4) | M18 CDEX |
| 5. | M12 CH-602X | M12 FUEL™ | - | - | 1.1 | - | 0 - 900 | Ø 5.5 - 12 | 4.4 | - | 1.9 (M12 B6) | M12 UDEL |
| 5. | M18 BH-402C | M18™ | - | - | 1.2 | 7000 | 0 - 1300 | Ø 5.5 - 13 | 10.3 | - | 2.5 (M18 B4) | M12 UDEL |



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW COMPATIBLE DRILL BITS

REDLITHIUM™

M18 FHM M18 FUEL™ ONE-KEY™ 8 KG SDS-MAX DRILLING AND BREAKING HAMMER



- The M18 FHM is the most productive SDS-Max tool MILWAUKEE® has produced, delivering AC power with the flexibility of the cordless M18™ platform
- The HIGH OUTPUT™ system of tools elevates the M18 FUEL™ technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT™ batteries

| | M18 FHM-0C | M18 FHM-121C |
|----------------|--|--|
| Kit included | No batteries supplied, No charger supplied, Kitbox | 1 x M18 HB12 Battery pack, M12-18 FC Charger, Kitbox |
| Article Number | 4933464893 | 4933464894 |
| EAN Code | 4058546228385 | 4058546228392 |

M18 ONEFHPX M18 FUEL™ HIGH PERFORMANCE 4-MODE 32 MM SDS-PLUS HAMMER WITH ONE-KEY™ AND FIXTEC™ CHUCK



- Hardest hitting cordless SDS-Plus hammer in its class. Powerful hammer mechanism delivers 5.0 J (EPTA) of impact energy at low 6.9 m/s² vibrations
- Drills up to 10 Ø18 x 100 mm holes on a M18™ HIGH OUTPUT™ 5.5 Ah battery charge
- AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations

| | M18 ONEFHPX-0X | M18 ONEFHPX-552X |
|----------------|--|--|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933478495 | 4933478496 |
| EAN Code | 4058546346881 | 4058546346898 |

M18 FDEDEL32 M18 FUEL™ DEDICATED DUST EXTRACTION FOR M18 FUEL™ 32 MM SDS-PLUS D-HANDLE HAMMER WITH AUTOPULSE™



- Designed to collect dust efficiently with automatic operation from the tools on/ off trigger switch
- AUTOPULSE™ industry's first on-board automatic filter cleaning mechanism for an on-tool dust extractor, which increases the air flow efficiency as well as the filter life time
- The highly efficient HEPA filter collects 99.97% of airborne particles down to 0.3 microns

| | M18 FDEDEL32-0 |
|----------------|----------------|
| Article Number | 4933492142 |
| EAN Code | 4058546415099 |

M18 FPDDEXL M18 FUEL™ DEDICATED DUST EXTRACTION FOR M18 FUEL™ 32 MM SDS-PLUS HAMMERS WITH AUTOPULSE™



- Designed to collect dust efficiently with automatic operation from the tools on/ off trigger switch
- AUTOPULSE™ industry's first on-board automatic filter cleaning mechanism for an on-tool dust extractor, which increases the air flow efficiency as well as the filter life time
- The highly efficient HEPA filter collects 99.97% of airborne particles down to 0.3 microns

| | M18 FPDDEXL-0 |
|----------------|---------------|
| Article Number | 4933478509 |
| EAN Code | 4058546347024 |

M18 CHM M18 FUEL™ 5 KG SDS-MAX DRILLING AND BREAKING HAMMER



- The world's first 18V 5 kg SDS-Max hammer for maximum versatility and portability with equal performance to an AC tool
- Brushless POWERSTATE™ motor provides corded drilling performance
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load

| | M18 CHM-0C |
|----------------|--|
| Kit included | No batteries supplied, No charger supplied, Kitbox |
| Article Number | 4933451362 |
| EAN Code | 4002395159208 |

M18 FHACOD32 M18 FUEL™ 32 MM SDS-PLUS D-HANDLE HAMMER WITH ONE-KEY™



- D-handle with compact and ergonomic design for increased end user comfort
- Powerful hammer mechanism and the brushless motor design delivers 4.9 J of impact energy
- 4-mode operation: rotary hammer, hammer only, rotation only and variolock for maximum versatility
- Anti-vibration side handle for lower vibration exposure

| | M18 FHACOD32-0C | M18 FHACOD32-0 |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, Kitbox | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933492140 | 4933492141 |
| EAN Code | 4058546415075 | 4058546415082 |

M18 ONEFHP M18 FUEL™ HIGH PERFORMANCE 4-MODE 32 MM SDS-PLUS HAMMER WITH ONE-KEY™



- Hardest hitting cordless SDS-Plus hammer in its class. Powerful hammer mechanism delivers 5.0 J (EPTA) of impact energy at low 6.9 m/s² vibrations
- Drills up to 10 Ø18 x 100 mm holes on a M18™ HIGH OUTPUT™ 5.5 Ah battery charge
- AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations

| | M18 ONEFHP-0X |
|----------------|--|
| Kit included | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933478884 |
| EAN Code | 4058546361662 |

M18 ONEFHPXDEL M18 FUEL™ HIGH PERFORMANCE SDS-PLUS HAMMER WITH DEDICATED DUST EXTRACTOR



- M18 ONEFHPX - M18 FUEL™ high performance 4-mode 32 mm SDS-Plus hammer with ONE-KEY™ and FIXTEC™ chuck
- M18 FPDDEXL - Dedicated dust extraction for M18 FUEL™ 32 mm SDS-Plus hammers with AUTOPULSE™

| | M18 ONEFHPXDEL-552C |
|----------------|--|
| Kit included | 2 x M18 HB5.5 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number | 4933478498 |
| EAN Code | 4058546346911 |

M18 ONEFHX M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK AND ONE-KEY™



- The fastest drilling rotary hammer in its class leading to increased productivity
- Powerful hammer mechanism delivers 2.5 J of impact energy at low 12.9 m/s² vibrations
- Drills up to 125 Ø10 x 50 mm holes on a M18™ HIGH OUTPUT™ 5.5 Ah battery charge
- AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations

| | M18 ONEFHX-0X | M18 ONEFHX-552X |
|----------------|--|--|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933478503 | 4933478504 |
| EAN Code | 4058546346966 | 4058546346973 |

M18 ONEFH M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH ONE-KEY™



- The fastest drilling rotary hammer in its class leading to increased productivity
- Powerful hammer mechanism delivers 2.5 J of impact energy at low 12.9 m/s² vibrations
- Drills up to 125 Ø10 x 50 mm holes on a M18™ HIGH OUTPUT™ 5.5 Ah battery charge
- AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations

| | M18 ONEFH-0X |
|----------------|--|
| Kit included | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933478886 |
| EAN Code | 4058546361686 |

M18 BLHX M18™ BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK



- Powerful hammer mechanism and the brushless motor design delivers 2.3 J of impact energy
- Compact, ergonomic design for increased end user comfort
- FIXTEC™ system for keyless chuck changing between SDS-Plus and 13 mm metal chuck
- All metal gear case - optimum seating of the gears for enhanced tool life

| | M18 BLHX-0X | M18 BLHX-502X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933478891 | 4933478892 |
| EAN Code | 4058546361730 | 4058546361747 |

M18 BLH M18™ BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER



- Powerful hammer mechanism and the brushless motor design delivers 2.3 J of impact energy
- Compact, ergonomic design for increased end user comfort
- All metal gear case - optimum seating of the gears for enhanced tool life
- 4-mode operation: rotary hammer, hammer only, rotation only and selectable work position of the chisel (variolock) for maximum versatility

| | M18 BLH-0 | M18 BLH-502X |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933479426 | 4933478894 |
| EAN Code | 4058546372200 | 4058546361761 |

M18 FHX M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™



- The fastest drilling rotary hammer in its class leading to increased productivity
- Powerful hammer mechanism delivers 2.5 J of impact energy at low 12.9 m/s² vibrations
- Drills up to 125 Ø10 x 50 mm holes on a M18™ HIGH OUTPUT™ 5.5 Ah battery charge
- AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations

| | M18 FHX-0X | M18 FHX-552X |
|----------------|--|--|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933478888 | 4933478889 |
| EAN Code | 4058546361709 | 4058546361716 |

M18 FH M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER



- The fastest drilling rotary hammer in its class leading to increased productivity
- Powerful hammer mechanism delivers 2.5 J of impact energy at low 12.9 m/s² vibrations
- Drills up to 125 Ø10 x 50 mm holes on a M18™ HIGH OUTPUT™ 5.5 Ah battery charge
- AUTOSTOP™ shuts down the tool to protect the user of sharp movement in bind up situations

| | M18 FH-0X |
|----------------|--|
| Kit included | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933478500 |
| EAN Code | 4058546346935 |

M18 CDEX M18 FUEL™ SDS-PLUS DUST EXTRACTOR



- Designed to collect dust effectively with automatic operation from the tools on/off trigger switch
- HEPA Filter: widely regarded as the ultimate filter that traps all sizes of particles with an efficiency rating of 99.75%
- Large dust collection box
- Dust extraction aluminium tube is adjustable according to the size of the drill bit and length 16 mm max and 90 mm depth

| | M18 CDEX-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933447450 |
| EAN Code | 4002395006243 |

M18 BLHACD26 M18™ BRUSHLESS 26 MM SDS-PLUS D-HANDLE HAMMER



- D-handle with lightweight and ergonomic design for increased end user comfort
- Powerful hammer mechanism and the brushless motor design delivers 2.6 J of impact energy
- 4-mode operation: rotary hammer, hammer only, rotation only and variolock for maximum versatility
- Anti-vibration system (AVS) for decreased user fatigue and lower vibration exposure

| | M18 BLHACD26-0X | M18 BLHACD26-402X |
|----------------|--|--|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B4 Battery packs, M12-18 C Charger, HD Box |
| Article Number | 4933492482 | 4933492480 |
| EAN Code | 4058546418496 | 4058546418472 |

M18 FDDEXL DEDICATED DUST EXTRACTION FOR M18 FUEL™ 26 MM SDS-PLUS HAMMERS WITH AUTOPULSE™



- Designed to collect dust efficiently with automatic operation from the tools on/off trigger switch
- AUTOPULSE™ industry's first on-board automatic filter cleaning mechanism for an on-tool dust extractor, which increases the air flow efficiency as well as the filter life time
- The highly efficient HEPA filter collects 99.97% of airborne particles down to 0.3 microns

| | M18 FDDEXL-0 |
|----------------|---------------|
| Article Number | 4933478508 |
| EAN Code | 4058546347017 |

M18 FCDDEXL COMPACT DEDICATED DUST EXTRACTION FOR M18 FUEL™ 26 MM SDS-PLUS HAMMERS



- Designed to collect dust efficiently with automatic operation from the tools on/off trigger switch
- The highly efficient HEPA filter collects 99.97% of airborne particles down to 0.3 microns
- Manual filter cleaning mechanism increases the air flow efficiency as well as the filter life time

| | M18 FCDDEXL-0 |
|----------------|---------------|
| Article Number | 4933478507 |
| EAN Code | 4058546347000 |

M18 BH M18™ COMPACT 2-MODE SDS-PLUS HAMMER



- Superior power to weight ratio in its class 2.5 kg 1.2 J (EPTA)
- High performance 4-pole motor delivers maximum power whilst maximising the power to weight ratio
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- 2-mode operation: choose rotary hammer or rotation only for maximum versatility

| | M18 BH-0 | M18 BH-402C |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933443320 | 4933443330 |
| EAN Code | 4002395003730 | 4002395003747 |

M18 FCOS230 M18 FUEL™ CUT-OFF SAW



- The world's first 18V 230 mm battery powered cut-off saw, delivers the power to cut reinforced concrete, whilst being 50% lighter than other petrol comparisons
- Starts up instantly, eliminates the need to mix petrol and oil, and avoids petrol engine maintenance
- Can be used indoors due to zero fume emissions

| | M18 FCOS230-0 | M18 FCOS230-121 |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 HB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933471696 | 4933471697 |
| EAN Code | 4058546295950 | 4058546295967 |

M18 ONEFHXDEL M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK, ONE-KEY™ AND WITH DEDICATED DUST EXTRACTOR



- M18 ONEFHX - M18 FUEL™ 4-mode 26 mm SDS-Plus hammer with FIXTEC™ chuck and ONE-KEY™
- M18 FDDEXL - Dedicated dust extraction for M18 FUEL™ 26 mm SDS-Plus hammers with AUTOPULSE™

| | M18 ONEFHXDEL-552C |
|----------------|--|
| Kit included | 2 x M18 HB5.5 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number | 4933478506 |
| EAN Code | 4058546346997 |



M18 FPM M18 FUEL™ PADDLE MIXER



- POWERSTATE™ brushless motor delivers the power to mix heavy compounds, such as concrete and mortar
- Ultimate speed control: 3 different ways of controlling speed for clean and consistent mixes (8-speed setting dial, variable speed trigger and a lock on button)
- 180° adjustable handle with 16 adjustable settings for user to optimise the handle position based on preference and comfort

| | M18 FPM-0X |
|----------------|--|
| Kit included | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933459719 |
| EAN Code | 4058546028916 |

M18 FCVN M18 FUEL™ NEEDLE CONCRETE VIBRATOR



- M18 FUEL™ Needle Vibrator for consolidation of concrete with a compact design
- 1.2 m whip length execution recommended for footings or small flatwork (M18 FCVN12)
- 2.4 m whip length execution recommended for walls or columns (M18 FCVN24)
- 25 mm² head design and 12,500 VPM for an improved consolidation power
- Variable speed trigger for ideal adaption to each material and formwork size

| | M18 FCVN12-0 | M18 FCVN12-551 | M18 FCVN24-0 | M18 FCVN24-551 |
|----------------|---|--|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 HB5.5 Battery pack, M12-18 FC Charger, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 HB5.5 Battery pack, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933479596 | 4933479597 | 4933479599 | 4933479600 |
| EAN Code | 4058546373900 | 4058546373917 | 4058546373931 | 4058546373948 |

GET THE RIGHT PERCUSSION DRILL FOR THE JOB



| | Battery system | Technology | ONE-KEY™ | Feature | No load speed (rpm) | Max. drilling wood/ steel/ masonry (mm) | Max. percussion rate (bpm) | Max. torque (Nm) | Chuck capacity (mm) | Weight with battery pack (EPTA) (kg) |
|----|-----------------|------------|-------------------|-----------|---------------------|---|----------------------------|------------------|---------------------|--------------------------------------|
| 1. | M18 ONEPD3-502X | M18 FUEL™ | ONE-KEY™ | - | 0 - 500/ 0 - 2100 | 89/ 16/ 16 | 0 - 33,000 | 158 | 13 | 2.2 (M18 B5) |
| 1. | M18 FPD3-502X | M18 FUEL™ | - | AUTOSTOP™ | 0 - 500/ 0 - 2100 | 89/ 16/ 16 | 0 - 33,000 | 158 | 13 | 2.2 (M18 B5) |
| 1. | M12 FPD2-602X | M12 FUEL™ | - | - | 0 - 450/ 0 - 1,550 | 35/ 13/ 13 | 0 - 22,500 | 45 | 13 | 1.4 (M12 B6) |
| 2. | M18 BLPD2-502X | M18™ | Brushless | - | 0 - 550/ 0 - 1800 | 76/ 13/ 16 | 0 - 28,800 | 82 | 13 | 2.1 (M18 B5) |
| 3. | M18 BLPDRC-502C | M18™ | Compact Brushless | - | 0-550/ 0-1700 | 52/ 13/ 16 | 0 - 25,500 | 60.5 | 13 | 1.5 (M18 B5) |



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW COMPATIBLE DRILL BITS

REDLITHIUM™

M18 ONEPD3 M18 FUEL™ ONE-KEY™ PERCUSSION DRILL

AUTOSTOP **ONE-KEY**
UNLOCKING THE DIGITAL JOBSITE.

- Higher power efficiency under load - outstanding torque of 158 Nm
- Extremely compact design of 175 mm length for access into tight spaces
- Connect via Bluetooth® with the ONE-KEY™ app
- Save up to 3 custom settings to the tools memory for fast selection on the jobsite

| | M18 ONEPD3-0X | M18 ONEPD3-502X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933492798 | 4933492801 |
| EAN Code | 4058546476694 | 4058546476724 |

M18 FPD3 M18 FUEL™ PERCUSSION DRILL

AUTOSTOP

- Higher power efficiency under load with outstanding torque of 158 Nm
- Extremely compact design of 175 mm length for access into tight spaces
- AUTOSTOP™ control mode offers enhanced safety for the operator by preventing over-rotation in a bind-up
- 13 mm metal chuck for quick bit changes and bit retention

| | M18 FPD3-0X | M18 FPD3-502X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933479859 | 4933479860 |
| EAN Code | 4058546376536 | 4058546376543 |

M18 BLPD2 M18™ BRUSHLESS PERCUSSION DRILL

BRUSHLESS

- New brushless motor design delivers 40% more torque than previous model - up to 82 Nm
- Compact design (180 mm in length) provides excellent balance and control, ideal for overhead applications or work in tight spaces
- Advanced 13 mm heavy duty metal chuck for quick bit changes and superior bit retention
- Optimised speed for faster drilling & fastening (0 - 550/ 0 - 1800 rpm)

| | M18 BLPD2-0X | M18 BLPD2-402X | M18 BLPD2-502X |
|----------------|--|---|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B4 Battery packs, M12-18 FC Charger, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933464516 | 4933464560 | 4933464517 |
| EAN Code | 4058546224615 | 4058546225056 | 4058546224622 |

M18 BLPDRC M18™ COMPACT BRUSHLESS PERCUSSION DRILL

COMPACT BRUSHLESS

- Compact brushless percussion drill measuring 145 mm in length for access into tight spaces
- Advanced 13 mm heavy duty metal chuck for quick bit changes and superior bit retention
- 60 Nm of torque - best power to size ratio
- All metal reversible belt clip to hang your tool quickly and easily
- On board fuel gauge and LED light

| | M18 BLPDRC-0X | M18 BLPDRC-202C | M18 BLPDRC-502C |
|----------------|--|--|--|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox | 2 x M18 B5 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933492821 | 4933492822 | 4933492826 |
| EAN Code | 4058546476922 | 4058546476939 | 4058546476977 |

M18 ONEDD3 M18 FUEL™ ONE-KEY™ DRILL DRIVER

AUTOSTOP **ONE-KEY**
UNLOCKING THE DIGITAL JOBSITE.

- Higher power efficiency under load - outstanding torque of 158 Nm
- Extremely compact design of 173 mm length for access into tight spaces
- Connect via Bluetooth® with the ONE-KEY™ app
- Save up to 3 custom settings to the tools memory for fast selection on the jobsite

| | M18 ONEDD3-0X | M18 ONEDD3-502X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933492799 | 4933492802 |
| EAN Code | 4058546476700 | 4058546476731 |

M18 FDD3 M18 FUEL™ DRILL DRIVER

AUTOSTOP

- Higher power efficiency under load with outstanding torque of 158 Nm
- Extremely compact design of 173 mm length for access into tight spaces
- AUTOSTOP™ control mode offers enhanced safety for the operator by preventing over-rotation in a bind-up
- Fastest drilling and driving applications under load
- Brighter LED workspace illumination

| | M18 FDD3-0X | M18 FDD3-502X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933479862 | 4933479863 |
| EAN Code | 4058546376567 | 4058546376574 |

M18 BLDD2 M18™ BRUSHLESS DRILL DRIVER

BRUSHLESS

- New brushless motor design delivers 40% more torque than previous model - up to 82 Nm
- Compact design (180 mm in length) provides excellent balance and control, ideal for overhead applications or work in tight spaces
- Advanced 13 mm heavy duty metal chuck for quick bit changes and superior bit retention
- Optimised speed for faster drilling & fastening (0 - 550/ 0 - 1800 rpm)

| | M18 BLDD2-0X | M18 BLDD2-402X | M18 BLDD2-502X |
|----------------|--|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B4 Battery packs, M12-18 C Charger, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933464514 | 4933464559 | 4933464515 |
| EAN Code | 4058546224592 | 4058546225049 | 4058546224608 |

M18 BLDDRC M18™ COMPACT BRUSHLESS DRILL DRIVER

COMPACT BRUSHLESS

- Compact brushless drill driver measuring 145 mm in length for access into tight spaces
- Advanced 13 mm heavy duty metal chuck for quick bit changes and superior bit retention
- 60 Nm of torque - best power to size ratio
- All metal reversible belt clip to hang your tool quickly and easily
- On board fuel gauge and LED light

| | M18 BLDDRC-0X | M18 BLDDRC-202C | M18 BLDDRC-502C |
|----------------|--|--|--|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox | 2 x M18 B5 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933492832 | 4933492833 | 4933492835 |
| EAN Code | 4058546477035 | 4058546477042 | 4058546477066 |

GET THE RIGHT IMPACT DRIVER FOR THE JOB



| | Battery system | Technology | ONE-KEY™ | No load speed (rpm) | Impact rate (ipm) | Max. torque (Nm) | Tool reception | Max. bolt diameter | Weight with battery pack (EPTA) (kg) |
|----|-----------------|------------|-------------------|-----------------------|-----------------------|-------------------|----------------|--------------------|--------------------------------------|
| 1. | M18 ONEID3-502X | M18 FUEL™ | ONE-KEY™ | 1750/3000/4000/0-4000 | 1200/3400/4300/0-4400 | 119/176/226/0-226 | ¼" Hex | M16 | 1.7 (M18 B5) |
| 1. | M18 FID3-502X | M18 FUEL™ | - | 1750/3000/3900/0-3900 | 1400/3600/4400/0-4400 | 226 | ¼" Hex | M16 | 1.7 (M18 B5) |
| 1. | M12 FID2-602X | M12 FUEL™ | - | 1700/2900/3600/3600 | 1300/3500/4000/0-4000 | 170 | ¼" Hex | M14 | 1.1 (M12 B6) |
| 1. | M18 FQID-502X | M18 FUEL™ | SURGE™ | 900/2100/3000/0-3000 | 1800/2900/4000/0-4000 | 50 | ¼" Hex | M14 | 1.7 (M18 B5) |
| 1. | M12 FQID-202X | M12 FUEL™ | SURGE™ | 1100/2200/3200/3200 | 950/2200/3400/3400 | 50 | ¼" Hex | M14 | 1.1 (M12 B2) |
| 2. | M18 BLIDR-502X | M18™ | Brushless | 1250/2400/3600 | 2500/4700/4900 | 190 | ¼" Hex | M14 | 1.3 (M18 B5) |
| 3. | M18 BLIDRC-402C | M18™ | Compact Brushless | 0 - 3600 | 0 - 4900 | 190 | ¼" Hex | M14 | 1.3 (M18 B4) |
| 4. | M18 BRAID-0 | M18™ | - | 1500/ 2250 | 2400/3400 | 41/ 81 | ¼" Hex | M14 | 1.8 (M18 B5) |
| 4. | M12 BRAID-0 | M12™ | - | 0 - 2425 | 0 - 3300 | 68 | ¼" Hex | M12 | 1.2 (M12 B2) |



M18 FRAD2 **M18 FUEL™ SUPER HAWG® 2-SPEED RIGHT ANGLE DRILL DRIVER GEN II**



- Extremely long run time, up to 100 holes with a 65 mm auger bit into wood
- POWERSTATE™ brushless motor provides constant power under load to power through 152 mm holes
- Mechanical clutch protects the tool in the event of a stall
- Compact design allows working in confined spaces
- On board fuel gauge and LED light

M18 FRAD2-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933471207 |
| EAN Code | 4058546288358 |

C18 RAD **M18™ COMPACT RIGHT ANGLE DRILL**



- Optimised performance: 1500 rpm at 20 Nm
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Perfect speed to power ratio for fast application completion
- 10 mm single sleeve ratcheting chuck provides maximum versatility and grip
- 100 mm compact head designed to fit in the tightest work areas

C18 RAD-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933427189 |
| EAN Code | 4002395239085 |

M18 FID3 **M18 FUEL™ ¼" HEX IMPACT DRIVER**



- Higher power efficiency under load with outstanding torque of 226 Nm
- Faster driving speed vs. previous model, up to 3900 rpm and 4400 ipm
- Extremely compact design, total length of just 113 mm for access into tight spaces
- DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility
- Mode 1 for precision work

| | M18 FID3-0X | M18 FID3-502X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933479864 | 4933479865 |
| EAN Code | 4058546376581 | 4058546376598 |

M18 BLIDR **M18™ BRUSHLESS ¼" HEX IMPACT DRIVER**



- Brushless impact driver measures only 112 mm in length making it ideal for working within confined spaces
- Brushless motor technology delivers 190 Nm of torque, 3600 rpm and 4900 ipm
- 3-Mode DRIVE CONTROL allows the user to shift into three different speed and torque settings to maximise application versatility
- One-handed bit insert with retention lock, for faster, easier changing of bits

| | M18 BLIDR-0X | M18 BLIDR-502X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933492842 | 4933492843 |
| EAN Code | 4058546477134 | 4058546477141 |

M18 CRAD2 **M18 FUEL™ RIGHT ANGLE DRILL**



- Delivers corded power and speed (1500 rpm) in wood drilling applications
- All metal gear case and 13 mm keyed chuck
- Extremely long run time with a 5.5 Ah battery pack drills up to 200 holes with a 22 mm auger bit into 50 x 100 mm wood

M18 CRAD2-0X

| | |
|----------------|--|
| Kit included | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933471641 |
| EAN Code | 4058546295400 |

M18 ONEID3 **M18 FUEL™ ONE-KEY™ ¼" HEX IMPACT DRIVER**



- Save up to 3 custom settings to the tools memory for fast selection on the jobsite
- Connect via Bluetooth® with the ONE-KEY™ app
- Faster driving speed vs. previous model, up to 3900 rpm and 4400 ipm
- Extremely compact design of 113 mm length for access into tight spaces
- Adjustable trigger control for all applications with ONE-KEY™

| | M18 ONEID3-0X | M18 ONEID3-502X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933492800 | 4933492804 |
| EAN Code | 4058546476717 | 4058546476755 |

M18 FQID **M18 FUEL™ SURGE™ ¼" HEX HYDRAULIC IMPACT DRIVER**



- The M18 FUEL™ SURGE™ ¼" Hex hydraulic driver is MILWAUKEE®'s quietest impact driver
- FLUID-DRIVE™ hydraulic powertrain reduces metal on metal contact within the tool, delivering quieter operation, smoother performance and increased durability over a standard impact
- Delivers same performance in wood fastening as standard brushless impact drivers

| | M18 FQID-0X | M18 FQID-502X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933459187 | 4933451790 |
| EAN Code | 4002395289226 | 4002395277636 |

M18 BLIDRC **M18™ COMPACT BRUSHLESS ¼" HEX IMPACT DRIVER**



- Brushless impact driver measures only 112 mm in length making it ideal for working within confined spaces
- Brushless motor technology delivers 190 Nm of torque, 3600 rpm and 4900 ipm
- One-handed bit insert with retention lock, for faster, easier changing of bits
- Heavy duty full metal gearbox and gears for superior durability and maximum torque
- On board fuel gauge and LED light

| | M18 BLIDRC-0 | M18 BLIDRC-402C |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933492839 | 4933492840 |
| EAN Code | 4058546477103 | 4058546477110 |

GET THE RIGHT IMPACT WRENCH FOR THE JOB

1 SPECIALIST

Specialist tools designed for different application to get the job done fast



2A HIGH PERFORMANCE



Large metric bolts

2B Working in and around semi trucks on the construction site for high torque applications



Extra large metric bolts

2C Perfect match of power, size and functionality for the machinery technician to mounting bolt on a steel junction plate



Medium to large metric bolts

4 MID SIZE

Tyre change on cars to mounting larger bolts to the chassis



Small to medium metric bolts

5 COMPACT

Engine works and getting into the hard to reach spots on the undercarriage



Small metric bolts

| | Battery system | Technology | ONE-KEY™ | No load speed (rpm) | Impact rate (ipm) | Tool reception | Max. torque (Nm) | Nut-busting torque (Nm) | Max. bolt diameter | Weight with battery pack (EPTA) (kg) | |
|-----|----------------------|------------|--------------|--------------------------------|--------------------------------|------------------------|------------------------|-------------------------|--------------------|--------------------------------------|----------------|
| 1. | M18 FHIWF1R-122C | M18 FUEL™ | HIGH OUTPUT™ | - | 1000/ 1400/ 1670/ 1670 | 1750/ 2150/ 2500/ 2500 | 1" square | 730/ 1500/ 2000 | 2000 | M42 | 7.8 (M18 HB12) |
| 1. | M18 ONEFHIWF1D-121C | M18 FUEL™ | ONE-KEY™ | 600/ 700/ 900/ 1200 | 750/ 930/ 1200/ 1440 | 1" square | 1180/ 1254/ 1966/ 2576 | 2711 | M42 | 12.7 (M18 HB12) | |
| 1. | M18 ONEFHIWF1DS-121C | M18 FUEL™ | ONE-KEY™ | 600/ 700/ 900/ 1200 | 750/ 930/ 1200/ 1440 | 1" square | 1180/ 1254/ 1966/ 2576 | 2711 | M42 | 11.1 (M18 HB12) | |
| 1. | M18 ONEFHIWH716-502X | M18 FUEL™ | ONE-KEY™ | 0-900/ 0-1200/ 0-1800/ 0-2300 | 0-800/ 0-1300/ 0-2600/ 0-2800 | 7/16" Hex | 1017 | 1017 | M24 | 3.3 (M18 B5) | |
| 2A. | M18 ONEFHIWF34-502X | M18 FUEL™ | ONE-KEY™ | 0-800/ 0-1300/ 0-1800/ 0-1800 | 0-850/ 0-1850/ 0-2400/ 0-2400 | 3/4" square | 702/ 1138/ 1627/ 1627 | 2034 | M33 | 3.5 (M18 B5) | |
| 2B. | M18 ONEFHIWF1-802X | M18 FUEL™ | ONE-KEY™ | 0-950/ 0-1080/ 0-1370/ 0-1670 | 1350/ 1650/ 2100/ 0-2500 | 1" square | 530/ 1020/ 1800/ 2033 | 2400 | M42 | 5.9 (M18 HB8) | |
| 2C. | M18 ONEFHIWF12-502X | M18 FUEL™ | ONE-KEY™ | 0-550/ 0-1400/ 0-1750/ 0-1750 | 0-950/ 0-1750/ 0-2100/ 0-2100 | 1/2" square | 130/ 400/ 1356/ 1356 | 1898 | M33 | 3.3 (M18 B5) | |
| 2C. | M18 ONEFHIWF12E-0X | M18 FUEL™ | ONE-KEY™ | 0-1200/ 0-1800/ 0-1800/ 0-1800 | 0-1600/ 0-2400/ 0-2400/ 0-2400 | 1/2" square | 102/ 203/ 610/ 1017 | 1500 | M33 | 3.3 (M18 B5) | |
| 2C. | M18 ONEFHIWP12-502X | M18 FUEL™ | ONE-KEY™ | 0-950/ 0-1500/ 0-1800/ 0-1800 | 0-1150/ 0-2100/ 0-2400/ 0-2400 | 1/2" square | 190/ 400/ 1017/ 1017 | 1491 | M24 | 3.2 (M18 B5) | |
| 3. | M18 FHIW2F12-502X | M18 FUEL™ | - | 0-700/ 0-1300/ 0-2000/ 0-2000 | 0-1300/ 0-2200/ 0-2400/ 0-2400 | 1/2" square | 881 / 1220 / 1491 / 68 | 2034 | M36 | 3.4 (M18 B5) | |
| 3. | M18 FHIW2P12-502X | M18 FUEL™ | - | 0-700/ 0-1300/ 0-2000/ 0-2000 | 0-1400/ 0-2500/ 0-2700/ 0-2700 | 1/2" square | 475 / 1017 / 1220 / 68 | 1491 | M36 | 3.4 (M18 B5) | |
| 3. | M18 BLHIWF12-0X | M18™ | Brushless | - | 0 - 1750 | 0 - 2000 | 1/2" square | 1085 | 1627 | M36 | 3.4 (M18 B5) |
| 4. | M18 ONEIWF12-502X | M18 FUEL™ | ONE-KEY™ | 900/ 1400/ 1900/ 2500 | 1300/ 2100/ 2550/ 3200 | 1/2" square | 40/ 120/ 220/ 300 | 300 | M16 | 1.8 (M18 B5) | |
| 4. | M18 ONEIWP12-502X | M18 FUEL™ | ONE-KEY™ | 900/ 1400/ 1900/ 2500 | 1300/ 2100/ 2550/ 3200 | 1/2" square | 40/ 120/ 220/ 300 | 300 | M16 | 1.8 (M18 B5) | |
| 4. | M18 FIW2F12-502X | M18 FUEL™ | - | 0-900/ 0-1650/ 0-2400/ 0-1200 | 0-1000/ 0-2400/ 0-3500 | 1/2" square | 102/ 203/ 339/ 34 | 339 | M16 | 1.8 (M18 B5) | |
| 4. | M18 FIW2P12-502X | M18 FUEL™ | - | 0-900/ 0-1650/ 0-2400/ 0-1200 | 0-1000/ 0-2400/ 0-3500 | 1/2" square | 102/ 203/ 339/ 34 | 339 | M16 | 1.8 (M18 B5) | |
| 4. | M18 FIW2F38-0X | M18 FUEL™ | - | 0-800/ 0-1650/ 0-2400/ 0-1000 | 0-1000/ 0-2400/ 0-3500 | 3/8" square | 102/ 203/ 339/ 34 | 339 | M16 | 1.8 (M18 B5) | |
| 4. | M18 FMTIW2F12-502X | M18 FUEL™ | - | 0-1200/ 0-1950/ 0-2575/ 0-1325 | 0-900/ 0-2100/ 0-3100 | 1/2" square | 475/ 610/ 745/ 47 | 881 | M22 | 2.3 (M18 B5) | |
| 4. | M18 FMTIW2P12-502X | M18 FUEL™ | - | 0-1250/ 0-1950/ 0-2575/ 0-1325 | 0-900/ 0-2100/ 0-3100 | 1/2" square | 475/ 610/ 745/ 47 | 881 | M22 | 2.3 (M18 B5) | |
| 4. | M18 FMTIW2F38-502X | M18 FUEL™ | - | 0-1200/ 0-1950/ 0-2575/ 0-1325 | 0-900/ 0-2100/ 0-3100 | 3/8" square | 475/ 610/ 745/ 47 | 813 | M22 | 2.3 (M18 B5) | |
| 4. | M12 FIWF12-422X | M12 FUEL™ | - | 1200/ 1800/ 2700/ 2700 | 1100/ 2100/ 3200 | 1/2" square | 339 | 339 | M16 | 1.1 (M12 B4) | |
| 4. | M12 FIW14-0 | M12 FUEL™ | - | 1300/ 1900/ 3200/ 3200 | 1300/ 2000/ 4300 | 1/4" square | 136 | 136 | M12 | 0.90 (M12 B4) | |
| 4. | M12 FIW38-0 | M12 FUEL™ | - | 1200/ 1800/ 2700/ 2700 | 1100/ 2100/ 3200 | 3/8" square | 339 | 339 | M16 | 1.1 (M12 B4) | |
| 4. | M18 BIW12-402C | M18™ | - | 0 - 2450 | 0 - 3350 | 1/2" square | 240 | 240 | M14 | 1.9 (M18 B4) | |
| 4. | M18 BIW38-0 | M18™ | - | 0 - 2450 | 0 - 3350 | 3/8" square | 210 | 210 | M14 | 1.9 (M18 B4) | |
| 4. | M12 BIW12-202C | M12™ | - | 0 - 2550 | 0 - 3400 | 1/2" square | 138 | 138 | M12 | 1.0 (M12 B2) | |
| 4. | M12 BIW38-0 | M12™ | - | 0 - 2500 | 0 - 3300 | 3/8" square | 135 | 135 | M12 | 1.0 (M12 B2) | |



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW COMPATIBLE IMPACT SOCKETS



M18 BRAID M18™ RIGHT ANGLE IMPACT DRIVER

M18



- Compact right angle impact driver measures 307 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Full metal gearbox and gears for superior durability and maximum torque
- Compact 53 mm head design

| | M18 BRAID-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933447891 |
| EAN Code | 4002395006663 |

M18 FSGC M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT

M18 FUEL



- Fine adjustment nose cone for setting desired countersink levels in single screw applications
- Removable collated attachment allows the user to use the gun as a stand alone screwdriver or a collaged screw gun
- Reinforced collated attachment to protect against dropping of tool

| | M18 FSGC-202X |
|----------------|---|
| Kit included | 2 x M18 B2 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933459199 |
| EAN Code | 4002395289943 |

M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING

M18 FUEL



- The M18 FUEL™ high torque impact wrench with ONE-KEY™ technology delivers 1356 Nm of fastening torque in a compact size of 213 mm, which gives more access in tight spaces
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

| | M18 ONEFHIWF12-0X | M18 ONEFHIWF12-502X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933459726 | 4933459727 |
| EAN Code | 4058546028985 | 4058546028992 |

M18 ONEFHIWF12E M18 FUEL™ ONE-KEY™ 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL

M18 FUEL



- The M18 FUEL™ extended anvil high torque impact wrench with ONE - KEY™ technology delivering 1017 Nm of fastening torque with a 75 mm extended 1/2" anvil friction ring reception
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

| | M18 ONEFHIWF12E-0X |
|----------------|--|
| Kit included | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933478405 |
| EAN Code | 4058546345969 |

M18 FSG M18 FUEL™ SCREW GUN

M18 FUEL



- Fine adjustment nose cone for setting desired countersink levels in single screw applications
- Quick release 1/4" Hex chuck allows for easy bit change
- AUTO-START™ technology: When activated the power only engages when the screw gun is pushed into the material during application, delivering outstanding run time
- On board fuel gauge and LED light

| | M18 FSG-0X |
|----------------|--|
| Kit included | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933459201 |
| EAN Code | 4002395289967 |

M18 FHIWF1R M18 FUEL™ 1" RAILWAY IMPACT WRENCH WITH FRICTION RING

M18 FUEL



- The M18 FUEL™ 1" railway impact wrench with 2000 Nm of maximum torque has the power to replace petrol solutions
- With a weight of only 6.1 kg it allows fatigue-free working even over long periods of time
- Three different speed settings ensure that work can always be done at the optimum speed
- The auto shut-off function integrated in mode 4 prevents over-tightening of bolts

| | M18 FHIWF1R-0C | M18 FHIWF1R-122C |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, Kitbox | 2 x M18 HB12 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number | 4933493140 | 4933493141 |
| EAN Code | 4058546480110 | 4058546480127 |

M18 ONEFHIWP12 M18 FUEL™ ONE-KEY™ 1/2" HIGH TORQUE IMPACT WRENCH WITH PIN DETENT

M18 FUEL



- The M18 FUEL™ high torque impact wrench with ONE-KEY™ technology delivers 1017 Nm of fastening torque in a compact size of 206 mm, which gives more access in tight spaces
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

| | M18 ONEFHIWP12-0X | M18 ONEFHIWP12-502X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933459724 | 4933459725 |
| EAN Code | 4058546028961 | 4058546028978 |

M18 ONEFHIWH716 M18 FUEL™ 7/16" HEX UTILITY HIGH TORQUE IMPACT WRENCH WITH ONE-KEY™

M18 FUEL



- Our MILWAUKEE® M18 FUEL™ 7/16" hex utility high torque impact wrench with ONE-KEY™ is the perfect match for our 7/16" accessories range giving you the power when needed in larger wood application
- With up to 1017 Nm max torque, this battery powered impact wrench gives you more power to effortlessly complete your applications or the removal of rusted and corroded hardware

| | M18 ONEFHIWH716-0X |
|----------------|--|
| Kit included | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933479152 |
| EAN Code | 4058546369460 |

M18 ONEFHIWF1D M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL

M18 FUEL



- The M18 FUEL™ D-handle high torque impact wrench with a 150 mm extended anvil delivers 2576 Nm of fastening torque replacing AC, petrol or pneumatic solutions
- Delivers up to 2711 Nm of nut-busting torque that enables bolts up to M42 to be unfastened
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

| | M18 ONEFHIWF1D-0C | M18 ONEFHIWF1D-121C |
|----------------|--|--|
| Kit included | No batteries supplied, No charger supplied, Kitbox | 1 x M18 HB12 Battery pack, M12-18 FC Charger, Kitbox |
| Article Number | 4933471755 | 4933471756 |
| EAN Code | 4058546296544 | 4058546296551 |

M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL

M18 FUEL



- The M18 FUEL™ D-handle high torque impact wrench delivers 2576 Nm of fastening torque replacing AC, petrol or pneumatic solutions
- Delivers up to 2711 Nm of nut-busting torque that enables bolts up to M42 to be unfastened
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

| | M18 ONEFHIWF1DS-0C | M18 ONEFHIWF1DS-121C |
|----------------|--|--|
| Kit included | No batteries supplied, No charger supplied, Kitbox | 1 x M18 HB12 Battery pack, M12-18 FC Charger, Kitbox |
| Article Number | 4933472071 | 4933472072 |
| EAN Code | 4058546324674 | 4058546324681 |

M18 FHIW2F12 M18 FUEL™ 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING

M18 FUEL



- Great power density: the M18 FUEL™ high torque impact wrench delivers 1491 Nm fastening torque and 2034 Nm of nut-busting torque in a compact size of 193 mm, which gives more access in tight spaces
- 2000 RPMs of no-load speed to perform your task 35% faster than with the previous gen
- Next gen battery isolator to prevent vibration damage to battery fitment
- Robust gearcase for more durability

| | M18 FHIW2F12-0X | M18 FHIW2F12-502X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933492782 | 4933492783 |
| EAN Code | 4058546476533 | 4058546476540 |

M18 FHIW2P12 M18 FUEL™ 1/2" HIGH TORQUE IMPACT WRENCH WITH PIN DETENT

M18 FUEL



- Great power density: the M18 FUEL™ high torque impact wrench delivers 1220 Nm fastening torque and 1491 Nm of nut-busting torque in a compact size of 193 mm, which gives more access in tight spaces
- 2000 RPMs of no-load speed to perform your task 35% faster than with the previous gen
- Next gen battery isolator to prevent vibration damage to battery fitment
- Robust gearcase for more durability

| | M18 FHIW2P12-0X | M18 FHIW2P12-502X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933492785 | 4933492786 |
| EAN Code | 4058546476564 | 4058546476571 |

M18 ONEFHIWF1 M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING

M18 FUEL



- The M18 FUEL™ 1" T-handle high torque impact wrench has the power to replace AC, petrol or pneumatic solutions
- Delivering up to 2033 Nm of fastening torque at half the size and weight of AC, petrol or pneumatic solutions
- Packed with 2400 Nm of nut busting torque meaning those rusted stubborn old bolts wont stand a chance

| | M18 ONEFHIWF1-0X | M18 ONEFHIWF1-802X |
|----------------|--|--|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 HB8 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933459732 | 4933459733 |
| EAN Code | 4058546029043 | 4058546029050 |

M18 ONEFHIWF34 M18 FUEL™ ONE-KEY™ 3/4" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING

M18 FUEL



- The M18 FUEL™ high torque impact wrench with ONE-KEY™ technology delivers 1627 Nm of fastening torque in a compact size of 213 mm, which gives more access in tight spaces
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

| | M18 ONEFHIWF34-0X | M18 ONEFHIWF34-502X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933459729 | 4933459730 |
| EAN Code | 4058546029012 | 4058546029029 |

M18 FMTIW2F12 M18 FUEL™ 1/2" MID-TORQUE IMPACT WRENCH WITH FRICTION RING

M18 FUEL



- Most versatile cordless impact wrench in the MILWAUKEE® impressive arsenal with an industry-leading performance at 881 Nm of nut-busting torque and 745 Nm of fastening torque
- Incredibly compact design for this performance level, with only 152 mm overall length ideal for applications in tight spaces

| | M18 FMTIW2F12-0X | M18 FMTIW2F12-502X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933478449 | 4933478450 |
| EAN Code | 4058546346409 | 4058546346416 |

M18 FMTIW2P12 M18 FUEL™ 1/2" MID-TORQUE IMPACT WRENCH WITH PIN DETENT

M18 FUEL



- Most versatile cordless impact wrench in the MILWAUKEE® impressive arsenal with an industry-leading performance at 881 Nm of nut-busting torque and 745 Nm of fastening torque
- Incredibly compact design for this performance level, with only 152 mm overall length ideal for applications in tight spaces

| | M18 FMTIW2P12-0X | M18 FMTIW2P12-502X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933478452 | 4933478453 |
| EAN Code | 4058546346430 | 4058546346447 |

M18 FMTIW2F38 **M18 FUEL**
M18 FUEL™ 3/8" MID TORQUE IMPACT WRENCH WITH FRICTION RING



- Most versatile cordless impact wrench in the MILWAUKEE® impressive arsenal with an industry-leading performance at 813 Nm of nut-busting torque and 745 Nm of fastening torque
- Incredibly compact design for this performance level, with only 152 mm overall length ideal for applications in tight spaces

| M18 FMTIW2F38-0X | |
|------------------|--|
| Kit included | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933479153 |
| EAN Code | 4058546369477 |

M18 ONEIWF12 **M18 FUEL**
M18 FUEL™ ONE-KEY™ 1/2" IMPACT WRENCH WITH FRICTION RING



- M18 FIWF12 but with ONE-KEY™ technology
- Connect via Bluetooth® with the ONE-KEY™ app
- Complete tool customisation via ONE-KEY™ app to tune the tool to your needs
- Control speed, torque, start - end speeds and LED light
- Configure to any application choosing optimum tool settings for repeatable precision
- Program / save profiles for unmatched control

| M18 ONEIWF12-0X | | M18 ONEIWF12-502X | |
|-----------------|--|---|--|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box | |
| Article Number | 4933459198 | 4933451374 | |
| EAN Code | 4002395289936 | 4002395160525 | |

M18 BIW38 **M18**
M18™ 3/8" IMPACT WRENCH



- Compact 3/8" impact wrench measures 152 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Heavy duty full metal gearbox and gears for superior durability and maximum torque
- 3/8" square drive for use with universal sockets

| M18 BIW38-0 | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933443600 |
| EAN Code | 4002395003273 |

M18 BRAIW **M18**
M18™ 3/8" RIGHT ANGLE IMPACT WRENCH



- Compact right angle impact wrench measures 307 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Full metal gearbox and gears for superior durability and maximum torque
- Compact 53 mm head design

| M18 BRAIW-0 | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933447899 |
| EAN Code | 4002395006670 |

M18 ONEIWP12 **M18 FUEL**
M18 FUEL™ ONE-KEY™ 1/2" IMPACT WRENCH WITH PIN DETENT



- M18 FIWP12 but with ONE-KEY™ technology
- Connect via Bluetooth® with the ONE-KEY™ app
- Complete tool customisation via ONE-KEY™ app to tune the tool to your needs
- Control speed, torque, start and end speeds and LED
- Configure to any application choosing optimum tool settings for repeatable precision
- Program/save profiles for unmatched control

| M18 ONEIWP12-0 | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933451152 |
| EAN Code | 4002395138210 |

M18 FIW2F12 **M18 FUEL**
M18 FUEL™ 1/2" COMPACT IMPACT WRENCH WITH FRICTION RING



- Power efficiency under load - outstanding torque of 339 Nm
- Extremely compact design - total length of just 124 mm for access into tight spaces
- 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility
- Bolt removal control delivers full torque output, then decreases RPMs once the bolt is loosened to prevent fastener drops

| M18 FIW2F12-0X | | M18 FIW2F12-502X | |
|----------------|--|---|--|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box | |
| Article Number | 4933478443 | 4933478444 | |
| EAN Code | 4058546346348 | 4058546346355 | |

M18 ONEFLT **M18 FUEL**
M18 FUEL™ LOCKBOLT TOOL WITH ONE-KEY™



- The M18 FUEL™ lockbolt tool with ONE-KEY™ is an optimised cordless solution that delivers fast, easy installations while maintaining performance, durability, and size
- 20,000 N of pulling force with a stroke length of 30 mm gives you the power to complete the larger applications effortlessly
- Installs up to 1,200 aluminium 6.4 mm lockbolts with one fully charged M18™ 5.0 Ah battery pack

| M18 ONEFLT-0X | | M18 ONEFLT-502X | |
|----------------|--|---|--|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box | |
| Article Number | 4933478637 | 4933478638 | |
| EAN Code | 4058546348304 | 4058546348311 | |

M18 ONEFPRT **M18 FUEL**
M18 FUEL™ RIVET TOOL WITH ONE-KEY™



- The M18 FUEL™ rivet tool with ONE-KEY™ is an optimised cordless solution that delivers fast, easy riveting while maintaining performance, durability, and size
- Pulls up to 900 rivets with a rivet size of 4.8 mm in aluminium or 500 rivets with a size of 6.4 mm in aluminium on a fully charged M18™ 2.0 Ah battery pack

| M18 ONEFPRT-0X | | M18 ONEFPRT-202X | |
|----------------|--|---|--|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B2 Battery packs, M12-18 FC Charger, HD Box | |
| Article Number | 4933478601 | 4933478602 | |
| EAN Code | 4058546347949 | 4058546347956 | |

M18 FIW2P12 **M18 FUEL**
M18 FUEL™ 1/2" COMPACT IMPACT WRENCH WITH PIN DETENT



- Power efficiency under load - outstanding torque of 339 Nm
- Extremely compact design - total length of just 124 mm for access into tight spaces
- 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility
- Bolt removal control delivers full torque output, then decreases RPMs once the bolt is loosened to prevent fastener drops

| M18 FIW2P12-0X | | M18 FIW2P12-502X | |
|----------------|--|---|--|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box | |
| Article Number | 4933478446 | 4933478447 | |
| EAN Code | 4058546346379 | 4058546346386 | |

M18 FIW2F38 **M18 FUEL**
M18 FUEL™ 3/8" COMPACT IMPACT WRENCH WITH FRICTION RING



- The most compact cordless impact wrench in its class, delivering the most access in tight spaces, with performance at 339 Nm of fastening torque
- Incredibly compact design for this performance level, with only 124 mm overall length ideal for applications in tight spaces
- 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

| M18 FIW2F38-0X | |
|----------------|--|
| Kit included | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933478650 |
| EAN Code | 4058546348434 |

C18 PCG/600 **M18**
M18™ CAULK GUN WITH 600 ML TUBE



- Up to 4500 N of force. Min 40% higher than previous MILWAUKEE® caulk gun
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all adhesives and cool temperatures
- Anti-drip feature prevents unwanted dripping when trigger is released

| C18 PCG/600A-201B | | C18 PCG/600T-201B | |
|-------------------|---|---|--|
| Kit included | 1 x M18 B2 Battery pack, M12-18 C Charger, Tool bag | 1 x M18 B2 Battery pack, M12-18 C Charger, Tool bag | |
| Article Number | 4933441305 | 4933441808 | |
| EAN Code | 4002395001422 | 4002395002375 | |

C18 PCG/400 **M18**
M18™ CAULK GUN WITH 400 ML TUBE



- Up to 4500N of force. Min 40% higher than previous MILWAUKEE® caulk gun
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all adhesives and cool temperatures
- Anti-drip feature prevents unwanted dripping when trigger is released

| C18 PCG/400T-201B | |
|-------------------|---|
| Kit included | 1 x M18 B2 Battery pack, M12-18 C Charger, Tool bag |
| Article Number | 4933441812 |
| EAN Code | 4002395002368 |

M18 BLHIWF12 **M18**
M18™ BRUSHLESS 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING

BRUSHLESS



- Delivers 1085 Nm of fastening torque and 1627 Nm of nut-busting torque to easily work with most occasional applications
- 222 mm body allows for more access in tight spaces
- Integrated LED light to illuminate the working area
- A speed of 1750 RPM to do your task quickly and efficiently

| M18 BLHIWF12-0X | |
|-----------------|--|
| Kit included | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933492787 |
| EAN Code | 4058546476588 |

M18 BIW12 **M18**
M18™ 1/2" IMPACT WRENCH



- Compact 1/2" impact wrench measures 155 mm in length making it ideal for working within confined spaces
- High performance 4-pole motor delivers maximum power whilst maximising the power to weight ratio
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability

| M18 BIW12-0 | | M18 BIW12-402C | |
|----------------|---|--|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox | |
| Article Number | 4933443590 | 4933443607 | |
| EAN Code | 4002395003266 | 4002395003280 | |

C18 PCG/310 **M18**
M18™ CAULK GUN WITH 310 ML CANISTER



- Up to 4500 N of force. Min 40% higher than previous MILWAUKEE® caulk gun
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all adhesives and cool temperatures
- Anti-drip feature prevents unwanted dripping when trigger is released

| C18 PCG/310C-0B | | C18 PCG/310C-201B | |
|-----------------|--|---|--|
| Kit included | No batteries supplied, No charger supplied, Tool bag | 1 x M18 B2 Battery pack, M12-18 C Charger, Tool bag | |
| Article Number | 4933459637 | 4933441310 | |
| EAN Code | 4058546028091 | 4002395001439 | |

M18 GG **M18**
M18™ GREASE GUN



- Powerful 18V motor delivers over 690 bar max. operating pressure
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Extreme long run time - dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics - only 355 mm long and 3.9 kg

| M18 GG-0 | | M18 GG-201C | |
|----------------|---|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox | |
| Article Number | 4933440493 | 4933440490 | |
| EAN Code | 4002395000357 | 4002395000340 | |

GET THE RIGHT ANGLE GRINDER FOR THE JOB

1 HIGH OUTPUT™ designed for the heavy applications, from beveling to cleaning up welds



2 Flat gear head design allows working within acute angles down to 42°



3 Variable speed. Maximum control, ideal for working with stainless steel and aluminium, and for rust and paint removal



4 Angle grinders that provide best handling and perfect for surface preparation



| | Battery system | Technology | Feature | ONE-KEY™ | No load speed (rpm) | Disc diameter (mm) | Weight with battery pack (EPTA) (kg) | Switch type | Brake | Anti-kickback protection | FIXTEC™ | Line lock out function |
|----|-------------------------|------------|--------------|------------|---------------------|--------------------|--------------------------------------|-----------------|-------------------------|--------------------------|---------|------------------------|
| 1. | M18 ONEFLAG230XPDB-122C | M18 FUEL™ | HIGH OUTPUT™ | RAPIDSTOP™ | ONE-KEY™ | 6600 | 230 | 5.4 (M18 HB12) | Paddle (Deadman) switch | Yes | Yes | Yes |
| 1. | M18 FLAG230XPDB-121C | M18 FUEL™ | HIGH OUTPUT™ | - | - | 6600 | 230 | 5.3 (M18 HB12) | Paddle (Deadman) switch | Yes | Yes | Yes |
| 1. | M18 FHSAG150XPDB-0X | M18 FUEL™ | HIGH OUTPUT™ | RAPIDSTOP™ | - | 9000 | 150 | 3.5 (M18 HB5.5) | Paddle (Deadman) switch | Yes | Yes | Yes |
| 1. | M18 FHSAG150XB-0X | M18 FUEL™ | HIGH OUTPUT™ | RAPIDSTOP™ | - | 9000 | 150 | 3.5 (M18 HB5.5) | Slide lock-on switch | Yes | Yes | Yes |
| 1. | M18 FHSAG125XPDB-552X | M18 FUEL™ | HIGH OUTPUT™ | RAPIDSTOP™ | - | 9000 | 125 | 3.4 (M18 HB5.5) | Paddle (Deadman) switch | Yes | Yes | Yes |
| 1. | M18 FHSAG125XB-552X | M18 FUEL™ | HIGH OUTPUT™ | RAPIDSTOP™ | - | 9000 | 125 | 3.4 (M18 HB5.5) | Slide lock-on switch | Yes | Yes | Yes |
| 2. | M18 FSAGF125XPDB-0X | M18 FUEL™ | - | RAPIDSTOP™ | - | 8500 | 125 | 2.6 (M18 B5) | Paddle (Deadman) switch | Yes | Yes | Yes |
| 2. | M18 FSAGF125XB-0X | M18 FUEL™ | - | RAPIDSTOP™ | - | 8500 | 125 | 2.6 (M18 B5) | Slide lock-on switch | Yes | Yes | Yes |
| 3. | M18 FSAGSV0125X-502X | M18 FUEL™ | - | RAPIDSTOP™ | ONE-KEY™ | 3500 - 8500 | 125 | 3.0 (M18 B5) | Deadman switch | Yes | Yes | Yes |
| 3. | M18 FSAGV125XPDB-0X | M18 FUEL™ | - | RAPIDSTOP™ | - | 3500 - 8500 | 125 | 2.7 (M18 B5) | Paddle (Deadman) switch | Yes | Yes | Yes |
| 3. | M18 FSAGV125XB-0X | M18 FUEL™ | - | RAPIDSTOP™ | - | 3500 - 8500 | 125 | 2.7 (M18 B5) | Slide lock-on switch | Yes | Yes | Yes |
| 4. | M18 ONEFSAG125XPDB-802X | M18 FUEL™ | - | RAPIDSTOP™ | ONE-KEY™ | 8500 | 125 | 3.1 (M18 HB8) | Paddle (Deadman) switch | Yes | Yes | Yes |
| 4. | M18 ONEFSAG125XB-0X | M18 FUEL™ | - | RAPIDSTOP™ | ONE-KEY™ | 8500 | 125 | 2.7 (M18 B5) | Slide lock-on switch | Yes | Yes | Yes |
| 4. | M18 FSAG125XB-502X | M18 FUEL™ | - | RAPIDSTOP™ | - | 8500 | 125 | 2.7 (M18 B5) | Slide lock-on switch | Yes | Yes | Yes |
| 4. | M18 FSAG125X-0X | M18 FUEL™ | - | - | - | 8500 | 125 | 2.7 (M18 B5) | Slide lock-on switch | No | Yes | Yes |
| 4. | M18 BLSAG125X-402X | M18™ | Brushless | - | - | 11,000 | 125 | 2.4 (M18 B4) | Slide lock-on switch | No | Yes | Yes |
| 4. | M18 BLSAG125XPDB-402X | M18™ | Brushless | - | - | 11,000 | 125 | 2.4 (M18 B4) | Paddle (Deadman) switch | No | Yes | Yes |
| 4. | M18 BLSAG115XPDB-402X | M18™ | Brushless | - | - | 11,000 | 115 | 2.4 (M18B4) | Paddle (Deadman) switch | No | Yes | Yes |



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW COMPATIBLE CUTTING DISCS

REDLITHIUM™

M18 ONEFLAG230XPDB M18 FUEL™ M18 FUEL™ ONE-KEY™ 230 MM BRAKING ANGLE GRINDER WITH PADDLE SWITCH



- Delivering corded performance similar to a 2200 W grinder
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality
- RAPIDSTOP™ for fastest disc brake in less than 3 seconds and best user protection

| | M18 ONEFLAG230XPDB-0C | M18 ONEFLAG230XPDB-122C |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, Kitbox | 2 x M18 HB12 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number | 4933478782 | 4933478783 |
| EAN Code | 4058546360641 | 4058546360658 |

M18 FLAG230XPDB M18 FUEL™ M18 FUEL™ 230 MM LARGE BRAKING ANGLE GRINDER WITH PADDLE SWITCH



- The world's first single 18V battery operated large angle grinder that delivers the power to grind, lighter than corded tools and makes up to 68 cuts per charge in 42 mm stainless steel pipe

| | M18 FLAG230XPDB-0C | M18 FLAG230XPDB-121C |
|----------------|--|--|
| Kit included | No batteries supplied, No charger supplied, Kitbox | 1 x M18 HB12 Battery pack, M12-18 FC Charger, Kitbox |
| Article Number | 4933464114 | 4933464115 |
| EAN Code | 4058546220594 | 4058546220600 |

M18 FHSAG150XPDB M18 FUEL™ M18 FUEL™ HIGH PERFORMANCE 150 MM BRAKING ANGLE GRINDER WITH PADDLE SWITCH



- M18™ HIGH OUTPUT™ 150 mm small angle grinder that delivers the power to grind and makes up to 145 cuts per charge (5.5 Ah) in 2" electrical pipe
- RAPIDSTOP™ for fastest disc brake in less than 3 seconds and best user protection

| | M18 FHSAG150XPDB-0X |
|----------------|--|
| Kit included | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933471085 |
| EAN Code | 4058546287139 |

M18 FHSAG150XB M18 FUEL™ M18 FUEL™ HIGH PERFORMANCE 150 MM BRAKING ANGLE GRINDER WITH SLIDE SWITCH



- M18™ HIGH OUTPUT™ 150 mm small angle grinder that delivers the power to grind and makes up to 145 cuts per charge (5.5 Ah) in 2" electrical pipe
- RAPIDSTOP™ for fastest disc brake in less than 3 seconds and best user protection

| | M18 FHSAG150XB-0X |
|----------------|--|
| Kit included | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933471084 |
| EAN Code | 4058546287122 |

M18 FHSAG125XPDB M18 FUEL™ M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING ANGLE GRINDER WITH PADDLE SWITCH



- M18™ HIGH OUTPUT™ 125 mm small angle grinder that delivers the power to grind and makes up to 145 cuts per charge (5.5 Ah) in 2" electrical pipe
- RAPIDSTOP™ for fastest disc brake in less than 2.5 seconds and best user protection

| | M18 FHSAG125XPDB-0 | M18 FHSAG125XPDB-0X | M18 FHSAG125XPDB-552X |
|----------------|---|--|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, HD Box | 2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933471076 | 4933471078 | 4933471080 |
| EAN Code | 4058546287047 | 4058546287061 | 4058546287085 |

M18 FHSAG125XB M18 FUEL™ M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING ANGLE GRINDER WITH SLIDE SWITCH



- M18™ HIGH OUTPUT™ 125 mm small angle grinder that delivers the power to grind and makes up to 145 cuts per charge (5.5 Ah) in 2" electrical pipe
- RAPIDSTOP™ for fastest disc brake in less than 2.5 seconds and best user protection

| | M18 FHSAG125XB-0 | M18 FHSAG125XB-0X | M18 FHSAG125XB-552X |
|----------------|---|--|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, HD Box | 2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933471075 | 4933471077 | 4933471079 |
| EAN Code | 4058546287030 | 4058546287054 | 4058546287078 |

M18 FSAGSV0125X M18 FUEL™ M18 FUEL™ SAFETY 125 MM GRINDER WITH VARIABLE SPEED AND ONE-KEY™



- Dual trigger activation - requires the user to have always both hands on the tool and automatically shuts down the tool whenever one hand is taken off
- RAPIDSTOP™ for fastest disc brake in less than 1 second and best user protection
- AUTOSTOP™ shuts down the tool to protect the user in bind-up situations or any unnatural movement

| | M18 FSAGSV0125X-0X | M18 FSAGSV0125X-502X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933493552 | 4933493553 |
| EAN Code | 4058546484231 | 4058546484248 |

M18 ONEFSAG125XPDB M18 FUEL™ M18 FUEL™ ONE-KEY™ 125 MM BRAKING ANGLE GRINDER WITH PADDLE SWITCH



- Delivering corded performance similar to a 1200 W grinder
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection

| | M18 ONEFSAG125XPDB-0X | M18 ONEFSAG125XPDB-502X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933478434 | 4933478435 |
| EAN Code | 4058546346256 | 4058546346263 |

M18 ONEFSAG125XB M18 FUEL™ ONE-KEY™ 125 MM BRAKING ANGLE GRINDER WITH SLIDE SWITCH



- Delivering corded performance similar to a 1200 W grinder
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection

| M18 ONEFSAG125XB-0X | |
|---------------------|--|
| Kit included | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933478433 |
| EAN Code | 4058546346249 |

M18 FSAG125XB M18 FUEL™ 125 MM BRAKING ANGLE GRINDER WITH SLIDE SWITCH



- Delivering corded performance similar to a 1200 W grinder
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection
- Reduced gearhead size and lower angle of battery slot - for better balance & ergonomics compared to previous model
- Anti-vibration side handle for lower vibration
- Integrated FIXTEC™ system for tool-free wheel change

| M18 FSAG125XB-0X | | M18 FSAG125XB-502X | |
|------------------|--|---|--|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box | |
| Article Number | 4933478429 | 4933492640 | |
| EAN Code | 4058546346201 | 4058546346218 | |

M18 BLSAG125XPD M18 BRUSHLESS 125 MM ANGLE GRINDER WITH PADDLE SWITCH



- 11,000 RPM optimised for cutting applications
- Powerful brushless motor delivering corded performance similar to a 800 W grinder
- Most compact and lightest cordless angle grinder in the the range
- Safety clutch protects user the from kickback injuries
- Integrated FIXTEC™ system for tool-free wheel change

| M18 BLSAG125XPD-0 | | M18 BLSAG125XPD-402X | |
|-------------------|---|--|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B4 Battery packs, M12-18 C Charger, HD Box | |
| Article Number | 4933492645 | 4933492646 | |
| EAN Code | 4058546413958 | 4058546413965 | |

M18 BLSAG115XPD M18 BRUSHLESS 115 MM ANGLE GRINDER WITH PADDLE SWITCH



- 11,000 RPM optimised for cutting applications
- Powerful brushless motor delivering corded performance similar to a 800 W grinder
- Most compact and lightest cordless angle grinder in the the range
- Safety clutch protects user the from kickback injuries
- Integrated FIXTEC™ system for tool-free wheel change

| M18 BLSAG115XPD-0 | |
|-------------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933492647 |
| EAN Code | 4058546413972 |

M18 FSAG125X M18 FUEL™ 125 MM ANGLE GRINDER WITH SLIDE SWITCH



- Delivering corded performance similar to a 1200 W grinder
- Reduced gearhead size and lower angle of battery slot - for better balance & ergonomics compared to previous model
- Anti-vibration side handle for lower vibration
- Integrated FIXTEC™ system for tool-free wheel change
- Slim handle design

| M18 FSAG125X-0X | |
|-----------------|--|
| Kit included | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933478428 |
| EAN Code | 4058546346195 |

M18 FSAGV125XPDB M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER WITH PADDLE SWITCH



- Maximum control for every application - 5-step speed dial ideal for working with stainless steel and aluminium & for rust and paint removal
- Delivering corded performance similar to a 1200 W grinder
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection
- Non-lockable safety paddle switch with line-lock-out function to prevent automatic start up
- Anti-vibration side handle for lower vibration

| M18 FSAGV125XPDB-0X | |
|---------------------|--|
| Kit included | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933478437 |
| EAN Code | 4058546346287 |

M18 FROP21 M18 FUEL™ RANDOM ORBITAL POLISHER WITH 21 MM STROKE



- Delivering equal performance as corded random orbital polishers to complete polishing and heavy-correction applications
- 8 position speed dial selection for maximum control and best finishing results
- 21 mm orbital function for fast and efficient polishing with a free hologram finish
- Large ergonomic front grip area with overmold for easy and comfortable handling, especially when working with the tool vertically

| M18 FROP21-0X | | M18 FROP21-502X | |
|--------------------|--|---|--|
| Standard equipment | 150 mm backing pad, dust screen | 150 mm backing pad, dust screen | |
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box | |
| Article Number | 4933478836 | 4933478837 | |
| EAN Code | 4058546361181 | 4058546361198 | |

M18 FROP15 M18 FUEL™ RANDOM ORBITAL POLISHER WITH 15 MM STROKE



- Delivering equal performance as corded random orbital polishers to complete polishing and heavy-correction applications
- 8 position speed dial selection for maximum control and best finishing results
- 15 mm orbital function for fast and efficient polishing with a free hologram finish
- Large ergonomic front grip area with overmold for easy and comfortable handling, especially when working with the tool vertically

| M18 FROP15-0X | | M18 FROP15-502X | | M18 FROP15-502X KIT | |
|--------------------|--|---|--|---------------------|--|
| Standard equipment | 125 mm backing pad, dust screen | 125 mm backing pad, dust screen | 125 mm backing pad, dust screen, 140 mm red sponge (hard), 140 mm yellow sponge (medium), red cloth, heavy compound, medium compound | | |
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box | | | |
| Article Number | 4933478834 | 4933478835 | 4933492352 | | |

M18 FSAGV125XB M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER WITH SLIDE SWITCH



- Maximum control for every application - 5-step speed dial ideal for working with stainless steel and aluminium & for rust and paint removal
- Delivering corded performance similar to a 1200 W grinder
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection
- Anti-vibration side handle for lower vibration
- Integrated FIXTEC™ system for tool-free wheel change

| M18 FSAGV125XB-0X | |
|-------------------|--|
| Kit included | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933478436 |
| EAN Code | 4058546346270 |

M18 FSAGF125XPDB M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE GRINDER WITH PADDLE SWITCH



- Flat gear head design - allows user working within acute angles down to 42°
- Delivering corded performance similar to a 1200 W grinder
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection
- Non-lockable safety paddle switch with line-lock-out function to prevent automatic start up
- Anti-vibration side handle for lower vibration
- FIXTEC™ nut for tool-free wheel change

| M18 FSAGF125XPDB-0X | |
|---------------------|--|
| Kit included | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933478439 |
| EAN Code | 4058546346300 |

M18 FAP M18 FUEL™ POLISHER



- Cordless polisher with 8 position variable speed selection ranging from 360 - 2200 rpm
- Outstanding run time to polish one full size car per battery charge (on moderate to good paint, light scratches)
- Maximum polishing accessory diameter of 180 mm
- Constant speed electronics with soft start for smooth start up

| M18 FAP180-0 | | M18 FAP180-502X | |
|--------------------|---|--|--|
| Standard equipment | Polishing backing pad, dust screen, bale handle, AVS side handle | Polishing backing pad, polishing sponge white, polishing sponge orange, lambswool, dust screen, bale handle, AVS side handle | |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box | |
| Article Number | 4933451549 | 4933451550 | |
| EAN Code | 4002395144518 | 4002395144525 | |

M18 FMCS66 M18 FUEL™ 66 MM METAL CIRCULAR SAW



- First 18V cordless metal circular saw with 66 mm cutting depth and 1800 W corded performance
- Faster cutting speed compared to corded unit
- Shoe designed to connect directly on MILWAUKEE® guide rail (sold separately). This allows the user to make straight and accurate cuts with minimum setup time
- Performance light indicates when the device is pushed to hard

| M18 FMCS66-0C | | M18 FMCS66-121C | |
|----------------|--|--|--|
| Kit included | No batteries supplied, No charger supplied, Kitbox | 1 x M18 HB12 Battery pack, M12-18 FC Charger, Kitbox | |
| Article Number | 4933472110 | 4933472111 | |
| EAN Code | 4058546325060 | 4058546325077 | |

M18 FSAGF125XB M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE GRINDER WITH SLIDE SWITCH



- Flat gear head design - allows user working within acute angles down to 42°
- Delivering corded performance similar to a 1200 W grinder
- RAPIDSTOP™ for fastest disc brake in less than 2 seconds and best user protection
- Anti-vibration side handle for lower vibration
- FIXTEC™ nut for tool-free wheel change
- Slim handle design

| M18 FSAGF125XB-0X | |
|-------------------|--|
| Kit included | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933478438 |
| EAN Code | 4058546346294 |

M18 BLSAG125X M18 BRUSHLESS 125 MM ANGLE GRINDER WITH SLIDE SWITCH



- 11,000 RPM optimised for cutting applications
- Powerful brushless motor delivering corded performance similar to a 800 W grinder
- Most compact and lightest cordless angle grinder in the the range
- Safety clutch protects user the from kickback injuries
- Integrated FIXTEC™ system for tool-free wheel change

| M18 BLSAG125X-0 | | M18 BLSAG125X-402X | |
|-----------------|---|--|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B4 Battery packs, M12-18 C Charger, HD Box | |
| Article Number | 4933492643 | 4933492644 | |
| EAN Code | 4058546413934 | 4058546413941 | |

M18 FMCS M18 FUEL™ 57 MM METAL CIRCULAR SAW



- Dry-cutting technology provides cold, fast and burr-free metal cutting
- Tool-free depth adjustment, quickly and easily adjusts cutting depth from 0 to 57 mm
- Compact and light weight design for most comfortable use
- Dual-action trigger prevents any accidental start up
- Tool-free cutting depth adjustment and plunge lever for fast and effective plunge cuts

| M18 FMCS-0X | | M18 FMCS-502X | |
|----------------|--|---|--|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box | |
| Article Number | 4933459192 | 4933459193 | |
| EAN Code | 4002395289271 | 4002395289288 | |

M18 CBS125 M18 FUEL™ DEEP CUT BAND SAW



- Large cutting capacity up to 125 x 125 mm material diameter
- 5 step variable speed selection from 0 - 116 m/min
- Tool-free blade locking mechanism for quick and easy saw blade changes
- Solid metal rafter hook for quick and easy jobsite storage
- Slim full metal motor housing design and LED work surface illumination for best cut visibility

| M18 CBS125-0 | | M18 CBS125-502C | |
|----------------|---|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox | |
| Article Number | 4933447150 | 4933448195 | |
| EAN Code | 4002395006038 | 4002395262779 | |

M18 FBS85 M18 FUEL™ COMPACT BAND SAW

M18 FUEL



- 20% faster cutting compared to previous model
- Large cutting capacity up to a diameter of 85 mm
- Variable speed trigger for quick & easy speed adjustments
- Band saw cover protects user from injuries by preventing any access to the blade - tool-free installation and removal within seconds

| | M18 FBS85-0C | M18 FBS85-202C |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, Kitbox | 2 x M18 B2 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number | 4933471496 | 4933471497 |
| EAN Code | 4058546293956 | 4058546293963 |

M18 FDGROVB M18 FUEL™ BRAKING DIE GRINDER WITH ONE-KEY™, VARIABLE SPEED AND SLIDE SWITCH

M18 FUEL



- Maximum control for every application, 5-step speed dial ideal for working with stainless steel, carbide burrs & accessories up to 75 mm
- Delivering corded performance similar to a 1200 W grinder
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

| | M18 FDGROVB-0X | M18 FDGROVB-502X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933480955 | 4933480956 |
| EAN Code | 4058546412401 | 4058546412418 |

M18 FMDP M18 FUEL™ MAGNETIC DRILLING PRESS WITH PERMANENT MAGNET

M18 FUEL



- FUEL™ technology provides corded drilling performance with strongest magnet holding force on 1/4" steel and 40 x 18 mm holes per battery charge
- AUTOSTOP™ lift-off detection: Detects excess rotation and automatically cuts power to the drill for best user protection

| | M18 FMDP-0C | M18 FMDP-502C |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, Kitbox | 2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number | 4933451636 | 4933451012 |
| EAN Code | 4002395142330 | 4002395136650 |

M18 BMS20 M18™ METAL SHEAR

M18



- Accurate cuts with maximum cutting depth of 2.0 mm in steel
- Unique 360° tool-free rotating head with 12 locking positions to access tight spaces and increasing user comfort
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability

| | M18 BMS20-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933447935 |
| EAN Code | 4002395006748 |

M18 FDGROVPDB M18 FUEL™ BRAKING DIE GRINDER WITH ONE-KEY™, VARIABLE SPEED AND PADDLE SWITCH

M18 FUEL



- Maximum control for every application, 5-step speed dial ideal for working with stainless steel, carbide burrs & accessories up to 75 mm
- Delivering corded performance similar to a 1200 W grinder
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

| | M18 FDGROVPDB-0X |
|----------------|--|
| Kit included | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933480957 |
| EAN Code | 4058546412425 |

M18 FDGRB M18 FUEL™ BRAKING DIE GRINDER WITH SLIDE SWITCH

M18 FUEL



- Delivering corded performance similar to a 1200 W grinder
- Spindle lock - increased productivity by reducing the need of 2 wrenches
- RAPIDSTOP™ stops all accessories in under the 2 seconds
- Lower angle of battery slot for better balance & ergonomics compared to previous model
- Universal reception to fit both, 6 and 8 mm accessories

| | M18 FDGRB-0 | M18 FDGRB-0X | M18 FDGRB-502X |
|----------------|---|--|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933480952 | 4933480953 | 4933480954 |
| EAN Code | 4058546412371 | 4058546412388 | 4058546412395 |

M18 BMS12 M18™ METAL SHEAR

M18



- Accurate cuts with maximum cutting depth of 1.2 mm in steel
- Unique 360° tool-free rotating head with 12 locking positions to access tight spaces and increasing user comfort
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability

| | M18 BMS12-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933447925 |
| EAN Code | 4002395006731 |

M18 BHG M18™ HEAT GUN

M18



- High performance heat coil allows the tool to reach 470 °C
- Reaches operational temperature in six seconds allowing the user to quickly complete his application
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability

| | M18 BHG-0 | M18 BHG-502C |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933459771 | 4933459772 |
| EAN Code | 4058546029432 | 4058546029449 |

GET THE RIGHT MITRE SAW FOR THE JOB



| | Battery system | Technology | ONE-KEY™ | No load speed (rpm) | Blade diameter (mm) | Bevel capacity left (°) | Bevel capacity right (°) | Mitre capacity left (°) | Mitre capacity right (°) | Bore size (mm) | Max. cutting capacity at fence 90° mitre / 90° bevel (mm) | Weight with battery pack (EPTA) (kg) | |
|----|----------------|------------|--------------|---------------------|---------------------|-------------------------|--------------------------|-------------------------|--------------------------|----------------|---|--------------------------------------|-----------------|
| 1. | M18 FMS305-121 | M18 FUEL™ | HIGH OUTPUT™ | ONE-KEY™ | 3600 | 305 | 48 | 48 | 55 | 60 | 30 | 96.5 x 340 | 22.5 (M18 HB12) |
| 1. | M18 FMS254-0 | M18 FUEL™ | - | - | 4000 | 254 | 48 | 48 | 50 | 60 | 30 | 91 x 289 | 20.0 (M18 B5) |
| 2. | M18 SMS216-0 | M18™ | - | - | 2700 | 216 | 48 | -2 | 50 | 50 | 30 | - | 14.8 (M18 B5) |
| 2. | M18 FMS190-0 | M18 FUEL™ | - | - | 5000 | 190 | 48 | 48 | 48 | 48 | 30 | - | 12.7 (M18 B5) |

MITRE SAW EXTENDABLE LEGSTANDS

| | Height (mm) | Base size (mm) | Extendable up to (mm) | Collapsed size (mm) | Bearing force (kg) | Weight (kg) |
|----------|-------------|----------------|-----------------------|---------------------|--------------------|-------------|
| MSL 1000 | 850 | 1065 | 2125 | 1065 | 180 | 17.0 |
| MSL 2000 | 860 | 1093 | 2542 | 1093 | 227 | 14.0 |
| MSL 3000 | 810 | 1100 | 3000 | 1200 | 250 | 23.0 |
| MSUV 280 | 850 | 1160 | 2800 | 1320 | 136 | 27.0 |



M18 FMS305 M18 FUEL™ ONE-KEY™ 305 MM MITRE SAW



- Delivers the power to cut at the same rate of an equivalent AC 305 mm saw, with the ability to cut up to 500 pieces of 78 mm pine base board on one 12.0 Ah battery charge
- The HIGH OUTPUT™ system of tools elevates the M18 FUEL™ technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT™ batteries

| | M18 FMS305-0 | M18 FMS305-121 |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 HB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933471205 | 4933471122 |
| EAN Code | 4058546288334 | 4058546287504 |

M18 FMS190 M18 FUEL™ 190 MM MITRE SAW



- With a 190 mm blade it delivers accurate cut capacities
- Up to 299 cuts in 38 mm 89 mm soft wood with a 5.0 Ah battery gives the ability to work a full day without recharging the battery
- Quick release bevel setting allows the simple setting of bevel angles to the left and right
- Large sliding fences gives maximum support to the material being cut providing stability and accuracy

| | M18 FMS190-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459619 |
| EAN Code | 4058546027919 |


MSL 2000 MITRE SAW STAND EXTENDABLE UP TO 2.5 M



- Light weight aluminium, easy to transport onto the job site
- 1.09 m total length, will fit into most small vans and cars
- Extendable each side - 2.54 m extended
- Will hold up to 227 kg
- One point leg adjustment for leveling on uneven ground
- Quick release brackets
- Height adjustable length stops

| | MSL 2000 |
|----------------|---------------|
| Article Number | 4933459617 |
| EAN Code | 4058546027896 |

MSUV 280 MITRE SAW STAND EXTENDABLE UP TO 2.8 M



- Upright folding design for easy storage and transportation
- Easy one action foot pedal lock and single lift point allows the stand to be quickly setup with a mitre saw attached
- Universal quick release saw brackets compatible with all MILWAUKEE® mitre saws
- Extra wide work piece support rollers allows larger materials to be more easily handled
- 2.8 m extension width

| | MSUV 280 |
|----------------|---------------|
| Article Number | 4933478992 |
| EAN Code | 4058546362744 |

M18 FMS254 M18 FUEL™ 254 MM MITRE SAW



- With a 254 mm blade it delivers large and accurate cut capacities
- Up to 430 cuts in 26 mm x 142 mm decking with a 12.0 Ah battery gives the ability to work a full day without recharging the battery
- Quick release bevel setting with detents allows the simple setting of bevel angles to the left and right

| | M18 FMS254-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933451729 |
| EAN Code | 4002395279418 |

MSL 1000 MITRE SAW STAND EXTENDABLE UP TO 2 M



- Light weight aluminium, easy to transport onto the job site
- 1.08 m total length, will fit into most small vans and cars
- Extendable each side - 2.08 m extended
- Will hold up to 180 kg
- One point leg adjustment for leveling on uneven ground
- Quick release brackets
- Height adjustable length stops

| | MSL 1000 |
|----------------|---------------|
| Article Number | 4933428970 |
| EAN Code | 4002395241729 |

MSL 3000 MITRE SAW STAND EXTENDABLE UP TO 3 M



- Lightweight construction and wheel set - provides portability on the jobsite
- Folds down to 1200 mm - thanks to the collapsible legs and compact design
- Extendable up to 3 m - makes it easy to cut large workpieces to length
- Heavy Duty - carries up to 250 kg
- One point leg adjustment for leveling on uneven ground
- Comfortable working height at 81 cm

| | MSL 3000 |
|----------------|---------------|
| Article Number | 4933411565 |
| EAN Code | 4002395236213 |

M18 FTS210 M18 FUEL™ ONE-KEY™ TABLE SAW



- The ONE-KEY™ M18 FUEL™ table saw delivers the power to rip cut at the same feed rate of an equivalent AC saw, with the ability to cut 190 m of 19 mm OSB board on one 12.0 Ah battery charge

| | M18 FTS210-0 | M18 FTS210-121B |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 HB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933464722 | 4933464225 |
| EAN Code | 4058546226671 | 4058546221706 |

GET THE RIGHT SAW FOR THE JOB



1 TABLE, PLUNGE AND CIRCULAR SAWS

| | Battery system | Technology | ONE-KEY™ | No load speed (rpm) | Blade diameter (mm) | Bevel capacity (°) | Max. cutting depth 45° (mm) | Max. cutting depth 50° (mm) | Max. cutting depth 90° (mm) | Weight with battery pack (EPTA) (kg) |
|-----------------|----------------|--------------|----------|---------------------|---------------------|--------------------|-----------------------------|-----------------------------|-----------------------------|--------------------------------------|
| M18 FTS210-121B | M18 FUEL™ | HIGH OUTPUT™ | ONE-KEY™ | 6300 | 210 | 47 | - | - | 63.5 | 22.3 (M18 HB12) |
| M18 FPS55-552P | M18 FUEL™ | - | - | 2500 - 5600 | 165 | -1 - 48 | 44 | - | 59 | 4.9 (M18 HB5.5) |
| M18 CCS55-502X | M18 FUEL™ | - | - | 5000 | 165 | 0 - 50 | 41 | - | 55 | 3.2 (M18 B5) |
| HD18 CS-402B | M18™ | - | - | 3500 | 165 | 0 - 50 | 39 | - | 55 | 3.8 (M18 B4) |
| M18 FCS66-0 | M18 FUEL™ | HIGH OUTPUT™ | - | 5800 | 190 | 0 - 56 | 48 | - | 66 | 5.4 (M18 HB12) |
| M18 FCSG66-121C | M18 FUEL™ | HIGH OUTPUT™ | - | 5800 | 190 | 0 - 50 | 48 | - | 66 | 5.6 (M18 HB12) |
| M18 FCSR66-0 | M18 FUEL™ | HIGH OUTPUT™ | - | 5800 | 190 | 0 - 53 | 48 | 45 | 66 | 5.2 (M18 HB12) |
| M18 BLCS66-502X | M18™ | - | - | 5000 | 190 | 0 - 50 | 48 | - | 66 | 4.0 (M18 B5) |
| M12 FCS442-502X | M12 FUEL™ | - | - | 3600 | 140 | 0 - 50 | 33 | - | 44 | 2.7 (M12 HB5) |

2 SAWZALL™, HACKZALL™, JIGSAWS

| | Battery system | Technology | ONE-KEY™ | No load stroke rate (spm) | Stroke length (mm) | Weight with battery pack (EPTA) (kg) |
|-----------------|----------------|--------------|----------|---------------------------|--------------------|--------------------------------------|
| M18 FSX-121C | M18 FUEL™ | HIGH OUTPUT™ | - | 0 - 3000 | 32 | 5.5 (M18 HB12) |
| M18 ONEFSZ-502X | M18 FUEL™ | - | ONE-KEY™ | 0-3000 | 32 | 3.8 (M18 B5) |
| M18 FSZ-502X | M18 FUEL™ | - | - | 0-3000 | 32 | 3.8 (M18 B5) |
| M18 BSX-402C | M18™ | - | - | 3000 | 28.6 | 4.0 (M18 B4) |
| M18 FHZ-502X | M18 FUEL™ | - | - | 0 - 3000 | 22 | 2.6 (M18 B5) |
| C18 HZ-402B | M18™ | - | - | 0 - 3000 | 20 | 2.5 (M18 B4) |
| M18 FBJS-502X | M18 FUEL™ | - | - | 800 - 3500 | 25 | 2.8 (M18 B5) |
| M18 FJS-502X | M18 FUEL™ | - | - | 0 - 3500 | 25 | 2.9 (M18 B5) |
| M18 BJS-402C | M18™ | - | - | 0 - 2800 | 25 | 2.5 (M18 B4) |
| M12 CHZ-602X | M12 FUEL™ | - | - | 0 - 3000 | 15.9 | 1.6 (M12 B6) |
| C12 HZ-202C | M12™ | - | - | 0 - 3000 | 13 | 1.2 (M12 B2) |
| M12 FJS-422X | M12 FUEL™ | - | - | 800 - 3000 | 22 | 1.7 (M12 B2) |

3 MULTI-TOOLS

| | Battery system | Oscillation angle left/ right (°) | No load speed (rpm) | Weight with battery pack (EPTA) (kg) |
|--------------|----------------|-----------------------------------|---------------------|--------------------------------------|
| M18 FMT-502X | M18 FUEL™ | 2.1 | 10,000 - 20,000 | 1.9 (M18 B5) |
| M18 BMT-421C | M18™ | 1.7 | 12,000 - 18,000 | 1.7 (M18 B2) |
| M12 FMT-422X | M12 FUEL™ | 1.8 | 10,000 - 20,000 | 1.6 (M12 B2) |
| C12 MT-402B | M12™ | 1.5 | 5000 - 20,000 | 1.2 (M18 B4) |



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW OUR SAWING AND CUTTING BLADES



TSS 1000 TABLE SAW STAND



- Light weight of only 6.6 kg - easy to transport onto the job site
- Will hold up to 82 kg
- Quick release bracket to hold the saw firmly in place
- One point leg adjustment for leveling on uneven ground
- Comfortable work height at 559 mm
- To be used with M18 FUEL™ ONE-KEY™ table saw (M18 FTS210)

TSS 1000

| | |
|----------------|---------------|
| Article Number | 4933464227 |
| EAN Code | 4058546221720 |

M18 CCS55 M18 FUEL™ 55 MM CIRCULAR SAW FOR WOOD AND PLASTICS



- Brushless POWERSTATE™ motor for up to 3x longer motor life and up to 2x more cuts per charge
- Magnesium upper and lower guards provide best in class durability for impact resistance
- Integrated dust blower keeps cut line clear
- 50° bevel capacity
- Magnesium shoe reduces weight and maximises durability
- Hang hook allows safe storage of the tool

M18 CCS55-0X

M18 CCS55-502X

| | | |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933451429 | 4933451376 |
| EAN Code | 4002395162680 | 4002395160549 |

M18 ONEFSZ M18 FUEL™ ONE-KEY™ SAWZALL™



- M18 FSZ but with ONE-KEY™ technology
- Connect via Bluetooth® with the ONE-KEY™ app
- ONE-KEY™ tool customisation allows the user to optimise their tool for specific applications
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

M18 ONEFSZ-0X

M18 ONEFSZ-502X

| | | |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933478296 | 4933478294 |
| EAN Code | 4058546344733 | 4058546344719 |

M18 FSZ M18 FUEL™ SAWZALL™



- Brushless POWERSTATE™ motor for up to 5x longer motor life and up to 30% faster cutting
- Patented gear protecting clutch - extends gear and motor life by absorbing high impact forces caused by sudden blade lock-ups
- Wear resistant lever actuated FIXTEC™ blade clamp provides fast and easy blade changes
- Metal reinforced battery connection provides improved durability and battery retention over life

M18 FSZ-0X

M18 FSZ-502X

| | | |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933478293 | 4933478291 |
| EAN Code | 4058546344702 | 4058546344689 |

HD18 CS M18™ 55 MM CIRCULAR SAW FOR WOOD AND PLASTIC



- Powerful 3500 rpm motor easily cuts most timber construction materials
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Large 50° bevel facility
- Magnesium upper guard provide best in class durability for impact resistance
- Excellent visibility of cutting line

HD18 CS-0

HD18 CS-402B

| | | |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B4 Battery packs, M12-18 C Charger, Tool bag |
| Article Number | 4933419134 | 4933441400 |
| EAN Code | 4002395238248 | 4002395001613 |

M18 FCSRH66 M18 FUEL™ REAR HANDLE CIRCULAR SAW FOR WOOD



- Delivers the power to rip cut at the same feed rate of an equivalent AC circular saw, with the ability to cross cut up to 570 pieces of 90 mm x 45 mm pine stud on one 12.0 Ah battery charge

M18 FCSRH66-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933471444 |
| EAN Code | 4058546290726 |

M18 FSX M18 FUEL™ SUPER SAWZALL™



- The M18 FUEL™ Super SAWZALL™ delivers the power to cut at the same speed as an equivalent AC reciprocating saw - with the ability to cut 150 pieces of 290 mm x 45 mm pine on one 12.0 Ah battery charge

M18 FSX-0C

M18 FSX-121C

| | | |
|----------------|--|--|
| Kit included | No batteries supplied, No charger supplied, Kitbox | 1 x M18 HB12 Battery pack, M12-18 FC Charger, Kitbox |
| Article Number | 4933464724 | 4933464484 |
| EAN Code | 4058546226695 | 4058546224295 |

M18 BSX M18™ SAWZALL™




- High performance 4-pole motor delivers maximum power whilst maximising the power to weight ratio
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Patented FIXTEC™ clamp for fast and easy keyless blade change
- Counter balance mechanism to reduce vibrations 15.2 m/s² in wooden beams

M18 BSX-0

M18 BSX-402C

| | | |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933447275 | 4933447285 |
| EAN Code | 4002395006113 | 4002395006120 |

M18 FCS66 M18 FUEL™ 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS



- The M18 FUEL™ circular saw delivers the power to rip cut at the same feed rate of an equivalent AC circular saw - with the ability to cut 750 pieces of 90 mm x 45 mm pine stud on one 12.0 Ah battery charge

M18 FCS66-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933464725 |
| EAN Code | 4058546226701 |

M18 FCSG66 M18 FUEL™ 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS, GUIDE RAIL COMPATIBLE



- The M18 FUEL™ circular saw delivers the power to rip cut at the same feed rate of an equivalent AC circular saw - with the ability to cut 750 pieces of 90 mm x 45 mm pine stud on one 12.0 Ah battery charge
- 190 mm blade which gives a 66 mm depth of cut, enabling the saw to cut 3 stacked OSB boards

M18 FCSG66-0

M18 FCSG66-121C

| | | |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 HB12 Battery pack, M12-18 FC Charger, Kitbox |
| Article Number | 4933472163 | 4933471195 |
| EAN Code | 4058546325596 | 4058546288235 |

M18 FHZ M18 FUEL™ HACKZALL™



- With a 22 mm stroke length for controlled cutting wand a no load stroke rate of 3000 spm
- Patented FIXTEC™ clamp for quick and efficient blade change
- Pivoting shoe allows the user to optimise his cutting position
- Built in LED light improves visibility in low light cutting applications

M18 FHZ-0X

M18 FHZ-502X

| | | |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933459887 | 4933459885 |
| EAN Code | 4058546030599 | 4058546030575 |

C18 HZ M18™ HACKZALL™



- High performance compact one handed use HACKZALL™, measuring only 375mm in length, makes it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Dual gear counter balance reduces vibration and increases tool life

C18 HZ-0

C18 HZ-402B

| | | |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B4 Battery packs, M12-18 C Charger, Tool bag |
| Article Number | 4933416785 | 4933441340 |
| EAN Code | 4002395237982 | 4002395001491 |

M18 BLCS66 M18™ BRUSHLESS 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS

BRUSHLESS



- M18™ brushless circular saw with a 190 mm blade giving a 66 mm depth of cut which enables the saw to cut three stacked 19 mm OSB boards
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability

M18 BLCS66-0X

M18 BLCS66-502X

| | | |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933464589 | 4933464590 |
| EAN Code | 4058546225346 | 4058546225353 |

M18 FPS55 M18 FUEL™ 55 MM PLUNGE SAW



- The M18 FUEL™ plunge saw delivers the power to rip cut at the same feed rate of an equivalent AC circular saw - with the ability to cut 45 metres of 18 mm plywood on one 5.5 Ah battery charge
- The depth adjustment has two scales, one for on the rail and one for off the rail, this can easily be adjusted by the press of a button

M18 FPS55-0P

M18 FPS55-552P

| | | |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, PACKOUT™ XL tool box | 2 x M18 B5.5 Battery packs, M12-18 FC Charger, PACKOUT™ XL tool box |
| Article number | 4933478777 | 4933478778 |
| EAN code | 4058546360597 | 4058546360603 |

M18 FBJS M18 FUEL™ BODY GRIP JIGSAW



- Patented FIXTEC™ blade clamp for fast and easy blade change
- 3500 SPM delivers smooth cuts, minimised chipping and vibration
- 5 stage pendulum action for increased cutting performance
- Brushless POWERSTATE™ motor for fast cutting, long tool life and up to 32 m in 19 mm OSB (on a 5.0 Ah pack)

M18 FBJS-0X

M18 FBJS-502X

| | | |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933464799 | 4933464800 |
| EAN Code | 4058546227449 | 4058546227456 |

M18 FJS M18 FUEL™ TOP HANDLE JIGSAW



- Dust blower keeps the cut line free of wood dust
- Keyless bevel facility on the base plate allows for adjustment between 0 - 45°
- Patented FIXTEC™ blade clamp for fast and easy blade change
- 5 stage pendulum action for increased cutting performance

M18 FJS-0X

M18 FJS-502X

| | | |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933464726 | 4933464727 |
| EAN Code | 4058546226718 | 4058546226725 |

M18 BJS
M18™ TOP HANDLE JIGSAW

M18



- High performance motor delivers 2800 spm for fast cutting
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Patented FIXTEC™ blade clamp for fast and easy blade change
- Keyless bevel facility on the base plate allows for adjustment between 0 - 45°

| | M18 BJS-0 | M18 BJS-402C |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933451391 | 4933451389 |
| EAN Code | 4002395157990 | 4002395157976 |



M18 FMT
M18 FUEL™ MULTI-TOOL

M18 FUEL



- POWERSTATE™ brushless motor pairs with an aggressive oscillation angle of 2.1° (left/ right) and 10,000 - 20,000 OPM to deliver one of the fastest cut speeds in the industry
- Suitable for many demanding applications with ease, such as rip cuts through hardwoods and nail embedded wood
- 10-setting dial with an auto-load feature allows users to adjust the speed to the application

| | M18 FMT-0X | M18 FMT-502X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933478491 | 4933478492 |
| EAN Code | 4058546346843 | 4058546346850 |

M18 BMT
M18™ MULTI-TOOL

M18



- Unique cutting depth stop adaptor to prevent over-cutting in material
- Productivity enhancing FIXTEC™ tool free blade change with universal blade change adaptor included to accept all competitor blades
- 12 variable speed settings from 12,000 - 18,000 orbits per minute and 3.4° oscillation movement allows quick completion of professional applications into materials such as metal, wood and plastic

| | M18 BMT-0 | M18 BMT-421C |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 B4, 1 x M18 B2 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933446203 | 4933446210 |
| EAN Code | 4002395004928 | 4002395004911 |

M18 BP
M18™ PLANER

M18



- Adjustable depth of cut from 0 to 2 mm with twenty locking positions allows the user to accurately set the amount of material to be removed in one pass
- Up to 10.7 mm of rebate depth
- High performance 4-pole motor delivers 14,000 rpm to achieve optimum surface finish
- Faster material removal with two double edged carbide blades over a planning width of 82 mm

| | M18 BP-0 | M18 BP-402C |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933451113 | 4933451114 |
| EAN Code | 4002395137374 | 4002395137381 |

M18 FR12
M18 FUEL™ 12 MM ROUTER

M18 FUEL



- POWERSTATE™ brushless motor in combination with the HIGH OUTPUT™ 5.5 Ah battery pack supplies constant power for faster cuts and reduced heat in high demand applications with the equivalent amount of power as a corded unit
- Variable speed from 12,000 RPM to 25,000 RPM for clean and accurate cutting in a wide range of material

| | M18 FR12-0X | M18 FR12KIT-0P |
|--------------------|---|---|
| Standard equipment | 1/4", 8 mm, 12 mm, 1/2" collets, side fence, sub base, wrench, dust extraction pipe | 1/4", 8 mm, 12 mm, 1/2" collets, side fence, sub base, wrench, dust extraction pipe and plunge base |
| Kit included | No batteries supplied, No charger supplied, HD Box | No batteries supplied, No charger supplied, PACKOUT™ box |
| Article Number | 4933493304 | 4933493305 |
| EAN Code | 4058546481759 | 4058546481766 |

M18 FTR8
M18 FUEL™ TRIM ROUTER WITH 8 MM/ 6 MM COLLETS AND BASES

M18 FUEL



- POWERSTATE™ brushless motor delivers the power of AC trim routers, max. 31,000 rpm for powerful, smooth cutting
- Variable speed dial allows users to adjust the speed between 10,000 and 31,000 rpm to choose the best control for the application at hand
- All day run time on a single charge of an M18™ 5.0 Ah battery (up to 115 m)

| | M18 FTR8-0X |
|----------------|--|
| Kit included | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933479073 |
| EAN Code | 4058546368678 |

M18 BQSS
M18™ QUARTER SHEET SANDER

M18



- High performance motor delivers 11,000 to 13,000 sanding strokes per minute for faster material removal
- Variable speed wheel with 6 speed settings allows the correct speed to be set for different types of material
- Universal hook and loop sanding pad allows easy changing of sanding sheets
- Paper retention clips for use with standard sheet sand paper

| | M18 BQSS-0 | M18 BQSS-502B |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 C Charger, Tool bag |
| Article Number | 4933479966 | 4933479967 |
| EAN Code | 4058546377601 | 4058546377618 |

M18 FBTS75
M18 FUEL™ 75 MM BELT SANDER

M18 FUEL



- Compact design, with a flat front and side edge allows flush sanding capability
- Captures 90% of dust either through the universal dust port or with the multi layered dust bag
- Variable speed adjustable with a belt speed range from 230 to 410 m/s
- Tool-free adjustableommel allows for adjustment of the front handle letting the user find the optimum sanding position

| | M18 FBTS75-0 | M18 FBTS75-552X |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933479614 | 4933479615 |
| EAN Code | 4058546374082 | 4058546374099 |

M18 FAC
M18 FUEL™ AIR COMPRESSOR

M18 FUEL



- POWERSTATE™ brushless motor delivers a maximum air pressure of 9.31 bar and 48 l/m at 2.8 bar which delivers enough performance to run common finish nailers and staplers
- At only 68 dB(A) this is one of the quietest cordless compressors on the market allowing for a more comfortable working environment on the jobsite

| | M18 FAC-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933472166 |
| EAN Code | 4058546325626 |

M18 BOS125
M18™ 125 MM RANDOM ORBITAL SANDER

M18



- High performance motor delivers 14,000 to 24,000 sanding strokes per minute for faster material removal
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Variable speed wheel with 6 speed settings allows the correct speed to be set for different types of material

| | M18 BOS125-0 | M18 BOS125-502B |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 C Charger, Tool bag |
| Article Number | 4933464228 | 4933464229 |
| EAN Code | 4058546221737 | 4058546221744 |

M18 FFN21
M18 FUEL™ 21° FRAMING NAILER 2-MODE

M18 FUEL



- Fires standard framing nails which fits an angled magazine at 20° to 22°
- Ready to Fire Nail Technology eliminates ramp-up time between each nail discharge
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Two mode selection allows for sequential fire for precision or bump fire for speed

| | M18 FFN21-0C |
|----------------|--|
| Kit included | No batteries supplied, No charger supplied, Kitbox |
| Article Number | 4933478993 |
| EAN Code | 4058546362751 |

M18 FFN
M18 FUEL™ 34° FRAMING NAILER 2-MODE

M18 FUEL



- Excellent power to consistently seat nails sub-flush to the surface in hardwoods
- Ready to Fire Nail Technology eliminates ramp-up time between each nail discharge
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Two mode selection allows for sequential fire for precision or bump fire for speed

| | M18 FFN-0C | M18 FFN-502C |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, Kitbox | 2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number | 4933471406 | 4933471404 |
| EAN Code | 4058546290344 | 4058546290320 |

M18 FFN34
M18 FUEL™ 34° FRAMING NAILER WITH SINGLE SHOT ONLY

M18 FUEL



- Single shot mode only allows for precision placement of each nail fired
- Fires standard framing nails which fits an angled magazine at 30° or 34°
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Excellent power to consistently seat nails sub-flush to the surface in hardwoods

| | M18 FFN34-502C |
|----------------|---|
| Kit included | 2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number | 4933478302 |
| EAN Code | 4058546344795 |

M18 FN16GA
M18 FUEL™ 16 GA ANGLED NAIL FINISH NAILER 2-MODE

M18 FUEL



- Fire 16 Gauge nails with a 20° pitch
- Tool-free, quick and easy depth adjustment to assure nails are driven sub-flush
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Excellent power to consistently seat nails sub-flush to the surface in hardwoods

| | M18 FN16GA-0X | M18 FN16GA-202X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B2 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933478094 | 4933478092 |
| EAN Code | 4058546340278 | 4058546340254 |

M18 FN15GA
M18 FUEL™ 15 GA ANGLED NAIL FINISH NAILER 2-MODE

M18 FUEL



- Fires 15 gauge nails with a 34° pitch
- Fires up to 1200 nails per charge on a REDLITHIUM™ 2.0 Ah battery pack for maximum productivity
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Ready to Fire Nail Technology eliminates ramp-up time between each nail discharge

| | M18 FN15GA-0X |
|----------------|--|
| Kit included | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933478091 |
| EAN Code | 4058546340247 |

GET THE RIGHT NAILER/STAPLER FOR THE JOB

1 FRAMING NAILERS

Cut roofs, floor joists, stud walls, decking



3 FENCING UTILITY STAPLER



| | Battery system | Collation angle (°) | Nail diameter (mm) | Nail type (mm) | Staple strip length (mm) | Staple strip width (mm) | Magazine capacity | Weight with battery pack (EPTA) (kg) |
|----|-------------------|---------------------|--------------------|----------------|--------------------------|-------------------------|-------------------|--------------------------------------|
| 1. | M18 FFN21-0C | M18 FUEL™ | 20 - 22 | 2.8 - 3.7 | 50 - 90 | - | 51 | 5.0 (M18 B5) |
| 1. | M18 FFN-502C | M18 FUEL™ | 30 - 34 | 2.8 - 3.3 | 50 - 90 | - | 51 | 5.1 (M18 B5) |
| 1. | M18 FFNS-502C | M18 FUEL™ | 30 - 34 | 2.8 - 3.3 | 50 - 90 | - | 51 | 5.1 (M18 B5) |
| 2. | M18 FN18GS-202X | M18 FUEL™ | 0 | 1.2 | 16 / 54 | - | 110 | 3.1 (M18 B2) |
| 2. | M18 FN16GA-202X | M18 FUEL™ | 20 | 1.6 | 32 - 64 | - | 110 | 3.3 (M18 B2) |
| 2. | M18 FN16GS-0X | M18 FUEL™ | 0 | 1.6 | 25 - 64 | - | 110 | 3.2 (M18 B2) |
| 2. | M18 FN15GA-0X | M18 FUEL™ | 34 | 1.8 | 32 - 64 | - | 110 | 3.3 (M18 B2) |
| 2. | M12 FCN18GS-202X | M12 FUEL™ | 0 | 1.2 | 15 - 38 | - | 110 | 2.1 (M12 B2) |
| 3. | M18 FFUS-302C | M18 FUEL™ | 0 | 4 | - | 38 - 51 | 10.3 | 5.0 (M18 HB3) |
| 4. | M18 FNCS18GS-202X | M18 FUEL™ | 0 | - | 9.5 - 38 | 5.7 - 6.35 | 108 | 2.8 (M18 B2) |
| 4. | M12 BCST-0 | M12™ | 0 | - | 25.4 | 19 | 45 | 2.3 (M12 B2) |
| 4. | M12 BST-202X | M12™ | 0 | - | 6 - 14 | 10.6 | 89 | 1.6 (M12 B2) |



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW AVAILABLE NAILS AND STAPLES



2 FINISHING NAILERS

Skirting boards, molding, flooring, deck railings, staircases, door and window casing, cabinet making



4 STAPLERS

Fabric, plastic, beading, fascias & soffits



M18 FN18GS M18 FUEL™ 18 GS FINISH NAILER

M18 FUEL



- Fires 18 gauge straight nails with a 0° pitch
- Different shaped noses stored on board allows the user to get the best finish no matter what the application
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance
- Smaller nail hole, the exact size of the nail head leaving a neater finish

| | M18 FN18GS-0X | M18 FN18GS-202X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B2 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933471409 | 4933471407 |
| EAN Code | 4058546290375 | 4058546290351 |

M18 FFUS M18 FUEL™ FENCING UTILITY STAPLER

M18 FUEL



- Power to fire MILWAUKEE® 9 gauge barbed collated staples from 40 mm to 50 mm
- Fires up to 600 staples per charge on a REDLITHIUM™ 3.0 Ah battery pack for maximum productivity
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance

| | M18 FFUS-0C | M18 FFUS-302C |
|----------------|--|--|
| Kit included | No batteries supplied, No charger supplied, Kitbox | 2 x M18 HB3 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number | 4933479834 | 4933479832 |
| EAN Code | 4058546376284 | 4058546376260 |

M18 F2VC23L M18 FUEL™ 23L L-CLASS VACUUM

M18 FUEL



- The M18 FUEL™ 23 litre L class Wet/Dry Vacuum brings outstanding performance, durability, and versatility to jobsite cleanup
- With a maximum air flow of 3086 l/min and 192 mbar this provides excellent performance for both wet and dry clean up applications

| | M18 F2VC23L-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933478964 |
| EAN Code | 4058546362461 |

M18 FPOVCL M18 FUEL™ PACKOUT™ WET/ DRY VACUUM

M18 FUEL

PACKOUT™



- The M18 FUEL™ PACKOUT™ wet/ dry vacuum is fully compatible with the MILWAUKEE® PACKOUT™ Modular Storage System
- Delivers up to 30 minutes of run time on a HIGH OUTPUT™ 8.0 Ah battery pack in high mode and over 50 minutes in low mode
- Extendable hose up to 1.6 m for extended reach and versatility

| | M18 FPOVCL-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933478187 |
| EAN Code | 4058546341206 |

M18 FN16GS M18™ FUEL™ 16 GA STRAIGHT FINISH NAILER

M18 FUEL



- Fire 16 gauge straight nails with a 0° pitch from 25 mm - 64 mm long
- Quick and easy tool free adjustable nail driving depth
- Smaller nail hole, the exact size of the nail head leaving a neater finish
- Small work contact bracket allows the user to fire and sink nails at a more acute angle
- Dry-Fire lockout stops the tool being fired when there are no nails left in the magazine

| | M18 FN16GS-0X |
|----------------|--|
| Kit included | No batteries supplied, No charger supplied, HD Box |
| Article Number | 4933493353 |
| EAN Code | 4058546482244 |

M18 FNCS18GS M18 FUEL™ NARROW CROWN STAPLER 2-MODE

M18 FUEL



- Accepts narrow crown staplers from 9.5 mm to 38 mm
- Ready to fire nail technology eliminates ramp-up time between each staple discharge
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance

| | M18 FNCS18GS-0X | M18 FNCS18GS-202X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B2 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933471942 | 4933471940 |
| EAN Code | 4058546298418 | 4058546298395 |

M18 FBPV M18 FUEL™ BACKPACK VACUUM

M18 FUEL



- HEPA filter will collect 99.97% of airborne particles down to 0.3 microns
- Dust class L. Standard MAK-factor > 1 mg/m³
- Low noise of only 76 db (operating sound level)
- DEK 26 compatible allows the vacuum to be easily connected to a power tool
- Cyclonic technology for longer filter life, extended peak performance and bag-less debris collection

| | M18 FBPV-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933464483 |
| EAN Code | 4058546224288 |

M18 VC2 M18™ WET/ DRY VACUUM

M18



- Powerful 18 V motor with a maximum air flow of 1300 l/min/ 80 bar provides excellent suction power for both wet and dry clean up applications
- HEPA filter will collect 99.97% of airborne particles down to 0.03 microns for fine dust collection
- Up to 30 minutes run time with M18™ HIGH OUTPUT™ 5.5 Ah battery pack

| | M18 VC2-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933464029 |
| EAN Code | 4058546219741 |

M18 CV
M18™ HAND VAC

M18



- Excellent suction power for wood, metal and common debris
- HEPA filter will collect 99.97% of airborne particles down to 0.3 microns
- Lock on switch reduces fatigue during sustained use
- Versatile accessories for small or large clean up areas
- Secure canister lock guards against unwanted spillage

M18 CV-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459204 |
| EAN Code | 4002395289998 |

M18 BBL
M18™ BATTERY BLOWER

M18



- Compact body - clears dirt and debris in tight spaces
- Power control - 3 speed settings with variable speed trigger
- Versatile attachments - nozzle extension (228.6 mm), universal inflator/deflator attachment
- Removable nozzle for easy, convenient storage
- Lock-on switch
- Flexible battery system: works with all MILWAUKEE® M18™ batteries

M18 BBL-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933446216 |
| EAN Code | 4002395004942 |

M12-18 JSSP
M12™ - M18™ BLUETOOTH® SPEAKER

M12 M18



- Advanced technology Bluetooth® jobsite speaker
- Bluetooth® wireless range of up to 30 m
- Flexible battery system: works with all MILWAUKEE® M12™ & M18™ batteries
- IP54 rated, water and debris resistant to withstand tough conditions on and off the jobsite
- Loud, clear sounds at all volumes

M12-18 JSSP-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459275 |
| EAN Code | 4058546002411 |



M18 ARFHP
M18™ HIGH VELOCITY AIR FAN

M18



- Three speed settings for optimised air flow up to 21.6 metres per hour
- Adjustable head allows the user to utilise the fan in various heights and positions over a range of 360°
- Efficient air circulation circulates the air up to 5.775 m³/m
- Compact design with integrated carry handle to maximise portability

M18 ARFHP-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933492110 |
| EAN Code | 4058546414771 |

M18 AF
M18™ AIR FAN

M18



- AC/DC, allows the user to run on M18™ REDLITHIUM™ or AC power when available
- Three speed settings for optimised air flow up to 1290 meters per hour
- Efficient air circulation circulates the air within a 3.6 m x 4 m room
- Adjustable head allows the user to utilise the fan in various heights and positions over a range of 120°

M18 AF-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933451022 |
| EAN Code | 4002395136971 |

M18 ONEPP2A3
M18 FUEL™ ONE-KEY™ POWERPACK

M18 FUEL



- M18 ONEPD3 - M18 FUEL™ ONE-KEY™ percussion drill
- M18 ONEID3 - M18 FUEL™ ONE-KEY™ 1/4" Hex impact driver

M18 ONEPP2A3-502X

| | |
|----------------|---|
| Kit included | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933493244 |
| EAN Code | 4058546481155 |

M18 FPP2A3
M18 FUEL™ POWER PACK

M18 FUEL



- M18 FPD3 - M18 FUEL™ percussion drill
- M18 FID3 - M18 FUEL™ 1/4" Hex impact driver

M18 FPP2A3-502X

| | |
|----------------|---|
| Kit included | 2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933480873 |
| EAN Code | 4058546411589 |

M18 BI
M18™ INFLATOR

M18



- Compact lightweight design for fast inflation of car, light truck and compact equipment tyres. Top off 235/65R16 sprinter tyres in under 1 minute
- Anti-vibration stand with all rubber feet for no movement while inflating
- Top off up to 30 tyres on an M18™ 5.0 battery pack
- 10.3 max bar capacity

M18 BI-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933478706 |
| EAN Code | 4058546348991 |

M18 PRCDAB+
M18™ PACKOUT™ RADIO CHARGER

M18



- Premium 360° surround sound speakers with a 40 W amplifier producing rich and full sound for large and outdoor spaces
- DAB+ and AM/FM tuner with the digital processor delivers highest reception accuracy, signal clarity and additional information like: song, artist and accurate time
- Digital Bluetooth® receiver: Plays music up to 30 m away from your smartphone, computer or tablet

M18 PRCDAB+-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933472112 |
| EAN Code | 4058546325084 |

M18 FPP6E3
M18 FUEL™ POWER PACK

M18 FUEL



- M18 FPD3 - M18 FUEL™ percussion drill
- M18 FID3 - M18 FUEL™ 1/4" Hex impact driver
- M18 CCS55 - M18 FUEL™ 55 mm circular saw for wood and plastics
- M18 FSZ - M18 FUEL™ SAWZALL™
- M18 FSAG125X - M18 FUEL™ 125 mm angle grinder with slide switch
- M18 TLED - M18™ LED torch

M18 FPP6E3-502B

| | |
|----------------|---|
| Kit included | 2 x M18 B5 Battery packs, M12-18 FC Charger, Tool bag |
| Article Number | 4933480874 |
| EAN Code | 4058546411596 |

M18 FPP6F3
M18 FUEL™ POWER PACK

M18 FUEL



- M18 FPD3 - M18 FUEL™ percussion drill
- M18 FIW2F12 - M18 FUEL™ 1/2" compact impact wrench with friction ring
- M18 CCS55 - M18 FUEL™ 55 mm circular saw for wood and plastics
- M18 FSZ - M18 FUEL™ SAWZALL™
- M18 FSAG125X - M18 FUEL™ 125 mm angle grinder with slide switch
- M18 TLED - M18™ LED torch

M18 FPP6F3-502B

| | |
|----------------|---|
| Kit included | 2 x M18 B5 Battery packs, M12-18 FC Charger, Tool bag |
| Article Number | 4933480875 |
| EAN Code | 4058546411602 |

M18 RADDAB+G2
M18™ JOBSITE RADIO DAB+

M18



- High performance audio system - DAB+/FM tuner with digital processor delivers high reception accuracy and signal clarity
- Digital Bluetooth® receiver, plays music up to 36 m away from your smartphone, computer or tablet
- Integrated handles and on board storage allow for easy transport and storage for phones
- Dual 8.89 cm woofers provide balanced & clear sound

M18 RADDAB+G2-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933492344 |
| EAN Code | 4058546417116 |

M18 RC
M18™ JOBSITE RADIO CHARGER WITH BLUETOOTH®

M18



- Built in charger function allows for quick, convenient charging of any M18™ battery or electronic devices via USB port
- Digital Bluetooth® receiver: play music up to 30 m away from your smartphone, computer, or tablet
- AC/DC versatility: powered by MILWAUKEE® M18™ batteries, or 230 V mains supply

M18 RC-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933446639 |
| EAN Code | 4002395005420 |

M18 BLCPP2A
M18™ COMPACT BRUSHLESS POWERPACK

M18



- M18 BLPDRC - M18™ compact brushless percussion drill
- M18 BLIDRC - M18™ compact brushless 1/4" Hex impact driver

M18 BLCPP2A-402C

| | |
|----------------|--|
| Kit included | 2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933492827 |
| EAN Code | 4058546476984 |

M18 BLCPP2B
M18™ COMPACT BRUSHLESS POWERPACK

M18



- M18 BLDDRC - M18™ compact brushless drill driver
- M18 BLIDRC - M18™ compact brushless 1/4" Hex impact driver

M18 BLCPP2B-402C

M18 BLCPP2B-502C

| | | |
|----------------|--|--|
| Kit included | 2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox | 2 x M18 B5 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933492836 | 4933492837 |
| EAN Code | 4058546477073 | 4058546477080 |

M12 FUEL™

DRIVEN TO OUTPERFORM.™

M12 FUEL™ is engineered for the most demanding tradesmen in the world. M12 FUEL™ delivers extreme performance in a compact structure and features three MILWAUKEE® exclusive innovations - the POWERSTATE™ brushless motor, REDLITHIUM™ battery pack and REDLINK PLUS™ intelligence hardware and software - that deliver incredible power, run time and durability.

Simply put, M12 FUEL™ offers the best, full circle technology that drives, protects and powers your cordless tools.



1

POWERSTATE™ BRUSHLESS MOTOR

- MILWAUKEE® designed and built brushless motor
- Provides increased efficiency
- Lasts longer and delivers maximum power*

2

REDLINK PLUS™ INTELLIGENCE

- Individual cell monitoring to optimise tool run time and ensure long term pack durability
- Advanced system electronics with unique digital performance enhancement
- Total system communication with overload protection increases tool life

3

REDLITHIUM™ BATTERY PACKS

- Total system communication with overload protection increases tool life
- Fade-free performance to deliver more run time and more work over pack life
- Fuel gauge displays remaining charge
- Operates down to -20°C



MORE CAPABLE.

LIGHTWEIGHT.

MORE COMPACT.

M12 CH M12 FUEL™ SUB COMPACT SDS-PLUS HAMMER



- Industry's first brushless compact 12V rotary hammer with 1.1 Joules (EPTA), 0 - 6575 bpm & 0 - 900 rpm
- Exceptionally low vibration value 4.4 m/s² can be used for 8 hours in a day
- Will drill over 60 50 mm x 6 mm holes per battery charge
- Superior power to weight ratio in its class with brushless POWERSTATE™ motor for up to 3x longer motor life and up to 2x more run time

| | M12 CH-0 | M12 CH-202C | M12 CH-602X |
|----------------|---|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B2 Battery packs, C12 C Charger, Kitbox | 2 x M12 B6 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933441947 | 4933441997 | 4933451510 |
| EAN Code | 4002395002719 | 4002395002665 | 4002395161584 |

M12 UDEL M12™ UNIVERSAL DUST EXTRACTOR



- Fits all MILWAUKEE® SDS-plus and the majority of competitor's hammers between 41-61 mm neck size with just one adjustable side handle which can be mounted right or left of the hammer
- Delivering more than 40 min run time on a single M12 B2 2.0 Ah battery
- Due to telescopic nozzle capable of operating with up to 210 mm long SDS-plus drill bits

| | M12 UDEL-0B | M12 UDEL-201B |
|----------------|--|--|
| Kit included | No batteries supplied, No charger supplied, Tool bag | 1 x M12 B2 Battery pack, C12 C Charger, Tool bag |
| Article Number | 4933471460 | 4933471461 |
| EAN Code | 4058546290887 | 4058546290894 |

M12 FDD2 M12 FUEL™ SUB COMPACT DRILL DRIVER



- Extremely compact design of 151 mm length for access into tight spaces
- 45 Nm of torque - superior power to size ratio
- 13 mm heavy duty metal chuck for quick bit changes and bit retention
- Mechanical clutch with 13 torque settings,
- On board fuel gauge, metal belt clip and LED light

| | M12 FDD2-0 | M12 FDD2-202X | M12 FDD2-602X |
|----------------|---|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B2 Battery packs, C12 C Charger, HD Box | 2 x M12 B6 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933479872 | 4933479873 | 4933479875 |
| EAN Code | 4058546376666 | 4058546376673 | 4058546376697 |

M12 FPDX M12 FUEL™ SUB COMPACT PERCUSSION DRILL WITH REMOVABLE CHUCK



- High performance compact 6-in-1 percussion drill system for extreme versatility
- Removable chuck system with 3 different heads for multiples of applications
- Brushless POWERSTATE™ motor delivers up to 44 Nm of torque
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load

| | M12 FPDX-0 | M12 FPDX-202X | M12 FPDXKIT-202X |
|--------------------|---|---|--|
| Standard equipment | Removable chuck | Removable chuck | Removable chuck, offset attachment, right angle attachment |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B2 Battery packs, C12 C Charger, HD Box | 2 x M12 B2 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933464135 | 4933464136 | 4933464138 |
| EAN Code | 4058546220808 | 4058546220815 | 4058546220839 |



M12 FPD2 M12 FUEL™ SUB COMPACT PERCUSSION DRILL



- Extremely compact design of 152 mm length for access into tight spaces
- 45 Nm of torque - superior power to size ratio
- 13 mm heavy duty metal chuck for quick bit changes and bit retention
- Mechanical clutch with 13 torque settings, plus 1 for locked clutch drilling and 1 for locked clutch hammer
- On board fuel gauge, metal belt clip and LED light

| | M12 FPD2-0 | M12 FPD2-202X | M12 FPD2-602X |
|----------------|---|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B2 Battery packs, C12 C Charger, HD Box | 2 x M12 B6 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933479867 | 4933479868 | 4933479870 |
| EAN Code | 4058546376611 | 4058546376628 | 4058546376642 |

M12 FDDX M12 FUEL™ INSTALLATION DRILL/DRIVER WITH INTERCHANGEABLE HEADS



- High performance compact 4-in-1 installation drill for extreme versatility
- Removable chuck system with 4 different heads for multiples of applications
- 1/4" hex drive behind chuck fitting, reduces drill length to 130 mm when required
- In-line grip for unrivaled access and control
- Brushless POWERSTATE™ motor delivers up to 34 Nm of torque
- Magnetic holder for easy bit access

| | M12 FDDX-0 | M12 FDDXKIT-0X | M12 FDDXKIT-202X |
|--------------------|---|---|---|
| Standard equipment | 10 mm metal chuck | 10 mm metal chuck, right angle attachment, offset attachment and 6mm hex attachment | 10 mm metal chuck, right angle attachment, offset attachment and 6mm hex attachment |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, HD Box | 2 x M12 B2 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933464978 | 4933471332 | 4933464979 |
| EAN Code | 4058546229238 | 4058546289607 | 4058546229245 |

M12 BDDX M12™ SUB COMPACT DRILL DRIVER WITH REMOVABLE CHUCK



- High performance sub compact 5-in-1 drill driver system for extreme versatility
- Removable chuck system with 3 different heads for multiples of applications
- Standard 10 mm keyless chuck, full metal right angle 1/4" hex drive head and full metal offset 1/4" hex drive head
- 1/4" hex drive behind chuck fitting, reduces drill length to 153 mm when required

| | M12 BDDXKIT-202C |
|--------------------|--|
| Standard equipment | Removable FIXTEC™ chuck, offset attachment, right angle drill attachment, belt clip, 25 mm P22 bit |
| Kit included | 2 x M12 B2 Battery packs, C12 C Charger, Kitbox |
| Article Number | 4933447836 |
| EAN Code | 4002395006601 |

C12 RAD
M12™ SUB COMPACT RIGHT ANGLE DRILL

M12



- Heavy Duty full metal gearbox and gears for superior durability and maximum torque
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Variable speed paddle switch trigger for comfortable working in any situation
- 10 mm chuck for quick bit changes and bit retention

| | C12 RAD-0 | C12 RAD-202B |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B2 Battery packs, C12 C Charger, Tool bag |
| Article Number | 4933416900 | 4933441215 |
| EAN Code | 4002395237678 | 4002395001248 |

M12 CD
M12 FUEL™ SUB COMPACT DRIVER

M12 FUEL



- 1/4" Hex chuck for quick easy one handed bit change
- On board fuel gauge and LED light
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability

| | M12 CD-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933440450 |
| EAN Code | 4002395000968 |

M12 FIWF12
M12 FUEL™ SUB COMPACT 1/2" IMPACT WRENCH

M12 FUEL



- More power, more compact, more control
- Up to 339 Nm of maximum torque
- 1/2" anvil with friction ring for quick and easy socket changes
- Better access in tight spaces with an overall length of only 124.5 mm
- 4-Mode DRIVE CONTROL with auto-shut off mode, offers the user precise control
- Bright LED workspace illumination

| | M12 FIWF12-0 | M12 FIWF12-422X |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933464615 | 4933464616 |
| EAN Code | 4058546225605 | 4058546225612 |

M12 FIW14
M12 FUEL™ SUB COMPACT 1/4" IMPACT WRENCH

M12 FUEL



- More power, more compact, more control
- Up to 115 Nm of maximum fastening torque
- Up to 136 Nm of maximum nut busting torque
- 1/4" anvil with friction ring for quick and easy socket changes
- Brushless POWERSTATE™ motor delivers more power in a more compact size

| | M12 FIW14-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933464611 |
| EAN Code | 4058546225688 |

M12 BD
M12™ SUB COMPACT DRIVER

M12



- High performance sub compact screw driver measures 175 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- 1/4" Hex chuck for quick easy one handed bit change
- Optimised handle for better control and improved grip

| | M12 BD-0 | M12 BD-202C |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B2 Battery packs, C12 C Charger, Kitbox |
| Article Number | 4933441910 | 4933441900 |
| EAN Code | 4002395002566 | 4002395002559 |

M12 BSD
M12™ SUB COMPACT SINGLE SPEED DRIVER

M12



- High performance compact screw driver measures 169 mm in length making it ideal for working within confined spaces
- Metal planetary gears for superior durability and maximum torque up to 20 Nm
- 1/4" Hex chuck for quick easy one handed bit change
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability

| | M12 BSD-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933447135 |
| EAN Code | 4002395006021 |

M12 BIW12
M12™ SUB COMPACT 1/2" IMPACT WRENCH

M12



- High performance sub compact impact wrench measures 171 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Heavy duty full metal gearbox and gears for superior durability and maximum torque
- 1/2" square drive with pin detent for use with universal sockets

| | M12 BIW12-0 | M12 BIW12-202C |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B2 Battery packs, C12 C Charger, Kitbox |
| Article Number | 4933447134 | 4933447133 |
| EAN Code | 4002395006014 | 4002395006007 |

M12 BIW38
M12™ SUB COMPACT 3/8" IMPACT WRENCH

M12



- High performance sub compact impact wrench measures 165 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Heavy duty full metal gearbox and gears for superior durability and maximum torque
- 3/8" square drive with friction ring for use with universal sockets

| | M12 BIW38-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933441985 |
| EAN Code | 4002395002603 |

M12 FID2
M12 FUEL™ SUB COMPACT 1/4" IMPACT DRIVER

M12 FUEL



- The compact design with a length of only 127 mm is ideal for working in confined spaces
- Outstanding power to size ratio with 170 Nm of torque
- Fast driving speed with up to 3,600 rpm and 4,000 ipm
- Tri-LEDs deliver high definition lighting to increase workspace visibility

| | M12 FID2-0 | M12 FID2-202X |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B2 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933479876 | 4933479877 |
| EAN Code | 4058546376703 | 4058546376710 |

M12 FQID
M12 FUEL™ SURGE™ 1/4" HEX HYDRAULIC IMPACT DRIVER

M12 FUEL

SURGE
HYDRAULIC DRIVER



- The M12 FUEL™ SURGE™ 1/4" Hex hydraulic impact driver is MILWAUKEE®'s quietest 12V impact driver, delivers best in class sound at only 76 dB(A) in wood fastening applications
- FLUID-DRIVE™ hydraulic powertrain reduces metal on metal contact within the tool, delivering quieter operation, smoother performance and increased durability over a standard impact

| | M12 FQID-0 | M12 FQID-202X |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B2 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933464972 | 4933464973 |
| EAN Code | 4058546229177 | 4058546229184 |

M12 BPRT
M12™ SUB COMPACT RIVET TOOL

M12



- Up to 325 x 4.8 mm stainless steel rivets on a single charge with a 2.0 Ah battery pack
- Suitable for all aluminium, steel, stainless steel and copper rivets up to 4.8 mm
- Rivets in one stroke with a 20.32 mm stroke length
- Retention nose pieces hold rivets in any orientation

| | M12 BPRT-0 | M12 BPRT-201X |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B2 Battery pack, C12 C Charger, HD Box |
| Article Number | 4933464404 | 4933464405 |
| EAN Code | 4058546223496 | 4058546223502 |

M12 FRAIWF12
M12 FUEL™ 1/2" RIGHT ANGLE IMPACT WRENCH WITH FRICTION RING

M12 FUEL



- Delivers up to 270 Nm fastening torque and 300 Nm nut-busting torque
- 4-Mode DRIVE CONTROL includes Auto Shut-Off Mode and Bolt Removal Mode which prevents over-tightening and provides more control after bolt breakaway
- The long body profile allows for more access in hard to reach spaces
- Only 71 mm head with anvil profile design allows for more access in tight spaces

| | M12 FRAIWF12-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933471699 |
| EAN Code | 4058546295981 |

M12 BRAID
M12™ SUB COMPACT RIGHT ANGLE IMPACT DRIVER

M12



- Compact right angle impact driver measures 287 mm in length making it ideal for working within confined spaces
- REDLINK™ overload protection electronics delivers best in class system durability
- Full metal gearbox and gears for superior durability and maximum torque of 68 Nm
- Compact head design with diameter of 35.6 mm

| | M12 BRAID-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933451247 |
| EAN Code | 4002395167715 |

M12 FIW38
M12 FUEL™ SUB COMPACT 3/8" IMPACT WRENCH

M12 FUEL



- More power, more compact, more control
- Up to 339 Nm of maximum torque
- 3/8" anvil with friction ring for quick and easy socket changes
- Brushless POWERSTATE™ motor delivers more power in a more compact size
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load

| | M12 FIW38-0 | M12 FIW38-422X |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933464612 | 4933464613 |
| EAN Code | 4058546225575 | 4058546225582 |

M12 FRAIWF38
M12 FUEL™ 3/8" RIGHT ANGLE IMPACT WRENCH WITH FRICTION RING

M12 FUEL



- Delivers up to 270 Nm fastening torque and 300 Nm nut-busting torque
- 4-Mode DRIVE CONTROL includes Auto Shut-Off Mode and Bolt Removal Mode which prevents over-tightening and provides more control after bolt breakaway
- The long body profile allows for more access in hard to reach spaces
- Only 71 mm head profile design allows for more access in tight spaces

| | M12 FRAIWF38-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933471700 |
| EAN Code | 4058546295998 |

M12 ONEFTR12
M12 FUEL™ ONE-KEY™ 1/2" DIGITAL TORQUE WRENCH

M12 FUEL

ONE-KEY
LINKING THE DIGITAL LOGIC™



- MILWAUKEE®'s first digital torque wrench, delivers up to 50% faster installation by replacing the hand tool
- Provides 16.9 - 203.4 Nm of torque range and accuracy within ±2% for torque critical fasteners
- Faster, more productive torque reporting with ONE-KEY™ providing torque data and customisable reports for inspectors or owners

| | M12 ONEFTR12-0C | M12 ONEFTR12-201C |
|----------------|--|--|
| Kit included | No batteries supplied, No charger supplied, Kitbox | 1 x M12 B2 Battery pack, C12 C Charger, Kitbox |
| Article Number | 4933464969 | 4933464970 |
| EAN Code | 4058546229146 | 4058546229153 |

GET THE RIGHT RATCHET FOR THE JOB

1 PRECISION TOOLS

Delivering increased productivity, precise torque accuracy, and user demanded reporting functionality



3 HIGH SPEED

Faster speed while installing and removing fasteners



| | Battery system | ONE-KEY™ | Tool reception | Max. torque (Nm) | Torque range (Nm) | Accuracy | No load speed (rpm) | Length (mm) | Weight with battery pack (EPTA) (kg) |
|----|-----------------------------|----------|----------------|------------------|-------------------|------------------|-----------------------------------|-------------|--------------------------------------|
| 1. | M12 ONEFTR12-201C M12 FUEL™ | ONE-KEY™ | 1/2" square | 203.4 | 16.9 - 203.4 | CW ±2 %, CCW ±3% | 0 - 100 | 596,9 | 2.6 (M12 B2) |
| 1. | M12 ONEFTR38-201C M12 FUEL™ | ONE-KEY™ | 3/8" square | 135.6 | 13.6 - 135.6 | CW ±2 %, CCW ±3% | 0 - 100 | 591,8 | 2.5 (M12 B2) |
| 2. | M12 FPTR-202X M12 FUEL™ | - | 14.4 mm Hex | 81 | - | - | 0 - 350 | 386 | 1.2 (M12 B2) |
| 2. | M12 FHIR14LR-0 M12 FUEL™ | - | 1/4" square | 47 | - | - | 0 - 450 | 348 | 1.1 (M12 B2) |
| 2. | M12 FHIR38LR-0 M12 FUEL™ | - | 3/8" square | 47 | - | - | 0 - 450 | 363 | 1.1 (M12 B2) |
| 2. | M12 FIR38LR-0 M12 FUEL™ | - | 3/8" square | 75 | - | - | 0 - 200 | 363 | 1.4 (M12 B2) |
| 3. | M12 FHIR14-0 M12 FUEL™ | - | 1/4" square | 47 | - | - | 0 - 450 | 272 | 1.0 (M12 B2) |
| 3. | M12 FHIR38-0 M12 FUEL™ | - | 3/8" square | 47 | - | - | 0 - 450 | 272 | 1.0 (M12 B2) |
| 4. | M12 FIR12-0 M12 FUEL™ | - | 1/2" square | 81 | - | - | 0 - 175 | 290 | 1.5 (M12 B2) |
| 4. | M12 FIR38-0 M12 FUEL™ | - | 3/8" square | 75 | - | - | 0 - 200 | 281 | 1.4 (M12 B2) |
| 4. | M12 IR-201B 3/8 M12™ | - | 3/8" square | 47 | - | - | 0 - 250 | 274 | 0.9 (M12 B2) |
| 4. | M12 IR-201B 1/4 M12™ | - | 1/4" square | 40 | - | - | 0 - 250 | 274 | 0.90 (M12 B2) |
| 4. | M12 FRAWF12-0 M12 FUEL™ | - | 1/2" square | 270 | - | - | 0-1150/ 0-2300/ 0-3000/ 0-3000 | - | 1.7 (M12 B4) |
| 4. | M12 FRAWF38-0 M12 FUEL™ | - | 3/8" square | 270 | - | - | 0-1550/ 0-2300/ 0-3000/ 0-3000 | - | 1.7 (M12 B4) |



SCAN HERE TO VIEW OUR PPE RANGE



SCAN HERE TO VIEW COMPATIBLE IMPACT SOCKETS



M12 FPTR M12 FUEL™ INSIDER™ PASS-THROUGH RATCHET



- With up to 81 Nm of max torque and 350 rpm's, this tool offers the perfect combination of power and speed
- Features the lowest-profile head for best-in-class access in confined spaces
- The extended neck allows users better access in hard-to-reach places
- Pass-through sockets up to a size of 15 mm allow users to comfortably fasten and unfasten nuts on bolts of any length

| | M12 FPTR-0 | M12 FPTR-202X |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B2 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933480756 | 4933480754 |
| EAN Code | 4058546410414 | 4058546410391 |

M12 ONEFTR38 M12 FUEL™ ONE-KEY™ 3/8" DIGITAL TORQUE WRENCH



- MILWAUKEE®'s first digital torque wrench, delivers up to 50% faster installation by replacing the hand tool
- Provides 13.6 - 135.6 Nm of torque range and accuracy within ±2% for torque critical fasteners
- Faster, more productive torque reporting with ONE-KEY™ providing torque data and customisable reports for inspectors or owners

| | M12 ONEFTR38-0C | M12 ONEFTR38-201C |
|----------------|--|--|
| Kit included | No batteries supplied, No charger supplied, Kitbox | 1 x M12 B2 Battery pack, C12 C Charger, Kitbox |
| Article Number | 4933464966 | 4933464967 |
| EAN Code | 4058546229115 | 4058546229122 |

M12 FHIR38LR M12 FUEL™ 3/8" EXTENDED REACH HIGH SPEED RATCHET



- With up to 47 Nm of max torque and 450 rpm's, this tool delivers faster application speed and increased productivity for the professional user
- 19 mm low profile head design and extended neck allow users better access in tight spaces
- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user

| | M12 FHIR38LR-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933480791 |
| EAN Code | 4058546410766 |

M12 FHIR14 M12 FUEL™ 1/4" HIGH SPEED RATCHET



- With up to 47 Nm of max torque and 450 rpm's, this tool delivers faster application speed and increased productivity for the professional user
- 19 mm low profile head design allows users better access in tight spaces
- Variable speed metal trigger provides ultimate control of the tool

| | M12 FHIR14-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933478171 |
| EAN Code | 4058546341046 |

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR THE M12 FUEL™ INSIDER™ PASS-THROUGH RATCHET



M12 FHIR14LR M12 FUEL™ 1/4" EXTENDED REACH HIGH SPEED RATCHET



- With up to 47 Nm of max torque and 450 rpm's, this tool delivers faster application speed and increased productivity for the professional user
- 19 mm low profile head design and extended neck allow users better access in tight spaces
- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user

| | M12 FHIR14LR-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933480790 |
| EAN Code | 4058546410759 |

M12 FIR38LR M12 FUEL™ 3/8" EXTENDED REACH RATCHET



- With up to 75 Nm of max torque and 200 rpm's, this tool is the ideal fastening solution for automotive mechanics, maintenance and repair professionals
- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user
- Extended reach ratchet adding additional 82 mm of length for access into tight spaces

| | M12 FIR38LR-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933471500 |
| EAN Code | 4058546293994 |

M12 FHIR38 M12 FUEL™ 3/8" HIGH SPEED RATCHET



- With up to 47 Nm of max torque and 450 rpm's, this tool delivers faster application speed and increased productivity for the professional user
- 19 mm low profile head design allows users better access in tight spaces
- Variable speed metal trigger provides ultimate control of the tool

| | M12 FHIR38-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933478172 |
| EAN Code | 4058546341053 |

M12 FIR12 **M12 FUEL**
M12 FUEL™ SUB COMPACT 1/2" RATCHET



- With up to 81 Nm of max torque and 175 rpm's, this tool is the ideal fastening solution for automotive mechanics, maintenance and repair professionals
- Low profile head design allows users better access in tight spaces
- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user

| | M12 FIR12-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459800 |
| EAN Code | 4058546029722 |

M12 FIR38 **M12 FUEL**
M12 FUEL™ SUB COMPACT 3/8" RATCHET



- With up to 75 Nm of max torque and 200 rpm's, this tool is the ideal fastening solution for automotive mechanics, maintenance and repair professionals
- Low profile head design allows users better access in tight spaces
- The industry leading FUEL™ technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user

| | M12 FIR38-0 | M12 FIR38-201B |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B2 Battery pack, C12 C Charger, Tool bag |
| Article Number | 4933459797 | 4933459798 |
| EAN Code | 4058546029692 | 4058546029708 |

M12 BI **M12**
M12™ SUB COMPACT INFLATOR



- Compact lightweight design for fast inflation of car, light truck and compact equipment tires
- High efficiency motor & pump
- Anti-vibration stand with all rubber feet for no movement while inflating
- Auto shut-off technology inflates to users pre-selected pressure for highly accurate inflation
- Illuminated LCD display with a digital pressure and fuel gauge that displays remaining charge

| | M12 BI-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933464124 |
| EAN Code | 4058546220693 |

M12 SI **M12**
M12™ SUB COMPACT SOLDERING IRON



- Quick heat up time: the tool is ready to use in 20 - 30 seconds
- 3 locking head positions to work in multiple orientations - 0°, 45°, 90°
- Tool free replaceable tips
- Dual color LED lights to notify user: flashing green when tool is heating up, solid green when the tool is ready for operation and solid red when the tool is off but the tip is hot to touch until the red LED turns off

| | M12 SI-0 | M12 SI-201C |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B2 Battery pack, C12 C Charger, Kitbox |
| Article Number | 4933459760 | 4933459761 |
| EAN Code | 4058546029326 | 4058546029333 |

M12 IR **M12**
M12™ SUB COMPACT RATCHET



- Pneumatic performance with cordless convenience, 47 Nm of torque and no load speed of 250 rpm
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Reinforced housing - provides high durability similar to steel ratchets
- Compact design - ideal for tight spaces and small engine bays

| | M12 IR-201B 1/4 | M12 IR-201B 3/8 |
|----------------|--|--|
| Kit included | 1 x M12 B2 Battery pack, C12 C Charger, Tool bag | 1 x M12 B2 Battery pack, C12 C Charger, Tool bag |
| Article Number | 4933441725 | 4933441720 |
| EAN Code | 4002395002030 | 4002395002023 |

M12 GG **M12**
M12™ SUB COMPACT GREASE GUN



- Powerful 12 V motor delivers over 562 bar max operating pressure
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Extreme long run time - dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics - only 355 mm long and 3.2 kg

| | M12 GG-0 | M12 GG-401B |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B4 Battery pack, C12 C Charger, Tool bag |
| Article Number | 4933440435 | 4933441675 |
| EAN Code | 4002395000951 | 4002395001903 |

M12 FTB **M12 FUEL**
M12 FUEL™ LOW SPEED TYRE BUFFER



- The M12 FUEL™ low speed tyre buffer has a two-speed mode selector for reaming & buffing applications
- Optimal speed settings of 1200 RPM in first mode and 2500 RPM in second mode help to avoid burning the rubber and damaging the tyre
- Pneumatic performance with cordless convenience for better accessibility and manoeuvrability in tight spaces

| | M12 FTB-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933472215 |
| EAN Code | 4058546326111 |

M12 BLROT **M12**
M12™ BRUSHLESS ROTARY TOOL

BRUSHLESS



- Compact and balanced in all orientation design allow the user to hold the tool close to the work piece
- Variable speed from 5000 rpm to 27500 rpm with 12 speed settings allows the user to dial in the correct speed for each application
- 3.2 mm collet included, compatible with most common accessories
- Soft grip and low vibration allows user to work comfortably and for longer periods

| | M12 BLROT-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933493591 |
| EAN Code | 4058546484620 |

M12 PCG/600 **M12**
M12™ SUB COMPACT CAULK GUN WITH 600 ML TUBE



- Up to 1780 N of force
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all construction adhesives and cool temperatures
- Anti-drip feature prevents unwanted dripping when trigger is released
- Dial control with 6 speed settings allows for maximum bead control

| | M12 PCG/600A-0 | M12 PCG/600A-201B |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B2 Battery pack, C12 C Charger, Tool bag |
| Article Number | 4933441786 | 4933441670 |
| EAN Code | 4002395002283 | 4002395001897 |

M12 PCG/400 **M12**
M12™ SUB COMPACT CAULK GUN WITH 400 ML TUBE



- Up to 1780 N of force
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all construction adhesives and cool temperatures
- Anti-drip feature prevents unwanted dripping when trigger is released
- Dial control with 6 speed settings allows for maximum bead control

| | M12 PCG/400A-0 | M12 PCG/400A-201B |
|----------------|--|--|
| Kit included | No batteries supplied, No charger supplied, Tool bag | 1 x M12 B2 Battery pack, C12 C Charger, Tool bag |
| Article Number | 4933441780 | 4933441665 |
| EAN Code | 4002395002276 | 4002395001880 |

C12 RT **M12**
M12™ SUB COMPACT ROTARY TOOL



- Versatile cordless solution for cutting and removal applications
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Variable speed (5000 - 32,000 rpm)
- 3.2 mm collet fits most current accessories in the market
- Spindle lock mechanism for easy accessory changes

| | C12 RT-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933427183 |
| EAN Code | 4002395239030 |

M12 FCOT **M12 FUEL**
M12 FUEL™ SUB COMPACT MULTI-MATERIAL CUT-OFF TOOL



- Fast accurate cutting with up to 20,000 RPM
- Optimised ergonomic design for easy control and one-handed use. Only 1.1 kg and 226 mm in length
- Multi-material cutting capability with variety of blades available (metal cut-off wheel, carbide abrasive blade and diamond tile blade)
- A very capable problem solving tool for cutting steel, stainless steel, non-ferrous materials, drywall, fibre cement, plastic and ceramics

| | M12 FCOT-0 | M12 FCOT-422X |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933464618 | 4933464619 |
| EAN Code | 4058546225636 | 4058546225643 |

M12 PCG/310 **M12**
M12™ SUB COMPACT CAULK GUN WITH 310 ML CARTRIDGE HOLDER



- Up to 1780 N of force
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all construction adhesives and cool temperatures
- Anti-drip feature prevents unwanted dripping when trigger is released
- Dial control with 6 speed settings allows for maximum bead control

| | M12 PCG/310C-0 | M12 PCG/310C-201B |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B2 Battery pack, C12 C Charger, Tool bag |
| Article Number | 4933441783 | 4933441655 |
| EAN Code | 4002395002269 | 4002395001866 |

M12 ATB **M12**
M12™ AUTOMOTIVE TECHNICIAN BORESCOPE



- 4.3" LCD screen delivers sharp and clear images and allows users to see objects in greater detail
- 5.0 mm camera head allows great access to tight places like spark plug holes, fuel injector ports and cylinders
- Front and side view camera guarantees to identify hairline cracks and other issues on the engine and other areas of the vehicle

| | M12 ATB-0C |
|----------------|--|
| Kit included | No batteries supplied, No charger supplied, Kitbox |
| Article Number | 4933493136 |
| EAN Code | 4058546480073 |

M12 FBS64 **M12 FUEL**
M12 FUEL™ SUB COMPACT BAND SAW WITH 64 MM CUTTING CAPACITY



- First 12V band saw with 64 mm cutting capacity on the market
- Compact light weight design, especially for cutting overhead with one hand in existing installations and in tight spaces
- Variable speed trigger for quick & easy speed adjustments
- Integrated blade cover protects user from injuries by preventing any access to the blade

| | M12 FBS64-0C | M12 FBS64-402C |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, Kitbox | 2 x M12 B4 Battery packs, C12 C Charger, Kitbox |
| Article Number | 4933478440 | 4933478441 |
| EAN Code | 4058546346317 | 4058546346324 |

M12 BS **M12**
M12™ SUB COMPACT BANDSAW



- Compact light weight design for cutting with one hand overhead in existing installations and in tight spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Cuts a multitude of materials: steel, stainless steel, copper, plastic, aluminium
- Cold cutting - spark and burr free

| | M12 BS-0 | M12 BS-402C |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B4 Battery packs, C12 C Charger, Kitbox |
| Article Number | 4933431310 | 4933441805 |
| EAN Code | 4002395242092 | 4002395002344 |

M12 FNB16

M12 FUEL™ 1.6 MM NIBBLER

M12 FUEL



- First 12V Nibbler with max. cutting capacity in mild Steel: 1.6 mm, in Stainless Steel: 1.2 mm, in Aluminium: 2.1 mm
- With only 1.6 kg (6.0 Ah battery included) it is the lightest cordless Nibbler on the market, while still outperforming 18V brushed competitors
- Maximum control for any material, with a 5-step speed dial it is ideal for working with stainless steel and aluminium

| | M12 FNB16-0X | M12 FNB16-402X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M12 B4 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933479618 | 4933479619 |
| EAN Code | 4058546374129 | 4058546374136 |

M12 FDGS

M12 FUEL™ STRAIGHT DIE GRINDER

M12 FUEL



- The first cordless in-line die grinder that delivers more power vs. pneumatic models
- Best-in-class size (262 mm long) to help reach in tight places, and offers great mobility and access
- Features a 3-mode speed control and responsive variable speed trigger enabling outstanding control
- To be used with discs up to Ø50 mm
- Supplied with 6 and 8 mm collets

| | M12 FDGS-0 | M12 FDGS-422B |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, Tool bag |
| Article Number | 4933471435 | 4933471436 |
| EAN Code | 4058546290634 | 4058546290641 |

M12 FMT

M12 FUEL™ MULTI-TOOL

M12 FUEL



- Brushless POWERSTATE™ motor delivers fast cutting speed through common materials without slowing or bogging down in hardwoods
- Adjustable 10,000 to 20,000 opm allow the user to get the perfect cut whatever the material
- Lowest vibration in its class, 4.56 m/s² driving productivity through performance and safety

| | M12 FMT-0 | M12 FMT-422X |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933472238 | 4933472239 |
| EAN Code | 4058546326340 | 4058546326357 |

C12 MT

M12™ SUB COMPACT MULTI-TOOL

M12



- Versatile cordless solution for cutting and removal applications
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Variable speed (5000 - 20,000 rpm) and 1.5° left/right oscillation movement allows quick completion of professional applications into materials such as metal, wood and plastic
- Will accept competitor accessories

| | C12 MT-0 | C12 MT-202B | C12 MT-402B |
|----------------|---|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B2 Battery packs, C12 C Charger, Tool bag | 2 x M12 B4 Battery packs, C12 C Charger, Tool bag |
| Article Number | 4933427180 | 4933441710 | 4933441705 |
| EAN Code | 4002395239276 | 4002395002009 | 4002395001989 |

M12 FDGA

M12 FUEL™ ANGLED DIE GRINDER

M12 FUEL



- The first cordless right angle die grinder that delivers more power vs. pneumatic models
- Compact size (only 119 mm long) to help fit in tight places, and offers great mobility and access
- Features a 4-mode speed control and responsive variable speed trigger enabling outstanding control
- To be used with discs up to Ø50 mm
- Supplied with 6 and 8 mm collets

| | M12 FDGA-0 | M12 FDGA-422B |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, Tool bag |
| Article Number | 4933471438 | 4933471439 |
| EAN Code | 4058546290665 | 4058546290672 |

M12 BPS

M12™ SUB COMPACT POLISHER / SANDER

M12



- Variable 2 speed selection (0-2800 / 0-8300 RPM) for both polishing and sanding applications
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Large capacity of 76 mm polishing sponge and 50 mm sanding pad size for fast job completion

| | M12 BPS-0 | M12 BPS-421X |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933447791 | 4933447799 |
| EAN Code | 4002395006557 | 4002395006564 |

M12 FCS442

M12 FUEL™ SUB COMPACT CIRCULAR SAW

M12 FUEL



- Redesigned brushless POWERSTATE™ motor for up to 25% increase in performance when combined with MILWAUKEE® M12™ HIGH OUTPUT™ batteries
- Magnesium shoe reduces weight and maximises durability
- Integrated dust blower keeps cut line clear
- LED light illuminates the cut line for better visibility

| | M12 FCS442-0 | M12 FCS442-502X |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 HB5 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933493488 | 4933493489 |
| EAN Code | 4058546483593 | 4058546483609 |

M12 CHZ

M12 FUEL™ SUB COMPACT HACKZALL™

M12 FUEL



- Counter balance mechanism lowers vibration to 6.5 m/s² allowing the operator to work safely for longer periods of time reducing fatigue
- Sealed gearbox prevents water and debris entering the housing
- Patented FIXTEC™ clamp for fast and easy keyless blade change
- LED light illuminates the cutline in low light conditions

| | M12 CHZ-0 | M12 CHZ-402C | M12 CHZ-602X |
|----------------|---|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B4 Battery packs, C12 C Charger, Kitbox | 2 x M12 B6 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933446960 | 4933446950 | 4933451511 |
| EAN Code | 4002395005727 | 4002395005710 | 4002395161591 |

M12 FBFL10

M12 FUEL™ BAND FILE 10 MM

M12 FUEL



- Lightest cordless band file on the market, only 1.0 kg with a 2.0 Ah battery
- Outperforms pneumatic competitor while providing better balance
- 2 speed modes and variable speed trigger provide maximum control from taking down welds to precise work with inox, aluminium and wood

| | M12 FBFL10-0 | M12 FBFL10-402B |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B4 Battery packs, C12 C Charger, Tool bag |
| Article Number | 4933480958 | 4933480959 |
| EAN Code | 4058546412432 | 4058546412449 |

M12 FBFL13

M12 FUEL™ BAND FILE 13 MM

M12 FUEL



- World's first cordless 12V band file with a capacity of 13mm belt width
- Lightest cordless band file on the market, only 1.1 kg with a 2.0 Ah battery
- Outperforms pneumatic competitor while providing better balance
- 2 speed modes and variable speed trigger provide maximum control from taking down welds to precise work with inox, aluminium and wood

| | M12 FBFL13-0 | M12 FBFL13-402B |
|----------------|---|---|
| Kit included | 2 x M12 B4 Battery packs, C12 C Charger, Tool bag | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933480960 | 4933480961 |
| EAN Code | 4058546412456 | 4058546412463 |

C12 HZ

M12™ SUB COMPACT HACKZALL™

M12



- High performance compact one handed use HACKZALL™, measuring only 280 mm in length, making it ideal for working within confined spaces
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Patented FIXTEC™ clamp for fast and easy keyless blade change
- Low vibration at 10.5 m/s²

| | C12 HZ-0 | C12 HZ-202C |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B2 Battery packs, C12 C Charger, Kitbox |
| Article Number | 4933411925 | 4933441195 |
| EAN Code | 4002395236367 | 4002395001200 |

M12 FJS

M12 FUEL™ BODYGRIP JIGSAW

M12 FUEL



- Delivering outstanding power, durability with a run time of up to 24 m in 19 mm OSB (on a 4.0 Ah battery pack)
- Patented FIXTEC™ blade clamp for fast and easy blade change
- 6-speed settings with auto controlled start mode allows the tool to start slow and ramp up to full speed when load is detected for smooth and accurate cut starts

| | M12 FJS-0 | M12 FJS-422X |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933493347 | 4933493348 |
| EAN Code | 4058546482183 | 4058546482190 |

M12 FDSS

M12 FUEL™ SUB COMPACT SPOT SANDER

M12 FUEL



- Compact detail sander with a penta shaped pad allows uncompromised corner accessibility
- Four speed modes allows the correct speed to be set for different types of material
- Low vibration at only 4.3 m/s²
- Sponge interface pad included optimises the tool for profiles and contours which increases the precision and removal of material

| | M12 FDSS-0B | M12 FDSS-422X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, Tool bag | 1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933479680 | 4933479681 |
| EAN Code | 4058546374747 | 4058546374754 |

M12 BLP

M12™ BRUSHLESS PLANER

M12

BRUSHLESS



- M12™ Brushless Planer with a 2 mm planning depth and 51 mm planning width allows the tool to perform in the most common user applications
- Compact and light weight, comfortable to use in a variety of orientations and allows for one handed usage
- Dual-sided dust port for improved chip ejection to the left or right

| | M12 BLP-0X | M12 BLP-402X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M12 B4 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933492850 | 4933492851 |
| EAN Code | 4058546477219 | 4058546477226 |

M12 FCN18GS

M12 FUEL™ 18 GA STRAIGHT BRAD NAILER

M12 FUEL



- Fires 18 gauge straight nails with a 0 degree pitch
- Dry-Fire lockout stops the tool being fired when there are no nails left in the magazine
- Quick access for tool free jam removals
- Small work contact bracket allows the user to fire and sink nails at a more acute angle
- Smaller nail hole, the exact size of the nail head leaving a neater finish

| | M12 FCN18GS-0X | M12 FCN18GS-202X |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M12 B2 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933493354 | 4933493355 |
| EAN Code | 4058546482251 | 4058546482268 |

M12 BCST

M12™ SUB COMPACT CABLE STAPLER

M12



- The new battery powered cable stapler is twice as fast than manual staple installation. It eliminates majority of hand stapling of low voltage cable into wood
- Moveable cable guides ensure proper alignment over cable prior to fastening over a variety of cable sizes

| | M12 BCST-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933480488 |
| EAN Code | 4058546407735 |

M12 BST
M12™ SUB COMPACT STAPLER

M12



- Breakthrough performance limits user fatigue by eliminating the repetitive motion of hand tools
- Ready to Fire Technology eliminates ramp-up time between each staple discharge
- Bump fire and sequential fire operation allows the user to fire quickly and accurately
- 2000 staples fired with one 2.0 Ah battery pack
- Fires standard T11 T50 and T140 10.6 mm staples from 6 to 14 mm

| | M12 BST-0 | M12 BST-202X |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B2 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933459634 | 4933459635 |
| EAN Code | 4058546028060 | 4058546028077 |



C12 PN
M12™ SUB COMPACT PALM NAILER

M12



- Professional power effectively drives 100 mm framing nails in less than 3 seconds
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Superior ergonomics – user-preferred palm style grip provides outstanding comfort and control
- Fits into locations where a hammer cannot be swung

| | C12 PN-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933427182 |
| EAN Code | 4002395239238 |

M12 FVCL
M12 FUEL™ WET/ DRY VACUUM

M12 FUEL



- Powerful M12 FUEL™ motor with a maximum air flow of 1275 l/min & 105 mbar provides 18V performance for both wet and dry clean up applications
- With a 6.0 Ah battery the vacuum provides 14 minutes of run time on high and 26 minutes on the low setting, this compact vacuum is ideal for spot and service focused wet/ dry quick clean up needs

| | M12 FVCL-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933478186 |
| EAN Code | 4058546341190 |

M12 AUN
M12™ AIR-TIP™ UTILITY NOZZLE

M12



- The M12™ powered utility nozzle is a great accessory that is designed to clean jobsite debris on short and medium hair carpeted surfaces
- The universal reception fits to all MILWAUKEE® M12™ and M18™ cordless vacs and covers most common hose sizes (Ø 31.8 mm, 47.6 mm and 63.5 mm)

| | M12 AUN-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4932479461 |
| EAN Code | 4058546372552 |



M12 HV
M12™ SUB COMPACT STICK VAC

M12



- Excellent suction power for wood, metal and common debris
- Clear viewing window gives the user the ability to see debris build up
- Lock on switch reduces fatigue during sustained use
- Versatile accessories for small or large clean up areas
- Compact design makes it easy to clean in tight spaces

| | M12 HV-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933448390 |
| EAN Code | 4002395262908 |

M12 BBL
M12™ BLOWER

M12



- Powerful motor can generate up to 4.81 m³ / min of air volume at 177 km/h for fast cleaning of the jobsite
- Lightweight, compact body clears dirt and debris in tight spaces
- Perfect control of the power with the 2 speed adjustable trigger
- Versatile attachments like the nozzle extension (25.5 cm) and a tip tube for accurate working are included

| | M12 BBL-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933472214 |
| EAN Code | 4058546326104 |

M12 AF
M12™ AIR FAN

M12



- Three speed settings delivering max air speed of 22.53 km/h
- High efficient 150 mm blade diameter generates a maximum air volume of 680 m³/h
- The 360° head rotation allow an unlimited directional airflow
- Boundless hanging and mounting possibilities with the integrated magnets, key holes, hooks and pass through holes

| | M12 AF-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933478228 |
| EAN Code | 4058546344054 |

M12 JSSP
M12™ JOBSITE BLUETOOTH® SPEAKER

M12



- Advanced technology Bluetooth® jobsite speaker
- Connect wirelessly with portable electronic devices from up to 10 m away
- Loud, clear sound at all volumes
- Premium speaker with bass port
- Withstand tough conditions on and off the jobsite
- Rugged over mould, metal speaker grill

| | M12 JSSP-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933448380 |
| EAN Code | 4002395262892 |

M12 FPP2A2
M12™ POWERPACK

M12 FUEL



- M12 FPD2 - M12 FUEL™ sub compact percussion drill
- M12 FID2 - M12 FUEL™ sub compact 1/4" impact driver

| | M12 FPP2A2-402X | M12 FPP2A2-602X |
|----------------|---|---|
| Kit included | 2 x M12 B4 Battery packs, C12 C Charger, HD Box | 2 x M12 B6 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933480587 | 4933480588 |
| EAN Code | 4058546408725 | 4058546408732 |

M12 FPP2E2
M12 FUEL™ POWERPACK

M12 FUEL



- M12 FPD2 - M12 FUEL™ sub compact percussion drill
- M12 FQID - M12 FUEL™ SURGE™ 1/2" Hex hydraulic impact driver

| | M12 FPP2E2-402X |
|----------------|---|
| Kit included | 2 x M12 B4 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933480594 |
| EAN Code | 4058546408794 |

M12 RCDAB+
M12™ RADIO CHARGER DAB+

M12



- Premium speaker and high frequency tweeter provides high sound quality
- DAB+ and AM/FM tuner with the digital processor delivers highest reception accuracy, signal clarity and additional information like: song, artist and accurate time
- Digital Bluetooth® receiver: Plays music up to 30 m away from your smartphone, computer or tablet

| | M12 RCDAB+-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933472114 |
| EAN Code | 4058546325107 |

M12-18 JSSP
M12™ - M18™ BLUETOOTH® SPEAKER

M12 M18



- Advanced technology Bluetooth® jobsite speaker
- Bluetooth® wireless range of up to 30 m
- Flexible battery system: works with all MILWAUKEE® M12™ & M18™ batteries
- IP54 rated, water and debris resistant to withstand tough conditions on and off the jobsite
- Loud, clear sounds at all volumes

| | M12-18 JSSP-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459275 |
| EAN Code | 4058546002411 |

M12 FPP2F2
M12 FUEL™ POWERPACK

M12 FUEL



- M12 FPD2 - M12 FUEL™ sub compact percussion drill
- M12 CH - M12 FUEL™ sub compact SDS-plus hammer

| | M12 FPP2F2-402X | M12 FPP2F2-602X |
|----------------|---|---|
| Kit included | 2 x M12 B4 Battery packs, C12 C Charger, HD Box | 2 x M12 B6 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933480590 | 4933480591 |
| EAN Code | 4058546408756 | 4058546408763 |

M12 BPP2B
M12™ POWERPACK

M12



- M12 BPD - M12™ sub compact percussion drill
- M12 BID - M12™ sub compact 1/2" Hex impact driver

| | M12 BPP2B-421C |
|----------------|---|
| Kit included | 1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, Kitbox |
| Article Number | 4933443497 |
| EAN Code | 4002395004614 |

WORK GEAR

SCAN HERE FOR MORE INFORMATION



M12 HJ BL5 M12™ HEATED JACKET - BLACK

M12



- Heat on demand - sewn in carbon fibre heating wires, distribute heat to core body areas and to the front pockets
- Superior run time, up to 8 hours of heat on low level with a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Easy touch heat controller - 3 heat settings: High, Medium, Low
- TOUGHHELL™ stretch 90% polyester and 10% spandex material to withstand harsh working conditions and deliver up to 5x longer life
- FREE FLEX™ mobility - additional material under the arms increases range of movement for working overhead
- New battery pocket design providing users multiple options for battery placement, allowing adaptability to the situation
- Improved slim fit design with extended back prevents heat loss and keeps the user warm
- M12™ battery controller with 1 A USB port, to charge mobile devices stored in concealed battery pocket
- Water and wind resistant, provides comfort and durability in harsh environments
- Big hand & chest pocket, ideal for storing mobile devices

| | M12 HJ BL5-0 (S) | M12 HJ BL5-0 (M) | M12 HJ BL5-0 (L) | M12 HJ BL5-0 (XL) | M12 HJ BL5-0 (XXL) | M12 HJ BL5-0 (XXXL) |
|----------------|---|---|---|---|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933478967 | 4933478968 | 4933478969 | 4933478970 | 4933478971 | 4933479362 |
| EAN Code | 4058546362492 | 4058546362508 | 4058546362515 | 4058546362522 | 4058546362539 | 4058546371562 |

M12 HJ GREY5 M12™ HEATED JACKET - GREY

M12



- Heat on demand - sewn in carbon fibre heating wires, distribute heat to core body areas and to the front pockets
- Superior run time, up to 8 hours of heat on low level with a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Easy touch heat controller - 3 heat settings: High, Medium, Low
- TOUGHHELL™ stretch 90% polyester and 10% spandex material to withstand harsh working conditions and deliver up to 5x longer life
- FREE FLEX™ mobility - additional material under the arms increases range of movement for working overhead
- New battery pocket design providing users multiple options for battery placement, allowing adaptability to the situation
- Improved slim fit design with extended back prevents heat loss and keeps the user warm
- M12™ battery controller with 1 A USB port, to charge mobile devices stored in concealed battery pocket
- Water and wind resistant, provides comfort and durability in harsh environments
- Big hand & chest pocket, ideal for storing mobile devices

| | M12 HJ GREY5-0 (S) | M12 HJ GREY5-0 (M) | M12 HJ GREY5-0 (L) | M12 HJ GREY5-0 (XL) | M12 HJ GREY5-0 (XXL) | M12 HJ GREY5-0 (XXXL) |
|----------------|---|---|---|---|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933478972 | 4933478973 | 4933478974 | 4933478975 | 4933478976 | 4933479363 |
| EAN Code | 4058546362546 | 4058546362553 | 4058546362560 | 4058546362577 | 4058546362584 | 4058546371579 |

M12 HJ CAM06 M12™ HEATED CAMOUFLAGE JACKET

M12



- REALTREE XTRA™ Camo pattern blends perfectly year round in a variety of habitats
- Quiet-shell stretch 100% polyester material to reduce noise during movement
- Heat on demand - 5 sewn in carbon fibre heating zones distribute heat to core body areas and to the front pockets
- Superior run time, up to 8 hours of heat on low level with a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Easy touch heat controller concealed inside the lapel - 3 heat settings: High, Medium, Low
- FREE FLEX™ mobility - additional material under the arms increases range of movement for working overhead
- Water and wind resistant, provides comfort and durability in harsh environments
- New battery pocket design providing users multiple options for battery placement, allowing adaptability to the situation
- Improved slim fit design with extended back prevents heat loss and keeps the user warm
- M12™ battery controller with 1 A USB port, to charge mobile devices stored in concealed battery pocket

| | M12 HJ CAM06-0 (S) | M12 HJ CAM06-0 (M) | M12 HJ CAM06-0 (L) | M12 HJ CAM06-0 (XL) | M12 HJ CAM06-0 (XXL) | M12 HJ CAM06-0 (XXXL) |
|----------------|---|---|---|---|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933478977 | 4933478978 | 4933478979 | 4933478980 | 4933478981 | 4933479364 |
| EAN Code | 4058546362591 | 4058546362607 | 4058546362614 | 4058546362621 | 4058546362638 | 4058546371586 |

M12 HPJBL2 M12™ HEATED PUFFER JACKET - BLACK

M12



- M12™ Heated Jacket powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest, back and shoulders
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Lightweight and highly durable ripstop polyester provides a slim design that can be worn as an outer-shell or a mid-layer (100% Polyester outer and inner shell)
- Reinforced high-wear zones protect from abrasion and tears
- Provides comfort and durability in harsh, rainy or windy environments
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- Multiple heating zones - 5 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Machine washable and dryable

| | M12 HPJBL2-0 (S) | M12 HPJBL2-0 (M) | M12 HPJBL2-0 (L) | M12 HPJBL2-0 (XL) | M12 HPJBL2-0 (XXL) |
|----------------|--|--|--|--|--|
| Kit included | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box |
| Article Number | 4932480071 | 4932480072 | 4932480073 | 4932480074 | 4932480075 |
| EAN Code | 4058546403560 | 4058546403577 | 4058546403584 | 4058546403591 | 4058546403607 |

M12 HPJLBL2 M12™ HEATED PUFFER JACKET LADIES - BLACK

M12



- M12™ Heated Jacket powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest, back and shoulders
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Lightweight and highly durable ripstop polyester provides a slim design that can be worn as an outer-shell or a mid-layer (100% Polyester outer and inner shell)
- Reinforced high-wear zones protect from abrasion and tears
- Provides comfort and durability in harsh, rainy or windy environments
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- Multiple heating zones - 5 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Machine washable and dryable

| | M12 HPJLBL2-0 (S) | M12 HPJLBL2-0 (M) | M12 HPJLBL2-0 (L) | M12 HPJLBL2-0 (XL) | M12 HPJLBL2-0 (XXL) |
|----------------|---|---|---|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4932480085 | 4932480086 | 4932480087 | 4932480088 | 4932480089 |
| EAN Code | 4058546403706 | 4058546403713 | 4058546403720 | 4058546403737 | 4058546403744 |

M12 HPVBL2 M12™ HEATED PUFFER VEST

M12



- M12™ Heated Jacket powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest, back and shoulders
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Lightweight and highly durable ripstop polyester provides a slim design that can be worn as an outer-shell or a mid-layer (100% Polyester outer and inner shell)
- Reinforced high-wear zones protect from abrasion and tears
- Provides comfort and durability in harsh, rainy or windy environments
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Machine washable and dryable

| | M12 HPVBL2-0 (S) | M12 HPVBL2-0 (M) | M12 HPVBL2-0 (L) | M12 HPVBL2-0 (XL) | M12 HPVBL2-0 (XXL) |
|----------------|--|--|--|--|--|
| Kit included | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box |
| Article Number | 4932480076 | 4932480077 | 4932480078 | 4932480079 | 4932480080 |
| EAN Code | 4058546403614 | 4058546403621 | 4058546403638 | 4058546403645 | 4058546403652 |

M12 HVGREY1 M12™ HEATED VEST - GREY

M12



- M12™ Heated TOUGHHELL™ vest powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest & back
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- TOUGHHELL™ stretch 90% Polyester and 10% spandex material to withstand harsh working conditions
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Machine washable and dryable
- Battery holder included
- Flexible battery system: works with all MILWAUKEE® M12™ batteries

| | M12 HVGREY1-0 (S) | M12 HVGREY1-0 (M) | M12 HVGREY1-0 (L) | M12 HVGREY1-0 (XL) | M12 HVGREY1-0 (XXL) | M12 HVGREY1-0 (XXXL) |
|----------------|--|--|--|--|--|--|
| Kit included | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box |
| Article Number | 4932480100 | 4932480101 | 4932480102 | 4932480103 | 4932480104 | 4932480105 |
| EAN Code | 4058546403850 | 4058546403867 | 4058546403874 | 4058546403881 | 4058546403898 | 4058546403904 |

M12 HHGREY4 M12™ HEATED HOODIE - GREY

M12



- M12™ Heated Hoodie powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest and back
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Rugged heated hoodie made from durable cotton (53%) exterior with durable reinforced utility pockets and polyester fleece (47%) lining to withstand tough outdoor conditions
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- In autumn and spring the hoodie can be worn as a rugged outer layer. In winter, it is best as a base layer that allows to shed bulky undergarments while generating and holding heat close to the body
- Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Integrated cell phone pocket

| | M12 HHGREY4-0 (S) | M12 HHGREY4-0 (M) | M12 HHGREY4-0 (L) | M12 HHGREY4-0 (XL) | M12 HHGREY4-0 (XXL) |
|----------------|---|---|---|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4932480066 | 4932480067 | 4932480068 | 4932480069 | 4932480070 |
| EAN Code | 4058546403515 | 4058546403522 | 4058546403539 | 4058546403546 | 4058546403553 |

M12 HHBL4 M12™ HEATED HOODIE - BLACK

M12



- M12™ Heated Hoodie powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest and back
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Rugged heated hoodie made from durable cotton (53%) exterior with durable reinforced utility pockets and polyester fleece (47%) lining to withstand tough outdoor conditions
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- In autumn and spring the hoodie can be worn as a rugged outer layer. In winter, it is best as a base layer that allows to shed bulky undergarments while generating and holding heat close to the body
- Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Integrated cell phone pocket

| | M12 HHBL4-0 (S) | M12 HHBL4-0 (M) | M12 HHBL4-0 (L) | M12 HHBL4-0 (XL) | M12 HHBL4-0 (XXL) |
|----------------|--|--|--|--|--|
| Kit included | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box |
| Article Number | 4932480061 | 4932480062 | 4932480063 | 4932480064 | 4932480065 |
| EAN Code | 4058546403461 | 4058546403478 | 4058546403485 | 4058546403492 | 4058546403508 |

M12 HHLBL1 M12™ HEATED LADIES HOODIE - BLACK

M12



- M12™ Heated Hoodie for ladies powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest and back
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Optimised hidden battery pocket to place M12™ battery in front or rear for increased comfort
- Rugged heated hoodie made from durable cotton (53%) exterior with durable reinforced utility pockets and polyester fleece (47%) lining to withstand tough outdoor conditions
- In autumn and spring the hoodie can be worn as a rugged outer layer. In winter, it is best as a base layer that allows to shed bulky undergarments while generating and holding heat close to the body
- Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low
- Integrated cell phone pocket

| | M12 HHLBL1-0 (S) | M12 HHLBL1-0 (M) | M12 HHLBL1-0 (L) | M12 HHLBL1-0 (XL) |
|----------------|--|--|--|--|
| Kit included | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box | No batteries supplied, No charger supplied, Gift box |
| Article Number | 4932480090 | 4932480091 | 4932480092 | 4932480093 |
| EAN Code | 4058546403751 | 4058546403768 | 4058546403775 | 4058546403782 |

L4 HBLB USB RECHARGEABLE HEATED WORKSKIN™ BASE LAYER

REDLITHIUM™
3.0Ah



- Mid-weight construction out of durable, pilling resistant material, keeps body warm and dry
- Fully heats-up in 2.5 min
- Heat is created and distributed to the chest and back
- Powered by L4 USB rechargeable REDLITHIUM™ battery pack
- A one-touch LED controller allows the user to select from 2 heat settings, delivering ideal heat for any environment
- Durable, pilling resistant material with raglan designed sleeves and seamless shoulders for improved mobility and comfort
- Superior run time - Up to 180 min of heat on low level
- L4 battery holder - concealed battery pocket for minimal user interference
- Machine washable

| | L4 HBLB-301S | L4 HBLB-301M | L4 HBLB-301L | L4 HBLB-301XL | L4 HBLB-301XXL |
|----------------|--|--|--|--|--|
| Kit included | 1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied | 1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied | 1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied | 1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied | 1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933478081 | 4933478082 | 4933478083 | 4933478084 | 4933478085 |
| EAN Code | 4058546340148 | 4058546340155 | 4058546340162 | 4058546340179 | 4058546340186 |

LASERS RANGE

SCAN HERE FOR
MORE INFORMATION



M18 RLOHV1200 M18™ 1200 M HORIZONTAL VERTICAL AUTO DUAL GRADE ROTARY LASER WITH ONE-KEY™

M18

ONE-KEY
UNLOCKING THE DIGITAL JOBSITE



- The ultimate tool for grading applications
- Fast, accurate automatic dual grade match up to 12.5 % in X & Y axis, and can adjust slope remotely with a duplicated remote display
- Adjustable masking to prevent laser interference and laser reflection from windows at jobsite
- Designed for harsh jobsite conditions, IP66 rated and withstands up to 1.5 m drops

| | M18 RLOHV1200-501C |
|--------------------|---|
| Standard equipment | 1x RD1200, detector clamp, 1x remote control |
| Kit included | 1 x M18 B5 Battery pack, M12-18 C Charger, Kitbox |
| Article Number | 4933493204 |
| EAN Code | 4058546480752 |

M18 RLOH600 M18™ 600 M HORIZONTAL ROTARY LASER WITH ONE-KEY™

M18

ONE-KEY
UNLOCKING THE DIGITAL JOBSITE



- The ultimate tool for accurate results when leveling on the jobsite
- Easy to use, one button setup
- Manual masking shutters to prevent laser interference and laser reflection from windows
- Designed for harsh jobsite conditions, IP66 rated and withstands up to 1.5 m drops
- ±5° self levelling range for fast and accurate setup

| | M18 RLOH600-201C |
|--------------------|---|
| Standard equipment | 1x RD600, detector clamp |
| Kit included | 1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox |
| Article Number | 4933493191 |
| EAN Code | 4058546480622 |

M18 RLOHVG300 M18™ 300 M GREEN HORIZONTAL VERTICAL ROTARY LASER WITH ONE-KEY™

M18

ONE-KEY
UNLOCKING THE DIGITAL JOBSITE



- Designed for interior and exterior jobs, for long distance applications
- Automatic centre find with one press off a button, for long range alignment
- High intensity green laser diode for maximised visibility; up to 4x better visibility vs red lasers
- Adjustable masking to prevent laser interference and laser reflection from windows
- Designed for harsh jobsite conditions, IP66 rated and withstands up to 1.5 m drops

| | M18 RLOHVG300-501C |
|--------------------|---|
| Standard equipment | 1x RD300G, detector clamp |
| Kit included | 1 x M18 B5 Battery pack, M12-18 C Charger, Kitbox |
| Article Number | 4933493194 |
| EAN Code | 4058546480653 |

M12 3PL M12™ GREEN 360° 3 PLANE LASER

M12



- M12™ green 360° 3 plane laser provides an all-in-one functionality with one horizontal line and two vertical lines for fast and easy alignment, leveling, squaring, and transfers allowing you to easily layout large spaces with one tool
- High intensity green laser diode for maximised visibility; up to 4x better visibility vs red lasers
- High intensity green beams provide a working range of 38 m and up to 100 m with a detector

| | M12 3PL-0C | M12 3PL-401C | M12 3PLKIT-401P |
|--------------------|--|--|--|
| Standard equipment | Track clip, HVIST | Track clip, HVIST | HVIST, LLD50, LM360, TRP120, Track Clip |
| Kit included | No batteries supplied, No charger supplied, Kitbox | 1 x M12 B4 Battery pack, C12 C Charger, Kitbox | 1 x M12 B4 Battery pack, C12 C Charger, PACKOUT™ box |
| Article Number | 4933478103 | 4933478102 | 4933478960 |
| EAN Code | 4058546340360 | 4058546340353 | 4058546362423 |

M12 CLL4P M12™ CROSS LINE LASER WITH 4 POINTS

M12



- M12™ green cross line laser with 4 points, provides an all-in-one functionality with horizontal levelling, vertical alignment, plumb point transfer from floor to ceiling and horizontal point transfer
- High intensity green beams provide a working range of 38 m and up to 100 m with a detector
- Provides all-day run time of 9+ hours with an M12 B3 battery pack

| | M12 CLL4P-0C | M12 CLL4P-301C |
|--------------------|--|--|
| Standard equipment | Track clip, HVIST | Track clip, HVIST |
| Kit included | No batteries supplied, No charger supplied, Kitbox | 1 x M12 B3 Battery pack, C12 C Charger, Kitbox |
| Article Number | 4933479202 | 4933479203 |
| EAN Code | 4058546369965 | 4058546369972 |

M12 CLLP M12™ GREEN CROSS LINE LASER WITH PLUMB POINTS

M12



- M12™ green cross line laser with plumb points provides an all-in-one functionality with horizontal levelling, vertical alignment and plumb point transfer from floor to ceiling
- High intensity green laser diode for maximised visibility; up to 4x better visibility vs red lasers
- High intensity green beams provide a working range of 38 m and up to 100 m with a detector
- Provides all-day run time of 15+ hours with an M12 B3 battery pack

| | M12 CLLP-0C | M12 CLLP-301C |
|--------------------|--|--|
| Standard equipment | Track clip, HVIST | Track clip, HVIST |
| Kit included | No batteries supplied, No charger supplied, Kitbox | 1 x M12 B3 Battery pack, C12 C Charger, Kitbox |
| Article Number | 4933478101 | 4933478100 |
| EAN Code | 4058546340346 | 4058546340339 |

L4 CLLP USB RECHARGEABLE GREEN CROSS LINE LASER WITH PLUMB POINTS

REDLITHIUM USB



- REDLITHIUM™ USB rechargeable green cross line laser with plumb points provides an all-in-one functionality with horizontal levelling, vertical alignment and plumb point transfer from floor to ceiling
- High intensity green laser diode for maximised visibility; up to 4x better visibility vs red lasers
- High intensity green beams provide a working range of 30 m and up to 100 m with a detector

L4 CLLP-301C

| | |
|--------------------|---|
| Standard equipment | Track clip |
| Kit included | 1 x L4 B3 Battery pack, USB cable and wall plug, Kitbox |
| Article Number | 4933478099 |
| EAN Code | 4058546340322 |

L4 CLL USB RECHARGEABLE GREEN CROSS LINE LASER

REDLITHIUM USB



- REDLITHIUM™ USB rechargeable green cross line laser provides an all-in-one functionality with horizontal levelling and vertical alignment
- High intensity green laser diode for maximised visibility; up to 4x better visibility vs red lasers
- High intensity green beams provide a working range of 30 m and up to 100 m with a detector
- The rechargeable and removable REDLITHIUM™ USB 3.0 Ah battery provides all day run time of over 8 hours

L4 CLL-301C

| | |
|--------------------|---|
| Standard equipment | Track clip |
| Kit included | 1 x L4 B3 Battery pack, USB cable and wall plug, Kitbox |
| Article Number | 4933478098 |
| EAN Code | 4058546340315 |

CLL ALKALINE GREEN CROSS LINE LASER

II 4



- Alkaline cross line laser provides an all-in-one functionality with horizontal levelling and vertical alignment
- High intensity green beams provide a working range of 30 m and up to 50 m with a detector
- The 4x AA alkaline batteries provides all day run time of over 8 hours

CLL-C

| | |
|--------------------|--------------------------|
| Standard equipment | Track clip |
| Kit included | 4 x AA Batteries, Kitbox |
| Article Number | 4933478753 |
| EAN Code | 4058546360351 |

SCAN TO VIEW OUR LASER ACCESSORIES RANGE

RD1200 ROTARY LASER DETECTOR 1200 M

II 2



- 1200 m detection range in combination with the M18 RLOHV1200 laser, for long distance applications
- With automatic vertical and horizontal grade match and slope adjustment, the M18 RLOHV1200 laser will automatically align itself to the centre of the detector
- Easy-to-read, mm/in back and front backlit display, making it more visible for any application

RD1200

| | |
|----------------|---|
| Kit included | 2 x AA Batteries, No kitbox or bag supplied |
| Article Number | 4932493207 |
| EAN Code | 4058546480783 |

RD600 ROTARY LASER DETECTOR 600 M

II 2



- 600 m detection range in combination with the M18 RLOH600 laser, for long distance applications
- Easy-to-read, mm/in back and front backlit display for clear visibility
- IP67 rated and withstands up to 2 m drops
- Adjustable accuracy at five steps from 0.5 mm to 10 mm
- LED and audio indication for the most versatile detector read out

RD600

| | |
|----------------|---|
| Kit included | 2 x AA Batteries, No kitbox or bag supplied |
| Article Number | 4932493197 |
| EAN Code | 4058546480684 |

RD300G ROTARY LASER DETECTOR 300 M GREEN

II 2



- 300 m detection range in combination with the M18 RLOHVG300 laser, for long distance applications
- The RD300G detector with integrated remote control allows the M18 RLOHVG300 laser to be activated from distance
- Easy-to-read, mm/in back and front backlit display for clear visibility, whether used indoors or outdoors

RD300G

| | |
|----------------|---|
| Kit included | 2 x AA Batteries, No kitbox or bag supplied |
| Article Number | 4932493198 |
| EAN Code | 4058546480691 |

LRD100 LINE/ ROTARY LASER DETECTOR



- The MILWAUKEE® LRD100 detector extends laser line functionality up to 100 metre in combination with all MILWAUKEE® cross line and plane lasers and can be universally used with rotary lasers up to 250 metre radius
- The millimetre display on front and back allows easy and accurate detection of the laser beam to improve the set-up process
- Red and green laser diodes detection for most versatile use

LRD100

| | |
|----------------|---|
| Kit included | 1 x AA Battery, No kitbox or bag supplied |
| Article Number | 4932479555 |
| EAN Code | 4058546373498 |

LLD50 LASER LINE DETECTOR

I 1



- The MILWAUKEE® LLD50 laser line detector extends laser line functionality up to 50 metres
- The LEDs on front and back allow easy and accurate detection of the laser beam to improve the set-up process
- Rare earth magnets located on two sides of the detector allow it to easily attach to metal surfaces, ideal for suspended ceiling installations

LLD50

| | |
|----------------|---|
| Kit included | 1 x AA Battery, No kitbox or bag supplied |
| Article Number | 4932478104 |
| EAN Code | 4058546340377 |

LWM LASER WALL MOUNT



- Vertical micro adjustment for most precise alignment during setup
- Hanghole and material clamp for most versatile setup at walls and ceilings
- Levelling adjustment screw to get laser in self levelling range
- Ruler scale to speed up setup and adjustment process
- Compatible with all MILWAUKEE® rotary lasers and M12™ line lasers in the range

LWM

| | |
|----------------|---------------|
| Article Number | 4932493201 |
| EAN Code | 4058546480721 |

LMP 3.6 M TELESCOPING LASER POLE



- The MILWAUKEE® telescoping laser pole with 3.6 m extension range is ideal to setting up line lasers even on high ceilings
- The spring loaded swivel head makes setup easy, even at uneven surfaces
- The included quick release clamp opens to 6.3 cm and can be attached to round and square materials

LMP

| | |
|----------------|---------------|
| Article Number | 4932479205 |
| EAN Code | 4058546369996 |

TRP300 3.0 METRE LASER TRIPOD



- Up to 2.95 m extension range for easy setup at most common working heights
- Most versatile setup in all environments with spiked feet and rubber feet
- 1.10 m elevation range to fine adjust the laser at height
- Shoulder strap for comfortable and hands-free transport, when carry the laser
- 5/8" standard threading to setup all rotary lasers and all MILWAUKEE® M12™ lasers

TRP300

| | |
|----------------|---------------|
| Article Number | 4932493200 |
| EAN Code | 4058546480714 |

LM360 360° LASER MOUNT



- The MILWAUKEE® 360° laser mount is an adaptable laser attachment that provides the fastest laser setup
- Multi-plane rotational adjustment, users can easily attach all MILWAUKEE® lasers to the mount
- A micro vertical adjustment that makes aligning horizontal lines much faster

LM360

| | |
|----------------|---------------|
| Article Number | 4932478105 |
| EAN Code | 4058546340384 |

HI-VIST HIGH VISIBILITY LASER TARGET PLATE



- The MILWAUKEE® high visibility laser target plate provides fast and visible alignment with a wide magnetic base for floors & ferrous surfaces
- High contrast reflective surface for use with green lasers
- The X design provides responsive centering feedback that guides the line to the centre, making the alignment process faster

HI-VIST

| | |
|----------------|---------------|
| Article Number | 4932478108 |
| EAN Code | 4058546340414 |

WLB WIRELESS LASER ALIGNMENT BASE



- Precision horizontal motorised control with micro and macro alignment feature
- +60 m distance control to cover entire laser working range
- Pivots on point for faster setup when aligning two points
- Quick sliding attachment for fast and easy setup
- Intuitive pairing and control

WLB-C

| | |
|----------------|--------------------------|
| Kit included | 2 x AA Batteries, Kitbox |
| Article Number | 4932479198 |
| EAN Code | 4058546369927 |

TRP180 1.8 METER LASER TRIPOD



- The MILWAUKEE® laser tripod with a 1/4" mounting thread is ideal for setting the height of a horizontal laser line or elevating the laser when needed
- Height can be adjusted easily from 72 cm to 180 cm
- Laser can be mounted to the bottom of the tripod with the 360° mount (not included) for low level applications like socket installation

TRP180

| | |
|----------------|---------------|
| Article Number | 4932478106 |
| EAN Code | 4058546340391 |

TRP160 1.6 METRE LASER TRIPOD



- Up to 1.60 m extension range for easy setup at most common working heights
- Aluminium frame and steel feet to use at any jobsite condition
- Reinforced handle design for improved durability
- Shoulder strap for comfortable and hands-free transport, when carry the laser
- 5/8" standard threading to setup all rotary lasers and all MILWAUKEE® M12™ lasers

TRP160

| | |
|----------------|---------------|
| Article Number | 4932493199 |
| EAN Code | 4058546480707 |

TRP120 1.2 METER COMPACT LASER TRIPOD



- The MILWAUKEE® compact laser tripod with a 1/4" mounting thread and a flat head design is ideal for setting the height of a horizontal laser line or elevating the laser when needed
- Height can be adjusted easily from 47 cm to 120 cm
- 29 cm elevating range for fine adjusting the height

TRP120

| | |
|----------------|---------------|
| Article Number | 4932478959 |
| EAN Code | 4058546362416 |

SR240 240 CM STAFF ROD



- Metric elevation scale up to 2.4 m with integrated detector slider for a fast detector positioning
- Durable aluminium frame to withstand jobsite condition
- Durable endcaps to prevent frame damage
- Adjustable level vial for a more precise setup

SR240

| | |
|----------------|---------------|
| Article Number | 4932493202 |
| EAN Code | 4058546480738 |

ROD500 500 CM GRADE ROD



- Metric elevation scale up to 5 m for most common heights on jobsite
- Flat top endcap for a solid detector positioning
- Durable aluminium frame to withstand jobsite condition
- Durable endcaps to prevent frame damage
- Detachable level vial for a more precise setup

ROD500

| | |
|----------------|---------------|
| Article Number | 4932493203 |
| EAN Code | 4058546480745 |

LDM 100 100 M LASER DISTANCE METER



- Easy to use one person point and shoot system
- IP54 water & dust protection
- Metric & Imperial units of measurement
- Easy to touch measure buttons on the front and side of the housing to perform single measurements & continuous tracking

LDM 100

| | |
|----------------|--|
| Kit included | 2 x AAA Batteries, No kitbox or bag supplied |
| Article Number | 4933459278 |
| EAN Code | 4058546002442 |

LDM 50 50 M LASER DISTANCE METER



- Easy to use one person point and shoot system
- Very slim housing design with belt clip for easy transport
- Area/volume/indirect height and patent pending surface measurement
- Min/Max sweep & continuous tracking
- Distance addition & subtraction for layouting
- Indirect height measurements (Pythagoras 2-point, 3-point, partial height)

LDM 50

| | |
|----------------|--|
| Kit included | 2 x AAA Batteries, No kitbox or bag supplied |
| Article Number | 4933447700 |
| EAN Code | 4002395006540 |

LDM 45 45 M LASER DISTANCE METER



- Easy to use one person point and shoot system
- IP54 water & dust protection
- Metric & Imperial units of measurement
- Easy to touch measure buttons on the front and side of the housing
- Enables user to perform single measurements & continuous tracking

LDM 45

| | |
|----------------|--|
| Kit included | 2 x AAA Batteries, No kitbox or bag supplied |
| Article Number | 4933459277 |
| EAN Code | 4058546002435 |

LDM 30 30 M LASER DISTANCE METER



- Easy to use one person point and shoot system
- IP54 water & dust protection
- Auto shut off and low power indication
- Metric & Imperial units of measurement
- Very slim housing design with belt clip for easy transport
- Two easy to touch measure buttons on the front and side of the housing

LDM 30

| | |
|----------------|--------------------------------------|
| Kit included | 2 x AAA Batteries, Blister packaging |
| Article Number | 4933459276 |
| EAN Code | 4058546002428 |

ELECTRICAL

SCAN HERE FOR MORE INFORMATION



M18 HSFC125R M18™ FORCE LOGIC™ HYDRAULIC 125 MM SAFETY CABLE CUTTER



- FORCE LOGIC™ Safety Cutter allows linemen to cut aluminium, copper and armored cables up to Ø125 mm remotely, removing any physical connection to the tool
- Enhanced remote control lets users start, pause and reverse the cutting blade all from a distanced position of complete safety
- Green LED lights on wireless remote gives positive indication that the cable is cut through blade positioning sensors

M18 HSFC125R-802C

| | |
|--------------------|--|
| Standard equipment | Remote control |
| Kit included | 2 x M18 HB8 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number | 4933492421 |
| EAN Code | 4058546417888 |

M18 HCC125 M18™ FORCE LOGIC™ HYDRAULIC 125 MM CABLE CUTTER



- FORCE LOGIC™ Hydraulic Cutter cuts aluminium, copper and armored cables up to Ø125 mm
- Adjustable side handle, in-line tool design and hang hook enable easiest set-up in trenches and vaults
- Quick Lock latch system allows users to easily open and close the latch without any hassle of alignment

M18 HCC125-801C

| | |
|----------------|--|
| Kit included | 1 x M18 HB8 Battery pack, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933492419 |
| EAN Code | 4058546417864 |

M18 HCC75R M18™ FORCE LOGIC™ HYDRAULIC REMOTE UNDERGROUND CABLE CUTTER



- FORCE LOGIC™ hydraulic remote underground cable cutter cuts cables up to Ø75 mm in less than 10 seconds with 77.8 kN of force
- Wireless remote communicates with the tool via a mutually exclusive Bluetooth® connection, removing any physical connection to the tool and allowing Linemen to make remote cuts wirelessly
- Balanced design, handle and hang hook enable easiest set-up in vaults

M18 HCC75R-502C

| | |
|--------------------|---|
| Standard equipment | Remote control |
| Kit included | 2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number | 4933459271 |
| EAN Code | 4058546002374 |

M18 HCC75 M18™ FORCE LOGIC™ HYDRAULIC UNDERGROUND CABLE CUTTER



- FORCE LOGIC™ hydraulic underground cable cutter cuts cables up to Ø75 mm in less than 10 seconds with 77.8 kN of force
- Brushless POWERSTATE™ motor provides more power, more run time and longer life
- Versatile top-handle can also be used as a stand and provides balanced cut alignment
- In-line design delivers easiest access in trenches and a secure stand during cable cuts

M18 HCC75-0C

M18 HCC75-502C

| | | |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, Kitbox | 2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number | 4933459268 | 4933459269 |
| EAN Code | 4058546002343 | 4058546002350 |

M18 HCC45 M18™ FORCE LOGIC™ HYDRAULIC 44 MM CABLE CUTTER



- FORCE LOGIC™ hydraulic cable cutter cuts ACSR/ACSS cables up to Ø44 mm in less than 9 seconds with 77.8 kN of force
- Patent pending jaw design enables opening with just two fingers, enhancing alignment while delivering easiest operation with Class 3 gloves

M18 HCC45-0C

M18 HCC45-522C

| | | |
|----------------|--|---|
| Kit included | No batteries supplied, No charger supplied, Kitbox | 1 x M18 B5, 1 x M18 B2 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number | 4933459265 | 4933459266 |
| EAN Code | 4058546002312 | 4058546002329 |

M12 CC M12™ SUB COMPACT CABLE CUTTER



- Professional capacity Ø32 mm - powerful jaws cut effortlessly through large cable
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Extended run time - delivers up to 60 cuts of 4 x 35 mm² copper per charge
- Compact front end - goes straight to the cable in panels or electrical cabinets without long handles looping or ratcheting

M12 CC-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933431600 |
| EAN Code | 4002395242832 |

M18 ONEHCC

M18™ FORCE LOGIC™ HYDRAULIC 35 MM CABLE CUTTER

M18



- FORCE LOGIC™ hydraulic cable cutter cuts cables in less than 3 seconds with 53 kN of force
- Brushless POWERSTATE™ motor provides more power, more run-time and longer life
- Fully balanced tool provides secure control during one hand operation
- One tool provides cutting solutions for ACSR wire, steel guy wire, fine stranded or standard copper and aluminium cable

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR M18 ONEHCC - M18™ FORCE LOGIC™ HYDRAULIC 35 MM CABLE CUTTER



| | M18 ONEHCC-0C CU/AL-SET | M18 ONEHCC-201C CU/AL-SET | M18 ONEHCC-0C ACSR SET | M18 ONEHCC-201C ACSR SET | M18 ONEHCC-0C FSW SET | M18 ONEHCC-201C FSW SET | M18 ONEHCC-0C SWA SET |
|--------------------|--|---|--|---|--|---|--|
| Standard equipment | Cu/AL jaw | Cu/AL jaw | ACSR jaw | ACSR jaw | FSW jaw | FSW jaw | SWA jaw |
| Kit included | No batteries supplied, No charger supplied, Kitbox | 1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox | No batteries supplied, No charger supplied, Kitbox | 1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox | No batteries supplied, No charger supplied, Kitbox | 1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox | No batteries supplied, No charger supplied, Kitbox |
| Article Number | 4933464300 | 4933464301 | 4933464303 | 4933464304 | 4933464308 | 4933464309 | 4933464306 |
| EAN Code | 4058546222451 | 4058546222468 | 4058546222482 | 4058546222499 | 4058546222536 | 4058546222543 | 4058546222512 |

M18 HKP

M18™ FORCE LOGIC™ HYDRAULIC KNOCKOUT PUNCH

M18



- FORCE LOGIC™ hydraulic knockout punch is the most compact and lightweight tool on the market with 60 kN of force
- The easiest way to punch - for fast, accurate, round, and burr free holes
- Highest accuracy due to industry's finest exact alignment system for dies
- Best balanced tool and easiest control due to one hand operation

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR M18 HKP - M18™ FORCE LOGIC™ HYDRAULIC KNOCKOUT PUNCH



| | M18 HKP-201C | M18 HKP-201CA |
|--------------------|--|---|
| Standard equipment | 11.1mm (7/16) draw stud, 19mm (3/4) draw stud, quick connector, ball pull, adaptor | 11.1mm (7/16) draw stud, 19mm (3/4) draw stud, quick connector, ball pull, adaptor, punches and dies: M16, M20, M25, M32, M40 |
| Kit included | 1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox | 1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox |
| Article Number | 4933451202 | 4933451204 |
| EAN Code | 4002395138906 | 4002395138920 |



M18 FPFT

M18 FUEL™ POWERED FISH TAPE

M18 FUEL



- The M18 FUEL™ Fish Tape is the world's first professional battery powered cable pulling solution
- POWERSTATE™ brushless motor that provides the ability to pull a maximum length of 72 m wire
- AUTO-RUN™ powered feeding and cable pulling is a fast and efficient solution providing higher productivity vs other solutions

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR M18 FPFT - M18 FUEL™ POWERED FISH TAPE



| | M18 FPFT-0 | M18 FPFT-202 36m ST Set | M18 FPFT-202 30m NC Set |
|----------------|---|--|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B2 Battery packs, M12-18 FC, No kitbox or bag supplied | 2 x M18 B2 Battery packs, M12-18 FC, No kitbox or bag supplied |
| Article Number | 4933471952 | 4933471953 | 4933471954 |
| EAN Code | 4058546298517 | 4058546298524 | 4058546298531 |



M18 HUP700

M18™ HYDRAULIC UTILITY PUMP

M18



- FORCE LOGIC™ hydraulic utility pump powers every single acting 700 bar crimping, cutting and punching head attachment
- Significantly faster work cycles due to a large 1.6 litre total oil reservoir and 2x higher flow rate compared to other pumps
- The pump is equipped with a industry standard CEJN Series 115, G1/4" female quick connection coupler to suit most common attachments

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR M18 HUP700 - M18™ HYDRAULIC UTILITY PUMP



| | M18 HUP700-121 |
|----------------|---|
| Kit included | 1 x M18 HB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933471813 |
| EAN Code | 4058546297121 |



M18 HCCT109/42

M18™ FORCE LOGIC™ HYDRAULIC 109 KN CABLE CRIMPER

M18



- Lightest, most balanced tool with ergonomic grip design
- Red alignment marks on the tool jaws aid accuracy in crimp placement
- Crimps connectors up to 400 mm² with 109 kN of force
- 42 mm jaw opening and 350° head rotation provides easy positioning and access, even for large connectors

M18 ONEHCCT60

M18™ FORCE LOGIC™ HYDRAULIC 60 KN CABLE CRIMPER

M18



- FORCE LOGIC™ hydraulic cable crimper crimps connectors up to 300 mm² in less than 5 seconds with 60 kN of force
- Easy die alignment and linear movement ensure most uniform crimp results
- Improved ergonomics and slim handle design provide for a comfortable one-handed operation

| | M18 HCCT109/42-522C |
|----------------|---|
| Kit included | 1 x M18 B5, 1 x M18 B2 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number | 4933459273 |
| EAN Code | 4058546002398 |

| | M18 ONEHCCT60-0C | M18 ONEHCCT60-202C |
|----------------|--|--|
| Kit included | No batteries supplied, No charger supplied, Kitbox | 2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933479683 | 4933479684 |
| EAN Code | 4058546374778 | 4058546374785 |

M18 HCCT

M18™ FORCE LOGIC™ HYDRAULIC 53 KN CABLE CRIMPER

M18



- FORCE LOGIC™ hydraulic cable crimper crimps connectors up to 300 mm² in less than 3 seconds with 53 kN of force
- Revolutionary jaw holds connector for best alignment of cable and connector
- 2 in 1 solution: crimping jaw can be exchanged for an CU/AL cable cutting jaw
- Best balanced tool and easiest control due to one hand operation

SCAN TO VIEW OUR CRIMPER DIES



| | M18 HCCT-201C |
|----------------|---|
| Kit included | 1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox |
| Article Number | 4933451194 |
| EAN Code | 4002395138821 |



M18 HDCT

M18™ FORCE LOGIC™ HYDRAULIC DIELESS CRIMPER

M18



- M18™ FORCE LOGIC™ HDCT crimps connectors on flexible wire from 10 to 300 mm² without changing dies
- Auto distance control continuously measures distance & pressure for uniform crimp appearance across every size of the crimping range
- 180° rotating head and easy access latch deliver easy alignment and free-up second hand to hold material

M18 BLTRC

M18™ BRUSHLESS THREADED ROD CUTTER

M18



- M18™ brushless threaded rod cutter delivers a fast and effortless solution for cutting threaded rods
- Integrated brushless motor provides the user the power to cut through M6, M8, M10 and M12 mild steel or M6, M8 and M10 stainless steel threaded rod, with a run time of up to 300 cuts with a 2.0 Ah battery

| | M18 HDCT-0C | M18 HDCT-202C |
|----------------|--|--|
| Kit included | No batteries supplied, No charger supplied, Kitbox | 2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933471949 | 4933471950 |
| EAN Code | 4058546298487 | 4058546298494 |

| | M18 BLTRC-0X | M18 BLTRC-522X |
|--------------------|--|--|
| Standard equipment | M6, M8, M10, M12 cutting dies | M6, M8, M10, M12 cutting dies |
| Kit included | No batteries supplied, No charger supplied, HD Box | 1 x M18 B5, 1 x M18 B2 Battery packs, M12-18 C Charger, HD Box |
| Article Number | 4933471150 | 4933471151 |
| EAN Code | 4058546287788 | 4058546287795 |

M18 BSBT

M18™ SHEAR BOLT TOOL

M18



- Huge capacity up to a cable size of 1000 mm² or connector diameter of 78 mm
- Outstanding power with a max torque of 100 Nm
- Universal compatibility with the industry leading shear bolt lug manufacturers
- IEC-Tested, superior electrical connection integrity of lug and cable thanks to smooth tightening of the screws without an impact mechanism

| | M18 BSBT-0X | M18 BSBT-202X |
|--------------------|--|--|
| Standard equipment | 9x Impact rated 1/2" sockets (10/17 mm socket, 13/19 mm socket long, 5/6/8 mm Hex socket, 6/8 mm Hex socket long), 2x fork attachment (33-52 mm, 58-69 mm) | 9x Impact rated 1/2" sockets (10/17 mm socket, 13/19 mm socket long, 5/6/8 mm Hex socket, 6/8 mm Hex socket long), 2x fork attachment (33-52 mm, 58-69 mm) |
| Kit included | No batteries supplied, No charger supplied, HD Box | 2 x M18 B2 Battery packs, M12-18 FC Charger, HD Box |
| Article Number | 4933493288 | 4933493289 |
| EAN Code | 4058546481599 | 4058546481605 |



M18 UBL M18™ LED UTILITY BUCKET LIGHT

TRUEVIEW™



- Dual light head design with 180° of vertical and horizontal head rotation, heads can be rotated individually
- 3 output modes: Spot, Flood, Spot/Flood provides up to 2500 lumens and up to 457 m of beam distance on Flood mode
- Patented spring loaded bucket clamp for most bucket sizes
- IP56 to withstand harsh weather conditions

| | |
|----------------|---|
| | M18 UBL-0 |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459433 |
| EAN Code | 4058546010942 |

2212-20 AUTO VOLTAGE / CONTINUITY TESTER



- Provides measurements down to decimals and displays them on an easy-to-read backlit LCD
- Automatically determines the need for voltage or continuity tests and display all measurements with proper resolution
- Compatible with accessories for carrying or mounting
- LED worklight for low lit areas
- Dual LED and audible indicators for fast and convenient test results

| | |
|----------------|--|
| | 2212-20 |
| Kit included | 2 x AAA Batteries, No kitbox or bag supplied |
| Article Number | 4933447776 |
| EAN Code | 4002395006526 |

2217-40 DIGITAL MULTIMETER



- TRMS always guarantees accurate readings
- High contrast, easy to read display provides clearer readings
- Cat III 600 V for increased safety
- Side mounted dial for one-handed use
- Feature set tailored to electrician – for intuitive use
- Lo-Z. – always guaranteed accurate readings
- Versatile contact temperature measurement
- Slide rail for accessory mount

| | |
|----------------|----------------------------|
| | 2217-40 |
| Kit included | 2 x AA Batteries, Tool bag |
| Article Number | 4933416976 |
| EAN Code | 4002395238064 |

2267-40 10:1 INFRARED TEMP-GUN™



- 10:1 distance to spot ratio, a 1 m spot from 10 m away
- Up to -30°C to 400°C temperature range
- Premium LCD display for high readability
- Simplified buttons and setup for faster scanning
- Raised overmolding protects lens and screen from direct impact

| | |
|----------------|---|
| | 2267-40 |
| Kit included | 2 x AA Batteries, No kitbox or bag supplied |
| Article Number | 4933451906 |
| EAN Code | 4002395282159 |

2205-40 FORK METER FOR ELECTRICIANS



- TRMS always guarantees accurate readings
- High contrast, easy to read display provides clearer readings
- Built-in non-contact voltage detector
- CAT III 1000 V/CAT IV 600 V for increased safety
- Rugged over-moulding for increased durability and grip
- Built-in LED work light – lights the work area
- Side mounted dial for one-handed use

| | |
|----------------|----------------------------|
| | 2205-40 |
| Kit included | 2 x AA Batteries, Tool bag |
| Article Number | 4933416972 |
| EAN Code | 4002395238026 |

2216-40 LIGHT COMMERCIAL MULTIMETER



- TRMS always guarantees accurate readings
- CAT III 600 V for increased safety
- Rugged over-moulding increases durability and user grip
- Side mounted dial for one-handed use
- Feature set tailored to electrician – for intuitive use
- Auto range to mV
- Supplied with electrical test lead set and 2 x AA batteries

| | |
|----------------|---|
| | 2216-40 |
| Kit included | 2 x AA Batteries, No kitbox or bag supplied |
| Article Number | 4933427309 |
| EAN Code | 4002395240128 |

2235-40 LIGHT COMMERCIAL CLAMP METER



- TRMS always guarantees accurate readings
- CAT III 600 V for increased safety
- Rugged over-moulding increases durability and user grip
- Built-in LED work light – lights the work area
- Side mounted dial for one-handed use
- Thin jaw profile for easier wire measurement in panels or in bundles
- Supplied with electrical test lead set and 2 x AA batteries

| | |
|----------------|---|
| | 2235-40 |
| Kit included | 2 x AA Batteries, No kitbox or bag supplied |
| Article Number | 4933427315 |
| EAN Code | 4002395240135 |

2200-40 VOLTAGE DETECTOR



- Wide 50 - 1000 AC voltage range
- CAT IV 1000 V for highest safety rating
- Tip for checking outlets
- Green light indicates tool is on
- Loud beeper indicates voltage
- Blinking red light indicates voltage
- On/Off button
- Pocket clip for easy storage

| | |
|----------------|--|
| | 2200-40 |
| Kit included | 2 x AAA Batteries, No kitbox or bag supplied |
| Article Number | 4932352561 |
| EAN Code | 4002395372195 |

PLUMBING

SCAN HERE FOR MORE INFORMATION



M18 ONEBLHPT M18™ FORCE LOGIC™ BRUSHLESS PRESS TOOL WITH ONE-KEY™



- Compact brushless motor in FORCE LOGIC™ press tools delivers up to 10 % faster connections and 20 % more run time
- FORCE LOGIC™ press indicator: provides visual confirmation of a quality connection
- One hand operated tool for over head applications and working in narrow spaces
- Tool records & stores every press made. ONE-KEY™ enabled for professional report buildings via ONE-KEY™ app or ONE-KEY™ browser version
- ONE-KEY™ tool tracking & security offers a cloud-based inventory management platform that supports both location tracking and theft prevention
- FORCE LOGIC™ long life reliability: No press cycle limitation within the 3 year maintenance interval
- Allows to press system related up to 108 mm metal pipes and 110 mm composite pipes
- Universal jaw reception to fit most common jaws available on the market
- Auto-Cycle ensures a full press cycle is completed with every press connection

| | M18 ONEBLHPT-0C | M18 ONEBLHPT-302C | M18 ONEBLHPT-302C TH-SET | M18 ONEBLHPT-302C V-SET | M18 ONEBLHPT-302C U-SET | M18 ONEBLHPT-302C M-SET | M18 ONEBLHPT-302C Geberit Mapress Set |
|--------------------|--|--|--|--|--|--|--|
| Standard equipment | - | - | 3 x TH-profile jaws (16/20/323 x V-profile jaws (15/22/28 mm)) | 3 x U-profile jaws (16/20/25 mm) | 3 x M-profile jaws (15/22/28 mm) | 3 x M-profile jaws (15/22/28 mm) | 3 x Geberit Licensed Mapress jaws (15/22/28 mm) |
| Kit included | No batteries supplied, No charger supplied, Kitbox | 2 x M18 HB3 Battery packs, M12-18 FC Charger, Kitbox | 2 x M18 HB3 Battery packs, M12-18 FC Charger, Kitbox | 2 x M18 HB3 Battery packs, M12-18 FC Charger, Kitbox | 2 x M18 HB3 Battery packs, M12-18 FC Charger, Kitbox | 2 x M18 HB3 Battery packs, M12-18 FC Charger, Kitbox | 2 x M18 HB3 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number | 4933478305 | 4933478306 | 4933478307 | 4933478308 | 4933478309 | 4933478310 | 4933480904 |
| EAN Code | 4058546344825 | 4058546344832 | 4058546344986 | 4058546344993 | 4058546345006 | 4058546345013 | 4058546411893 |

M18 BLHPT M18™ FORCE LOGIC™ BRUSHLESS PRESSTOOL



- New compact brushless motor in FORCE LOGIC™ press tools delivers up to 10% faster connections and 20% more runtime
- FORCE LOGIC™ press indicator: provides visual confirmation of a quality connection
- One hand operated tool for over head applications and working in narrow spaces
- Most compact in-line design with 13% less weight for easy operation
- Battery-tool communication: press operation doesn't start to prevent incomplete pressing in case of low charged battery. Pre-press battery check ensures enough charge to complete each press
- FORCE LOGIC™ long life reliability: No press cycle limitation within the 3 year maintenance interval
- Allows to press system related up to 108 mm metal pipes and 110 mm composite pipes
- Universal jaw reception to fit most common jaws available on the market
- On board fuel gauge and LED light

| | M18 BLHPT-0C | M18 BLHPT-202C | M18 BLHPT-202C M-SET | M18 BLHPT-202C V-SET | M18 BLHPT-202C TH-SET | M18 BLHPT-202C U-SET | M18 BLHPT-202C Geberit Mapress Set |
|--------------------|--|--|--|--|--|--|--|
| Standard equipment | - | - | 3 x M-profile jaws (15/22/28 mm) | 3 x V-profile jaws (15/22/28 mm) | 3 x TH-profile jaws (16/20/323 x U-profile jaws (16/20/25 mm)) | 3 x U-profile jaws (16/20/25 mm) | 3 x Geberit Licensed Mapress jaws (15/22/28 mm) |
| Kit included | No batteries supplied, No charger supplied, Kitbox | 2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox | 2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox | 2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox | 2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox | 2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox | 2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933478248 | 4933451132 | 4933451133 | 4933451134 | 4933451135 | 4933451136 | 4933480903 |
| EAN Code | 4058546344252 | 4002395138012 | 4002395138029 | 4002395138036 | 4002395138043 | 4002395138050 | 4058546411886 |

M18 BLHPTXL M18™ FORCE LOGIC™ BRUSHLESS XL PRESS TOOL



- New compact brushless motor in FORCE LOGIC™ press tools delivers up to 10% faster connections and 20% more run time
- FORCE LOGIC™ press indicator: provides visual confirmation of a quality connection
- Extended press range up to 108 mm in copper, C- steel & stainless steel & up to 4" in steel pipe
- One hand operated tool for over head applications and working in narrow spaces
- Adjustable stroke length allows usage of all standard MILWAUKEE® J18 jaws + most common competitive jaws available on the market
- FORCE LOGIC™ long life reliability: No press cycle limitation within the 3 year maintenance interval
- Auto-cycle ensures a full press cycle is completed with every press connection
- Battery-tool communication: press operation doesn't start to prevent incomplete pressing in case of low charged battery. Pre-press battery check ensures enough charge to complete each press
- On board fuel gauge and LED light

| | M18 BLHPTXL-0P | M18 BLHPTXL-502P |
|----------------|--|--|
| Kit included | No batteries supplied, No charger supplied, PACKOUT™ box | 2 x M18 B5 Battery packs, M12-18 C Charger, PACKOUT™ box |
| Article Number | 4933479440 | 4933479441 |
| EAN Code | 4058546372347 | 4058546372354 |

M12 HPT M12™ SUB COMPACT FORCE LOGIC™ HYDRAULIC PRESS TOOL

M12

FORCELOGIC™

- The industry's smallest, lightest press tool: weighs only 1.8 kg for greater user comfort
- Patented one hand operation allows to work in restricted areas
- Press indicator: provides visual confirmation of a quality connection
- Outstanding pressing range up to 35 mm metal and 40 mm composite pipes
- Battery-tool communication: press operation doesn't start to prevent incomplete pressing in case of low charged battery. Pre-press battery check ensures enough charge to complete each press
- FORCE LOGIC™ long life reliability: No press cycle limitation within the 3 year maintenance interval
- 4-step and precise battery status indicator
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability



| | M12 HPT-0C | M12 HPT-202C | M12 HPT-202C M-SET | M12 HPT-202C V-SET | M12 HPT-202C V-SET2 | M12 HPT-202C TH-SET | M12 HPT-202C U-SET | M12 HPT-202C Geberit Mapress Set |
|--------------------|---|---|---|---|---|---|---|---|
| Standard equipment | - | - | 3 x M-profile jaws (15/22/28 mm) | 3 x V-profile jaws (15/22/28 mm) | 3 x V-profile jaws (14/16/22 mm) | 3 x TH-profile jaws (16/20/26 mm) | 3 x U-profile jaws (16/20/25 mm) | 3 x Geberit Licensed Mapress jaws (15/22/28 mm) |
| Kit included | No batteries supplied, No 2 x M12 B2 Battery packs, 2 x M12 B2 Battery packs, C12 C Charger, Kitbox | No batteries supplied, No 2 x M12 B2 Battery packs, 2 x M12 B2 Battery packs, C12 C Charger, Kitbox | No batteries supplied, No 2 x M12 B2 Battery packs, 2 x M12 B2 Battery packs, C12 C Charger, Kitbox | No batteries supplied, No 2 x M12 B2 Battery packs, 2 x M12 B2 Battery packs, C12 C Charger, Kitbox | No batteries supplied, No 2 x M12 B2 Battery packs, 2 x M12 B2 Battery packs, C12 C Charger, Kitbox | No batteries supplied, No 2 x M12 B2 Battery packs, 2 x M12 B2 Battery packs, C12 C Charger, Kitbox | No batteries supplied, No 2 x M12 B2 Battery packs, 2 x M12 B2 Battery packs, C12 C Charger, Kitbox | No batteries supplied, No 2 x M12 B2 Battery packs, 2 x M12 B2 Battery packs, C12 C Charger, Kitbox |
| Article Number | 4933478247 | 4933443085 | 4933443095 | 4933443100 | 4933459382 | 4933443105 | 4933443110 | 4933480902 |
| EAN Code | 4058546344245 | 4002395003037 | 4002395003044 | 4002395003051 | 4058546010430 | 4002395003068 | 4002395003075 | 4058546411879 |

SCAN TO VIEW OUR M12™ AND M18™ PRESS JAWS

M18 FPT2 M18 FUEL™ PIPE THREADER 2" WITH ONE-KEY™

M18 FUEL

ONE-KEY™

- World's first 18V 2" pipe threader on the market that is fully universal with competitive die heads. It threads pipes from 1/8" up to 2"
- Unique to MILWAUKEE®, pipe threader with AUTO-STOP™ kickback control, senses binding and shuts tool off to provide the user with more safety



| | M18 FPT2-0C | M18 FPT2-121C |
|--------------------|--|--|
| Standard equipment | 1x support arm | 1x support arm |
| Kit included | No batteries supplied, No charger supplied, Kitbox | 1 x M18 HB12 Battery pack, M12-18 FC Charger, Kitbox |
| Article Number | 4933478596 | 4933478597 |
| EAN Code | 4058546347895 | 4058546347901 |

SCAN TO VIEW OUR PIPE THREADER DIES

MXF PTR2 MX FUEL™ PIPE THREADING MACHINE 2" WITH ONE-KEY™

MX FUEL

ONE-KEY™

- Threading capacity from 1/8" all the way up to 2"
- One stop shop: Cut, Ream and Thread with one tool
- Outstanding performance with 2 speed settings of 39 RPM and 59 RPM matching corded speed
- Maximum mobility thanks to foldable wheel cart with tool free setup
- Integrated auto oil system with oil pump and reservoir



| | MXF PTR2-0 | MXF PTR2-601 |
|--------------------|---|--|
| Standard equipment | 1/2"-3/4" BSPT HS die set, 1"-2" BSPT HS die set | 1/2"-3/4" BSPT HS die set, 1"-2" BSPT HS die set |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x MXF XC406 Battery pack, MXF C Charger, No kitbox or bag supplied |
| Article Number | 4933498324 | 4933492100 |
| EAN Code | 4058546521936 | 4058546414672 |

M18 FPT114 M18 FUEL™ PIPE THREADER 1 1/4" WITH ONE-KEY™

M18 FUEL

ONE-KEY™

- Wide threading capacity from 1/8" up to 1 1/4"
- Unique to MILWAUKEE®, pipe threader with AUTOSTOP™ kickback control, senses binding and shuts tool off to provide the user with more safety
- Low weight and compact size allows convenient usage on installed pipes in confined spaces
- Compatible with new MILWAUKEE® FPT114H die heads and Ridgid 11R heads until 1 1/4"



| | M18 FPT114-0C | M18 FPT114-802C | M18 FPT114-802CA |
|--------------------|--|--|--|
| Included heads | - | - | 4x BSPT alloy heads (1/2"/1 1/4"/1 1/4") |
| Standard equipment | 1x support arm | 1x support arm | 1x support arm, 4x BSPT alloy heads (1/2"/1 1/4"/1 1/4") |
| Kit included | No batteries supplied, No charger supplied, Kitbox | 2 x M18 HB8 Battery packs, M12-18 FC Charger, Kitbox | 2 x M18 HB8 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number | 4933480220 | 4933479420 | 4933479421 |
| EAN Code | 4058546405052 | 4058546372149 | 4058546372156 |

SCAN TO VIEW OUR PIPE THREADER HEADS

MPS MILWAUKEE® PIPE STAND



- World's first pipe stand, that is flat foldable, which allows for easier transportation and more efficient storage
- Able to clamp materials, such as pipe, strut, channel, angled iron and other materials, up to 165 mm or 6"
- The MILWAUKEE® pipe stand can be used with threaders, angle grinders, sawzalls, hackzalls, metal circular saws and various other tools

| | MPS |
|----------------|---------------|
| Article Number | 4933472022 |
| EAN Code | 4058546324186 |

M12 PCSS M12™ RAPTOR™ PIPE CUTTER STAINLESS STEEL

M12

RAPTOR™

- The MILWAUKEE® RAPTOR™ is the world's first 12V pipe cutter that is able to cut installed pipe in stainless steel, c-steel and copper
- High performance 380 rpm motor cuts 28 mm stainless steel pipe in less than 20 seconds
- Up to 90 cuts in 15 mm stainless steel with one M12™ 2.0 Ah battery pack
- Auto locking cut mechanism cuts installed pipe with as little as 40 mm clearance



| | M12 PCSS-0 | M12 PCSS-202C |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B2 Battery packs, C12 C Charger, Kitbox |
| Article Number | 4933479241 | 4933479242 |
| EAN Code | 4058546370350 | 4058546370367 |

C12 PPC M12™ SUB COMPACT PEX CUTTER

M12

- Massive cutting pressure of 175 kg/cm²
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Powerful mechanism cuts up to 50 mm PVC pipe in 3 seconds
- Heavy Duty full metal gearbox and gears for superior durability and maximum torque
- Variable speed trigger for complete cut out control



| | C12 PPC-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933416550 |
| EAN Code | 4002395237203 |

M18 BTP M18™ COMPACT TRANSFER PUMP

M18

- 18V transfer pump with 3.4 kg in weight, it's lighter than other corded transfer pumps with an equal performance
- With a flow rate of 1817 l/h, it can deliver 908 l of transferred water with one M18™ 5.0 Ah battery charge
- REDLINK™ intelligence can recognise when the tool stops moving water and automatically shuts itself off to avoid dry pumping



| | M18 BTP-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933471494 |
| EAN Code | 4058546293932 |

SCAN TO VIEW OUR ACCESSORIES FOR MPS - MILWAUKEE® PIPE STAND



C12 PC M12™ SUB COMPACT COPPER PIPE CUTTER

M12

- High performance 500 rpm motor cuts 12 mm copper pipe in less than 3 seconds
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Auto locking cut mechanism cuts installed copper tubing with as little as 40 mm clearance
- Auto adjusting jaws automatically adjust to pipe size



| | C12 PC-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933411920 |
| EAN Code | 4002395236374 |

M18 STSO M18™ FORCE LOGIC™ STRUT SHEAR

M18

FORCELOGIC™

ONE-KEY™

- Cleanest and safest way to cut strut profiles
- Compatible with 41x41 mm, 41x21 mm, 41x22 mm strut
- Compatible with commonly available strut manufacturers in the specified dimensions
- Shears pre- and hot dipped galvanized strut until 3.0 mm wall thickness
- All day run time of over 200 cuts on a single M18™ 5.0 Ah battery
- Cuts 41x41 mm strut in under 5 seconds



| | M18 STSO-0B |
|----------------|--|
| Kit included | No batteries supplied, No charger supplied, Tool bag |
| Article Number | 4933492097 |
| EAN Code | 4058546414641 |

M12 BSWP M12™ HYDROPASS™ BRUSHED STICK WATER PUMP

M12

HYDROPASS™

- HYDROPASS™ unique filter system, prevents blocking of the inlet and allows the user to pump water at all times, regardless of the debris encountered
- Pumps more than 2000 l/hour and up to 1000 l on 1x M12™ 6.0 Ah battery, perfect for emptying trenches, storm drains, outside meter boxes, rain barrels and various other applications



| | M12 BSWP-0 | M12 BSWP-601 |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B6 Battery pack, C12 C Charger, No kitbox or bag supplied |
| Article Number | 4933479639 | 4933479640 |
| EAN Code | 4058546374334 | 4058546374341 |

2267-40
10:1 INFRARED TEMP-GUN™



- 10:1 distance to spot ratio, a 1 m spot from 10 m away
- Up to -30°C to 400°C temperature range
- Premium LCD display for high readability
- Simplified buttons and setup for faster scanning
- Raised overmolding protects lens and screen from direct impact

2267-40

| | |
|----------------|---|
| Kit included | 2 x AA Batteries, No kitbox or bag supplied |
| Article Number | 4933451906 |
| EAN Code | 4002395282159 |

M18 ONEBLPXPL
M18™ ONE-KEY™ FORCE LOGIC™ UPONOR™ Q&E HYDRAULIC PIPE EXPANDING TOOL



- The ONE-KEY™ FORCE LOGIC™ hydraulic expander is the world's first cordless expander for UPONOR™ Q&E PE-Xa pipe sizes up to DN75
- Brushless POWERSTATE™ motor delivers outstanding run time and quick expansions
- Expands dimensions DN40, DN50, DN63 and DN75 of 6 and 10 bar pipes

M18 ONEBLPXPL-502C

| | |
|----------------|--|
| Kit included | 2 x M18 B5 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933464299 |
| EAN Code | 4058546222444 |

HD18 PXP
M18™ UPONOR™ Q&E EXPANSION TOOL



- Auto rotating head 12 mm to 40 mm (6 bar) and to 32 mm (10 bar) provides accurate, one-handed expansion
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Quick cam mechanism - single pull continuous action installs Q&E up to 4x faster
- Steel gears and integrated magnesium frame

HD18 PXP-H06202C HD18 PXP-H10202C

| | | |
|----------------|--|--|
| Included heads | 16/20/25/32 mm | 16/20/25/32 mm |
| Kit included | 2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox | 2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox |
| Article Number | 4933441771 | 4933441774 |
| EAN Code | 4002395001835 | 4002395001842 |

C12 PXP
M12™ SUB COMPACT UPONOR™ Q&E EXPANSION TOOL



- Auto-rotating head 12 mm to 32 mm (6 bar) and to 25 mm (10 bar) provides accurate, one-handed expansion
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability
- Quick cam mechanism - single pull, continuous action installs Q&E up to 4x faster
- Steel gears and integrated frame

C12 PXP-I06202C C12 PXP-I10202C C12 PXP-N202C

| | | | |
|----------------|---|---|---|
| Included heads | 16/ 20/ 25 mm | 16/ 20/ 25 mm | 15/18/22 mm |
| Kit included | 2 x M12 B2 Battery packs, C12 C Charger, Kitbox | 2 x M12 B2 Battery packs, C12 C Charger, Kitbox | 2 x M12 B2 Battery packs, C12 C Charger, Kitbox |
| Article Number | 4933441715 | 4933441730 | 4933441740 |
| EAN Code | 4002395002016 | 4002395002047 | 4002395002061 |

M18 FVP5
M18 FUEL™ VACUUM PUMP 5 CFM



- Up to 90 minutes of run time in Manifold Mode and 60 minutes of run time in Default Mode on an M18™ HIGH OUTPUT™ 8.0 Ah battery
- Delivers corded performance
- Instant power allows to vacuum a system without generators or temporary power
- 1/2", 3/8" and 1/4" ports and an additional 5/16" adaptor enables to easily fit different hose sizes
- Check valve protects vacuum when pump is not running

M18 FVP5-0 M18 FVP5-801

| | | |
|--------------------|---|--|
| Standard equipment | 500 ml oil bottle, 5/16" adaptor | 500 ml oil bottle, 5/16" adaptor |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 HB8 Battery pack, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933492853 | 4933492854 |
| EAN Code | 4058546477240 | 4058546477257 |

M18 FPXP
M18 FUEL™ UPONOR™ Q&E EXPANSION TOOL



- Auto-rotating heads from 9.9 mm to 50 mm provide the most accurate, one-handed expansions
- Most compact 50 mm battery powered pipe expander
- Compatible with all existing M12™ and M18™ expansion heads up to 50 mm
- Fast solution for 50 mm Q&E installations
- Two speed settings: one for up to 32 mm and one for 40 mm and above

M18 FPXP-0C M18 FPXP-H06502C M18 FPXP-H10502C

| | | | |
|----------------|--|---|---|
| Included heads | - | 6 bar Heads 32/40/50 mm | 10 bar Heads 32/40/50 mm |
| Kit included | No batteries supplied, No charger supplied, Kitbox | 2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox | 2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox |
| Article Number | 4933479436 | 4933479438 | 4933479437 |
| EAN Code | 4058546372309 | 4058546372323 | 4058546372316 |

M12 FPXP
M12 FUEL™ SUB COMPACT UPONOR™ Q&E EXPANSION TOOL



- Auto-rotating head 9.9 mm to 32 mm (6 bar) and to 25 mm (10 bar) provides accurate, one-handed expansion
- Quick cam mechanism - single pull, continuous action installs Q&E up to 7 seconds faster
- RAPID SEAL™ heads improve time to seal by 20% or more (depending on the ambient temperatures)
- Dual acting trigger allows expansions from any grip position

M12 FPXP-0C M12 FPXP-I10202C M12 FPXP-I06202C

| | | | |
|----------------|--|---|---|
| Included heads | - | 10 Bar heads 16 / 20 / 25 mm | 6 Bar heads 16 / 20 / 25 mm |
| Kit included | No batteries supplied, No charger supplied, Kitbox | 2 x M12 B2 Battery packs, C12 C Charger, Kitbox | 2 x M12 B2 Battery packs, C12 C Charger, Kitbox |
| Article Number | 4933472018 | 4933472020 | 4933472021 |
| EAN Code | 4058546324148 | 4058546324162 | 4058546324179 |

DRAIN CLEANING AND INSPECTION

SCAN HERE FOR MORE INFORMATION



MXF LSDP
MX FUEL™ LARGE SEWER DRUM MACHINE WITH POWERTREDZ™



- The MX FUEL™ large sewer drum machine with integrated POWERTREDZ™, requires one person only to move the sewer machine in and out of the service van, up and down building stairs
- World's first battery powered large drum machine that uses MILWAUKEE® 16 mm and 20 mm inner core spirals in drains from 75 mm up to 200 mm, with the power to clear roots up to 60 m down the line

MXF LSDP-301

| | |
|--------------------|---|
| Standard equipment | 1 x 20 mm x 15.2 m inner core cable, 1 x 20 mm x 7.6 m inner core cable, 1 x 9 pc head attachment kit |
| Kit included | 1 x MXF CP203 Battery pack, MXF C Charger, No kitbox or bag supplied |
| Article Number | 4933471851 |
| EAN Code | 4058546297503 |

M18 FFSDC13
M18 FUEL™ FREE STANDING DRAIN CLEANER 13 MM



- World's first free standing drum machine on a 18V battery, with electronic footpedal and integrated drum brake that electronically slows drum super-fast for more control and safety
- M18 FUEL™ SWITCH PACK™ tool-free sectional drum connection system allows users to quickly interchange between cable sizes, 8 mm, 10 mm, 13 mm inner core and 16 mm open wind spirals, or add a second drum to reach 30 m down the line

M18 FFSDC13-0

| | |
|--------------------|--|
| Standard equipment | 1 x backpack assembly, 2 x drum assembly's, 2 x 13 mm x 15 m cables, 1 x cutter set & removal tool |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459708 |
| EAN Code | 4058546028800 |

M18 FFSDC10
M18 FUEL™ FREE STANDING DRAIN CLEANER 10 MM



- World's first free standing drum machine on a 18V battery, with electronic footpedal and integrated drum brake that electronically slows drum super-fast for more control and safety
- M18 FUEL™ SWITCH PACK™ tool-free sectional drum connection system allows users to quickly interchange between cable sizes, 8 mm, 10 mm, 13 mm inner core and 16 mm open wind spirals, or add a second drum to reach 30 m down the line

M18 FFSDC10-0

| | |
|--------------------|--|
| Standard equipment | 1 x backpack assembly, 1 x drum assembly, 1 x 10 mm x 15 m cables, 1 x cutter set & removal tool |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459707 |
| EAN Code | 4058546028794 |

M18 FDCPF10
M18 FUEL™ DRAIN CLEANER - POWER FEED 10 MM



- World's first hand held drain cleaner on a 18V battery with automatic feed and retract that can be used with 6 mm, 8 mm and 10 mm spirals from both MILWAUKEE® and other manufacturers, in pipes from 32 mm up to 75 mm, up to 15 m down the line, eliminating all electrocution hazards users encounter today with their corded tools

M18 FDCPF10-0C M18 FDCPF10-201C

| | | |
|--------------------|--|--|
| Standard equipment | 1 x 10 mm x 10.6 m cable (48532675), retriever bulb, removal pin | 1 x 10 mm x 10.6 m cable (48532675), 5 pc cutter set (48532685), removal pin |
| Kit included | No batteries supplied, No charger supplied, Closed bucket | 1 x M18 B2 Battery pack, M12-18 FC Charger, Closed bucket |
| Article Number | 4933459684 | 4933459685 |
| EAN Code | 4058546028565 | 4058546028572 |

SCAN TO VIEW THE FULL RANGE OF EXPANDER HEADS

M18 FFSDC16
M18 FUEL™ FREE STANDING DRAIN CLEANER 16 MM



- World's first free standing drum machine on a 18V battery, with electronic footpedal and integrated drum brake that electronically slows drum super-fast for more control and safety
- M18 FUEL™ SWITCH PACK™ tool-free sectional drum connection system allows users to quickly interchange between cable sizes, 8 mm, 10 mm, 13 mm inner core and 16 mm open wind spirals, or add a second drum to reach 30 m down the line

M18 FFSDC16-0 M18 FFSDC16-502

| | | |
|--------------------|--|--|
| Standard equipment | 1 x backpack assembly, 2 x drum assembly's, 2 x 16 mm x 15 m cables, 1 x cutter set & removal tool | 1 x backpack assembly, 1 x drum assembly's, 2 x 16 mm x 15 m cables, 1 x cutter set & removal tool |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933459709 | 4933459710 |
| EAN Code | 4058546028817 | 4058546028824 |

SCAN TO VIEW THE AUTO FEED SYSTEM ATTACHMENTS

M18 FDCPF8 **M18 FUEL**
M18 FUEL™ DRAIN CLEANER - POWER FEED 8 MM



- World's first hand held drain cleaner on a 18V battery with automatic feed and retract that can be used with 6 mm, 8 mm and 10 mm spirals from both MILWAUKEE™ and other manufacturers, in pipes from 32 mm up to 75 mm, up to 15 m down the line, eliminating all electrocution hazards users encounter today with their corded tools

| | M18 FDCPF8-0C |
|--------------------|---|
| Standard equipment | 8 mm x 10.6 m cable (48532673) |
| Kit included | No batteries supplied, No charger supplied, Closed bucket |
| Article Number | 4933459683 |
| EAN Code | 4058546028558 |

M12 BDC8 **M12**
M12™ SUB COMPACT DRAIN CLEANER WITH SPIRAL DIAMETER 8 MM



- Lightest professional drain cleaner on the market
- Versatile design, provides benefits of both handheld and floor based drain cleaners in one machine
- Best user flexibility and manoeuvrability due to the independence of electric power supply

| | M12 BDC8-0C | M12 BDC8-202C |
|--------------------|--|---|
| Standard equipment | 8 mm x 7.6 m inner core bulb head | 8 mm x 7.6 m inner core bulb head |
| Kit included | No batteries supplied, No charger supplied, Bucket | 2 x M12 B2 Battery packs, C12 C Charger, Bucket |
| Article Number | 4933451632 | 4933451633 |
| EAN Code | 4002395140992 | 4002395141609 |

M12 BDC6 **M12**
M12™ SUB COMPACT DRAIN CLEANER WITH SPIRAL DIAMETER 6 MM



- Lightest professional drain cleaner on the market
- Versatile design, provides benefits of both handheld and floor based drain cleaners in one machine
- Best user flexibility and manoeuvrability due to the independence of electric power supply

| | M12 BDC6-0C | M12 BDC6-202C |
|--------------------|--|---|
| Standard equipment | 6 mm x 7.6 m inner core bulb head | 6 mm x 7.6 m inner core bulb head |
| Kit included | No batteries supplied, No charger supplied, Bucket | 2 x M12 B2 Battery packs, C12 C Charger, Bucket |
| Article Number | 4933451634 | 4933451635 |
| EAN Code | 4002395141616 | 4002395141623 |

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR DRAIN CLEANERS

M18 FSSM **M18 FUEL**
M18 FUEL™ SECTIONAL SEWER MACHINE



- World's first cordless sectional sewer machine on a 18V battery with automatic feed and retract that can be used with 22 mm and 32 mm sectional spirals from both MILWAUKEE® and other manufacturers in pipes from 50 mm up to 200 mm, up to 60m down the line, eliminating all electrocution hazards users encounter today with their corded tools

| | M18 FSSM-0 | M18 FSSM-121 |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 HB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933471411 | 4933471410 |
| EAN Code | 4058546290399 | 4058546290382 |



M18 FCSSM **M18 FUEL**
M18 FUEL™ COMPACT SECTIONAL SEWER MACHINE



- World's first compact sectional sewer machine on a 18V battery that uses 16 mm and 22 mm sectional spirals from both MILWAUKEE® and other manufacturers, eliminating all electrocution hazards users encounter today with their corded tools
- Extremely light weight, 14 kg including M18™ 12.0 Ah battery, allowing user to comfortably transport the compact sectional up multiple flights of stairs or over longer distances

| | M18 FCSSM-0 | M18 FCSSM-121 |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 HB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933478408 | 4933478407 |
| EAN Code | 4058546345990 | 4058546345983 |

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR SECTIONAL SEWER MACHINE

M18 HSFSM **M18 FUEL**
M18™ HIGH SPEED FLEXIBLE SHAFT MACHINE



- Clears clogs in 32 mm (1 1/4") – 110 mm (4") pipes up to 23 m down the line
- Infinite variable speed from 600 – 2200 RPM for more control in the line and best wall to wall clean
- Integrated mechanical clutch protecting the cable when binding up
- Nylon coated 8 mm cable with universal reception to fit and use with most common attachment heads available on the market

| | M18 HSFSM-0 | M18 HSFSM-122 |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 HB12 Battery packs, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933480721 | 4933480722 |
| EAN Code | 4058546410063 | 4058546410070 |

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR M18 HSFSM - M18™ HIGH SPEED FLEXIBLE SHAFT MACHINE

M12 PL **M12**
M12™ PLUMBING LOCATOR



- Easy to use plumbing locator: 2 omni directional antennas make locating sondes and tracing energised lines easy without any ghost signals
- First locator on the market on a 12V battery with 13 hours run time on a M12™ 2.0 Ah battery, no alkaline batteries that need frequent changing
- 4.3" colour LCD screen with backlit buttons for better visibility

| | M12 PL-0C | M12 PL-201C |
|----------------|--|--|
| Kit included | No batteries supplied, No charger supplied, Kitbox | 1 x M12 B2 Battery pack, C12 C Charger, Kitbox |
| Article Number | 4933471995 | 4933478615 |
| EAN Code | 4058546298944 | 4058546348083 |



M12 360IC12 **M12**
M12™ 360° INSPECTION CAMERA 1.2 M 2ND GEN



- 4.3" LCD screen delivers sharp and clear images and allows users to see objects in greater detail
- 270° rotating screen provides the user fluid image control in every position of use
- 1.2 metre cable balances flexibility and rigidity for both drain line and behind wall inspections
- Included 32 GB micro SD card allows to record and store images and videos

| | M12 360IC12-0C | M12 360IC12-201C |
|--------------------|--|--|
| Standard equipment | 4x Accessories | 4x Accessories |
| Kit included | No batteries supplied, No charger supplied, Kitbox | 1 x M12 B2 Battery pack, C12 C Charger, Kitbox |
| Article Number | 4933480739 | 4933480740 |
| EAN Code | 4058546410247 | 4058546410254 |



M12 360IC32 **M12**
M12™ 360° INSPECTION CAMERA 3 M 2ND GEN



- 4.3" LCD screen delivers sharp and clear images and allows users to see objects in greater detail
- 270° rotating screen provides the user fluid image control in every position of use
- 3 metre cable balances flexibility and rigidity for both drain line and behind wall inspections
- Included 32 GB micro SD card allows to record and store images and videos

| | M12 360IC32-0C |
|--------------------|--|
| Standard equipment | 4x Accessories |
| Kit included | No batteries supplied, No charger supplied, Kitbox |
| Article Number | 4933480741 |
| EAN Code | 4058546410261 |

AIC2
ALKALINE INSPECTION CAMERA 2ND GEN



- 4.3" LCD screen delivers sharp and clear images and allows users to see objects in greater detail
- 1.2 metre cable balances flexibility and rigidity for both drain line and behind wall inspections
- 5 modes of brightness provide best in class illumination without shadow or glare
- 720p camera resolution provides outstanding image quality

| | AIC2 |
|--------------------|--------------------------|
| Standard equipment | 4x Accessories |
| Kit included | 4 x AA Batteries, Kitbox |
| Article Number | 4933480738 |
| EAN Code | 4058546410230 |

INSPECTION CAMERAS

- STEP 1** CHOOSE YOUR DESIRED REEL
- STEP 2** SMART HUB
- STEP 3** CHOOSE YOUR VIEWING DEVICE
- STEP 4** SAVE YOUR RECORDINGS

OPE

SCAN HERE FOR MORE INFORMATION



M18 SIC60SC M18™ SEWER INSPECTION SMALL CAMERA 60 M

M18



- 25 mm 1080 p HD camera with pan zoom, allowing the user to zoom in on the entire picture
- 12 LED's for better illumination of drain pipes
- 60 m long, 10 mm thick push rod for easier reach of longer runs but still flexible enough to run through 50 mm 90 degree bends
- Fully enclosed reels for better mess containment
- Rubber stand for putting reel on back

M18 SIC60SC

| | |
|----------------|---------------|
| Article Number | 4933480585 |
| EAN Code | 4058546408701 |

M18 SIC60 M18™ SEWER INSPECTION CAMERA 60 M

M18



- 34 mm 1080 p HD camera with pan zoom, allowing the user to zoom in on the entire picture
- 20 LED's for better illumination of drain pipes
- 60 m long, 12 mm thick push rod for easier reach of longer runs but still flexible enough to run through 75 mm 90 degree bends
- Fully enclosed reels for better mess containment
- Rubber stand for putting reel on back

M18 SIC60

| | |
|----------------|---------------|
| Article Number | 4933471412 |
| EAN Code | 4058546290405 |

M18 SIC36 M18™ SEWER INSPECTION CAMERA 36 M

M18



- 25 mm 1080 p HD camera with pan zoom, allowing the user to zoom in on the entire picture
- 12 LED's for better illumination of drain pipes
- 36 m long, 10 mm thick push rod for easier reach of longer runs but still flexible enough to run through 50 mm 90 degree bends
- Fully enclosed reels for better mess containment
- Rubber stand for putting reel on back

M18 SIC36

| | |
|----------------|---------------|
| Article Number | 4933471413 |
| EAN Code | 4058546290412 |

M18 SIC30 M18™ SEWER INSPECTION CAMERA 30 M

M18



- 25 mm 1080 p HD camera with pan zoom, allowing the user to zoom in on the entire picture
- 30 m long, 9.5 mm thick push rod for easier reach of longer runs but still flexible enough to run through 50 mm 90 degree bends
- Fully enclosed reels for better mess containment
- 12 LED's for better illumination of drain pipes
- Rubber stand for putting reel on back

M18 SIC30

| | |
|----------------|---------------|
| Article Number | 4933480737 |
| EAN Code | 4058546410223 |

M18 SISH M18™ SEWER INSPECTION SMART HUB

M18

ONE-KEY
UNLOCKING THE DIGITAL JOBSITE.



- Easily interchangeable between reels with one push on the button
- Integrated Wi-Fi for connection with MILWAUKEE® monitor and tablet or smartphone with NEW MILWAUKEE® App
- Share customised reports
- Multiple screen viewing and recording

M18 SISH-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933471415 |
| EAN Code | 4058546290436 |

M18 SIM M18™ SEWER INSPECTION MONITOR

M18

ONE-KEY
UNLOCKING THE DIGITAL JOBSITE.



- Wireless 8" high resolution, 800 x 600, LCD screen for optimal viewing
- Sun readable screen for best viewing of inspection
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

M18 SIM-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933471414 |
| EAN Code | 4058546290429 |

M18 F2LM53 M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER 53 CM

M18 FUEL



- 53 cm steel deck and blade design paired with M18 FUEL™ technology deliver best-in-class quality of cut
- Instant start in tall grass, outstanding peak power and start up torque to complete demanding applications
- 3-in-1 grass management system to mulch, bag, or rear side discharge
- Automatic blade speed adjustment to the required power for more efficiency

M18 F2LM53-0

M18 F2LM53-122

| | | |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 HB12 Battery packs, M18 DFC Charger, No kitbox or bag supplied |
| Article Number | 4933479584 | 4933479585 |
| EAN Code | 4058546373788 | 4058546373795 |

M18 F2LM46 M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER 46 CM

M18 FUEL



- 46 cm steel deck and blade design paired with M18 FUEL™ technology deliver best-in-class quality of cut
- Compact deck design for more maneuverability in tight access areas
- 3-in-1 grass management system to mulch, 60 litre bag, or rear side discharge chute

M18 F2LM46-0

M18 F2LM46-802

| | | |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 HB8 Battery packs, M18 DFC Charger, No kitbox or bag supplied |
| Article Number | 4933492010 | 4933492011 |
| EAN Code | 4058546413774 | 4058546413781 |

M18 BLLT M18™ BRUSHLESS GRASS TRIMMER

M18

BRUSHLESS



- The M18™ brushless grass trimmer has the power to clear thick brush and reaches full throttle in under 1 second
- Up to 4600 RPM in first mode and 6200 RPM in second mode
- 2-speed variable trigger allows the user to choose between higher performance or extended run time
- Adjustable cutting swath of 35 cm – 40 cm

M18 BLLT-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933472218 |
| EAN Code | 4058546326142 |

M18 FBCU M18 FUEL™ BRUSH CUTTER

M18 FUEL



- Powerful brush cutter designed to clear grass, weeds, thick brush and saplings up to 3 cm diameter
- Full throttle in under 1 second for instantaneous power and ultimate control
- Supplied with a trimmer head for a 35 - 40 cm cutting swath and a 23 cm blade featuring a 4-tooth design, meant to take on more demanding applications

M18 FBCU-0

M18 FBCU-802

| | | |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 HB8 Battery packs, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933492297 | 4933492298 |



SCAN TO VIEW OUR OUTDOOR POWER EQUIPMENT ACCESSORIES RANGE



M18 FHET60 **M18 FUEL™**
M18 FUEL™ HEDGE TRIMMER 60 CM

- Double sharpened blade for clean cuts and removal of thicker material
- Power to cut 20 mm branches
- 60 cm blade trims more material in a single pass, increasing reach and productivity
- Up to 2 hours run time with an M18™ HIGH OUTPUT™ 8.0 Ah battery pack
- POWERSTATE™ brushless motor provides increased efficiency, lasts longer and delivers maximum power

| | M18 FHET60-0 | M18 FHET60-802 |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 HB8 Battery packs, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933493290 | 4933493291 |
| EAN Code | 4058546481612 | 4058546481629 |



M18 FHET45 **M18 FUEL™**
M18 FUEL™ HEDGE TRIMMER 45 CM

- Double sharpened blade for clean cuts and removal of thicker material
- 45 cm blade for more flexibility and the power to cut 19 mm branches
- Sustains power under load without bogging down
- Up to 2 hours run time with an M18™ HIGH OUTPUT™ 8.0 Ah battery pack

| | M18 FHET45-0 | M18 FHET45-802 |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 HB8 Battery packs, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933493293 | 4933493294 |
| EAN Code | 4058546481643 | 4058546481650 |



M12 FHT20 **M12 FUEL™**
M12 FUEL™ HEDGE TRIMMER 20 CM

- 20 cm blade ideal for small detail work like trimming overgrowth or topiary of hedges, shrubs and small bushes
- Delivers fast and precise cuts for upmost productivity
- All metal gear case for increased durability
- Slim ergonomic gripping area for outstanding control in tight to reach areas
- Well balanced and low weight for better control and effortless cutting in multiple positions

| | M12 FHT20-0 | M12 FHT20-402 |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B4 Battery packs, C12 C Charger, No kitbox or bag supplied |
| Article Number | 4933479675 | 4933479676 |
| EAN Code | 4058546374693 | 4058546374709 |



M18 FTHCHS35 **M18 FUEL™**
M18 FUEL™ TOP HANDLE CHAINSAW WITH 35 CM BAR

- Outstanding speed of cut in hardwood vs certain petrol or higher voltage top handle chainsaws
- High torque to complete cuts in demanding materials and maintains speed under heavy loads without bogging down
- FUEL™ technology to reach full throttle in under 1 second

| | M18 FTHCHS35-0 | M18 FTHCHS35-802 |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 HB8 Battery packs, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933479588 | 4933479589 |
| EAN Code | 4058546373825 | 4058546373832 |



M18 FTHCHS30 **M18 FUEL™**
M18 FUEL™ TOP HANDLE CHAINSAW WITH 30 CM BAR

- Outstanding speed of cut in hardwood vs certain petrol or higher voltage top handle chainsaws
- High torque to complete cuts in demanding materials and maintains speed under heavy loads without bogging down
- FUEL™ technology to reach full throttle in under 1 second

| | M18 FTHCHS30-0 | M18 FTHCHS30-802 |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 HB8 Battery packs, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933479586 | 4933479587 |
| EAN Code | 4058546373801 | 4058546373818 |



M18 FHS20 **M18 FUEL™**
M18 FUEL™ HATCHET™ PRUNING SAW 20 CM

- M18 FUEL™ HATCHET™ pruning saw delivers outstanding power and torque to cut hardwood without bogging down
- Designed to meet the ergonomic, performance, and durability needs of landscape maintenance professionals
- Compact design for increased control and maneuverability in tight access areas

| | M18 FHS20-0 | M18 FHS20-552 |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 HB5.5 Battery packs, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933480117 | 4933480118 |
| EAN Code | 4058546404024 | 4058546404031 |



M18 FCHS **M18 FUEL™**
M18 FUEL™ CHAINSAW WITH 40 CM BAR

- The M18 FUEL™ chainsaw delivers the power to outperform on the most demanding chainsaw applications vs. petrol chainsaws
- FUEL™ technology allows the saw to maintain speed in tough application without bogging down, giving it the ability to outperform petrol chainsaws up to 40cc

| | M18 FCHS-0 | M18 FCHS-121 |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 HB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933464723 | 4933464223 |
| EAN Code | 4058546226688 | 4058546221683 |



M18 FCHS35 **M18 FUEL™**
M18 FUEL™ CHAINSAW WITH 35 CM BAR

- Delivers the power to outperform on the most demanding applications vs. petrol chainsaws
- Maintains speed in tough applications without bogging down
- The HIGH OUTPUT™ system of tools elevates the M18 FUEL™ technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT™ batteries

| | M18 FCHS35-0 | M18 FCHS35-122 |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 HB12 Battery packs, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933479678 | 4933479679 |
| EAN Code | 4058546374723 | 4058546374730 |



M12 FHS **M12 FUEL™**
M12 FUEL™ HATCHET™ PRUNING SAW 15 CM

- M12 FUEL™ HATCHET™ pruning saw delivers outstanding control & access, has the power to cut 75 mm hardwoods, and delivers up to 120 cuts per charge on an M12 B4 battery pack
- Designed to meet the ergonomic, performance, and durability needs of landscape maintenance professionals

| | M12 FHS-0 | M12 FHS-602X |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B6 Battery packs, C12 C Charger, HD Box |
| Article Number | 4933472211 | 4933472212 |
| EAN Code | 4058546326074 | 4058546326081 |



M12 BLPRS **M12™**
M12™ BRUSHLESS PRUNING SHEARS

- Power to cut branches up to 32 mm
- Trigger tracking technology allowing for blade movement to follow the trigger movement for increased control during the application
- No manual effort required, especially convenient for extended applications
- Mode select board provides ability to lock blades into half capacity of 16 mm, allowing for increased cut speed

| | M12 BLPRS-0 | M12 BLPRS-202 |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M12 B2 Battery packs, C12 C Charger, No kitbox or bag supplied |
| Article Number | 4933480114 | 4933480115 |
| EAN Code | 4058546403997 | 4058546404000 |



M18 FCHSC **M18 FUEL™**
M18 FUEL™ CHAINSAW WITH 30 CM BAR

- Delivers the power to outperform on the most demanding chainsaw applications vs. petrol chainsaws
- FUEL™ technology allows the saw to maintain speed in tough application without bogging down, giving it the ability to outperform petrol chainsaws up to 40cc

| | M18 FCHSC-0 | M18 FCHSC-121 |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 HB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933471441 | 4933471442 |
| EAN Code | 4058546290696 | 4058546290702 |



M18 F2BPB **M18 FUEL™**
M18 FUEL™ DUAL BATTERY BACKPACK BLOWER

- High constant clearing force with a consistent blowing force of 20.5 N over the entire battery discharge
- 2 x 18V dedicated backpack blower with a padded back pad and padded adjustable straps for extreme comfort
- Up to four battery slots for extended run time
- Up to 18.5 m³/min of air volume at 250 km/h to clear leaves, gravel and debris

| | M18 F2BPB-0 | M18 F2BPB-124 |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 4 x M18 HB12 Battery packs, M18 PC6 Chargers, No kitbox or bag supplied |
| Article Number | 4933493212 | 4933493213 |
| EAN Code | 4058546480837 | 4058546480844 |



M18 F2BL M18 FUEL™ DUAL BATTERY BLOWER

M18 FUEL



- Up to 17 m³/min of air volume at 233 km/h to clear leaves, gravel and debris
- High constant clearing force with a consistent blowing force of 17.7 N over the entire battery discharge
- Best clearing control due to balanced design and ambidextrous variable speed lock allowing the user to lock on to any speed for precise applications

| | M18 F2BL-0 | M18 F2BL-802 |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 HB8 Battery packs, M18 DFC Charger, No kitbox or bag supplied |
| Article Number | 4933479987 | 4933479988 |
| EAN Code | 4058546377816 | 4058546377823 |

M18 FBL M18 FUEL™ BLOWER

M18 FUEL



- Up to 12.74 m³/min of air volume at 193 km/h to clear debris
- Variable trigger and speed lock for full power control
- Ergonomic inline design clears debris and dirt in tight spaces
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load

| | M18 FBL-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459825 |
| EAN Code | 4058546029975 |

M18 FOPHLTKIT M18 FUEL™ OUTDOOR POWER HEAD - GRASS TRIMMER KIT

M18 FUEL



- Brushless POWERSTATE™ motor for longer motor life and up to 20% more power
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load
- Full throttle in under 1 second
- Has the power to clear thick brush
- Up to 1 hour of run time with M18™ HIGH OUTPUT™ 8.0 Ah battery pack

| | M18 FOPHLTKIT-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933464956 |
| EAN Code | 4058546229016 |

M18 FOPH M18 FUEL™ OUTDOOR POWER HEAD WITH QUIK-LOK™

M18 FUEL



- Versatile outdoor power equipment system, powered by a single power head
- Delivers the capability to swap between multiple attachments to complete a wide range of applications
- Full throttle in under 1 second
- 2-speed with variable speed trigger
- POWERSTATE™ brushless motor provides increased efficiency, lasts longer and delivers maximum power

| | M18 FOPH-0 |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933464954 |
| EAN Code | 4058546228996 |

M18 FTSP30 M18 FUEL™ TELESCOPING POLE SAW 30 CM

M18 FUEL



- Powerful cutting performance due to a chain speed of 25.4 m/s, high torque and 30 cm cutting length for fast results
- Outperforms petrol pole saws in demanding applications
- Features a telescopic shaft with a square profile and a quick length adjustment collar, allowing for optimal length adjustment of up to 400 cm

| | M18 FTSP30-0 | M18 FTSP30-121 |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 HB12 Battery pack, M12-18 FC Charger, No kitbox or bag supplied |
| Article Number | 4933480868 | 4933480869 |
| EAN Code | 4058546411534 | 4058546411541 |



M12 BHCS3L M12™ HANDHELD CHEMICAL SPRAYER 3.7 L

M12



- Instant, constant and adjustable pressure for best in class control
- Three pressure settings deliver the capability to optimise performance for a wide range of applications like spot, broadcast and distance spraying
- No manual pumping allows faster application speed and reduces user fatigue versus other manual sprayers

| | M12 BHCS3L-0 | M12 BHCS3L-201 |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M12 B2 Battery pack, C12 C Charger, No kitbox or bag supplied |
| Article Number | 4933480781 | 4933480782 |
| EAN Code | 4058546410667 | 4058546410674 |

M18 BPPFH M18™ SWITCH TANK™

M18



- The M18™ SWITCH TANK™ 15 l backpack fluid pump sprayer delivers the industry's first interchangeable tank design with no manual pumping
- The interchangeable tank design isolates the pump, hose and wand, separating wearable components from the M18™ SWITCH TANK™ powered base

| | M18 BPPFH-0 | M18 BPPFH-401 |
|----------------|---|--|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 1 x M18 B4 Battery pack, M12-18 C Charger, No kitbox or bag supplied |
| Article Number | 4933464961 | 4933464962 |
| EAN Code | 4058546229061 | 4058546229078 |

M18 BPPF-CST M18™ SWITCH TANK™ 15L CHEMICAL SPRAYER

M18



- Fully compatible with SWITCH TANK™
- Chemical sprayer tank for pesticides/fertilizers/treatments/herbicides/fungicides/insecticides/de-icing agents and more
- Semi-transparent tank with measuring scale to know how much liquid is inside the tank
- Carry handle lid with wide mouth makes easy transport and pouring of water/chemicals into tank

| | M18 BPPF-CST |
|----------------|---------------|
| Article Number | 4933464964 |
| EAN Code | 4058546229092 |

M18 BPPF-WST M18™ SWITCH TANK™ 15L WATER SUPPLY

M18



- Fully compatible with SWITCH TANK™
- Water sprayer tank for efficient water delivery for concrete cutting and coring applications. Also useful for washing up slurry's, areas and equipment
- Semi-transparent tank with measuring scale to know how much liquid is inside the tank
- Carry handle lid with wide mouth makes easy transport and pouring of water into tank

| | M18 BPPF-WST |
|----------------|---------------|
| Article Number | 4933464965 |
| EAN Code | 4058546229108 |

M18 FOPH ATTACHMENTS



| | | Description | Article Number | EAN Code |
|-----|---------------|--|----------------|---------------|
| 1. | M18 FOPH-LTA | QUIK-LOK™ grass trimmer attachment | 4932464955 | 4058546229009 |
| 2. | M18 FOPH-HTA | QUIK-LOK™ hedge trimmer attachment | 4932464959 | 4058546229047 |
| 3. | M18 FOPH-CSA | QUIK-LOK™ chainsaw attachment | 4932464957 | 4058546229023 |
| 4. | M18 FOPH-EA | QUIK-LOK™ edger attachment | 4932464958 | 4058546229030 |
| 5. | M18 FOPH-EXA | QUIK-LOK™ extension attachment | 4932464960 | 4058546229054 |
| 6. | M18 FOPH-BCA | QUIK-LOK™ brush cutter attachment | 4932479986 | 4058546377809 |
| 7. | M18 FOPH-RBA | QUIK-LOK™ rubber broom attachment | 4932479984 | 4058546377786 |
| 8. | M18 FOPH-BBA | QUIK-LOK™ bristle brush attachment | 4932479985 | 4058546377793 |
| 9. | M18 FOPH-SHTA | QUIK-LOK™ short hedge trimmer attachment | 4932492666 | 4058546513450 |
| 10. | M18 FOPH-CA | QUIK-LOK™ cultivator attachment | 4932492667 | 4058546475383 |
| 11. | M18 FOPH-BA | QUIK-LOK™ blower attachment | 4932492668 | 4058546475390 |
| 12. | M18 FOPH-RA | QUIK-LOK™ reciprocator attachment | 4932492669 | 4058546475406 |

TRUEVIEW™

1 TRUEST COLOUR ACCURACY



- True representation of colours and details
- Neutral white light for greatest clarity and comfort
- Designed to represent sunlight at 10 am or 2 pm

SCAN HERE FOR MORE INFORMATION



TRUEVIEW™ TECHNOLOGY

2 BEST-IN-CLASS BEAM PATTERN OPTICS

- Even and consistent beam pattern from edge to edge
- Accurate and efficient work environment, no hot spots or washed-out borders
- Reflectors and diffusers optimised for each light

3 REDLITHIUM™ BATTERY TECHNOLOGY

- Portable solutions
- Long lasting reliability
- System compatibility



MXF TL MX FUEL™ TOWER LIGHT



- TRUEVIEW™ high definition light output with up to 27,000 lumens in AC and up to 20,000 lumens in DC mode for both task and area lighting
- Has the ability to manoeuvre the light heads in multiple orientations, allowing the user to direct light to wherever it's needed

MXF TL-601

| | |
|----------------|---|
| Kit included | 1 x MXF XC406 Battery pack, Integrated charger, No kitbox or bag supplied |
| Article Number | 4933471844 |
| EAN Code | 4058546297435 |

M18 ONESLSP M18™ ONE-KEY™ LED COMPACT SITE LIGHT



- ONE-KEY™ tool customisation allows user to control brightness and set light settings remotely
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality
- Optimise brightness and run time by adjusting the light output between 0 - 4400 lumens

M18 ONESLSP-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459155 |
| EAN Code | 4002395287109 |

M18 ONESLDP M18™ ONE-KEY™ LED COMPACT SITE LIGHT CHARGER



- Optimise brightness and run time by adjusting the light output from 0 - 9000 lumens
- ONE-KEY™ tool customisation allows user to control brightness and set light settings remotely
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

M18 ONESLDP-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459160 |
| EAN Code | 4002395287154 |

M18 TAL M18™ TRADESMAN AREA LIGHT



- TRUEVIEW™ high definition lighting with 2,200 lumens of light output in Area mode and 1,000 lumens in Flood mode
- Advanced LED technology provides 360° of area light, while an independent array of LEDs on the side provide 90° of task lighting
- Compact design allowing for one-handed transport on the jobsite, with a built-in carry handle

M18 TAL-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933464134 |
| EAN Code | 4058546220792 |

M18 HOSALC M18™ HIGH OUTPUT STAND AREA LIGHT CHARGER



- 6000 lumens TRUEVIEW™ of High Definition Output
- Up to 10 hours of run time on M18™ REDLITHIUM™ 8.0 Ah battery pack
- 3 impact resistant adjustable heads with highly durable lens can be rotated 180° vertically and pivoted 240° horizontally to have the perfect workplace illumination
- Integrated M18™ charger and 2.1 AMP USB output for USB device charging

M18 HOSALC-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933478116 |
| EAN Code | 4058546340490 |

M18 ONERSAL M18™ ONE-KEY™ LED REMOTE STAND LIGHT



- Optimise brightness and run time by adjusting the light output from 0 - 5400 lumens
- ONE-KEY™ tool customisation allows user to control brightness and set light settings remotely
- ONE-KEY™ tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY™ also features a remote locking functionality

M18 ONERSAL-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459431 |
| EAN Code | 4058546010928 |

M12 SAL M12™ STAND LIGHT



- TRUEVIEW™ high definition lighting
- 12 high performance LEDs provide 1400 lumens on high light output
- Impact resistant adjustable head with highly durable polycarbonate lens to withstand drops up to 3 m
- Head can be rotated 210° vertically and pivoted 270° horizontally to have the best perfect workplace illumination

M12 SAL-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933464823 |
| EAN Code | 4058546227685 |

M12 POAL M12™ PACKOUT™ AREA LIGHT 1400 LUMENS



- 1400 Lumens of TRUEVIEW™ high definition output
- IP 54: water and dust resistant
- 3 modes to manage output and run time
- 300° of horizontal rotation and 180° of vertical rotation for complete light head adjustability
- Storage compartment for devices and small items

M12 POAL-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933480473 |
| EAN Code | 4058546407582 |



M18 SAL2 M18™ LED STAND LIGHT



- TRUEVIEW™ high definition lighting
- Twelve high performance LEDs provides up to 2800 lumens on high light output
- Impact resistant adjustable head with highly durable polycarbonate lens can be rotated 230° vertically and pivoted 240° horizontally
- Protective guard secures the head and lens when the light is collapsed for storage or transport

M18 SAL2-0

M18 SAL2-502B

| | | |
|----------------|---|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery packs, M12-18 C Tool bag |
| Article Number | 4933492486 | 4933492903 |
| EAN Code | 4058546418533 | 4058546477745 |

M18 POALC M18™ PACKOUT™ AREA LIGHT CHARGER



- Three independent pivoting light heads provide 3000 lumens of TRUEVIEW™ High Definition Output
- All three pivot light heads combined provide up to 12 hours of run time on a M18™ REDLITHIUM™ 5.0 Ah battery pack
- IP54: water and dust resistant

M18 POALC-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933478120 |
| EAN Code | 4058546340537 |

M18 HOAL M18™ HIGH OUTPUT AREA LIGHT



- 4000 lumens TRUEVIEW™ of High Definition Output
- Up to 12 hours of run time on M18™ REDLITHIUM™ 5.0 Ah battery pack
- 120° rotatable light head and integrated key holes for horizontal and vertical hanging
- Impact resistant design and durable roll cage to protect the light from rough jobsite conditions

M18 HOAL-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933478118 |
| EAN Code | 4058546340513 |

M18 AL
M18™ LED AREA LIGHT

M18

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- Eight high performance LEDs provide 1500 lumens of light output - up to 30% brighter than 250 W halogen lights
- Compact roll cage design provides superior durability
- Convenient built-in handle - ability to hang vertically or horizontally

M18 AL-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4932430392 |
| EAN Code | 4002395380534 |

M12 AL
M12™ LED AREA LIGHT

M12

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- Five high performance LEDs provide 1000 lumens of light output replacing 250 W halogen lights
- Highly durable and impact resistant polycarbonate lens to withstand drops up to 2.7 metres
- Integrated magnets, clamping mechanism, and key hole for screws / nails provide multiple mounting options for different surfaces

M12 AL-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4933451394 |
| EAN Code | 4002395158621 |

M18 PAL
M18™ PIVOTING AREA LIGHT

M18

TRUEVIEW™



- TRUEVIEW™ high definition lighting with up to 1500 lumens and up to 20 hours of run time, allows replacement of 500 W halogen
- Two powerful magnets, a spring loaded clamp and a folding rotating light head design provide multiple mounting options and illumination possibilities from any angle
- Highly durable and impact resistant polycarbonate lens to withstand drops up to 2.7 metres

M18 PAL-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933464105 |
| EAN Code | 4058546220501 |

M12 PAL
M12™ PIVOT AREA LIGHT

M12

TRUEVIEW™



- TRUEVIEW™ high definition lighting with up to 700 lumens
- Up to 24 hours of run time on M12™ 4.0 Ah battery pack
- With powerful magnets as well as a rotating light head design with 110° rotation in each direction to provide multiple beam options
- Highly durable and impact resistant design to withstand drops up to 3 m

M12 PAL-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4933478226 |
| EAN Code | 4058546344030 |

M18 SLED
M18™ LED SEARCH LIGHT

M18

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- Pivoting head provides 1250 lumens with up to 650 m beam distance
- 4 output modes: Spot, Flood, Spot/Flood, Strobe delivering multiple options in work space illumination
- Spot mode for long range identification: utility pole/ high voltage cable inspection, inspection of long runs of conduit, cast or copper pipe, under ground work, bridge work...

M18 SLED-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459159 |
| EAN Code | 4002395287147 |

M12 SLED
M12™ LED SPOT LIGHT

M12

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- Up to 35% longer beam distance than competition - 650 m intense and highly focused beam of light with 750 lumens
- Especially useful for long range identification - utility pole/high voltage cable inspection, inspection of long runs of conduit, cast or copper pipe, under ground work, bridge work

M12 SLED-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4933451261 |
| EAN Code | 4002395170159 |

M18 IL
M18™ LED INSPECTION LIGHT

M18

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- Three LED design with 2 light settings provides 300 lumens on High and 130 lumens on Low setting
- Pivoting 45° forward & backward head allows for 180° coverage
- 2 adjustable metal hooks for hanging in vertical and horizontal position
- Thanks to its compact design it operates in locations other lights cannot

M18 IL-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4932430564 |
| EAN Code | 4002395382255 |

M12 SL
M12™ LED STICK LIGHT

M12

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- Powerful three LED design provides 220 lumens
- Adjustable metal hook allows for light to be hung in multiple orientations when being used
- Compact design - operates in locations other lights cannot
- Flexible battery system: works with all MILWAUKEE® M12™ batteries

M12 SL-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4932430178 |
| EAN Code | 4002395378395 |

M12 UCL
M12™ UNDERCARRIAGE LIGHT

M12

TRUEVIEW™



- TRUEVIEW™ high definition lighting with up to 1,200 Lumens
- Up to 15 hours of run time on M12™ 4.0 Ah battery pack
- Designed for the on-the-go needs of automotive maintenance and service trades
- Dual joints swivel 300° horizontally and 180° vertically to ensure full undercarriage illumination coverage

M12 UCL-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933478868 |
| EAN Code | 4058546361501 |

M12 CML
M12™ COLOUR MATCHING LIGHT

M12

TRUEVIEW™



- High definition lighting with up to 1000 lumens
- 98+ colour rendering index for use to identify accurate and reliable colour recognition
- Featuring 5 different colour temperatures, for end users to replicate real sunlight requirements
- Up to 14 hours of run time on M12™ 4.0 Ah battery pack
- IP54 rated for water and dust resistant and 2 m impact resistant

M12 CML-401

| | |
|----------------|---|
| Kit included | 1 x M12 B4 Battery pack, C12 C Charger, No kitbox or bag supplied |
| Article Number | 4933479366 |
| EAN Code | 4058546371609 |

M18 LL
M18™ LED LANTERN LIGHT

M18

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- 180° - 360° adjustable beam - versatile design, allows the user to select between area lighting and task lighting
- Best-in-class performance - outstanding light output 700 lumens, designed to illuminate large areas
- High powered USB charger charges tablets, smart phones, MP3 players and other electronic devices

M18 LL-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4932430563 |
| EAN Code | 4002395382248 |



M12 UHL
M12™ LED UNDERHOOD LIGHT

M12

TRUEVIEW™



- TRUEVIEW™ high definition light output delivers consistent beam, optimised colour temperature and true representation of colours and detail
- Two light output settings with 1350 and 600 lumens to maximise run time and to optimise lighting output
- M12™ 4.0 Ah battery provides 4 hours of run time in high and 8 hours of run time in low setting

M12 UHL-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459432 |
| EAN Code | 4058546010935 |

M12 LL
M12™ LED LANTERN LIGHT

M12

TRUEVIEW™



- TRUEVIEW™ high definition lighting
- 180° - 360° adjustable beam - versatile design, allows the user to select between area lighting and task lighting
- Best-in-class performance - outstanding light output 400+ lumens, designed to illuminate large areas
- High powered 2.1A USB charger charges tablets, smart phones, MP3 players and other electronic devices

M12 LL-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4932430562 |
| EAN Code | 4002395382231 |

M18 TLED
M18™ LED TORCH

M18

TRUEVIEW™



- The 120 lumen LED light is 2x brighter and whiter than conventional incandescent bulbs
- M18™ LED electronics deliver 2x longer run time on a single charge with less heat than conventional removable light bulbs
- Sealed aluminium head is designed for impact- and weather-resistant durability
- 135° rotating head allows the user to easily direct the light beam at the desired work area
- Integrated hook for hands-free use

M18 TLED-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4932430361 |
| EAN Code | 4002395380220 |

M12 TLED
M12™ LED TORCH

M12

TRUEVIEW™



- The 120 lumen LED light is 2x brighter and whiter than conventional incandescent bulbs
- M12™ LED electronics deliver 2x longer run time on a single charge with less heat
- Sealed aluminium head is designed for impact- and weather-resistant durability
- 90° rotating head allows the user to easily direct the light beam at the desired work area
- Magnetic back for hands-free use

M12 TLED-0

| | |
|----------------|---|
| Kit included | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4932430360 |
| EAN Code | 4002395380213 |

PERSONAL LIGHTS

REDLITHIUM™ USB



| | | Lumen | Max. run time (h) | IP protection class | Mounting | Kit included | Article Number | EAN Code |
|--|---------------|-------------------------|------------------------|---------------------|-------------------|--|----------------|---------------|
| | L4 FL-301 | 445/- / 100/- | 2.5/- / 11/- | IP54 | Magnet, Clip | 1 x L4 B3 Battery pack, USB cable, Blister packaging | 4933479763 | 4058546375577 |
| | L4 PWL-301 | 400/- / 100/ 500 | 3.5/- / 11.75/ 3.5 | IP54 | Magnet, Clip | 1 x L4 B3 Battery pack, USB cable, Blister packaging | 4933479765 | 4058546375591 |
| | L4 FFL-301 | 550/ 250/ 100/- | 2.5/ 6/ 13.25/- | IP54 | Magnet, Carabiner | 1 x L4 B3 Battery pack, USB cable, Blister packaging | 4933479766 | 4058546375607 |
| | L4 HL-VIS-301 | 600/ 400/ 200/ 25/ 400 | 2.5/ 4.5/ 8.5/ 22/ 4.5 | IP53 | Hard hat clips | 1 x L4 B3 Battery pack, USB cable, Blister packaging | 4933479768 | 4058546375621 |
| | L4 HLRP-301 | 600/ 350/ 125/ 25 | 3/ 7.5/ 13/ 28 | IP54 | Hard hat clips | 1 x L4 B3 Battery pack, USB cable, Blister packaging | 4933479767 | 4058546375614 |
| | L4 TMLD-301 | 1100/ 600/ 100/- | 1.5/ 4/ 12/- | IP67 | Clip | 1 x L4 B3 Battery pack, USB cable, Blister packaging | 4933479769 | 4058546375638 |
| | L4 FMLD-301 | 800/- / 100/- | 2.5/- / 10/- | IP67 | Clip | 1 x L4 B3 Battery pack, USB cable, Blister packaging | 4933479770 | 4058546375645 |
| | L4 SL550-301 | 550/ 250 ; 250/ 100 | 2/ 4.5/ 2/ 5 | IP52 | Magnet, Hook | 1 x L4 B3 Battery pack, USB cable, Blister packaging | 4933478869 | 4058546361518 |
| | L4 NL400-301 | 400/ 250 | 2.5/ 8 | IP50 | - | 1 x L4 B3 Battery pack, USB cable, Blister packaging | 4933479898 | 4058546376925 |
| | L4 BOLTHL-301 | 600/ 400/ 150/ 25 | 4/ 8/ 14/ 32 | IP54 | - | 1 x L4 B3 Battery pack, USB cable, Blister packaging | 4933479902 | 4058546376963 |
| | L4 HL2-301 | 600/ 100/ 400/ 100/ 400 | 5/ 20/ 9/ 14/ 9 | IP54 | Hard hat clips | 1 x L4 B3 Battery pack, USB cable, Blister packaging | 4933479963 | 4058546377571 |
| | L4 FL2000-301 | 2000/ 1300/ 800/ 100 | 4/ 8/ 24 | IP66 | Clip | 1 x L4 B3 Battery pack, USB cable, Blister packaging | 4933479637 | 4058546374310 |

INTERNAL RECHARGEABLE



| | | Lumen | Max. run time (h) | IP protection class | Mounting | Kit included | Article Number | EAN Code |
|--|----------|------------------------|-------------------|---------------------|--|--|----------------|---------------|
| | IR HL450 | 450/ 100/ 250/ 50/ 250 | 2.5/ 8/ 4/ 14/ 4 | IP54 | Magnet, Hard hat clips, BOLT™ Low-profile headlamp mount | Integrated battery, USB cable, Blister packaging | 4933478587 | 4058546347802 |
| | IR FL500 | 500 / 100 / 10/- | 3.5 / 16/ 40/- | IP67 | Clip | Integrated battery, USB cable, Blister packaging | 4933478586 | 4058546347796 |
| | IR PL250 | 250/- / 50/- | 1.5/- / 8/- | IP67 | Bite zone, Clip | Integrated battery, USB cable, Blister packaging | 4933478705 | 4058546348984 |

ALKALINE



| | | Lumen | Max. run time (h) | IP protection class | Mounting | Kit included | Article Number | EAN Code |
|--|----------|------------------------|-------------------|---------------------|--|--|----------------|---------------|
| | IPL-LED | 100 | 3 | IP67 | Clip, Bite zone | 2 x AAA Batteries, Blister packaging | 4933459440 | 4058546011017 |
| | ML-LED | 325/- / 25/- | 5/- / 18/- | IP67 | Clip | 3 x AAA Batteries, Blister packaging | 4933464825 | 4058546227708 |
| | FL-LED | 300/- / 100/- | 5/- / 16/- | IP54 | Magnet, Clip | 2 x AA Batteries, Blister packaging | 4933464824 | 4058546227692 |
| | HL-SF | 450/ 350/ 150/ 25/ 350 | 2/ 4/ 10/ 26/ 4 | IP52 | Hard hat clips, BOLT™ Low-profile headlamp mount | 3 x AAA Batteries, Blister packaging | 4933471388 | 4058546290160 |
| | ISHL-LED | 310/ 235/ 155/ 25/ 155 | 4/ 6/ 10/ 40/ 8 | IP64 | Hard hat clips, BOLT™ Low-profile headlamp mount | 3 x AAA Batteries, No kitbox or bag supplied | 4933478112 | 4058546340452 |
| | HL2-LED | 350/ 150/ 25/- | 4/ 8.5/ 28/- | IP52 | Hard hat clips, BOLT™ Low-profile headlamp mount | 3 x AAA Batteries, Blister packaging | 4933471286 | 4058546289140 |

BATTERIES



| | | Description | Charge time M18 DBSC charger | Charge time M12-18 FC charger | Charge time M12-18 C charger | Charge time M12-18 AC charger | Charge time M1418C6 charger | Charge time M18 DFC charger | Charge time C12 C charger | Charge time M12 TC charger | Charge time M12 C4 charger | Charge time L4 C charger | Article number | EAN Code |
|--|-----------|---------------------------------------|------------------------------|-------------------------------|------------------------------|-------------------------------|-----------------------------|-----------------------------|---------------------------|----------------------------|----------------------------|--------------------------|----------------|---------------|
| | M18 HB12 | M18™ HIGH OUTPUT™ 12.0 Ah battery | 60 min | 130 min | 250 min | 285 min | 270 min | 130 min | - | - | - | - | 4932464260 | 4058546222055 |
| | M18 HB8 | M18™ HIGH OUTPUT™ 8.0 Ah battery | 45 min | 87 min | 167 min | 190 min | 190 min | 87 min | - | - | - | - | 4932471070 | 4058546286989 |
| | M18 HB5.5 | M18™ HIGH OUTPUT™ 5.5 Ah battery | 35 min | 60 min | 115 min | 130 min | 125 min | 60 min | - | - | - | - | 4932464712 | 4058546226572 |
| | M18 HB3 | M18™ HIGH OUTPUT™ 3.0 Ah battery | 36 min | 36 min | 65 min | 75 min | 70 min | 36 min | - | - | - | - | 4932471069 | 4058546286972 |
| | M18 FB6 | M18™ FORGE™ 6.0 Ah battery | 25 min | 60 min | 115 min | 130 min | 125 min | 60 min | - | - | - | - | 4932492533 | 4058546419004 |
| | M18 B5 | M18™ 5.0 Ah battery | 59 min | 59 min | 100 min | 100 min | 100 min | 59 min | - | - | - | - | 4932430483 | 4002395381449 |
| | M18 B5-CR | M18™ 5.0 Ah battery | 59 min | 59 min | 100 min | 100 min | 59 min | 59 min | - | - | - | - | 4932479265 | 4058546370596 |
| | M18 B4 | M18™ 4.0 Ah battery | 52 min | 52 min | 80 min | 80 min | 80 min | 52 min | - | - | - | - | 4932430063 | 4002395377244 |
| | M18 B2 | M18™ 2.0 Ah battery | 26 min | 26 min | 40 min | 40 min | 40 min | 26 min | - | - | - | - | 4932430062 | 4002395377237 |
| | M12 HB5 | M12™ 5.0 Ah HIGH OUTPUT™ battery pack | - | 75 min | 110 min | 110 min | - | - | 110 min | 380 min | 110 min | - | 4932480165 | 4058546404505 |
| | M12 HB2.5 | M12™ 2.5 Ah HIGH OUTPUT™ battery pack | - | 40 min | 55 min | 55 min | - | - | 55 min | 200 min | 55 min | - | 4932480164 | 4058546404499 |
| | M12 B6 | M12™ 6.0 Ah battery | - | 95 min | 130 min | 165 min | - | - | 130 min | 525 min | 130 min | - | 4932451395 | 4002395158638 |
| | M12 B4 | M12™ 4.0 Ah battery | - | 52 min | 80 min | 115 min | - | - | 80 min | 347 min | 80 min | - | 4932430065 | 4002395377268 |
| | M12 B3 | M12™ 3.0 Ah battery | - | 50 min | 70 min | 90 min | - | - | 70 min | 264 min | 70 min | - | 4932451388 | 4002395157969 |
| | M12 B2 | M12™ 2.0 Ah battery | - | 26 min | 40 min | 55 min | - | - | 40 min | 174 min | 40 min | - | 4932430064 | 4002395377251 |
| | L4 B3 | 3.0 Ah REDLITHIUM™ USB battery | - | - | - | - | - | - | - | - | - | 120 min | 4933478311 | 4058546345020 |

CHARGERS
RED LITHIUM USB **M12** **M14** **M18**

| | | Description | Charging ports | Charge type | Power source | Carry handle | Wall mountable | Article Number | EAN Code |
|--|-----------|-------------------------------------|----------------------|--------------|--------------|--------------|----------------|----------------|---------------|
| | M18 PC6 | M18™ PACKOUT™ six bay rapid charger | 6 x M18™; 1 x USB | Simultaneous | AC, USB | ✓ | ✓ | 4932480162 | 4058546404475 |
| | M18 DBSC | M18 FUEL™ dual bay super charger | 2 x M18™ | Simultaneous | AC | - | ✓ | 4932492531 | 4058546418984 |
| | M12-18 FC | M12™ - M18™ fast charger | 1 x M12™, 1 x M18™ | Sequential | AC | - | ✓ | 4932451079 | 4002395810581 |
| | M12-18 C | M12™ - M18™ charger | 1 x M12™, 1 x M18™ | Sequential | AC | - | ✓ | 4932352959 | 4002395376179 |
| | M12-18 AC | M12™-M18™ car charger | 1 x M12™, 1 x M18™ | Sequential | DC | - | ✓ | 4932459205 | 4002395287208 |
| | M18 DFC | M18™ dual bay rapid charger | 2 x M18™ | Simultaneous | AC | - | ✓ | 4932472073 | 4058546324698 |
| | M1418 C6 | M14™ - M18™ multibay charger | 6 x M14™ or 6 x M18™ | Sequential | AC | ✓ | ✓ | 4932430086 | 4002395377473 |
| | C12 C | M12™ charger | 1 x M12™ | Single | AC | - | ✓ | 4932352000 | 4002395366606 |
| | M12 TC | M12™ travel charger | 1 x M12™ | Single | AC, USB | - | - | 4932459450 | 4058546011116 |
| | M12 C4 | M12™ 4 bay charger | 4 x M12™ | Sequential | AC | - | ✓ | 4932430554 | 4002395382156 |

PROMOTIONAL BATTERIES AND CHARGER KITS
M12 **M18**


| | | Voltage (V) | Battery type | Battery pack capacity (Ah) | No. of batteries supplied | Charger supplied | Article Number | EAN Code |
|----|--------------|-------------|--------------|----------------------------|---------------------------|------------------|----------------|---------------|
| 1. | M18 HNRG-122 | 18 & 12 | Li-ion | M18™ 12.0 & M12™ 6.0 | 3 | M12-18 FC | 4933464261 | 4058546222062 |
| 2. | M18 HNRG-802 | 18 & 12 | Li-ion | M18™ 8.0 & M12™ 4.0 | 3 | M12-18 FC | 4933471073 | 4058546287016 |
| 3. | M18 HNRG-552 | 18 & 12 | Li-ion | M18™ 5.5 & M12™ 3.0 | 3 | M12-18 FC | 4933464713 | 4058546226589 |
| 4. | M18 HNRG-302 | 18 & 12 | Li-ion | M18™ 3.0 & M12™ 2.0 | 3 | M12-18 FC | 4933471071 | 4058546286996 |
| 5. | M18 NRG-503 | 18 & 12 | Li-ion | M18™ 5.0 & M12™ 2.0 | 4 | M12-18 FC | 4933451423 | 4002395162628 |
| 6. | M18 NRG-502 | 18 & 12 | Li-ion | M18™ 5.0 & M12™ 2.0 | 3 | M12-18 FC | 4933459217 | 4002395287925 |

BATTERIES AND CHARGER KITS
RED LITHIUM USB **M12** **M18**


| | | Voltage (V) | Battery type | Battery pack capacity (Ah) | No. of batteries supplied | Charger supplied | Article Number | EAN Code |
|-----|------------------|-------------|--------------|----------------------------|---------------------------|---|----------------|---------------|
| 1. | M18 FORGENRG-602 | 18 | Li-ion | 6.0 | 2 | M18 DBSC | 4933498549 | 4058546524180 |
| 2. | M18 NRGCR-502 | 18 | Li-ion | 5.0 | 2 | M12-18 FC | 4932479831 | 4058546376253 |
| 3. | M18 NRG-402 | 18 | Li-ion | 4.0 | 2 | M12-18 FC | 4933459215 | 4002395287901 |
| 4. | M18 NRG-202 | 18 | Li-ion | 2.0 | 2 | M12-18 C | 4933459213 | 4002395287284 |
| 5. | M12 NRG-603 | 12 | Li-ion | 6.0 | 3 | C12 C | 4933459208 | 4002395287239 |
| 6. | M12 NRG-602 | 12 | Li-ion | 6.0 | 2 | C12 C | 4933451903 | 4002395282128 |
| 7. | M12 NRG-402 | 12 | Li-ion | 4.0 | 2 | C12 C | 4933459211 | 4002395287260 |
| 8. | M12 NRG-303 | 12 | Li-ion | 3.0 | 3 | C12 C | 4933459207 | 4002395287222 |
| 9. | M12 NRG-302 | 12 | Li-ion | 3.0 | 2 | C12 C | 4933451902 | 4002395282111 |
| 10. | M12 NRG-202 | 12 | Li-ion | 2.0 | 2 | C12 C | 4933459209 | 4002395287246 |
| 11. | M12 NRG-201 | 12 | Li-ion | 2.0 | 1 | C12 C | 4933451900 | 4002395281497 |
| 12. | L4 PPS-301 | 4 | Li-ion | 3.0 | 1 | USB rechargeable power source and charger + USB cable | 4932493335 | 4058546482060 |

CONSTRUCTION


SCAN HERE FOR MORE INFORMATION



BREAKERS

| | Tool reception | Power input (W) | Blow energy (EPTA)(J) | No load speed (rpm) | Full load hammer action (bpm) | Full load speed (soft hammer) (rpm) | Max. drilling solid bit (mm) | Max. drilling tunnel bit (mm) | Max. drilling core bit (mm) | Vibration drilling (m/s ²) | Vibration chiseling (m/s ²) | Weight (kg) | Supplied in | Article number | EAN code |
|-----|----------------|-----------------|-----------------------|---------------------|-------------------------------|-------------------------------------|------------------------------|-------------------------------|-----------------------------|--|---|-------------|---------------------------|----------------|---------------|
| 1. | K 2628 H | 2400 | 64 | - | 1200 | - | - | - | - | - | 6.2 | 25.7 | No kitbox or bag supplied | 4933471685 | 4058546295844 |
| 2. | K 1530 H | 2100 | 39 | - | 1560 | - | - | - | - | - | 8.4 | 16.8 | Plastic case | 4933464117 | 4058546220624 |
| 3. | K 1528 H | 2100 | 39 | - | 1560 | - | - | - | - | - | 8.8 | 17.2 | Plastic case | 4933464118 | 4058546220631 |
| 4. | K 1000 S | 1750 | 26 | - | 1400 - 1950 | - | - | - | - | - | 6.7 | 12.7 | Plastic case | 4933464120 | 4058546220655 |
| 5. | K 950 S | 1700 | 20 | 125 - 250 | 975 - 1950 | 125 - 250 | 50 | 80 | 150 | 12.5 | 11 | 11.8 | Kitbox | 4933375710 | 4002395232031 |
| 6. | K 900 K | 1600 | 20 | - | 975 - 1950 | - | - | - | - | - | 11 | 11.0 | Kitbox | 4933375650 | 4002395231614 |
| 6. | K 900 S | 1600 | 20 | - | 975 - 1950 | - | - | - | - | - | 11 | 11.0 | Kitbox | 4933375720 | 4002395232048 |
| 7. | K 850 S | 1400 | 11 | 380 | 1600 - 2900 | 210 - 380 | 50 | 80 | 150 | 9.4 | 10.14 | 9.6 | Kitbox | 4933464896 | 4058546228415 |
| 8. | K 750 S | 1550 | 11.9 | 300 | 2740 | 240 | 50 | 80 | 150 | 9.5 | 9.1 | 8.2 | Kitbox | 4933398600 | 4002395235193 |
| 9. | K 545 S | 1300 | 8.5 | 450 | 2840 | 350 | 45 | 65 | 100 | 13 | 9 | 6.7 | Kitbox | 4933398200 | 4002395234073 |
| 10. | K 540 S | 1100 | 7.5 | 450 | 3000 | 430 | - | 65 | 105 | 16.8 | 16.7 | 6.3 | Kitbox | 4933418100 | 4002395238422 |
| 11. | K 500 ST | 1100 | 7.5 | 450 | 3000 | - | - | - | - | - | 16.7 | 5.9 | Kitbox | 4933443180 | 4002395003402 |
| 12. | K 500 S | 1300 | 8.5 | - | 2840 | 2200 | - | - | - | - | 11.5 | 6.3 | Kitbox | 4933398220 | 4002395234059 |
| 13. | PCE 3/K | 720 | 3.6 | - | 0 - 3650 | - | - | - | - | - | 11 | 3.7 | Kitbox | 4933384300 | 4002395232215 |

COMBI HAMMERS




| | Tool reception | Power input (W) | Blow energy (EPTA)(J) | Full load hammer action (bpm) | Full load speed (rpm) | Max. drilling concrete (mm) | Max. drilling steel (mm) | Max. drilling wood (mm) | Vibration drilling (m/s ²) | Vibration chiseling (m/s ²) | FIXTEC™ | Weight (kg) | Supplied in | Article number | EAN code |
|----|----------------|-----------------|-----------------------|-------------------------------|-----------------------|-----------------------------|--------------------------|-------------------------|--|---|---------|-------------|-------------|----------------|---------------|
| 1. | PLH 32 XE | 900 | 3.8 | 0 - 4500 | 0 - 800 | 32 | 16 | 40 | 22 | 20 | Yes | 3.6 | Kitbox | 4933400069 | 4002395233342 |
| 2. | PLH 28 E | 800 | 4.1 | 0 - 4000 | 0 - 1000 | 28 | 13 | 40 | 10.6 | 6.8 | No | 3.4 | Kitbox | 4933446790 | 4002395005482 |
| 2. | PLH 28 XE | 800 | 4.1 | 0 - 4000 | 0 - 1000 | 28 | 13 | 40 | 10.6 | 6.8 | Yes | 3.6 | Kitbox | 4933446800 | 4002395005499 |
| 3. | PH 30 POWER X | 1030 | 3.6 | 0 - 3800 | 0 - 850 | 30 | 13 | 40 | 22 | 14 | Yes | 2.9 | Kitbox | 4933396420 | 4002395234967 |
| 4. | PH 28 | 820 | 3.4 | 0 - 4000 | 0 - 900 | 28 | 13 | 30 | 22 | 16 | No | 2.7 | Kitbox | 4933396396 | 4002395234936 |
| 4. | PH 28 X | 820 | 3.4 | 0 - 4000 | 0 - 900 | 28 | 13 | 30 | 22 | 16 | Yes | 2.9 | Kitbox | 4933396392 | 4002395234943 |
| 5. | PH 26 T | 800 | 2.4 | 0 - 4500 | 0 - 1500 | 26 | 13 | 30 | 13.6 | 11.9 | No | 2.4 | Kitbox | 4933464580 | 4058546225254 |
| 5. | PH 26 TX | 800 | 2.4 | 0 - 4500 | 0 - 1500 | 26 | 13 | 30 | 13.6 | 11.9 | Yes | 2.6 | Kitbox | 4933464579 | 4058546225247 |
| 6. | PFH 26 T | 800 | 2.4 | 0 - 4500 | 0 - 1500 | 26 | 13 | 30 | 13.6 | 11.9 | No | 2.4 | Kitbox | 4933464581 | 4058546225261 |
| 7. | PFH 26 | 725 | 2.4 | 0 - 4500 | 0 - 1250 | 26 | 13 | 30 | 13.5 | - | No | 2.4 | Kitbox | 4933428230 | 4002395239832 |

ROTARY DRILLS AND DRIVERS



| | | Chuck capacity (mm) | Power input (W) | No load speed (rpm) | Max. drilling concrete (mm) | Max. drilling masonry (mm) | Max. drilling steel (mm) | Max. drilling wood (mm) | Max. static stalling torque (Nm) | Weight (kg) | Supplied in | Article Number | EAN Code |
|----|----------------|---------------------|-----------------|---------------------|-----------------------------|----------------------------|--------------------------|-------------------------|----------------------------------|-------------|---------------------------|----------------|---------------|
| 1. | SB 2-35 D | 16 | 1010 | 0 - 800/ 0 - 1800 | 35 | 40 | 16 | 50 | 57 | 4.2 | No kitbox or bag supplied | 4933380507 | 4002395227280 |
| 2. | PD2E 24 R | 13 | 1020 | 0 - 1000/ 0 - 3200 | 22 | 24 | 16 | 40 | 60 | 3.0 | Kitbox | 4933419595 | 4002395238651 |
| 3. | PD2E 22 R | 13 | 850 | 0 - 1000/ 0 - 3200 | 20 | 22 | 13 | 40 | 56 | 2.9 | Kitbox | 4933419570 | 4002395238613 |
| 4. | PD-705 | 13 | 705 | 0 - 3000 | 15 | 16 | 13 | 30 | 15 | 1.9 | No kitbox or bag supplied | 4933431955 | 4002395243914 |
| 5. | PDE 16 RP | 13 | 630 | 0 - 950 | 16 | 20 | 13 | 40 | 59 | 2.0 | Kitbox | 4933409206 | 4002395235339 |
| 6. | PDE 13 RX | 13 | 630 | 0 - 2900 | 15 | 18 | 13 | 30 | 21 | 1.8 | Kitbox | 4933409200 | 4002395235322 |
| 7. | HDE 13 RQX | 13 | 950 | 0 - 850 | - | - | 13 | 38 | 94 | 2.0 | No kitbox or bag supplied | 030250 | 4002395229642 |
| 8. | HDE 13 RQX KIT | 13 | 950 | 0 - 850 | - | - | 13 | 38 | 94 | 2.0 | Kitbox | 4933428550 | 4002395241576 |
| 9. | DE 13 RP | 13 | 630 | 0 - 950 | - | - | 13 | 40 | 59 | 2.1 | Kitbox | 4933409194 | 4002395235346 |


BRT
BREAKER TROLLEY



BRT

| | |
|----------------|---------------|
| Article Number | 4933459794 |
| EAN Code | 4058546029661 |


IPWE 400 R
1/2" DRIVE IMPACT WRENCH



IPWE 400 R

| | |
|----------------|---------------|
| Article Number | 4933451524 |
| EAN Code | 4002395143511 |

IPWE 520 R
3/4" DRIVE IMPACT WRENCH



IPWE 520 R

| | |
|----------------|---------------|
| Article Number | 4933451525 |
| EAN Code | 4002395143528 |

AGV 15 DEC
1550 W ANGLE GRINDER WITH DUST MANAGEMENT (28 MM DOC)



AGV 15-125 XC DEC-SET

| | |
|----------------|---------------|
| Article Number | 4933448025 |
| EAN Code | 4002395006816 |

AGV 15 DEG
1550 W ANGLE GRINDER WITH DUST MANAGEMENT



| | | |
|----------------|------------------------------|------------------------------|
| | AGV 15-125 XC DEG-SET | AGV 15-125 XE DEG-SET |
| Article Number | 4933448035 | 4933448830 |
| EAN Code | 4002395006830 | 4002395263424 |

AGV 12 DEG
1200 W ANGLE GRINDER WITH DUST MANAGEMENT



AGV 12-125 X DEG-SET

| | |
|----------------|---------------|
| Article Number | 4933448030 |
| EAN Code | 4002395006823 |

DD 2-160 XE
2-SPEED DRY DIAMOND DRILL



DD 2-160 XE

| | |
|----------------|---------------|
| Article Number | 4933368690 |
| EAN Code | 4002395232505 |

DD 3-152
3-SPEED COMBI DIAMOND DRILL



DD 3-152

| | |
|----------------|---------------|
| Article Number | 4933428000 |
| EAN Code | 4002395239801 |

SCAN TO VIEW OUR WET DIAMOND DRILLING ACCESSORIES RANGE




AGV 12 DEC
1200 W ANGLE GRINDER WITH DUST MANAGEMENT (28 MM DOC)



AGV 12-125 X DEC-SET

| | |
|----------------|---------------|
| Article Number | 4933448020 |
| EAN Code | 4002395006809 |

WCS 45
1900 W 150 MM (45 MM DOC) WALL CHASER



WCS 45

| | |
|----------------|---------------|
| Article Number | 4933383350 |
| EAN Code | 4002395229086 |

WCE 30
1500 W 125 MM (30 MM DOC) WALL CHASER



WCE 30

| | |
|----------------|---------------|
| Article Number | 4933383855 |
| EAN Code | 4002395228980 |

METAL WORKING

SCAN HERE FOR MORE INFORMATION



ANGLE GRINDERS



| | | Power input (W) | No load speed (rpm) | Disc diameter (mm) | Weight (kg) | Switch type | Brake | Anti-kickback protection | FIXTEC™ | AVS Anti-Vibration System | AVS side handle | Rotatable main handle | Autobalancer system | Line lock out function | Supplied in | Article Number | EAN Code |
|-----|------------------------|-----------------|---------------------|--------------------|-------------|-------------------------|-------|--------------------------|---------|---------------------------|-----------------|-----------------------|---------------------|------------------------|---------------------------|----------------|---------------|
| 1. | AGVM 26-230 GEX | 2600 | 6600 | 230 | 5.8 | Trigger lock-on switch | No | Yes | Yes | Yes | - | Yes | Yes | Yes | No kitbox or bag supplied | 4933402365 | 4002395234271 |
| 1. | AGVM 26-230 GEX DMS | 2600 | 6600 | 230 | 5.8 | Deadman switch | No | Yes | Yes | Yes | - | Yes | Yes | No | No kitbox or bag supplied | 4933402495 | 4002395234394 |
| 2. | AGV 26-230 GE | 2600 | 6600 | 230 | 5.5 | Trigger lock-on switch | No | No | No | Yes | - | Yes | Yes | Yes | No kitbox or bag supplied | 4933402360 | 4002395234257 |
| 2. | AGV 26-230 GE DMS 2600 | 2600 | 6600 | 230 | 5.5 | Deadman switch | No | No | No | Yes | - | Yes | Yes | No | No kitbox or bag supplied | 4933402490 | 4002395234356 |
| 3. | AGVM 24-230 GEX | 2400 | 6600 | 230 | 5.8 | Trigger lock-on switch | No | Yes | Yes | Yes | - | Yes | Yes | Yes | No kitbox or bag supplied | 4933402340 | 4002395234240 |
| 3. | AGVM 24-230 GEX DMS | 2400 | 6600 | 230 | 5.8 | Deadman switch | No | Yes | Yes | Yes | - | Yes | Yes | No | No kitbox or bag supplied | 4933402475 | 4002395234370 |
| 4. | AGVKB 24-230 EXX | 2400 | 6500 | 230 | 5.9 | Trigger lock-on switch | Yes | Yes | Yes | Yes | Yes | Yes | No | Yes | No kitbox or bag supplied | 4933471464 | 4058546293635 |
| 5. | AGVK 24-230 EK | 2400 | 6600 | 230 | 5.4 | Trigger lock-on switch | No | Yes | No | Yes | Yes | No | No | Yes | No kitbox or bag supplied | 4933451413 | 4002395161683 |
| 5. | AGVK 24-230 EK DMS | 2400 | 6600 | 230 | 5.4 | Deadman switch | No | Yes | No | Yes | Yes | No | No | Yes | No kitbox or bag supplied | 4933451414 | 4002395161690 |
| 6. | AGV 24-230 GE | 2400 | 6600 | 230 | 5.5 | Trigger lock-on switch | No | No | No | Yes | - | Yes | Yes | Yes | No kitbox or bag supplied | 4933402330 | 4002395234226 |
| 7. | AG 24-230 E | 2400 | 6600 | 230 | 5.3 | Trigger lock-on switch | No | No | No | No | - | No | No | Yes | No kitbox or bag supplied | 4933402325 | 4002395234219 |
| 7. | AG 24-230 E DMS | 2400 | 6600 | 230 | 5.3 | Deadman switch | No | No | No | No | - | No | No | No | No kitbox or bag supplied | 4933402450 | 4002395234325 |
| 8. | AGV 22-180 E | 2200 | 8500 | 180 | 5.3 | Trigger lock-on switch | No | No | No | Yes | Yes | No | No | Yes | No kitbox or bag supplied | 4933431820 | 4002395243839 |
| 8. | AGV 22-230 E | 2200 | 6600 | 230 | 5.4 | Trigger lock-on switch | No | No | No | Yes | Yes | No | No | Yes | No kitbox or bag supplied | 4933431850 | 4002395243860 |
| 8. | AGV 22-230 DMS | 2200 | 6600 | 230 | 5.4 | Deadman switch | No | No | No | Yes | Yes | No | No | No | No kitbox or bag supplied | 4933431860 | 4002395243877 |
| 9. | AG 22-180 DMS | 2200 | 8500 | 180 | 5.1 | Deadman switch | No | No | No | No | No | No | No | No | No kitbox or bag supplied | 4933431830 | 4002395243846 |
| 9. | AG 22-230 DMS | 2200 | 6600 | 230 | 5.2 | Deadman switch | No | No | No | No | No | No | No | No | No kitbox or bag supplied | 4933433630 | 4002395244423 |
| 10. | AGV 17-125 XE | 1750 | 2600 - 11,000 | 125 | 2.8 | Trigger lock-on switch | No | Yes | Yes | No | Yes | - | No | Yes | No kitbox or bag supplied | 4933432230 | 4002395243983 |
| 10. | AGV 17-125 XC | 1750 | 11,000 | 125 | 2.8 | Trigger lock-on switch | No | Yes | Yes | No | Yes | - | No | Yes | No kitbox or bag supplied | 4933449850 | 4002395247295 |
| 10. | AGV 17-125 XC DMS 1750 | 1750 | 11,000 | 125 | 2.8 | Deadman switch | No | Yes | Yes | No | Yes | - | No | Yes | No kitbox or bag supplied | 4933455140 | 4002395247905 |
| 10. | AGV 17-150 XC DMS 1750 | 1750 | 9500 | 150 | 3.0 | Deadman switch | No | Yes | Yes | No | Yes | - | No | Yes | No kitbox or bag supplied | 4933432250 | 4002395243990 |
| 10. | AGV 17-180 XC DMS 1750 | 1750 | 7600 | 180 | 3.1 | Deadman switch | No | Yes | Yes | No | Yes | - | No | Yes | No kitbox or bag supplied | 4933432270 | 4002395244003 |
| 11. | AGV 17-125 INOX | 1750 | 2000 - 7600 | 125 | 2.8 | Trigger lock-on switch | No | Yes | Yes | No | - | - | No | Yes | No kitbox or bag supplied | 4933449870 | 4002395247912 |
| 12. | AGV 15-125 XC | 1550 | 11,000 | 125 | 2.6 | Slide lock-on switch | No | Yes | Yes | No | - | - | No | Yes | No kitbox or bag supplied | 4933428120 | 4002395239641 |
| 12. | AGV 15-125 XE | 1550 | 2800 - 11,000 | 125 | 2.6 | Slide lock-on switch | No | Yes | Yes | No | - | - | No | Yes | No kitbox or bag supplied | 4933428127 | 4002395239658 |
| 12. | AGV 15-150 XC | 1550 | 9000 | 150 | 2.6 | Slide lock-on switch | No | Yes | Yes | No | Yes | - | No | Yes | No kitbox or bag supplied | 4933433250 | 4002395244164 |
| 13. | AGV 13-125 XE | 1250 | 2,800 - 11,500 | 125 | 2.4 | Slide lock-on switch | No | Yes | Yes | Yes | Yes | - | - | Yes | No kitbox or bag supplied | 4933451218 | 4002395260850 |
| 14. | AGV 13-125 XSPDEB | 1250 | 12,000 | 125 | 2.5 | Paddle (Deadman) switch | Yes | Yes | Yes | No | Yes | - | - | Yes | No kitbox or bag supplied | 4933464998 | 4058546229436 |
| 14. | AGV 13-125 XSPDEB KIT | 1250 | 12,000 | 125 | 2.5 | Paddle (Deadman) switch | Yes | Yes | Yes | No | Yes | - | - | Yes | Kitbox | 4933471194 | 4058546288228 |
| 15. | AGV 13-125 XSPDE | 1250 | 12,000 | 125 | 2.5 | Paddle (Deadman) switch | No | Yes | Yes | No | Yes | - | - | Yes | No kitbox or bag supplied | 4933451578 | 4002395140794 |
| 16. | AG 13-125 XSPD | 1250 | 12,000 | 125 | 2.3 | Paddle (Deadman) switch | No | No | Yes | No | - | - | - | No | No kitbox or bag supplied | 4933451577 | 4002395140787 |
| 17. | AGV 12-125 X | 1200 | 11,000 | 125 | 2.4 | Slide lock-on switch | No | Yes | Yes | No | Yes | - | - | Yes | No kitbox or bag supplied | 4933428085 | 4002395239597 |
| 18. | AGV 10-125 EK | 1000 | 11,000 | 125 | 2.2 | Slide lock-on switch | No | No | No | No | - | - | - | Yes | No kitbox or bag supplied | 4933451222 | 4002395260898 |
| 19. | AG 10-115 EK | 1000 | 11,000 | 115 | 2.1 | Slide lock-on switch | No | No | No | No | - | - | - | Yes | No kitbox or bag supplied | 4933451219 | 4002395260867 |
| 19. | AG 10-125 EK | 1000 | 11,000 | 125 | 2.1 | Slide lock-on switch | No | No | No | No | - | - | - | Yes | No kitbox or bag supplied | 4933451220 | 4002395260874 |
| 20. | AG 800-125 EK | 800 | 11,500 | 125 | 2.0 | Slide lock-on switch | No | No | No | No | - | - | - | Yes | No kitbox or bag supplied | 4933451213 | 4002395260805 |
| 21. | AG 800-115 E | 800 | 11,500 | 115 | 2.0 | Slide lock-on switch | No | No | No | No | - | - | - | Yes | No kitbox or bag supplied | 4933451210 | 4002395260171 |
| 21. | AG 800-125 E | 800 | 11,500 | 125 | 2.0 | Slide lock-on switch | No | No | No | No | - | - | - | Yes | No kitbox or bag supplied | 4933451211 | 4002395260188 |
| 21. | AG 800-115 E D-SET800 | 800 | 11,500 | 115 | 2.0 | Slide lock-on switch | No | No | No | No | - | - | - | Yes | Kitbox | 4933451281 | 4002395170777 |

AGS 15-125 C
1500 W GRINDER/SANDER



AGS 15-125 C
Article Number 4933407480
EAN Code 4002395236015

AS 12 E
1200 W SANDER WITH
ELECTRONIC VARIABLE SPEED



AS 12 E
Article Number 4933383940
EAN Code 4002395229390

AP 14-2 200 E
1450 W POLISHER



| | AP 14-2 200 E | AP 14-2 200 E KIT |
|--------------------|-----------------------------------|---|
| Standard equipment | Side handle, flexible backing pad | Side handle, flexible backing pad, soft & hard polishing sponge, lambswool pad, sanding & finishing compound, cloth |
| Article Number | 4933432800 | 4933493427 |
| EAN Code | 4002395001156 | 4058546482985 |

AP 12 E
1200 W POLISHER WITH
ELECTRONIC VARIABLE SPEED



AP 12 E
Article Number 4933383925
EAN Code 4002395229406

DGL 34
SINGLE HIGH SPEED 2-HANDED
DIE GRINDER



DGL 34
Article Number 4933385110
EAN Code 4002395230020

DGL 30 E
VARIABLE SPEED 2-HANDED DIE
GRINDER



DGL 30 E
Article Number 4933385120
EAN Code 4002395230037

DG 30 E
VARIABLE SPEED SINGLE HANDED
DIE GRINDER



DG 30 E
Article Number 4933385100
EAN Code 4002395230013

DG 7 E
LOW SPEED DIE GRINDER



DG 7 E
Article Number 4933391200
EAN Code 4002395231928

MCS 66
DRY CUT METAL CIRCULAR SAW



MCS 66
Article Number 4933440615
EAN Code 4002395000432

BS 125
DEEP CUT BAND SAW



BS 125
Article Number 4933448245
EAN Code 4002395262830

CHS 355
2300 W CHOPSAW



CHS 355
Article Number 4933411760
EAN Code 4002395236220

DE 10 RX
630 W SINGLE HIGH SPEED
ROTARY DRILL



DE 10 RX
Article Number 4933409211
EAN Code 4002395235353

MDE 41
MAGNETIC DRILLING PRESS WITH
ELECTRO MAGNET



MDE 41
Article Number 4933451015
EAN Code 4002395136681

MDP 41
MAGNETIC DRILLING PRESS WITH
PERMANENT MAGNET



MDP 41
Article Number 4933451014
EAN Code 4002395136674

SCAN HERE FOR MORE INFORMATION




WOODWORKING

SCAN HERE FOR MORE INFORMATION



SAWZALL™



| | | Power input (W) | No load stroke rate (spm) | Stroke length (mm) | Weight (kg) | Supplied in | Article number | EAN code |
|----|--------------|-----------------|---------------------------|--------------------|-------------|-------------|----------------|---------------|
| 1. | SSPE 1500 X | 1500 | 0 - 2800 | 32 | 4.5 | Kitbox | 4933428900 | 4002395241699 |
| 2. | SSPE 1300 RX | 1300 | 0 - 3000 | 32 | 4.2 | Kitbox | 4933440590 | 4002395001095 |
| 3. | SSPE 1300 SX | 1300 | 0 - 2800 | 32 | 3.9 | Kitbox | 4933428520 | 4002395241545 |
| 4. | SSD 1100 X | 1100 | 0 - 2900 | 28 | 3.2 | Kitbox | 4933416710 | 4002395237623 |

JIGSAWS



| | | Power input (W) | No load stroke rate (spm) | Max. cutting capacity wood/steel/aluminium (mm) | Mitre capacity (°) | Stroke length (mm) | Weight (kg) | Supplied in | Article number | EAN code |
|----|-------------|-----------------|---------------------------|---|--------------------|--------------------|-------------|-------------|----------------|---------------|
| 1. | FSPE 110 X | 710 | 500 - 3000 | 120/10/30 | 45 | 26 | 2.5 | Kitbox | 4933357990 | 4002395229185 |
| 2. | JSPE 135 TX | 750 | 800 - 3000 | 135/10/30 | 45 | 26 | 2.5 | Kitbox | 4933381230 | 4002395232529 |
| 3. | JS 120 X | 710 | 500 - 2800 | 120/10/30 | 45 | 26 | 2.3 | Kitbox | 4933381680 | 4002395234677 |

CIRCULAR SAWS



| | | Power input (W) | No load speed (rpm) | Blade diameter (mm) | Bevel capacity (°) | Max. cutting depth 45° (mm) | Max. cutting depth 90° (mm) | Bore size (mm) | Weight (kg) | Supplied in | Article Number | EAN Code |
|----|-----------|-----------------|---------------------|---------------------|--------------------|-----------------------------|-----------------------------|----------------|-------------|---------------------------|----------------|---------------|
| 1. | CS 85 SB | 2200 | 4500 | 235 | 50 | 67 | 85 | 30 | 6.6 | No kitbox or bag supplied | 4933451117 | 4002395137411 |
| 2. | CS 85 CBE | 2200 | 4500 | 235 | 60 | 67 | 85 | 30 | 7.7 | Kitbox | 4933451116 | 4002395137404 |
| 3. | SCS 65 Q | 1900 | 5800 | 190 | 0 - 45 | 52 | 65 | 30 | 5.5 | Kitbox | 638051 | 4002395229529 |
| 4. | CS 60 | 1600 | 5800 | 184 | 0 - 56 | 49 | 61 | 30 | 4.8 | No kitbox or bag supplied | 4933419225 | 4002395238361 |

SANDERS



| | | Power input (W) | No load speed (rpm) | Oscillation rate (opm) | Oscillation diameter (mm) | Sanding pad size (mm) | Weight (kg) | Supplied in | Article Number | EAN Code |
|----|-----------|-----------------|---------------------|------------------------|---------------------------|-----------------------|-------------|---------------------------|----------------|---------------|
| 1. | BS 100 LE | 1150 | 230 - 400 | - | - | 100 x 160 | 5.3 | No kitbox or bag supplied | 4933385150 | 4002395229222 |
| 2. | ROS 125 E | 300 | 7000 - 12,000 | 14,000 - 26,000 | 2.4 | 125 | 1.7 | Tool bag | 4933433180 | 4002395244010 |
| 3. | SPS 140 | 260 | 14,700 | 28,000 | 1.6 | 113 x 105 | 1.6 | No kitbox or bag supplied | 4933447015 | 4002395005826 |

DUST EXTRACTORS



| | | Power input (W) | Air volume (l/min) | Filter type | Max. vacuum (mbar) | Capacity (l) | Hose diameter (mm) | Hose length (m) | Weight (kg) | Supplied in | Article Number | EAN Code |
|----|---------------|-----------------|--------------------|-------------|--------------------|--------------|--------------------|-----------------|-------------|---------------------------|----------------|---------------|
| 1. | AS 42 MAC | 1200 | 4500 | PTFE | 250 | 42 | 38 | 4 | 17.5 | No kitbox or bag supplied | 4933459418 | 4058546010799 |
| 2. | AS 30 MAC | 1200 | 4500 | PTFE | 250 | 30 | 38 | 4 | 14.5 | No kitbox or bag supplied | 4933459415 | 4058546010768 |
| 3. | AS 30 LAC | 1200 | 4500 | PTFE | 250 | 30 | 36 | 4 | 14.5 | No kitbox or bag supplied | 4933459411 | 4058546010720 |
| 4. | AS 2-250 ELCP | 1000 | 3600 | PET | 210 | 25 | 32 | 3.5 | 10.4 | No kitbox or bag supplied | 4933447480 | 4002395006274 |
| 5. | AS 2-250EM | 1200 | 3720 | PTFE | 245 | 25 | 32 | 4 | 8.0 | No kitbox or bag supplied | 4933493593 | 4058546484644 |
| 6. | AS 2-250EH | 1200 | 3720 | PTFE | 245 | 25 | 32 | 4 | 8 | No kitbox or bag supplied | 4933493595 | 4058546484668 |

RCS REMOTE CONTROL SOCKET AND CONTROLLER KIT



RCS

Article number 4932478965
EAN code 4058546362478



RCO REMOTE SOCKET CONTROLLER



RCO

Article Number 4932479620
EAN Code 4058546374143

MILWAUKEE® IS THE SOLUTIONS PROVIDER

ACCESSORIES



HAND TOOLS



OVER
3000
SOLUTIONS



OVER
1200
SOLUTIONS

STORAGE



PPE



OVER
100
SOLUTIONS



OVER
850
SOLUTIONS

MX FUEL™ RANGE 4 - 7

| | |
|--|-------|
| MX FUEL™ BATTERIES | 7 |
| MX FUEL™ BATTERIES AND CHARGER KITS | 7 |
| MX FUEL™ CHARGERS | 7 |
| MX FUEL™ INTRODUCTION | 4 |
| MXF COS350G2 MX FUEL™ 350 MM CUT-OFF SAW | 5 |
| MXF COSCG2 MX FUEL™ CUT-OFF SAW CART | 5 |
| MXF CVBC MX FUEL™ BRIEFCASE CONCRETE VIBRATOR | 4 |
| MXF CVBP MX FUEL™ BACKPACK CONCRETE VIBRATOR | 4 |
| MXF DCD150 MX FUEL™ 150 MM DIAMOND CORE DRILL | 5 |
| MXF DCD350 MX FUEL™ 350 MM DIAMOND CORE DRILL | 5 |
| MXF DH2528H MX FUEL™ 25 KG CLASS 28 MM HEX DEMOLITION HAMMER | 6 |
| MXF DHT BREAKER TROLLEY FOR MX FUEL™ DEMOLITION HAMMER | 6 |
| MXF DR255TV PREMIUM DIAMOND DRILLING STAND FOR MX FUEL™ DIAMOND CORE DRILL | 5 |
| MXF LSDP MX FUEL™ LARGE SEWER DRUM MACHINE WITH POWERTREDZ™ | 6, 67 |
| MXF PS MX FUEL™ POWER SUPPLY | 6 |
| MXF PSC MX FUEL™ SCREED | 4 |
| MXF PTR2 MX FUEL™ PIPE THREADING MACHINE 2" WITH ONE-KEY™ | 6, 64 |
| MXF TL MX FUEL™ TOWER LIGHT | 6, 76 |

M18™ RANGE 8 - 39

| | |
|---|---------|
| C18 HZ M18™ HACKZALL™ | 33 |
| C18 PCG/310 M18™ CAULK GUN WITH 310 ML CANISTER | 23 |
| C18 PCG/400 M18™ CAULK GUN WITH 400 ML TUBE | 23 |
| C18 PCG/600 M18™ CAULK GUN WITH 600 ML TUBE | 23 |
| C18 RAD M18™ COMPACT RIGHT ANGLE DRILL | 17 |
| GET THE RIGHT ANGLE GRINDER FOR THE JOB | 24 |
| GET THE RIGHT HAMMER FOR THE JOB | 10 |
| GET THE RIGHT IMPACT DRIVER FOR THE JOB | 16 |
| GET THE RIGHT IMPACT WRENCH FOR THE JOB | 18 - 19 |
| GET THE RIGHT MITRE SAW FOR THE JOB | 29 |
| GET THE RIGHT NAILER/ STAPLER FOR THE JOB | 36 |
| GET THE RIGHT PERCUSSION DRILL FOR THE JOB | 14 |
| GET THE RIGHT SAW FOR THE JOB | 31 |
| HD18 CS M18™ 55 MM CIRCULAR SAW FOR WOOD AND PLASTIC | 32 |
| M12-18 JSSP M12™ - M18™ BLUETOOTH® SPEAKER | 38, 51 |
| M18 AF M18™ AIR FAN | 38 |
| M18 ARFHP M18™ HIGH PERFORMANCE AIR FAN | 38 |
| M18 BBL M18™ BATTERY BLOWER | 38 |
| M18 BH M18™ COMPACT 2-MODE SDS-PLUS HAMMER | 13 |
| M18 BHG M18™ HEAT GUN | 28 |
| M18 BI M18™ INFLATOR | 38 |
| M18 BIW12 M18™ 1/2" IMPACT WRENCH | 22 |
| M18 BIW38 M18™ 3/8" IMPACT WRENCH | 23 |
| M18 BJS M18™ TOP HANDLE JIGSAW | 34 |
| M18 BLCPP2A M18™ COMPACT BRUSHLESS POWERPACK | 39 |
| M18 BLCPP2B M18™ COMPACT BRUSHLESS POWERPACK | 39 |
| M18 BLCS66 M18™ BRUSHLESS 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS | 32 |
| M18 BLDD2 M18™ BRUSHLESS DRILL DRIVER | 15 |
| M18 BLDDRC M18™ COMPACT BRUSHLESS DRILL DRIVER | 15 |
| M18 BLH M18™ BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER | 13 |
| M18 BLHACD26 M18™ BRUSHLESS 26 MM SDS-PLUS D-HANDLE HAMMER | 13 |
| M18 BLHIWF12 M18™ BRUSHLESS 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING | 22 |
| M18 BLHX M18™ BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK | 13 |
| M18 BLJDR M18™ BRUSHLESS 1/4" HEX IMPACT DRIVER | 17 |
| M18 BLIDRC M18™ COMPACT BRUSHLESS 1/4" HEX IMPACT DRIVER | 17 |
| M18 BLPD2 M18™ BRUSHLESS PERCUSSION DRILL | 15 |
| M18 BLPDRC M18™ COMPACT BRUSHLESS PERCUSSION DRILL | 15 |
| M18 BLSAG115XPD M18 BRUSHLESS 115 MM ANGLE GRINDER WITH PADDLE SWITCH | 27 |
| M18 BLSAG125X M18 BRUSHLESS 125 MM ANGLE GRINDER WITH SLIDE SWITCH | 26 |
| M18 BLSAG125XPD M18 BRUSHLESS 125 MM ANGLE GRINDER WITH PADDLE SWITCH | 27 |

| | |
|--|----|
| M18 BMS12 M18™ METAL SHEAR | 28 |
| M18 BMS20 M18™ METAL SHEAR | 28 |
| M18 BMT M18™ MULTI-TOOL | 34 |
| M18 BOS125 M18™ 125 MM RANDOM ORBITAL SANDER | 35 |
| M18 BP M18™ PLANER | 34 |
| M18 BQSS M18™ QUARTER SHEET SANDER | 34 |
| M18 BRAID M18™ RIGHT ANGLE IMPACT DRIVER | 20 |
| M18 BRAIW M18™ 3/4" RIGHT ANGLE IMPACT WRENCH | 23 |
| M18 BRDC M18™ ROTATION DRYWALL CUTTER | 34 |
| M18 BSX M18™ SAWZALL™ | 33 |
| M18 CBS125 M18 FUEL™ DEEP CUT BAND SAW | 27 |
| M18 CCS55 M18 FUEL™ 55 MM CIRCULAR SAW FOR WOOD AND PLASTICS | 32 |
| M18 CDEX M18 FUEL™ SDS-PLUS DUST EXTRACTOR | 13 |
| M18 CHM M18 FUEL™ 5 KG SDS-MAX DRILLING AND BREAKING HAMMER | 11 |
| M18 CRAD2 M18 FUEL™ RIGHT ANGLE DRILL | 17 |
| M18 CV M18™ HAND VAC | 38 |
| M18 F2VC23L M18 FUEL™ 23L L-CLASS VACUUM | 37 |
| M18 FAC M18 FUEL™ AIR COMPRESSOR | 35 |
| M18 FAP M18 FUEL™ POLISHER | 27 |
| M18 FBJS M18 FUEL™ BODY GRIP JIGSAW | 37 |
| M18 FBPV M18 FUEL™ BACKPACK VACUUM | 33 |
| M18 FBS85 M18 FUEL™ COMPACT BAND SAW | 28 |
| M18 FBTS75 M18 FUEL™ 75 MM BELT SANDER | 35 |
| M18 FCDDEXL COMPACT DEDICATED DUST EXTRACTION FOR M18 FUEL™ 26 MM SDS-PLUS HAMMERS | 12 |
| M18 FCOS230 M18 FUEL™ CUT-OFF SAW | 13 |
| M18 FCS66 M18 FUEL™ 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS | 32 |
| M18 FCSG66 M18 FUEL™ 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS, GUIDE RAIL COMPATIBLE | 32 |
| M18 FCSRH66 M18 FUEL™ REAR HANDLE CIRCULAR SAW FOR WOOD | 32 |
| M18 FCVN M18 FUEL™ NEEDLE CONCRETE VIBRATOR | 13 |
| M18 FDD3 M18 FUEL™ DRILL DRIVER | 15 |
| M18 FDDEL32 DEDICATED DUST EXTRACTION FOR M18 FUEL™ 32 MM SDS-PLUS D-HANDLE HAMMER WITH AUTOPULSE™ | 11 |
| M18 FDDEXL DEDICATED DUST EXTRACTION FOR M18 FUEL™ 26 MM SDS-PLUS HAMMERS WITH AUTOPULSE™ | 12 |
| M18 FDGRB M18 FUEL™ BRAKING DIE GRINDER WITH SLIDE SWITCH | 28 |
| M18 FDGROVB M18 FUEL™ BRAKING DIE GRINDER WITH ONE-KEY™, VARIABLE SPEED AND SLIDE SWITCH | 28 |
| M18 FDGROVPDB M18 FUEL™ BRAKING DIE GRINDER WITH ONE-KEY™, VARIABLE SPEED AND PADDLE SWITCH | 28 |
| M18 FFN M18 FUEL™ 34° FRAMING NAILER 2-MODE | 35 |
| M18 FFN21 M18 FUEL™ 21° FRAMING NAILER 2-MODE | 35 |
| M18 FFNS M18 FUEL™ 34° FRAMING NAILER WITH SINGLE SHOT ONLY | 35 |
| M18 FFUS M18 FUEL™ FENCING UTILITY STAPLER | 37 |
| M18 FH M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER | 12 |
| M18 FHACD32 M18 FUEL™ 32 MM SDS-PLUS D-HANDLE HAMMER WITH ONE-KEY™ | 11 |
| M18 FHIW2F12 M18 FUEL™ 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING | 21 |
| M18 FHIW2P12 M18 FUEL™ 1/2" HIGH TORQUE IMPACT WRENCH WITH PIN DETENT | 21 |
| M18 FHIWF1R M18 FUEL™ 1" RAILWAY IMPACT WRENCH WITH FRICTION RING | 20 |
| M18 FHM M18 FUEL™ ONE-KEY™ 8 KG SDS-MAX DRILLING AND BREAKING HAMMER | 11 |
| M18 FHSAG125XB M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING GRINDER WITH SLIDE SWITCH | 25 |
| M18 FHSAG125XPDB M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING GRINDER WITH PADDLE SWITCH | 25 |
| M18 FHSAG150XB M18 FUEL™ HIGH PERFORMANCE 150 MM BRAKING GRINDER WITH SLIDE SWITCH | 25 |
| M18 FHSAG150XPDB M18 FUEL™ HIGH PERFORMANCE 150 MM BRAKING GRINDER WITH PADDLE SWITCH | 25 |
| M18 FHX M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ | 12 |
| M18 FHZ M18 FUEL™ HACKZALL™ | 33 |
| M18 FID3 M18 FUEL™ 1/4" HEX IMPACT DRIVER | 17 |
| M18 FIW2F12 M18 FUEL™ 1/2" COMPACT IMPACT WRENCH WITH FRICTION RING | 22 |
| M18 FIW2F38 M18 FUEL™ 3/8" COMPACT IMPACT WRENCH WITH FRICTION RING | 22 |
| M18 FIW2P12 M18 FUEL™ 1/2" COMPACT IMPACT WRENCH WITH PIN DETENT | 22 |

M18™ RANGE 8 - 39

| | |
|---|----|
| M18 FJS M18 FUEL™ TOP HANDLE JIGSAW | 33 |
| M18 FLAG230XPDB M18 FUEL™ 230 MM LARGE BRAKING GRINDER WITH PADDLE SWITCH | 25 |
| M18 FMCS M18 FUEL™ 57 MM METAL CIRCULAR SAW | 27 |
| M18 FMCS66 M18 FUEL™ 66 MM METAL CIRCULAR SAW | 27 |
| M18 FMDP M18 FUEL™ MAGNETIC DRILLING PRESS WITH PERMANENT MAGNET | 28 |
| M18 FMS190 M18 FUEL™ 190 MM MITRE SAW | 30 |
| M18 FMS254 M18 FUEL™ 254 MM MITRE SAW | 30 |
| M18 FMS305 M18 FUEL™ ONE-KEY™ 305 MM MITRE SAW | 30 |
| M18 FMT M18 FUEL™ MULTI-TOOL | 34 |
| M18 FMTIW2F12 M18 FUEL™ 1/2" MID-TORQUE IMPACT WRENCH WITH FRICTION RING | 21 |
| M18 FMTIW2F38 M18 FUEL™ 3/8" MID TORQUE IMPACT WRENCH WITH FRICTION RING | 22 |
| M18 FMTIW2P12 M18 FUEL™ 1/2" MID-TORQUE IMPACT WRENCH WITH PIN DETENT | 21 |
| M18 FN15GA M18 FUEL™ 15 GA ANGLED NAIL FINISH NAILER 2-MODE | 35 |
| M18 FN16GA M18 FUEL™ 16 GA ANGLED NAIL FINISH NAILER 2-MODE | 35 |
| M18 FN16GS M18™ FUEL™ 16 GA STRAIGHT FINISH NAILER | 37 |
| M18 FN18GS M18 FUEL™ 18 GS FINISH NAILER | 37 |
| M18 FNCS18GS M18 FUEL™ NARROW CROWN STAPLER 2-MODE | 37 |
| M18 FPD3 M18 FUEL™ PERCUSSION DRILL | 15 |
| M18 FPDEXL DEDICATED DUST EXTRACTION FOR M18 FUEL™ 32 MM SDS-PLUS HAMMERS WITH AUTOPULSE™ | 11 |
| M18 FPOVCL M18 FUEL™ PACKOUT™ WET/ DRY VACUUM | 37 |
| M18 FPP2A3 M18 FUEL™ POWER PACK | 39 |
| M18 FPP6E3 M18 FUEL™ POWER PACK | 39 |
| M18 FPP6F3 M18 FUEL™ POWER PACK | 39 |
| M18 FPS55 M18 FUEL™ 55 MM PLUNGE SAW | 32 |
| M18 FQID M18 FUEL™ SURGE™ 1/4" HEX HYDRAULIC IMPACT DRIVER | 17 |
| M18 FR12 M18 FUEL™ 12 MM ROUTER | 34 |
| M18 FRAD2 M18 FUEL™ SUPER HAWG® 2-SPEED RIGHT ANGLE DRILL DRIVER GEN II | 17 |
| M18 FROP15 M18 FUEL™ RANDOM ORBITAL POLISHER WITH 15 MM STROKE | 27 |
| M18 FROP21 M18 FUEL™ RANDOM ORBITAL POLISHER WITH 21 MM STROKE | 27 |
| M18 FSAG125X M18 FUEL™ 125 MM ANGLE GRINDER WITH SLIDE SWITCH | 26 |
| M18 FSAG125XB M18 FUEL™ 125 MM BRAKING ANGLE GRINDER WITH SLIDE SWITCH | 26 |
| M18 FSAGF125XB M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE GRINDER WITH SLIDE SWITCH | 26 |
| M18 FSAGF125XPDB M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE GRINDER WITH PADDLE SWITCH | 26 |
| M18 FSAGSV0125X M18 FUEL™ 125 MM SAFETY GRINDER WITH VARIABLE SPEED AND ONE-KEY™ | 25 |
| M18 FSAGV125XB M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER WITH SLIDE SWITCH | 26 |
| M18 FSAGV125XPDB M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER WITH PADDLE SWITCH | 26 |
| M18 FSG M18 FUEL™ SCREW GUN | 20 |
| M18 FSGC M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT | 20 |
| M18 FSX M18 FUEL™ SUPER SAWZALL™ | 33 |
| M18 FSZ M18 FUEL™ SAWZALL™ | 33 |
| M18 FTR8 M18 FUEL™ TRIM ROUTER WITH 8 MM/ 6 MM COLLETS AND BASES | 34 |
| M18 FTS210 M18 FUEL™ ONE-KEY™ TABLE SAW | 30 |
| M18 FUEL™ INTRODUCTION | 8 |
| M18 GG M18™ GREASE GUN | 23 |
| M18 ONEDD3 M18 FUEL™ ONE-KEY™ DRILL DRIVER | 15 |
| M18 ONEFH M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH ONE-KEY™ | 12 |
| M18 ONEFHIWF1 M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING | 20 |
| M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING | 21 |
| M18 ONEFHIWF12E M18 FUEL™ ONE-KEY™ 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL | 21 |
| M18 ONEFHIWF1D M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL | 20 |
| M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL | 20 |
| M18 ONEFHIWF34 M18 FUEL™ ONE-KEY™ 3/4" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING | 20 |

| | |
|---|----|
| M18 ONEFHIWH716 M18 FUEL™ 7/16" HEX UTILITY HIGH TORQUE IMPACT WRENCH WITH ONE-KEY™ | 21 |
| M18 ONEFHIWP12 M18 FUEL™ ONE-KEY™ 1/2" HIGH TORQUE IMPACT WRENCH WITH PIN DETENT | 21 |
| M18 ONEFHP M18 FUEL™ HIGH PERFORMANCE 4-MODE 32 MM SDS-PLUS HAMMER WITH ONE-KEY™ | 11 |
| M18 ONEFHPX M18 FUEL™ HIGH PERFORMANCE 4-MODE 32 MM SDS-PLUS HAMMER WITH ONE-KEY™ AND FIXTEC™ CHUCK | 11 |
| M18 ONEFHPXDEL M18 FUEL™ HIGH PERFORMANCE SDS-PLUS HAMMER WITH DEDICATED DUST EXTRACTOR | 11 |
| M18 ONEFHX M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK AND ONE-KEY™ | 12 |
| M18 ONEFHXDEL M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK, ONE-KEY™ AND WITH DEDICATED DUST EXTRACTOR | 12 |
| M18 ONEFLAG230XPDB M18 FUEL™ ONE-KEY™ 230 MM BRAKING ANGLE GRINDER WITH PADDLE SWITCH | 25 |
| M18 ONEFLT M18 FUEL™ LOCKBOLT TOOL WITH ONE-KEY™ | 23 |
| M18 ONEFPRT M18 FUEL™ RIVET TOOL WITH ONE-KEY™ | 23 |
| M18 ONEFSAG125XB M18 FUEL™ ONE-KEY™ 125 MM BRAKING ANGLE GRINDER WITH SLIDE SWITCH | 26 |
| M18 ONEFSAG125XPDB M18 FUEL™ ONE-KEY™ 125 MM BRAKING ANGLE GRINDER WITH PADDLE SWITCH | 25 |
| M18 ONEFSZ M18 FUEL™ ONE-KEY™ SAWZALL™ | 33 |
| M18 ONEID3 M18 FUEL™ ONE-KEY™ 1/4" HEX IMPACT DRIVER | 17 |
| M18 ONEIWF12 M18 FUEL™ ONE-KEY™ 1/2" IMPACT WRENCH WITH FRICTION RING | 22 |
| M18 ONEIWP12 M18 FUEL™ ONE-KEY™ 1/2" IMPACT WRENCH WITH PIN DETENT | 22 |
| M18 ONEPD3 M18 FUEL™ ONE-KEY™ PERCUSSION DRILL | 15 |
| M18 ONEPP2A3 M18 FUEL™ ONE-KEY™ POWERPACK | 39 |
| M18 PRCDAB+ M18™ PACKOUT™ RADIO CHARGER | 38 |
| M18 RADDAB+G2 M18™ JOBSITE RADIO DAB+ | 38 |
| M18 RC M18™ JOBSITE RADIO CHARGER WITH BLUETOOTH® | 38 |
| M18 VC2 M18™ WET/ DRY VACUUM | 37 |
| MITRE SAW EXTENDABLE LEGSTANDS | 29 |
| MSL 1000 MITRE SAW STAND EXTENDABLE UP TO 2 M | 30 |
| MSL 2000 MITRE SAW STAND EXTENDABLE UP TO 2.5 M | 30 |
| MSL 3000 MITRE SAW STAND EXTENDABLE UP TO 3 M | 30 |
| MSUV 280 MITRE SAW STAND EXTENDABLE UP TO 2.8 M | 30 |
| ONE-KEY™ INTRODUCTION | 9 |
| TSS 1000 TABLE SAW STAND | 32 |

M12™ RANGE 40 - 51

| | |
|---|----|
| C12 HZ M12™ SUB COMPACT HACKZALL™ | 49 |
| C12 MT M12™ SUB COMPACT MULTI-TOOL | 49 |
| C12 PN M12™ SUB COMPACT PALM NAILER | 50 |
| C12 RAD M12™ SUB COMPACT RIGHT ANGLE DRILL | 42 |
| C12 RT M12™ SUB COMPACT ROTARY TOOL | 47 |
| GET THE RIGHT RATCHET FOR THE JOB | 44 |
| M12 AF M12™ AIR FAN | 51 |
| M12 ATB M12™ AUTOMOTIVE TECHNICIAN BORESCOPE | 46 |
| M12 AUN M12™ AIR-TIP™ UTILITY NOZZLE | 50 |
| M12 BBL M12™ BLOWER | 50 |
| M12 BCST M12™ SUB COMPACT CABLE STAPLER | 49 |
| M12 BD M12™ SUB COMPACT DRIVER | 42 |
| M12 BDDX M12™ SUB COMPACT DRILL DRIVER WITH REMOVABLE CHUCK | 41 |
| M12 BI M12™ SUB COMPACT INFLATOR | 47 |
| M12 BIW12 M12™ SUB COMPACT 1/2" IMPACT WRENCH | 43 |
| M12 BIW38 M12™ SUB COMPACT 3/8" IMPACT WRENCH | 43 |
| M12 BLP M12™ BRUSHLESS PLANER | 48 |
| M12 BLROT M12™ BRUSHLESS ROTARY TOOL | 47 |
| M12 BPP2B M12™ POWERPACK | 51 |
| M12 BPRT M12™ SUB COMPACT RIVET TOOL | 43 |
| M12 BPS M12™ SUB COMPACT POLISHER / SANDER | 48 |
| M12 BRAID M12™ SUB COMPACT RIGHT ANGLE IMPACT DRIVER | 42 |
| M12 BS M12™ SUB COMPACT BANDSAW | 47 |
| M12 BSD M12™ SUB COMPACT SINGLE SPEED DRIVER | 42 |
| M12 BST M12™ SUB COMPACT STAPLER | 50 |
| M12 CD M12 FUEL™ SUB COMPACT DRIVER | 42 |
| M12 CH M12 FUEL™ SUB COMPACT SDS-PLUS HAMMER | 41 |

| M12™ RANGE | | 40 - 51 |
|------------------------|--|----------------|
| M12 CHZ | M12 FUEL™ SUB COMPACT HACKZALL™ | 49 |
| M12 FBFL10 | M12 FUEL™ BAND FILE 10 MM | 48 |
| M12 FBFL13 | M12 FUEL™ BAND FILE 13 MM | 48 |
| M12 FBS64 | M12 FUEL™ SUB COMPACT BAND SAW WITH 64 MM CUTTING CAPACITY | 47 |
| M12 FCN18GS | M12 FUEL™ 18 GA STRAIGHT BRAD NAILER | 49 |
| M12 FCOT | M12 FUEL™ SUB COMPACT MULTI-MATERIAL CUT-OFF TOOL | 47 |
| M12 FCS442 | M12 FUEL™ SUB COMPACT CIRCULAR SAW | 49 |
| M12 FDD2 | M12 FUEL™ SUB COMPACT DRILL DRIVER | 41 |
| M12 FDDX | M12 FUEL™ INSTALLATION DRILL/DRIVER WITH INTERCHANGEABLE HEADS | 41 |
| M12 FDGA | M12 FUEL™ ANGLED DIE GRINDER | 48 |
| M12 FDGS | M12 FUEL™ STRAIGHT DIE GRINDER | 48 |
| M12 FDSS | M12 FUEL™ SUB COMPACT SPOT SANDER | 48 |
| M12 FHIR14 | M12 FUEL™ 1/4" HIGH SPEED RATCHET | 45 |
| M12 FHIR14LR | M12 FUEL™ 1/4" EXTENDED REACH HIGH SPEED RATCHET | 45 |
| M12 FHIR38 | M12 FUEL™ 3/8" HIGH SPEED RATCHET | 45 |
| M12 FHIR38LR | M12 FUEL™ 3/8" EXTENDED REACH HIGH SPEED RATCHET | 45 |
| M12 FID2 | M12 FUEL™ SUB COMPACT 1/4" IMPACT DRIVER | 42 |
| M12 FIR12 | M12 FUEL™ SUB COMPACT 1/2" RATCHET | 46 |
| M12 FIR38 | M12 FUEL™ SUB COMPACT 3/8" RATCHET | 46 |
| M12 FIR38LR | M12 FUEL™ 3/8" EXTENDED REACH RATCHET | 45 |
| M12 FIW14 | M12 FUEL™ SUB COMPACT 1/4" IMPACT WRENCH | 43 |
| M12 FIW38 | M12 FUEL™ SUB COMPACT 3/8" IMPACT WRENCH | 42 |
| M12 FIWF12 | M12 FUEL™ SUB COMPACT 1/2" IMPACT WRENCH | 43 |
| M12 FJS | M12 FUEL™ BODYGRIP JIGSAW | 49 |
| M12 FMT | M12 FUEL™ MULTI-TOOL | 49 |
| M12 FNB16 | M12 FUEL™ 1.6 MM NIBBLER | 48 |
| M12 FPD2 | M12 FUEL™ SUB COMPACT PERCUSSION DRILL | 41 |
| M12 FPDX | M12 FUEL™ SUB COMPACT PERCUSSION DRILL WITH REMOVABLE CHUCK | 41 |
| M12 FPP2A2 | M12™ POWERPACK | 51 |
| M12 FPP2E2 | M12 FUEL™ POWERPACK | 51 |
| M12 FPP2F2 | M12 FUEL™ POWERPACK | 51 |
| M12 FPTR | M12 FUEL™ INSIDER™ PASS-THROUGH RATCHET | 45 |
| M12 FQID | M12 FUEL™ SURGETM™ 1/4" HEX HYDRAULIC IMPACT DRIVER | 42 |
| M12 FRAWF12 | M12 FUEL™ 1/2" RIGHT ANGLE IMPACT WRENCH WITH FRICTION RING | 43 |
| M12 FRAWF38 | M12 FUEL™ 3/8" RIGHT ANGLE IMPACT WRENCH WITH FRICTION RING | 43 |
| M12 FTB | M12 FUEL™ LOW SPEED TYRE BUFFER | 47 |
| M12 FUEL™ INTRODUCTION | | 40 |
| M12 FVCL | M12 FUEL™ WET/ DRY VACUUM | 50 |
| M12 GG | M12™ SUB COMPACT GREASE GUN | 46 |
| M12 HV | M12™ SUB COMPACT STICK VAC | 50 |
| M12 IR | M12™ SUB COMPACT RATCHET | 46 |
| M12 JSSP | M12™ JOBSITE BLUETOOTH® SPEAKER | 51 |
| M12 ONEFTR12 | M12 FUEL™ ONE-KEY™ 1/2" DIGITAL TORQUE WRENCH | 43 |
| M12 ONEFTR38 | M12 FUEL™ ONE-KEY™ 3/8" DIGITAL TORQUE WRENCH | 45 |
| M12 PCG/310 | M12™ SUB COMPACT CAULK GUN WITH 310 ML CARTRIDGE HOLDER | 46 |
| M12 PCG/400 | M12™ SUB COMPACT CAULK GUN WITH 400 ML TUBE | 46 |
| M12 PCG/600 | M12™ SUB COMPACT CAULK GUN WITH 600 ML TUBE | 46 |
| M12 RCDAB+ | M12™ RADIO CHARGER DAB+ | 51 |
| M12 SI | M12™ SUB COMPACT SOLDERING IRON | 47 |
| M12 UDEL | M12™ UNIVERSAL DUST EXTRACTOR | 41 |
| M12-18 JSSP | M12™ - M18™ BLUETOOTH® SPEAKER | 38, 51 |

| WORK GEAR | | 52 - 54 |
|------------------|--|----------------|
| L4 HBLB | USB RECHARGEABLE HEATED WORKSKIN™ BASE LAYER | 54 |
| M12 HHBL4 | M12™ HEATED HOODIE - BLACK | 54 |
| M12 HHGREY4 | M12™ HEATED HOODIE - GREY | 54 |
| M12 HHLBL1 | M12™ HEATED LADIES HOODIE - BLACK | 54 |
| M12 HJ BL5 | M12™ HEATED JACKET - BLACK | 52 |
| M12 HJ CAM06 | M12™ HEATED CAMOUFLAGE JACKET | 52 |
| M12 HJ GREY5 | M12™ HEATED JACKET - GREY | 52 |
| M12 HPJBL2 | M12™ HEATED PUFFER JACKET - BLACK | 53 |

| | | |
|-------------|--|----|
| M12 HPJBL2 | M12™ HEATED PUFFER JACKET LADIES - BLACK | 53 |
| M12 HPVBL2 | M12™ HEATED PUFFER VEST | 53 |
| M12 HVGREY1 | M12™ HEATED VEST - GREY | 53 |

| LASERS RANGE | | 55 - 58 |
|---------------------|--|----------------|
| CLL | ALKALINE GREEN CROSS LINE LASER | 56 |
| HI-VIST | HIGH VISIBILITY LASER TARGET PLATE | 57 |
| L4 CLL | USB RECHARGEABLE GREEN CROSS LINE LASER | 56 |
| L4 CLLP | USB RECHARGEABLE GREEN CROSS LINE LASER WITH PLUMB POINTS | 56 |
| LDM 100 | 100 M LASER DISTANCE METER | 58 |
| LDM 30 | 30 M LASER DISTANCE METER | 58 |
| LDM 45 | 45 M LASER DISTANCE METER | 58 |
| LDM 50 | 50 M LASER DISTANCE METER | 58 |
| LLD50 | LASER LINE DETECTOR | 57 |
| LM360 | 360° LASER MOUNT | 57 |
| LMP | 3.6 M TELESCOPING LASER POLE | 57 |
| LRD100 | LINE/ ROTARY LASER DETECTOR | 56 |
| LWM | LASER WALL MOUNT | 57 |
| M12 3PL | M12™ GREEN 360° 3 PLANE LASER | 55 |
| M12 CLL4P | M12™ CROSS LINE LASER WITH 4 POINTS | 55 |
| M12 CLLP | M12™ GREEN CROSS LINE LASER WITH PLUMB POINTS | 55 |
| M18 RLOH600 | M18™ 600 M HORIZONTAL ROTARY LASER WITH ONE-KEY™ | 55 |
| M18 RLOHV1200 | M18™ 1200 M HORIZONTAL VERTICAL AUTO DUAL GRADE ROTARY LASER WITH ONE-KEY™ | 55 |
| M18 RLOHVG300 | M18™ 300 M GREEN HORIZONTAL VERTICAL ROTARY LASER WITH ONE-KEY™ | 55 |
| RD1200 | ROTARY LASER DETECTOR 1200 M | 56 |
| RD300G | ROTARY LASER DETECTOR 300 M GREEN | 56 |
| RD600 | ROTARY LASER DETECTOR 600 M | 56 |
| ROD500 | 500 CM GRADE ROD | 58 |
| SR240 | 240 CM STAFF ROD | 58 |
| TRP120 | 1.2 METRE COMPACT LASER TRIPOD | 58 |
| TRP160 | 1.6 METRE LASER TRIPOD | 58 |
| TRP180 | 1.8 METRE LASER TRIPOD | 57 |
| TRP300 | 3.0 METRE LASER TRIPOD | 57 |
| WLB | WIRELESS LASER ALIGNMENT BASE | 57 |

| ELECTRICAL | | 59 - 62 |
|-------------------|---|----------------|
| 2200-40 | VOLTAGE DETECTOR | 62 |
| 2205-40 | FORK METER FOR ELECTRICIANS | 62 |
| 2212-20 | AUTO VOLTAGE / CONTINUITY TESTER | 62 |
| 2216-40 | LIGHT COMMERCIAL MULTIMETER | 62 |
| 2217-40 | DIGITAL MULTIMETER | 62 |
| 2235-40 | LIGHT COMMERCIAL CLAMP METER | 62 |
| 2267-40 | 10:1 INFRARED TEMP-GUN™ | 62, 66 |
| M12 CC | M12™ SUB COMPACT CABLE CUTTER | 59 |
| M18 BLTRC | M18™ BRUSHLESS THREADED ROD CUTTER | 61 |
| M18 BSBT | M18™ SHEAR BOLT TOOL | 61 |
| M18 FPFT | M18 FUEL™ POWERED FISH TAPE | 60 |
| M18 HCC125 | M18™ FORCE LOGIC™ HYDRAULIC 125 MM CABLE CUTTER | 59 |
| M18 HCC45 | M18™ FORCE LOGIC™ HYDRAULIC 44 MM CABLE CUTTER | 59 |
| M18 HCC75 | M18™ FORCE LOGIC™ HYDRAULIC UNDERGROUND CABLE CUTTER | 59 |
| M18 HCC75R | M18™ FORCE LOGIC™ HYDRAULIC REMOTE UNDERGROUND CABLE CUTTER | 59 |
| M18 HCCT | M18™ FORCE LOGIC™ HYDRAULIC 53 KN CABLE CRIMPER | 61 |
| M18 HCCT109/42 | M18™ FORCE LOGIC™ HYDRAULIC 109 KN CABLE CRIMPER | 61 |
| M18 HDCT | M18™ FORCE LOGIC™ HYDRAULIC DIELESS CRIMPER | 61 |
| M18 HKP | M18™ FORCE LOGIC™ HYDRAULIC KNOCKOUT PUNCH | 60 |
| M18 HSFC125R | M18™ FORCE LOGIC™ HYDRAULIC 125 MM SAFETY CABLE CUTTER | 59 |
| M18 HUP700 | M18™ HYDRAULIC UTILITY PUMP | 60 |
| M18 ONEHCC | M18™ FORCE LOGIC™ HYDRAULIC 35 MM CABLE CUTTER | 60 |
| M18 ONEHCCT60 | M18™ FORCE LOGIC™ HYDRAULIC 60 KN CABLE CRIMPER | 61 |
| M18 UBL | M18™ LED UTILITY BUCKET LIGHT | 62 |

| PLUMBING | | 63 - 66 |
|-----------------|--|----------------|
| 2267-40 | 10:1 INFRARED TEMP-GUN™ | 62, 66 |
| C12 PC | M12™ SUB COMPACT COPPER PIPE CUTTER | 65 |
| C12 PPC | M12™ SUB COMPACT PEX CUTTER | 65 |
| C12 PXP | M12™ SUB COMPACT UPONOR™ Q&E EXPANSION TOOL | 66 |
| HD18 PXP | M18™ UPONOR™ Q&E EXPANSION TOOL | 66 |
| M12 BSWP | M12™ HYDROPASS™ BRUSHED STICK WATER PUMP | 65 |
| M12 FPXP | M12 FUEL™ SUB COMPACT UPONOR™ Q&E EXPANSION TOOL | 66 |
| M12 HPT | M12™ SUB COMPACT FORCE LOGIC™ HYDRAULIC PRESS TOOL | 64 |
| M12 PCSS | M12™ RAPTOR™ PIPE CUTTER STAINLESS STEEL | 65 |
| M18 BLHPT | M18™ FORCE LOGIC™ BRUSHLESS PRESSTOOL | 63 |
| M18 BLHPTXL | M18™ FORCE LOGIC™ BRUSHLESS XL PRESS TOOL | 63 |
| M18 BTP | M18™ COMPACT TRANSFER PUMP | 65 |
| M18 FPT114 | M18 FUEL™ PIPE THREADER 1 1/4" WITH ONE-KEY™ | 64 |
| M18 FPT2 | M18 FUEL™ PIPE THREADER 2" WITH ONE-KEY™ | 64 |
| M18 FPXP | M18 FUEL™ UPONOR™ Q&E EXPANSION TOOL | 66 |
| M18 FVP5 | M18 FUEL™ VACUUM PUMP 5 CFM | 66 |
| M18 ONEBLHPT | M18™ FORCE LOGIC™ BRUSHLESS PRESS TOOL WITH ONE-KEY™ | 63 |
| M18 ONEBLPXL | M18™ ONE-KEY™ FORCE LOGIC™ UPONOR™ Q&E HYDRAULIC PIPE EXPANDING TOOL | 66 |
| M18 STSO | M18™ FORCE LOGIC™ STRUT SHEAR | 65 |
| MPS | MILWAUKEE® PIPE STAND | 65 |
| MXF PTR2 | MX FUEL™ PIPE THREADING MACHINE 2" WITH ONE-KEY™ | 6, 64 |

| DRAIN CLEANING AND INSPECTION | | 67 - 70 |
|--------------------------------------|--|----------------|
| AIC2 | ALKALINE INSPECTION CAMERA 2ND GEN | 69 |
| INSPECTION CAMERAS | | 70 |
| M12 360IC12 | M12™ 360° INSPECTION CAMERA 1.2 M 2ND GEN | 69 |
| M12 360IC32 | M12™ 360° INSPECTION CAMERA 3 M 2ND GEN | 69 |
| M12 BDC6 | M12™ SUB COMPACT DRAIN CLEANER WITH SPIRAL DIAMETER 6 MM | 68 |
| M12 BDC8 | M12™ SUB COMPACT DRAIN CLEANER WITH SPIRAL DIAMETER 8 MM | 68 |
| M12 PL | M12™ PLUMBING LOCATOR | 69 |
| M18 FCSSM | M18 FUEL™ COMPACT SECTIONAL SEWER MACHINE | 68 |
| M18 FDCPF10 | M18 FUEL™ DRAIN CLEANER - POWER FEED 10 MM | 67 |
| M18 FDCPF8 | M18 FUEL™ DRAIN CLEANER - POWER FEED 8 MM | 68 |
| M18 FFSDC10 | M18 FUEL™ FREE STANDING DRAIN CLEANER 10 MM | 67 |
| M18 FFSDC13 | M18 FUEL™ FREE STANDING DRAIN CLEANER 13 MM | 67 |
| M18 FFSDC16 | M18 FUEL™ FREE STANDING DRAIN CLEANER 16 MM | 67 |
| M18 FSSM | M18 FUEL™ SECTIONAL SEWER MACHINE | 68 |
| M18 HSFSM | M18™ HIGH SPEED FLEXIBLE SHAFT MACHINE | 69 |
| M18 SIC30 | M18™ SEWER INSPECTION CAMERA 30 M | 70 |
| M18 SIC36 | M18™ SEWER INSPECTION CAMERA 36 M | 70 |
| M18 SIC60 | M18™ SEWER INSPECTION CAMERA 60 M | 70 |
| M18 SIC60SC | M18™ SEWER INSPECTION SMALL CAMERA 60 M | 70 |
| M18 SIM | M18™ SEWER INSPECTION MONITOR | 70 |
| M18 SISH | M18™ SEWER INSPECTION SMART HUB | 70 |
| MXF LSDP | MX FUEL™ LARGE SEWER DRUM MACHINE WITH POWERTREDZ™ | 6, 67 |

| OPE | | 71 - 75 |
|--------------|--|----------------|
| M12 BHCS3L | M12™ HANDHELD CHEMICAL SPRAYER 3.7 L | 74 |
| M12 BLPRS | M12™ BRUSHLESS PRUNING SHEARS | 73 |
| M12 FHS | M12 FUEL™ HATCHET™ PRUNING SAW 15 CM | 73 |
| M12 FHT20 | M12 FUEL™ HEDGE TRIMMER 20 CM | 72 |
| M18 BLLT | M18™ BRUSHLESS GRASS TRIMMER | 71 |
| M18 BPPF-CST | M18™ SWITCH TANK™ 15L CHEMICAL SPRAYER | 74 |
| M18 BPPF-WST | M18™ SWITCH TANK™ 15L WATER SUPPLY | 74 |
| M18 BPPFH | M18™ SWITCH TANK™ | 74 |
| M18 F2BL | M18 FUEL™ DUAL BATTERY BLOWER | 74 |
| M18 F2BPB | M18 FUEL™ DUAL BATTERY BACKPACK BLOWER | 73 |
| M18 F2LM46 | M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER 46 CM | 71 |
| M18 F2LM53 | M18 FUEL™ DUAL BATTERY SELF-PROPELLED LAWN MOWER 53 CM | 71 |
| M18 FBCU | M18 FUEL™ BRUSH CUTTER | 71 |

| | | |
|----------------------|--|----|
| M18 FBL | M18 FUEL™ BLOWER | 74 |
| M18 FCHS | M18 FUEL™ CHAINSAW WITH 40 CM BAR | 72 |
| M18 FCHS35 | M18 FUEL™ CHAINSAW WITH 35 CM BAR | 72 |
| M18 FCHSC | M18 FUEL™ CHAINSAW WITH 30 CM BAR | 72 |
| M18 FHET45 | M18 FUEL™ HEDGE TRIMMER 45 CM | 72 |
| M18 FHET60 | M18 FUEL™ HEDGE TRIMMER 60 CM | 72 |
| M18 FHS20 | M18 FUEL™ HATCHET™ PRUNING SAW 20 CM | 73 |
| M18 FOPH | M18 FUEL™ OUTDOOR POWER HEAD WITH QUIK-LOK™ | 75 |
| M18 FOPH ATTACHMENTS | | 75 |
| M18 FOPHLTKIT | M18 FUEL™ OUTDOOR POWER HEAD - GRASS TRIMMER KIT | 75 |
| M18 FTHCHS30 | M18 FUEL™ TOP HANDLE CHAINSAW WITH 30 CM BAR | 73 |
| M18 FTHCHS35 | M18 FUEL™ TOP HANDLE CHAINSAW WITH 35 CM BAR | 73 |
| M18 FTSP30 | M18 FUEL™ TELESCOPING POLE SAW 30 CM | 74 |

| TRUEVIEW™ HIGH DEFINITION LIGHTING | | 76 - 80 |
|---|--|----------------|
| M12 AL | M12™ LED AREA LIGHT | 78 |
| M12 CML | M12™ COLOUR MATCHING LIGHT | 79 |
| M12 LL | M12™ LED LANTERN LIGHT | 79 |
| M12 PAL | M12™ PIVOT AREA LIGHT | 78 |
| M12 POAL | M12™ PACKOUT™ AREA LIGHT 1400 LUMENS | 77 |
| M12 SAL | M12™ STAND LIGHT | 77 |
| M12 SL | M12™ LED STICK LIGHT | 78 |
| M12 SLED | M12™ LED SPOT LIGHT | 78 |
| M12 TLED | M12™ LED TORCH | 79 |
| M12 UCL | M12™ UNDERCARRIAGE LIGHT | 79 |
| M12 UHL | M12™ LED UNDERHOOD LIGHT | 79 |
| M18 AL | M18™ LED AREA LIGHT | 78 |
| M18 HOAL | M18™ HIGH OUTPUT AREA LIGHT | 77 |
| M18 HOSALC | M18™ HIGH OUTPUT STAND AREA LIGHT CHARGER | 77 |
| M18 IL | M18™ LED INSPECTION LIGHT | 78 |
| M18 LL | M18™ LED LANTERN LIGHT | 79 |
| M18 ONERSAL | M18™ ONE-KEY™ LED REMOTE STAND LIGHT | 77 |
| M18 ONESLDP | M18™ ONE-KEY™ LED COMPACT SITE LIGHT CHARGER | 76 |
| M18 ONESLSP | M18™ ONE-KEY™ LED COMPACT SITE LIGHT | 76 |
| M18 PAL | M18™ PIVOTING AREA LIGHT | 78 |
| M18 POALC | M18™ PACKOUT™ AREA LIGHT CHARGER | 77 |
| M18 SAL2 | M18™ LED STAND LIGHT | 77 |
| M18 SLED | M18™ LED SEARCH LIGHT | 78 |
| M18 TAL | M18™ TRADESMAN AREA LIGHT | 76 |
| M18 TLED | M18™ LED TORCH | 79 |
| MXF TL | MX FUEL™ TOWER LIGHT | 6, 76 |
| PERSONAL LIGHTS | | 80 |

| BATTERIES & CHARGERS | | 81 - 83 |
|--|--|----------------|
| BATTERIES | | 81 |
| CHARGERS | | 82 |
| PROMOTIONAL BATTERIES AND CHARGER KITS | | 83 |
| BATTERIES AND CHARGER KITS | | 83 |

| CONSTRUCTION | | 84 - 87 |
|---------------------------|---|----------------|
| AGV 12 DEC | 1200 W ANGLE GRINDER WITH DUST MANAGEMENT (28 MM DOC) | 87 |
| AGV 12 DEG | 1200 W ANGLE GRINDER WITH DUST MANAGEMENT | 87 |
| AGV 15 DEC | 1550 W ANGLE GRINDER WITH DUST MANAGEMENT (28 MM DOC) | 87 |
| AGV 15 DEG | 1550 W ANGLE GRINDER WITH DUST MANAGEMENT | 87 |
| BREAKERS | | 84 - 85 |
| BRT | BREAKER TROLLEY | 86 |
| COMBI HAMMERS | | 84 - 85 |
| DD 2-160 XE | 2-SPEED DRY DIAMOND DRILL | 86 |
| DD 3-152 | 3-SPEED COMBI DIAMOND DRILL | 86 |
| IPWE 400 R | 1/2" DRIVE IMPACT WRENCH | 86 |
| IPWE 520 R | 3/4" DRIVE IMPACT WRENCH | 86 |
| ROTARY DRILLS AND DRIVERS | | 86 - 87 |
| WCE 30 | 1500 W 125 MM (30 MM DOC) WALL CHASER | 87 |

CONSTRUCTION 84 - 87

| | | |
|--------|---------------------------------------|----|
| WCS 45 | 1900 W 150 MM (45 MM DOC) WALL CHASER | 87 |
|--------|---------------------------------------|----|

METAL WORKING 88 - 90

| | | |
|----------------|--|---------|
| AGS 15-125 C | 1500 W GRINDER/SANDER | 90 |
| ANGLE GRINDERS | | 88 - 90 |
| AP 12 E | 1200 W POLISHER WITH ELECTRONIC VARIABLE SPEED | 90 |
| AP 14-2 200 E | 1450 W POLISHER | 90 |
| AS 12 E | 1200 W SANDER WITH ELECTRONIC VARIABLE SPEED | 90 |
| BS 125 | DEEP CUT BAND SAW | 90 |
| CHS 355 | 2300 W CHOPSAW | 90 |
| DE 10 RX | 630 W SINGLE HIGH SPEED ROTARY DRILL | 90 |
| DG 30 E | VARIABLE SPEED SINGLE HANDED DIE GRINDER | 90 |
| DG 7 E | LOW SPEED DIE GRINDER | 90 |
| DGL 30 E | VARIABLE SPEED 2-HANDED DIE GRINDER | 90 |
| DGL 34 | SINGLE HIGH SPEED 2-HANDED DIE GRINDER | 90 |
| MCS 66 | DRY CUT METAL CIRCULAR SAW | 90 |
| MDE 41 | MAGNETIC DRILLING PRESS WITH ELECTRO MAGNET | 90 |
| MDP 41 | MAGNETIC DRILLING PRESS WITH PERMANENT MAGNET | 90 |

WOODWORKING 91 - 92

| | | |
|-----------------|--|----|
| CIRCULAR SAWS | | 91 |
| JIGSAWS | | 91 |
| RCD | REMOTE SOCKET CONTROLLER | 92 |
| RCS | REMOTE CONTROL SOCKET AND CONTROLLER KIT | 92 |
| SANDERS | | 92 |
| SAWZALL™ | | 91 |
| DUST EXTRACTORS | | 92 |



Nothing but **HEAVY DUTY.**[™]

Distributed by:

Techtronic Industries GmbH

Postfach 320
D-71361 Winnenden
Germany
Tel +497195120
Fax +49719512666