




Nothing but **HEAVY DUTY.**TM



SERVICE


WARRANTY GUIDELINES

E-SERVICE

Milwaukee E-Service allows real-time updates of the repair process, from the moment you send a tool to a Milwaukee Service Centre to the moment the tool is repaired and sent back to you. This tool collection process can be ordered and tracked down on the E-Service website.

E-SERVICE FEATURES


- Easy tool repair request
- Choice of pick up and drop off points
- Complete and clear tracking
- Online visible quotation for out of warranty repair
- Invoice upload for paperless process and safe backup



EASY REPAIR PROCESS

STEP 1

Visit milwaukeetool.eu/Service to record your tool (or retrieve an already recorded one) and click repair. Confirm whether your tool is in or out of warranty condition.



STEP 2


Choose from one of the following options for the pick up and drop off of your repair:

- A) Pick up and drop off from home
- B) Pick up and drop off at your chosen location
- C) Pick up and drop off at your chosen collection points of the carrier network



STEP 3

Add your tool's failure description and choose to receive a tracking message via email or sms.



STEP 4

Confirm your repair request. You can then review your repair summary, where you will have the option to edit if required. Once you are happy, click print label and attach your label to your parcel.



STEP 5

Your tool is then picked up by a Milwaukee courier and taken to the service centre. You can follow your tool's repair online (sms or e-mail if selected) through the following stages:

- Collection by the carrier
- Arrival at the service centre
- Tool repaired
- Collection by the carrier from the Service Centre
- Delivery back to you

STEP 6 (ONLY FOR TOOLS OUT OF WARRANTY)

If your tool is out of warranty, you have the option to select your maximum repair cost. The cost of the repair will be reviewed by the service team and if the required repairs can be completed within your budget, we will repair your tool without quotation. Without further contact on purpose of time saving.

If your tool cannot be repaired within your desired budget or you didn't select that option, the service team will provide you a quotation. You can choose to accept it, and we will repair your tool, or reject it and we will return the tool (at a cost to you) or recycle it on your behalf.

JOINING MILWAUKEE'S® E-SERVICE

Milwaukee E-Service is available to users with products that are in and out of warranty. By joining the service you have access to Milwaukee professional repairs. Just record your tool and follow the easy step by step repair process.

VISIT MILWAUKEE.EU/ESERVICE FOR MORE INFORMATION

WARRANTY CHECKLIST

For a tool to be repaired under warranty or extended warranty, the checklist must match all cells highlighted in green!

Is the tool within the warranty period?	YES	NO
Does the tool have the CE mark?	YES	NO
Has the damage been caused by a defect or workmanship?	YES	NO
Does the tool show excessive wear and tear or abuse?	YES	NO
Does the tool show damage caused by extremal force? (liquids, heavy impact)	YES	NO



Example of the CE mark



Example of excessive wear and tear



Example of an external force (heavy impact)

PACKAGE CHECKLIST


Before sending the tool for servicing:

- ☒ Has the invoice or the copy of the invoice been enclosed within the package of the tool?
- ☒ If the tool was purchased more than a year ago, is the extended warranty certificate enclosed in the package?
- ☒ Is there a failure description?
- ☒ Are you sending the tool with all the attachments required? (i.e. handle, guard)
- ☒ Has the TTI Service Order been completed with the description, the serial number and the production code of the tool? (MILWAUKEE® Service Form – see previous page)



REPAIR PROCESS


This booklet serves as a reference guide for the use of our customers / commercial partners and our service agents to assist in distinguishing between worn parts, misused parts and defective parts for warranty repair purposes. Furthermore, it gives an insight into the after sales service at Milwaukee Tool. The warranty cases are only guidelines and do not identify all failure types. The decision to authorise a warranty repair is that of the Authorised Service Agent.



WARRANTY REGISTRATION / EXTENDED WARRANTY

It is required for the customer to register the tool within 30 days after date of purchase, to get the 3 years extended warranty. The date code is required, to ensure that the correct tool has been registered when originally purchased. With the registration, a certificate is provided (as shown below), which must match with the serial number on the rating plate.

For all Warranty claims, the Type of tool, the Serial number and the Date code must be identified.



Thank you. You have successfully registered your new tool.

Duchemin Didier

Registration details

MILWAUKEE - M18ONEPD-502X GB2 - 4000452713

Serial number 000360 | F2017

Purchase date 14/08/2018


Warranty expiration 14/08/2021

Dealer name TOOLS INDUSTRIES

Dealer location (city, zip code) LONDON

Dealer country UK

Record number 5650627




Production codes are located on the rating label outside of the unit. The production code on the tool (shown above) should match the Warranty certificate (shown to the left).



WARRANTY CONDITIONS

In addition to any statutory rights resulting from the purchase of a new product, all MILWAUKEE® branded power tool(s), outdoor power equipment and batteries are covered by a voluntary guarantee granted by the manufacturer as stated below. The MILWAUKEE® Guarantee(s) are only applicable to purchaser(s) who purchase the products as end users („Purchaser“). Retailers or rental companies are expressly excluded from any MILWAUKEE® Guarantee(s). The invocation of this voluntary guarantee does not limit the statutory legal rights of the Purchaser in case of a defect.

1. The standard guarantee period is 1 year („Standard Guarantee“) and commences on the date when the product was purchased. This date must be documented by an invoice or other proof of purchase in order for the guarantee to be valid and enforceable. This guarantee applies only on new product(s).
2. There is an option for end users in certain countries to extend the Standard Guarantee for eligible power tool(s), outdoor power equipment or batteries beyond the Standard Guarantee period by registering on the <https://www.milwaukeetool.eu/> website. The eligibility of products for the extended guarantee is specified on packaging, on the website at <https://guarantee.milwaukeetool.eu>, and/or contained within the relevant product documentation: a. The Standard Guarantee period of MILWAUKEE® eligible power tool(s) and outdoor power equipment can be extended from 1 year to a maximum of 3 years (1+2). With the exception of MX FUEL™ tool(s) for which guarantee can be extended from 1 year to a maximum of 2 years (1+1) only. b. The Standard Guarantee period of eligible MILWAUKEE® REDLITHIUM™ batteries including MX FUEL™ batteries can be extended to a maximum of 2 years (1+1). All guarantee extensions are subject to registering online the newly acquired products within 30 days of the purchase date. The extended guarantee for MILWAUKEE® power tool(s), outdoor power equipment and REDLITHIUM™ batteries will only be granted if purchased via an Authorised MILWAUKEE® Distributor as set out on the website at <https://www.milwaukeetool.eu/support/store-locator/>. An eligible product can be registered for the extended guarantee if listed on the online registration form where this option is valid. All personal information of an end user will be processed in accordance with the privacy statement, which can be found here <https://uk.milwaukeetool.eu/footer/privacy-policy/>. The registration confirmation receipt, which is sent out by e-mail, and the original invoice showing the date of purchase will serve as proof of the extended guarantee.
3. All MILWAUKEE® guarantee(s) are limited to repair and/or replacement of the defective product provided that the defect in workmanship or material existed at the date of purchase. No further costs or losses can be claimed. In addition, the guarantee(s) do not apply to: • trade or hire purposes • any damage to the product that is the result of improper maintenance • any product that has been altered or modified • any product where original identification (trade mark, serial number) markings have been defaced, altered or removed • any damage caused by non-observance of the instruction manual • any non CE/UKCA product • any product which has been attempted to be repaired by a non-qualified professional or without prior authorisation by us • any product connected to improper power supply (amps, voltage, frequency) • any damage caused by external influences (water, chemical, physical, shocks) or foreign substances • normal wear and tear of spare parts • inappropriate use, overloading of the tool • use of non-approved accessories or parts • power tool accessories provided with the tool or purchased separately. Such exclusions including but not limited to screwdriver bits, drill bits, abrasive discs, sand paper and blades, lateral guide • components (parts and accessories) subject to natural wear and tear, including but not limited to service & maintenance kits, carbon brushes, bearings, chuck, SDS drill bit attachment or reception, power cord, auxiliary handle, transport carry case, sanding plate, dust bag, dust exhaust tube, felt washers, impact wrench pins & springs, etc.
4. For guarantee servicing, the product must be sent or presented to a MILWAUKEE® authorised service center(s) as listed on the website at <https://www.milwaukeetool.eu/header/service/find-a-service-center/>. In some countries certain Authorised MILWAUKEE® Distributors undertake to send the product to the MILWAUKEE® service center(s). Purchaser can request the guarantee servicing by a. contacting the retailer where the purchase was made; b. contacting an Authorised MILWAUKEE® Distributor if available as listed on the website at <https://www.milwaukeetool.eu/support/store-locator/>; or c. registering via the E-service platform <https://eservice.milwaukeetool.eu>. When sending a product to a MILWAUKEE® service center, the product shall be safely packed (please see the safety instructions on the website at www.milwaukeetool.eu/service/ without any dangerous contents, marked with sender's address and accompanied by a short description of the fault. We recommend the use of E-service driving you through the steps with all the necessary information for a quick service, <https://eservice.milwaukeetool.eu/>.
5. The guarantee servicing is provided in such way that defective parts of the products are repaired or replaced by non-defective parts at our discretion. If we refuse to remedy the defect or if, at our discretion, the remedy has failed, an equivalent replacement will be supplied. The replaced product(s) or part(s) become our property. Any repair/ replacement under the guarantee(s) above are free of charge. This does not constitute an extension or a new start of the guarantee period. In some countries delivery charges or postage will have to be paid by the sender. The guarantee period including any extended guarantee period under these guarantee conditions for replaced spare parts ends with the guarantee period for the entire product, which was first subject to the Standard Guarantee.
6. The MILWAUKEE® Guarantee(s) are granted by Techtronic Industries GmbH, Max-Eyth-Str.10, 71364 Winnenden, Germany, to the original Purchaser only and may not be transferred or assigned.
7. The MILWAUKEE® Guarantee(s) are valid in the European Economical Areas (EEA), Switzerland, and United Kingdom. Outside these areas, please contact the retailer where the purchase was made to find out if another guarantee applies. These conditions shall be governed by German law to the exclusion of the rules of the UN-Convention on Contracts for the International Sale of Goods („CISG“).



GUIDELINES

DEFECTIVE MATERIALS OR WORKMANSHIP

Milwaukee Tool applies high-quality standards to its suppliers and manufacturing operations, and 100% of all products are tested prior to leaving the factory, there are however, rare occasions where a product defect occurs.

Where it can be verified to your satisfaction that a defect was caused by either:

1. Incorrect assembly or,
2. One or more components were not manufactured to design specification limits.

Milwaukee Tool's Warranty provides for the repair of such a defect to the product at no charge to the user

WEAR AND TEAR

Milwaukee Tool's warranty does not cover components that are subject to "Excessive Wear and Tear" or which are subject to natural wear and tear, caused by use in accordance with the instructions for use. The term "wear and tear" is in relation to the number of hours a product is used and the environment it is used in. This will be determined by the Service Centre.

The following parts are subject to wear & tear and are therefore not covered if the product has had excessive use in relation to the application and the environment for which it was designed:

armature commutators, bearings, switches, beat pieces and rams, clutches and parts which interact in general.


Additionally, with the following parts/components, wear and tear is expected due to the nature of the performance of the component, when the product is used for the application and in the environment for which it was designed:

Chucks, Motor, Brushes, Cordset

Cases of wear and tear must be determined by the service agent.



Burnt motor due to overload



Broken due to heavy impact



Broken chuck due to misuse



Rusty electronics



GUIDELINES

BATTERY PACKS – GENERAL CARE

Where it is clear that these guidelines have not been followed, any resultant damage to the battery or low performance is not covered by the Warranty.

Batteries:

To ensure the maximum life from of a battery pack, there are some best practices which should be followed as a general guide. Check that the user has adhered to the following guidelines:

1. The battery will perform best if it is charged at room temperature. It should not be charged at temperatures below -10°C or above 66°C . Under these conditions, the battery will not take a full charge, and may be permanently damaged. If the battery is hot, the user should let it sit out of the charger for at least 2 hours until the battery is at room temperature. The user should not try to discharge the battery beyond the point where the tool no longer performs with the power and torque needed for the job, as this may cause permanent damage, preventing the battery from taking a full charge.
2. The battery must be stored in a cool, dry place. If temperatures exceed 49°C , it may reduce the battery life.
3. Periodically the user should charge the battery overnight to take full advantage of charging system for optimum runtime and battery life.

Failure modes:

The warranty does not cover damage to the battery or poor battery performance when it results from:

1. Failure to protect battery terminals when not in use
2. If the battery has extreme contamination of battery latches, affecting the latching of the battery into the tool.
3. Water ingress

PACKAGING

The packaging used must be appropriate for safe transportation.

Milwaukee Tool have the right to refuse warranty claims if products/packages arrive damaged in our repair centres due to inadequate packaging. In order to protect the tool from any damage during transportation, it is advisable to send it back in its original packaging, including the kit box, or in packaging sufficient for safe transportation.

Visit the following link for instructions regarding safe packing of tools, when sending back for servicing.

<https://www.milwaukeetool.eu/service/lithium-ion-batteries/>



Example of an extreme drop or impact of a MILWAUKEE® battery




GUIDELINES

TOOL MISUSE

Examples of tool misuse include:

- Extreme impact or drops
- Ingestion of foreign objects, for instance nails, screws, sand, dirt
- Using the wrong tool for the application
- Any modification to a tool
- Prolonged exposure to the environment, causing rust, corrosion, etc.
- Wrong voltage delivered to the tool
- Using incorrect accessories or batteries
- Lack of recommended service (especially hammers)
- Use of incorrect grease
- Lack of lubrication
- Water ingress



Switch could not be activated due to debris in tool



Spring assembled externally, proving unauthorised opening of tool

SERVICE ATTEMPT BY PRIVATE CUSTOMER OR UNAUTHORISED PERSON

Under no circumstances during the warranty period should a customer attempt to service their own tool. Any such attempt invalidates the Warranty for said tool.

Warranty repairs should only be carried out through an Authorised Milwaukee Tool Service Agent. Examples of improper repairs include: incorrectly wired units, pinched lead wires, incorrect screw torque and assembly.



FURTHER ADVICE

BEARINGS

Power tools may be fitted with various types of bearings such as ball, needle or plain etc. In general, bearings act as an interface between a shaft or component and its housing, allowing relative movement between the two.

Bearing failure may manifest itself by increased shaft run out (wobble), slack fitting components or in extreme cases, seizure. Bearings may also become dislodged from their housings due to abuse. Bearing failure may necessitate the replacement of the bearing, as well as its mating parts. Bearings which have failed as a result of fair wear and tear or excessive wear and tear, in relation to use of the product in accordance with its instructions for use in the application and in the environment for which it was designed are not covered by the warranty.

CHUCKS

The chuck tightly secures the tool (normally a drill bit) causing it to rotate and follow the same action as the output spindle of the drill.

Chucks may be 'keyless' meaning they can be tightened and released by hand, or 'keyed' requiring the use of a separate chuck key. Chucks fitted to percussion drills may differ from those fitted to rotary only drills, as the former must be capable of withstanding the increased stress induced by the percussion (hammering) action.

Chuck damage may occur due to inappropriate applications, abuse, or lack of care. For example:

- Bit slippage due to incorrect tightening of the bit in the chuck.
- Operating the drill with the chuck running against masonry or other hard surfaces which causes wear.
- Rust caused by inappropriate prolonged exposure to dampness.
- Allowing a build-up of dust on the chuck.

Chucks are normally not covered by warranty unless they were not manufactured to design specification limits.

MOTORS

The main part of an electrical tool is the motor. To operate long-term without problems, the motor is equipped with a cooling fan, fixed to the armature shaft. The efficiency of this cooling system is directly related to the speed of the

armature. The greater the stress placed on a motor, the more energy required to sustain the rated RPM. Eventually, the motor speed drops and the cooling effect decreases so rapidly, that the temperature increase results in critical overheating. To avoid overheating, the motor should at all times be able to rotate at its rated RPM, and therefore allow the cooling system to work efficiently during the operating time of the tool.

An overheated motor, which is never a case of warranty, is almost always an indication of incorrect application of a tool (conscious or non-conscious), or incorrect choice of tool for a specific application.

SWITCHES

All power tools are controlled by a switch. The actuation of a power tool mains switch is either in the form of a trigger, slider or rocker, which in some cases can be locked in the on or off position. Short term problems with switches are normally due to damage to the actuator or lock mechanism, from tools being dropped. Other early problems are with the switch connections, i.e. terminal screws loose or not tightened sufficiently, or over tightened, cutting the wire connection.

Longer term, switches can get stuck in the on or off position due to wood or concrete dust ingress. In extreme cases, the dust can affect the switch internal connections causing contacts to burn and arc, leading to intermittent operation.

PCB & ELECTRONICS


PCB's can be static sensitive parts. As such, they should always be stored & fitted using appropriate static protection. Note: switches & PCB's are sensitive to high current & heat caused by overload of the tool. These failures are never covered under Warranty. Failure on electronics/PCB's with dust accumulation is not covered under warranty.

BRUSHES

Carbon brushes are used to connect the stator coils to the armature, in an electric motor. They need to keep a positive connection on a rotating surface, through the normal life of a tool. On a power tool the brushes can wear to a point when the unit will stop. At this point they will need replacing. Conditions that can affect the wear rate of a brush are normally, Environmental - Temperature, Humidity Application - Overload, dust ingress.

Excessive brush wear can be caused by other issues in the motor, E.g. armature open or short circuit, field short circuit, incorrect armature and or field fitted.

Brushes which have failed as a result of fair wear and tear, or excessive wear and tear in relation to use of the product in accordance with its instructions for use in the application and in the environment for which it was designed are not covered by the Warranty.





YOUR MILWAUKEE SPECIALIST



Nothing but **HEAVY DUTY.**™

Techtronic Industries Germany Holding GmbH
Max - Eyth - Straße 10
71364 Winnenden

milwaukeeetool.eu